

Subject Index

This index includes topics from the main body of the text. Ubiquitous topics have been limited to principal references. For messages and classes from the SC language, see the code index. For definitions of terms, see the syntax appendix.

- 12-Tone Matrix, 34–35
- Abstraction, 210–211. *See also chapter 7*
- Additive Synthesis, 3, 6, 34–37, 128
- AIFF, 25, 195, 254, 483–485
- Algorithm (algorithmic), 122, 420, 460, 560
 - composition, 599
 - inside a method, 161–162
 - as pattern, 607–608
 - for pitch extraction, 441–442
 - synthesis, 385, 390, 644, 653
- Ambient Lights (project), 118
- Ambisonics, 424–425
- Analysis
 - FFT, 431
 - real time, 440–446
 - signal, 61, 65
 - UGens, 122
- Arduino, 120–124
- Arguments, 6–10, 132–133, 148–149
- Array, 11–14, 23, 28–36, 56–57
 - indexing, 238–240
 - literal, 742–744
 - nested, 89
- ASCII, 115, 121, 128, 165, 362
- Association, 163, 744
- Audio rate, 17, 42, 56, 196
- Balancing enclosures, 12
- Beat Tracking. *See* Machine listening
- Binary, 65, 133–134
 - numbers, 640, 642
 - operators, 12
- Binaural, 420–422, 560, 582–586. *See also chapter 19*
- Bipolar, 21, 42–46, 57, 65
- Boolean, 31–33, 65
- BPF (Band pass filter). *See* Filter
- Buffer, 24–29, 61, 76, 151, 184, 200, 205, 367–372, 480–484, 710, 725, 731–734, 737
- Bus, 25–36, 43, 57–60, 80, 538, 550
- Byte Code, 146–147, 676–679
- C++, 55, 120, 128, 178, 240, 357, 483, 578, 659, 697–704, 712–723, 741–742
- Carrier (phase modulation), 15–16, 20, 45
- Cents, 508–509
- Char, 287, 742
- Class (classes), 56, 128–130, 168–172
 - as object models, 241–243
 - tree, 173
 - writing, 694–695
- Clock (class), 83, 87, 101, 219, 228
 - AppClock, 83, 234, 246, 282, 626
 - SystemClock, 67, 83–84, 549, 626
 - TempoClock, 83–84, 197–202, 645
- Cloud (CloudGenerator), 258, 261, 478–480

- Cocoa, 349, 356, 375
 CocoaDocument (*see* Document)
 Coding
 conventions, 659–660
 networked live, 230
 scsynth style, 722
 Collection, 12, 14, 28–29, 60, 87, 115, 118, 128, 132, 134, 152, 162–165
 Comb (N, L, C), 61, 76, 80
 Combinatorics, 230
 Comments, 10–11, 52, 719
 Compilation (compiler), 146, 659–660, 664–666
 Composition. *See chapter 3*
 DAW style, 53, 81, 93
 object oriented (*see chapter 18*)
 Compression, 62
 Conductor. *See* Patterns, conductor
 Constraints. *See chapter 23*
 Control rate, 17, 26, 56, 79–80, 196
 ControlSpec, 277, 279
 Convolution, 417
 CPU (usage), 72–76, 264, 401, 718–719
 Crucial library. *See* Libraries, crucial
 Csound, 61, 723
 Cue Players, 91
- DAW (Digital audio workstation)
 Composition (*see* Composition, DAW)
 DC (offset), 716–717
 Debugging, 48, 55, 62, 108, 325, 361, 717
 Decorrelation, 428–436
 Delay, 61–62, 76, 79–80, 415–417
 Devices, external. *See* External devices
 Dialects, 635–637. *See also* chapter 23
 Dialogue (windows), 99, 151, 302
 Dictionary, 139, 141, 163, 165
 Distortion, 62, 494
 Document
 Emacs, 373
 OS X GUI (Cocoa), 299–303
 Dot (receiver dot message), 10–11, 114, 130
 Drag and Drop, 288
- Emacs (scel), 355–357, 366–374
 Encapsulation, 557–564
- Enclosures, 12
 Envelope, 18, 25, 47, 99, 343, 345, 414
 Environment, 55, 120–124, 166–167, 648
 variables, 25, 41, 139
 Evaluation (of code), 4, 7, 146
 Event, 180–182. *See also* Patterns; *chapter 6*
 note (keys), 184–189
 as object models, 241–243
 PatternProxy, 220–221
 protoEvent, 193–197, 202–205, 603–605
 streams, 220–222, 225–230
 triggering, 55
 Extensions. *See* Libraries
 External devices. *See chapter 4*
- FFT, 440–442
 Filter, 5, 17, 61, 68, 80
 BPF, 122, 212
 HPF, 80, 122
 Klank, 36, 38, 50
 Lag (Lag2), 62, 69, 185, 212
 LeakDC, 402
 LPF, 80, 397, 429, 692–693
 Median, 122
 Ringz, 231–232, 346, 353
 RLPF, 3, 345
 Flange, 695, 698, 703
 Float (floating-point), 11, 239
 Flow control, 160–162
 FlowLayout, 285
 Fourier, 357, 417
 Frequency modulation (FM). *See* Modulation, frequency
 FreeVerb, 68–70, 417, 419
 Function, 11–14, 60, 143–144, 147
 FunctionDef, 671
 iterating, 152
 return, 130–131, 144
- Garbage collection, 659–660, 684–685
 Gate, 18, 28, 151
 Gestures, 97
 Granular synthesis, 64, 80, 197, 258, 432, 465–469. *See also* Microsound
 client-side, 432–433
 server side, 480–483

- sound files, 489–490
- wave sets, 490–500
- Grouping.** *See* Precedence
- GUI** (Graphical user interface). *See also* Platforms; chapters 9–12
 - cross-platform, 298–299
 - dynamically generated, 295–297
 - Emacs (*see chapter 12*)
 - JSCUserView, 319–321
 - OS X, 274–276
 - SCUser, 291–294
 - static (singleton), 298
 - SwingOSC (*see chapter 10*)
 - tuning, 529
 - windows, 349
- GVerb, 68–70, 417, 419
- Harmonic spectrum.** *See* Spectrum, harmonic series
- HID** (Human Interface Devices), 105–111
 - Linux, 365
- HierSch**, 644–647
- History**, 230–235, 243
- HPF** (High pass filter). *See* Filter
- Human Interface Devices.** *See* HID
- IdentityDictionary**, 163, 165–166, 183
- If** (statements). *See* Flow control
- Inharmonic spectrum.** *See* Spectrum, inharmonic
- Inheritance**, 129, 168–171
- Instance methods**, 130, 137, 139
- Instance variables.** *See* Variables, instance
- Interpolation**, 56, 65, 68, 74, 76, 79–80
- Interpreter**, 180, 182, 205, 208–209, 240, 246, 307, 679–685
 - variables, 140–141
- Introspection.** *See* Linux, introspection
- iPhone**, 633
- Iteration**, 28–31, 152–153
- ixiQuarks**, 614–619, 624–628
- JACK.** *See* Linux, JACK
- Japan.** *See chapter 22*
- Java**, 128–309, 315–319, 326–329
- JITLib** (Just In Time), 102, 480, 603, 648
- JSCUserView.** *See* GUI
- Juggling**, 395
- Key Tracking.** *See* Machine listening
- Keyboard and Mouse**, 286–287
- Keywords**, 16, 132, 171, 741
- Clank.** *See* Filter
- Lag** (Lag2), 62, 69, 185, 212
- LazyEnvir**, 211, 215, 646
- LeakDC.** *See* Filter
- Libraries**
 - C, 659
 - chucklib, 603–607
 - crucial, 303
 - dewdrop_lib, 589–611
 - extensions, 55, 62, 79, 303, 546, 572
 - Linux, 359–360
 - platform specific, 719–720
 - Windows (platform), 351
 - quarks, 615
- Linear.** *See* Interpolation
- Linux**, 3–4, 11. *See also* chapter 12
 - ALSA, 363–365
 - introspection, 371–372
 - JACK, 362–363
- Live performance.** *See* chapter 20
- ListPattern**, 141
- Literals**, 129–130
- Localization**, 385
- Logical expressions**, 33. *See also* ==, !=, >, <, >=, <=
 - and, or *in code index*
- Loop**, 25–30
 - infinite, 153, 218
- LPF** (Low pass filter). *See* Filter
- Mac OS X.** *See* Platforms
- Machine listening.** *See* chapter 15
 - beat tracking, 450–452
 - key tracking, 452
 - onset detection, 446–450
 - transcription, 452–453
- Map** (Mapping), 58, 65, 106, 108, 122–124, 385–386, 401–405
- Markov**, 41
- Matrix**, 12-Tone. *See* 12-Tone matrix

- Max/MSP, 14, 156, 308, 375, 457, 660
- Median. *See* Filter
- Message (method), 104, 130–131
 - chains, 11, 130
 - instance, 130, 137, 139
 - nested, 8–12
- Method. *See* Message
- MetaClass, 172
- Microsound. *See* Granular synthesis; *chapter 16*
- MIDI, 30–33, 105, 111–114, 589, 592–593, 595, 608, 611
- MIDIIn, 594–595
- MIDIResponder, 595
- Modulation, 79
 - frequency, 15, 43, 385, 643
 - index, 16
 - phase, 3, 15, 20–21, 29, 47
 - pulse-width, 120
- Modulo (Mod, %), 18, 31
- Mono (Monophonic), 14, 58, 411–412
- Mouse. *See* Keyboard and Mouse
- Multichannel (expansion), 14, 17, 57–58, 205, 410–413
- Nesting, 8–12
- Networked live coding. *See* Coding, networked live
- Nil, 662, 672–705
- Node, 24, 28, 59–61, 184–185, 210–217, 221–222, 305, 316, 368
- NodeProxy, 211, 228, 230, 404
- NodeProxyEditor, 228
- Noise, 62, 68, 74, 79, 431
- Nyquist, 442, 716–717
- Object(s), 128
 - layout, 660–664
 - modeling (*see chapter 8*)
 - oriented composition (*see chapter 18*)
 - oriented programming, 127–129
- Offset, 42–48
- Onset detection. *See* Machine listening
- Open Sound Control. *See* OSC
- Operators, 12, 31, 133–134, 164
- Optimization, 61, 72, 74, 718
- OS X. *See* Platforms
- OSC (Open Sound Control), 65, 89, 105, 114, 538, 737
- Panning, 57, 62, 72, 385–386, 411–414
- Parallel FX, 25, 28
- Patterns, 189–195. *See also* Events; *chapter 6*
 - conductor, 200–201
 - empty, 219
 - proxy, 215, 220–222, 226
 - recursive, 222
- Phase, 56, 79, 128, 228
 - modulation (*see* Modulation, phase)
 - spectrum decorrelation, 431, 435
- Physical Model, 644
- Pink Noise, 343
- Platforms
 - Linux (*see chapter 12*)
 - Max OS X (*see chapter 9*)
 - Windows (*see chapter 11*)
- Plug-ins. *See* chapter 25
- Polymorphism, 87, 89, 104, 168, 237–238, 564, 637
- Precedence, 12, 37, 134
- Precedence effect, 411, 437
- Programming. *See* chapter 5
- Primitives, 684–689
- Prototypes, 598–602
- ProxySpace, 345
- PySCLang, 352–353
- QCD (quantum chromodynamics), 252–258
- Quantization, 197, 199, 228
- Quarks, 105, 359. *See also* ixiQuarks
- Random
 - button, 265–266
 - collection (array), 132, 162
 - number generators, 61–64, 668, 710
 - patterns, 190
 - parameter choices, 8, 13–14, 30–35, 87–88, 90
 - pseudo, 80, 710
 - range, 31–32, 38, 261–262 (*see also* rrand *in code index*)
 - seed, 8, 69
 - server side 68–69, 189–190

- Ratios. *See* Tuning
- Rate
 - audio (*see* Audio rate)
 - control (*see* Control rate)
 - sample (*see* Sample rate)
- Recursion (recursive), 153–155, 225–227, 614, 665
- Receiver, 10, 130
- Recording, 53, 93, 95–98
- References, 142
- Reverb, 409, 417–420
- Ringz. *See* Filter
- RLPF (Resonant low pass filter). *See* Filter
- Routine, 83–84, 87, 98, 102, 603–604, 607
- Sample and Hold, 47, 49, 79
- Sample rate, 196, 445, 641, 698, 708–709, 734
- Scale (collection of notes), 28, 31, 34, 41, 128, 167
 - microtonal (*see chapter 17*)
- Scale (relative size), 43–48, 386, 608–610
 - time, 489–490
- scel. *See* Emacs
- Scheduler, 638, 645
- Scheduling, 83–87
 - constraints, 635, 644–647
- sclang, 360–362
- Scope, variable. *See* Variables, scope
- Score, 87–91, 371. *See also chapter 18*
- scsynth, 55–56, 60, 65, 72. *See also chapter 26*
 - freeing, 197
- SCView, 291, 301, 303
- SCWindow, 274
- Sequences (Sequencer), 38–41
- SerialPort, 117, 119, 121
- Server, 55–69, 106, 109, 115–117, 305–307, 315–320, 326–328
 - node, 211–214
 - options, 24, 59, 74
 - synthesis, 6, 10, 22–24, 52–53
 - window, 4, 57, 95
 - Windows (platform), 349
- Shaper, 62
- SharedIn, 349
- Shout Window, 243–255
- Sidebands, 20, 46
- Slider, 274–276, 280, 307–308, 311–314
- Smalltalk, 207, 237–240, 269, 375, 570
- Sonification, 236, 252–258. *See also chapter 13*
- Spatialization. *See chapter 14*
- 3D audio, 420–421
- Spectrum, 34, 61, 68, 80, 403, 405
 - diffusion, 432–435
 - harmonic series, 15–16, 28, 33–35, 41, 45–47, 441, 528
 - inharmonic, 34
- StartUp, 306–307, 340–341, 347–352, 366
- Streams, 199–202. *See also* Patterns
- String, 11, 14, 23, 51, 361
- Subtractive Synthesis, 3, 5
- Switch (statements). *See* Flow control
- SwingOSC. *See* GUI
- Symbol, 12, 129
 - streams, 222
- Synth Definitions, 21–24, 179–180. *See also chapter 6*
- Synthesis, non-real-time. *See chapter 18*
- Task, 29–32, 39–41, 83, 85–90
- TaskProxy, 215–218, 262–265
- Tempo clocks. *See* Clock, TempoClocks
- Transcription. *See* Machine listening
- Tuning. *See chapter 17*
 - equal, 505–509
 - just, 515–516
 - odd Limit, 517
 - poly, 519–521
 - ratios, 515
 - tonality Diamond, 518
 - unequal divisions, 515
- UGen (Unit Generator), 10. *See also chapter 2 and chapter 25*
 - pseudo, 691
- UI. *See* GUI
- Unicode, 287
- Unipolar, 44–46, 65
- Unit Generator. *See* UGen
- UNIX, 115–116, 330, 360–361
- USB, 106, 120–121

Variables, 18–23, 31, 135–141
 class, 139
 environment, 139
 instance, 137–140, 156–158, 166, 169,
 202
 interpreter, 140
 pseudo, 140
 scope, 25, 155–156
 versus references, 142
VBAP (Vector based amplitude panning),
 323–324
VEP (Virtual electronic poem), 575–587
View. *See* GUI
Voicer, 592–594
Voltage Control (VCO, VCF, VCA), 17

Wacom, 106, 109, 111, 124
Wave Field Synthesis, 425–427
Wave sets. *See* Granular synthesis
Wavetable, 163–164
Wii, 106, 109–110, 357
Window
 as GUI, 274–275
 shout (*see* Shout window)
Windows (platform), 3–4, 11. *See also*
 chapter 12

Code Index

This index contains language elements of SuperCollider. While most terms are used throughout the text, this index is limited to initial references, typically from the tutorial chapters. Note that this index is divided into two sections: messages and classes.

Messages

`!=`, 33, 92, 313
`&&`, 522, 709
`% (mod, modulus)`, 31–33
`++`, 42, 63, 94
`<<`, 94, 135
`<=`, 33
`<>`, 293, 564
`==`, 31–33
`>=`, 33, 171, 174

`abs`, 66, 398
`add`, 22, 24, 39, 58–59, 63–64
`addAll`, 134, 150
`adsr`, 345
`amp`, 312, 486, 494
`ampdb`, 313, 455
`and`, 32–33
`ar`, 4–16, 58–59
`asArray`, 120, 204, 256, 529–530
`asAscii`, 120
`asCompileString`, 302
`asInteger`, 455
`asKeyValuePairs`, 295
`asr`, 531–532
`asStream`, 89, 101, 201, 220–221, 488, 500–503
`asString`, 12, 42, 119, 134, 142
`at` (accessing elements of a collection), 29–30, 113, 132, 203
`audio`, 30, 73

`background`, 107, 244–247
`bufnum`, 26, 418

`choose`, 13, 32, 38–40, 100
`class`, 141, 172, 330
`clear`, 210, 215–216, 221, 244–247, 250
`clip`, 324, 402, 637, 641
`clock`, 204
`close`, 59, 63, 86, 120, 244–245, 251, 255
`coin`, 32–33, 498, 502
`collect`, 91–94, 120, 625
`connect`, 111, 116, 364, 365
`control`, 27–28, 30, 296
`copy`, 193, 262–263, 266–267
`copyRange`, 494
`count`, 159, 176
`cpsmidi`, 11, 66, 191
`current`, 255, 260–267
`curve`, 321

`dbamp`, 69, 70, 75–76
`decorator`, 86, 92, 98
`def`, 147, 154, 296
`default`

- `Server`, 4, 133, 185
- `SwingOSC`, 306–307
- `TempoClock`, 197, 647

`defer`, 83, 176, 283, 296, 297
`degreeToKey`, 513
`delta`, 219, 606, 651

destroy, 328–329, 335
 device, 118, 119, 347
 disconnect, 117, 349
 discretize, 481–488
 dist, 321, 324, 430
 do, 30, 64, 69–76
 doOnce, 67, 277
 drop, 247, 249, 387
 dump, 140, 241, 346
 dup, 11, 13, 77, 78
 duration, 553, 605, 609

 embedInStream, 193–194
 env, 486, 551
 envir, 261, 266
 error, 257, 329
 even, 33
 explin, 277, 479, 640
 exprange, 64, 216, 231–232

 fadeTime, 216, 233, 487
 fill
 Array, 33, 37, 50, 63, 70
 Mix, 6, 97, 616–617, 625
 findBy, 107–108
 font, 145, 244–247
 for, 152
 forBy, 152
 fork, 85, 138, 145
 format, 313, 335
 free, 19, 23, 58–59, 63
 freq, 476, 551, 555–556
 front, 83, 107

 gap, 448, 501, 625
 get, 328, 332, 387, 388, 455–456
 getDate, 600
 getn, 447, 448
 getPaths, 99, 302
 global, 295, 296
 globalKeyDownAction, 302
 gui, 317, 595, 596

 id, 326, 328, 332, 333
 if, 31–33, 38–39, 92, 257
 includes, 32
 index, 644

 info, 108
 init, 113, 364
 insert, 35, 51
 interpret, 134, 518, 652
 ir, 69, 259, 388, 391
 isClosed, 245, 251
 isEmpty, 362
 isFloat, 33
 isInteger, 32, 33
 isKindOf, 161, 295, 567
 items, 268, 289, 290

 key, 267, 552, 554, 651
 kr, 4–6, 10, 14–17

 lag, 397, 399, 402
 latency, 204, 260, 485
 lfo, 551, 559–561
 linen, 26, 388, 605
 linexp, 191, 198, 277
 linlin, 471, 515, 524
 linrand, 434, 476, 488
 load, 539, 544, 547, 548
 loadCollection, 434

 make, 203, 404, 471
 map, 28, 216, 262
 max, 6, 30, 35–37, 159, 174–176
 midicps, 11, 13, 67, 69, 85
 midiratio, 479, 506, 556
 min, 49, 325, 455
 mod (%), 18, 24–25
 mouseDownAction, 289, 292, 324
 mouseUpAction, 324, 620

 newMsg, 541–548
 next, 66, 88, 101
 nextLine, 266–267, 297
 node, 312, 329
 nodeID, 295
 normalizeSum, 321, 531
 not, 257, 292
 notEmpty, 455, 458
 noteOff, 113
 noteOn, 111, 113
 numChannels, 26, 329, 335
 numFrames, 26, 335

odd, 32, 33
 onClose, 92, 145, 153
 option, 346, 410, 415
 or, 33
 path, 26, 335
 pause, 86, 95, 222
 perc, 24, 39, 48–50, 82
 permute, 13
 phase, 716
 play, 13–19
 plot, 11, 13, 35, 351
 poll, 42, 44, 63
 pop, 210, 214–215
 pos, 321
 post, 29, 32, 35, 39–40
 postln, 11
 pow, 18, 132–133
 prClose, 333
 put, 132, 203, 257, 261–262
 putAll, 119–120, 219, 267
 pyramid, 150
 quant, 228, 260, 263
 rand, 8, 11–13
 range, 28, 45, 64, 69, 70
 ratio, 533
 read, 25, 91, 99
 reciprocal, 64, 78, 96, 145
 record, 95
 register, 302, 329
 release, 69–78, 85–94
 render, 183, 195
 reset, 87, 101, 158–159
 reverse, 13
 rotate, 13
 round, 11, 66
 rrand, 71–76, 162
 run, 69, 350
 sampleRate, 335, 418, 433
 sched, 67, 83–84
 schedAbs, 647
 scope, 13, 58, 63
 scramble, 13, 220–221, 257
 select, 295, 620
 send, 233, 388, 454
 sendBundle, 116, 204, 259–260
 sendCollection, 388, 481–488
 sendMsg, 115, 333, 349, 471
 set, 23, 48–49, 64, 140, 145–146
 setn, 350, 422, 649
 setstarttime, 553
 signalRange, 44, 494
 silent, 221
 sine, 198, 259, 433
 slice, 256, 257
 softclip, 38, 398, 402
 source, 215
 sourceCode, 154
 squared, 130, 239, 398
 standardizePath, 538–547
 start, 32, 40, 88
 startTime, 553, 566
 state, 86, 137, 150–151, 266
 stop, 32, 40, 86–95
 stream, 101, 512
 string, 150, 176, 244–247, 308
 stringColor, 246, 252
 sum, 59, 122, 149
 sum3rand, 710
 swing, 326, 330, 350, 376
 tempo, 84, 88, 204, 647
 trace, 224, 225
 uid, 113, 365
 value, 84, 108, 119
 valueArray, 171
 valueEnvir, 167
 view, 150–162, 244–247
 visible, 285
 wait, 30–33, 69, 85
 while, 152
 window, 59, 63, 250
 wrap, 40
 wrapAt, 31–35, 202
 wrapPut, 39–40
 write, 538
 xrand, 142, 153

Classes

- Allpass (N, L, C), 29, 50, 416
- AppClock, 83, 246, 334
- Array, 150, 391
- BeatTrack, 444, 450, 451
- BiPanB2, 426
- Blip, 14, 241
- BPF, 212, 397
- BrownNoise, 175, 216
- BufAllpass (N, L, C), 416
- BufChannels, 708, 710
- BufComb (N, L, C), 415
- BufDelay (N, L, C), 415
- BufDur, 487, 490
- Buffer, 95, 388, 507
- BufFrames, 198, 418, 484
- BufRateScale, 91, 198
- BufRd, 56, 61, 496
- BufSampleRate, 491, 547
- Bus, 27–28, 59–61, 447
- Char, 107, 119, 129, 663–667
- Clip, 324, 402, 637, 641
- CmdPeriod, 67, 277, 368, 626
- CocoaDocument, 299
- Comb (N, L, C), 10, 76–78
- Comander, 63
- Convolution, 419
- Decay, 63, 77–78, 212, 388
- Delay (N, L, C), 63, 415–416
- DetectSilence, 39
- Dialog, 99
- Dictionary, 202, 744
- Dust, 5, 19, 63, 70, 97
- EnvGen, 24, 26, 64, 69, 133, 138
- Environment, 139–142, 166–167, 239
- Event, 179, 204, 239, 311–312
- EventStreamPlayer, 101, 197, 201, 371
- ExpRand, 5, 8, 13, 68, 153
- FFT, 431, 434
- FlowLayout, 159, 266–267, 350
- Free, 19, 49, 58, 63
- FSinOsc, 259
- Function, 83, 87, 149, 155–159, 171
- GrayNoise, 133
- GUI, 245, 247, 250, 266
- Harmonics, 164
- HPF, 122, 451, 696
- IdentityDictionary, 743
- Impulse, 63–64, 77–78, 231–233, 350, 353
- In, 26–30, 73, 422, 591
- IRand, 24, 68–69
- KeyCodeResponder, 287
- KeyState, 106
- KeyTrack, 444, 453
- Clank, 36, 38, 50
- Lag (Lag2), 69, 212
- Latch, 49
- LeakDC, 402
- LFClipNoise, 26–27, 212, 216
- LFDNoise1, 140
- LFDNoise3, 69
- LFNoise (0, 1, 2), 5–6, 13–14, 64, 66, 69, 70, 140
- LFPulse, 28, 43–45, 215
- LFSaw, 15, 43, 346, 351
- LFTri, 17–20, 64, 145
- Limiter, 62–63
- Line, 388
- Linen, 17–19, 91, 97, 180, 197
- LinExp, 191, 198, 277
- LinPan2, 413, 414
- LinXFade2, 413
- LPF, 397, 429, 451, 458
- MIDIIn, 111, 364, 458
- MIDIOut, 111, 364
- Mix, 35–38, 458, 616, 625
- MoogFF, 61
- MouseX (MouseY), 15–16, 19–21, 106, 122, 389
- MultiSliderView, 447, 623, 625

Ndef, 211, 215, 228–233
 Nil, 5, 39, 85, 111, 136
 Node, 295
 NodeProxy, 345
 NoteOnResponder, 111, 112, 348
 NRand, 68

 OffsetOut, 180, 198, 217, 231, 259
 OSCpathResponder, 295, 328
 OSCresponder, 111, 116, 122, 251, 449, 455
 OSCresponderNode, 65, 67, 116
 Out, 22–24, 27–30, 58–59, 63–78

 Pan2, 6, 11, 62, 180, 231–232
 Pan4, 413
 PanAz, 62, 388, 402, 413, 423
 PanB, 62, 73, 426
 Patterns
 Pbind, 101, 103, 162, 182–183, 189–198
 Pbrown, 103, 189, 192
 Pdef, 103
 Pfunc, 190, 605, 609
 Pkey, 191, 192, 596, 605
 Pmono, 189
 Ppar, 189, 222, 520,
 Pproto, 205
 Prand, 101, 162, 190, 192, 223, 227, 231, 647
 Prout, 190, 607
 Pseq, 39, 87–89, 181–183, 189–194
 Pseries, 227, 595, 606–609
 Pshuf, 223
 Pspawner, 183
 Pstep, 190, 192, 194
 Pstutter, 190, 606
 Psym, 222
 Ptime, 606, 609
 Ptpar, 194
 Ptuple, 221
 Pwhite, 189–191, 223–225, 231–232, 345
 Pxrand, 87, 89, 101, 345, 606, 609
 PinkNoise, 344, 388, 402, 424
 PlayBuf, 25–30, 61, 91, 95, 198
 PMOsc, 15–16, 21–24, 644
 PopUpMenu, 268

 PriorityQueue, 731, 738
 ProxyMixer, 229, 345, 346
 ProxySpace, 209, 229, 240, 396, 648
 PV_BrickWall, 715
 PV_Copy, 431, 434
 PV_Diffuser, 431
 PV_HainsworthFoote (PV_JensenAndersen), 444, 446
 PV_MagMul, 434, 715

 QuadN, 389

 Ramp, 402
 Rand, 24, 75, 217, 625
 RandID, 69
 RandSeed, 8, 69
 RangeSlider, 267
 RecordBuf, 712–713
 Rect, 86, 92, 98, 107, 129–131
 ReplaceOut, 60, 73
 Resonz, 69–70, 95, 97
 Ringz, 231, 232, 346, 353, 649
 RLPE, 5, 345
 Rotate2, 413–414
 Routine, 69, 620
 RunningSum, 122, 444, 454–455

 SampleRate, 388, 391
 Saw, 345, 369, 702
 SCButton, 275, 285, 299
 SCCompositeView, 282, 285
 SCPen, 291
 SCSlider, 277, 281
 SCTextField, 289
 SCUserView, 291–294
 SCWindow, 83, 276–285
 SelectX, 397, 414
 SelectXFocus, 414
 SendReply, 68, 122
 SendTrig, 65, 66, 67, 122, 283
 Server, 4, 52, 58–63, 295, 507
 ServerOptions, 540, 545, 547, 549
 SinOsc, 5–7, 30, 35–37, 56–59
 Slider2D, 350
 SoundFile, 195, 329, 335
 SoundIn, 65, 122, 418, 440, 445

Splay, 414
SplayAz, 414
StaticText, 176, 268, 617–619
StereoConvolution2L, 417, 419, 422
SystemClock, 67, 83–84, 549

TableView, 109
Tdef, 215–220
TempoClock, 83–84, 88, 185
TExpRand, 591
TGrains, 25, 64, 480–482
TIRand, 68–69
TRand, 17, 19–21
TToggle, 293