

I N D E X

Adler, R. B., 106, 232, 373
Ampere's law, 18–19
Amperian charge, 484–485
Amperian current, 175–176, 181–182,
 311–312, 485
Admittance, input, 327, 366
 near resonance, 329
 transfer, 366
Area, six-vector representation of, 469–
 471
Biot-Savart law, 124
Born, M., 496, 504
Boundary conditions, 87–89, 182–183
Capacitance, coefficients, 248, 296, 298
 mutual, 248, 298–300
 self, 238, 248, 298, 300
Capacitor, frequency behavior of, 334–
 339
 multiterminal, 246–249, 296–301
Charge, electric (*see* Electric charge)
 magnetic (*see* Magnetic charge)
 magnetization (*see* Magnetization,
 charge)
 polarization (*see* Polarization, charge)
Chu, L. J., 7, 106, 160, 232, 373, 376, 377
Circuit elements, definition of, 238
 relation to fields, 238–241
Complex conjugate, 318
Complex vector, 318

Conductance, as real part of admittance
 327
 coefficients, 243–244, 303
 mutual, 245, 303
 self, 238, 245, 303
Conduction, 15, 162, 184
Conductivity, 15, 184
Conductor, motion in magnetic field,
 395–407, 417–418, 440–445
 multiterminal, 241–246, 301–304
Constituent relations, for conductors,
 184
 for dielectric materials, 185–187
 for magnetic materials, 187–188
 for moving matter, 391
 four-space formulation of, 499–500
Coordinate, line, 41
 surface, 38
Coordinates, Cartesian, 38
 rotation of, 458–459
 circular cylindrical, 39, 42, 44, 510
 orthogonal, 41, 510–511
 polar, 40
 spherical, 40–42, 44, 510–511
Coulomb field, three-dimensional, 106–
 109
 two-dimensional, 110–111
Curie temperature, 171
Curl, definition of, 63–64
 divergence of, 67
 evaluation of, 65–66

- Curl, in Cartesian coordinates, 66
 in orthogonal coordinates, 510–511
 physical interpretation of, 09
 volume integral of, 70–71
- Current, electric (*see* Electric current)
 magnetic (*see* Magnetic current)
 magnetization (*see* Magnetization, current)
 polarization (*see* Polarization, current)
- Del operator, definition of, 57
- Derivative, directional, of scalar, 54
 of vector, 57–58
 time, material, 384
 of vector, 82
 total, 382
- Diamagnetism, 170
- Dielectric constant (*see* Permittivity)
- Differential element, of area, 43–44
 of length, 42–43
 of volume, 44
- Dipole, electric (*see* Electric dipole)
 magnetic (*see* Magnetic dipole)
- Distance, four-vector representation of, 467–469
 measurement of, 455–456
 relativistic contraction of, 469
 vector, properties of, 73–74
- Divergence, definition of, 59–60, 62
 evaluation of, 60–62
 in Cartesian coordinates, 62
 in orthogonal coordinates, 510–511
 of a tensor, 477–478
 physical interpretation of, 69–70
- Einstein, A., 376, 419, 453, 457, 462, 504
- Electric charge, conservation law,
 in differential form, 81
 in integral form, 14
 on a surface, 85–86
 postulation of, 12
 density, 13
 free, 166, 177, 179
 force on, 12
 line, 108, 110–111, 142
 point, 106–107, 111, 113, 151
 relativistic invariance of, 474
 surface density, 85, 87, 108, 111
- Electric current, conduction, 15, 184
 Electric current, convection, 15
 definition of, 13
 density, 13–14
 displacement, 18–19
 effective, 428, 491
 four-vector density of, 473
 free, 15, 166, 177, 179
 four-vector density of, 475
 surface density of, 85, 89
- Electric dipole, field of, 93–95, 113, 151–152
 magnetic-current model of, 272
 moment, four-vector representation of, 476–477
 of a charge distribution, 113–115
 point charge model of, 92–94, 115
 spherical model of, 96–98, 284–285
 torque on, 273
 two-dimensional, 116–118, 143
- Electric field, boundary conditions on, 87–88, 182–183
 definition of, 12
 effective, 390, 428, 491
 macroscopic in matter, 161–162, 180–181
 of a charge distribution, three-dimensional, 106–109
 two-dimensional, 110–111
- Electric-flux density, 179
- Electromagnetic field, classification of, 90–92
 quasi-static, 235–236
 relativistic transformation of, 481
 tensor representation of, amperian formulation, 481–486
 magnetic-charge formulation, 479–480
 Minkowski's formulation, 482–484
- Electromagnetic momentum, 421–425, 494
- Electromagnetic stress, 423–425, 494
- Electromagnetic-stress tensor, amperian formulation, 497–499
 magnetic-charge formulation, 493–494
 Minkowski's formulation, 494–497
- Electron, charge of, 12
 magnetic dipole moment of, 161, 171
- Energy, average, 321–323
 of electric field, 277, 282, 423

- Energy, of magnetic field, 277, 286, 423
 of spherical electric dipole, 284–285
 of spherical magnetic dipole, 289–290
 polarization, 277–278, 282, 430
 magnetization, 277, 286, 288, 431
- Energy, total electric, 283–284, 296–298
 in terms of scalar potential, 282, 284
 total magnetic, 289, 304–307
 in terms of vector potential, 288, 289
- Family of fields, 216, 219, 302
- Family time, 218, 397
- Fano, R. M., 106, 232, 373
- Faraday, 9–10
- Faraday's induction law, 17, 178
- Ferrimagnetism, 170–171
- Ferromagnetism, 170–171
- Field, electric (*see* Electric field)
 electromagnetic (*see* Electromagnetic field)
 laws (*see* Maxwell's equations)
 magnetic (*see* Magnetic field)
 vector (*see* Vector field)
- Flux linkage, 305
- Force, density, relativistic transformation of, 492
 four-vector, 487–488
 on electric charge, 12, 271, 421
 four-vector representation of, 488–490
 on magnetic charge, 272, 422
 four-vector representation of, 489, 491
- Frame, of reference, 455
 rest, 462
- Frank, N. H., 28, 211
- Gauss' law, for electric field, 19, 177
 for magnetic field, 18, 178
- Gauss' theorem, 62–63
- Giorgi, G., 506
- Gradient, curl of, 67–68
 definition of, 52–54
 evaluation of, 56–57
 in Cartesian coordinates, 57
 in orthogonal coordinates, 510–511
 line integral of, 55–56
 of product of scalars, 57
- Gradient, surface integral of, 71
 volume integral of, 70
- Grain of matter, 162
- Green's theorem, 71–72
- Guillemin, E. A., 77, 315, 373
- Homopolar generator, 407–416, 445–449
- Hysteresis, 185–186, 283, 288
- Impedance, input, 326, 366
 near resonance, 328, 371
 surface, 360
 transfer, 366, 370
- Inductance, coefficients, 261–262, 306–308
 mutual, 259, 262, 306–308
 self, 238, 252, 259, 262, 306–308
- Inductor, helical, 252–258
 frequency behavior of, 339–346
 multiterminal, 259–263, 301–308
 single turn, 250–252
 spherical, single-winding, 205–206, 290, 339–346
 two-winding, 308–310
- Integral, line, 45–46, 48–49
 of vector, 52
 one-dimensional, 45
 surface, 46–47, 50–51
 volume, 48, 51–52
- Kirchhoff's law, current, 264
 voltage, 264, 265–266
- Laplace's equation, 120
 finite difference approximation to, 131–132
 solutions of, derivative and integrals of, 134
 extreme values of, 133
 in Cartesian coordinates, 135–141, 147–150
 in polar coordinates, 141–147
 in spherical coordinates, 150–153
 uniqueness of, 133–134
- Laplacian operator, definition of, 62
 in Cartesian coordinates, 62
 in orthogonal coordinates, 510–511
- Light, velocity of, 17, 507, 509
- Lorentz, A., 504

- Lorentz force, 12, 271
 four-vector representation of, 488–489
 magnetic analog of, 272
- Lorentz transformation, 459–460
 results of, for four-vector components, 505
 for three-space quantities, 502–503
- Magnetic charge, conservation law, 173, 176–177, 178
 density, 25, 173
 relativistic invariance of, 475–476
- Magnetic circuit, current excited, 196–201
 for rotating machines, 208–209
 permanently magnetized, 202–204
- Magnetic current, effective, 429, 491
 density, 25, 173
 four-vector density of, 475
- Magnetic dipole, approximation with spherical coil, 100
 electric current model of, 99–102, 172
 field of, 99, 128
 magnetic charge model of, 173–174, 181
 moment, four-vector representation of, 479
 of a current distribution, 127
 of a current filament, 101–102, 128–129
 torque on, 273–274
- Magnetic field, boundary conditions on, 87–89, 182–183
 definition of, 12
 effective, 390, 429, 491
 macroscopic in matter, 161–162, 180–181
 of a current distribution, 122–125
- Magnetic flux, density, 179
 in a magnetic circuit, 200, 204
- Magnetization, amperian-current model of, 175–176, 181–182, 311–312
 charge, 176, 178, 388
 constituent relations for, 187–188
 current, four-vector density of, 475, 479
 in moving matter, 388
 in rigid body, 388
 in stationary matter, 176–177, 178
- Magnetization, discontinuity of, 183
 domains, 170
 four-vector representation of, 479
 magnetic charge model of, 176
 preliminary discussion of, 24–25
 vector, 175
- Magnetomotive force, 200–201, 203–204
- Mass, rest, 487
- Maxwell, J. C., 9–10, 28
- Maxwell's equations, complex form of, 320
 for quasi-static fields, 236
 four-space formulation of, 479–480
 in free space, differential form of, 81–84
 integral form of, 16–19
 in linear media, 190
 in power-series form, 223–224, 330, 394–395
 macroscopic, in matter, 177–182
 in moving matter, 389
- Metrical coefficient, 42–43
- Minkowski, H., 376, 481–484, 494–497, 504
- Momentum, electromagnetic, 424–425, 494
 four-vector representation of, 487
- Multipole, 115–116, 152
 two-dimensional, 119, 144
- Paramagnetism, 170–171
- Panofsky, W. K. II., 211, 419, 451, 504
- Permeability, incremental, 202–203
 of matter, 188
 of vacuum, 12, 17, 507–509
- Permittivity, of matter, 187
 of vacuum, 17, 507–509
- Phillips, H. B., 77, 155
- Phillips, M., 211, 419, 451, 504
- Poisson's equation, derivatives and integrals of, 135
 scalar, 119–120
 vector, 123–124
- Polarization, charge, 163, 381
 conservation of, 166
 macroscopic density of, 165, 381
 surface density of, 166–167, 182
 constituent relations for, 185–187
 current, in a rigid body, 386
 in moving matter, 383–384

- Polarization, current, in stationary matter, 165-166, 177
four-vector density of, 475, 477-478
discontinuity of, 166-167, 182
four-vector representation of, 477
linear, 187
of a rod in a uniform field, 192-195
macroscopic model of, 162-163, 380
permanent of a sphere, 188-189
preliminary discussion of, 24-26
vector, 163-165
- Potential, scalar (*see* Scalar potential) vector (*see* Vector potential)
- Power, average, 321-323
density, relativistic transformation of, 492
dissipation in conductors, 278, 291, 301-303, 429
reactive, 322-323
vector, 325
- Power series, in the frequency, 331-333
in the time-rate parameter, 223, 394
solution, example of, 225-232
- Poynting's theorem, 276
amperian-current formulation of, 311-313
complex form of, 323-324
for moving systems, 427-428, 494
quasi-static, 278
quasi-stationary, 433
relation to power in circuits, 204-206
- Poynting's vector, 277, 291, 423
complex, 322
relativistic transformation of, 494
- Q* of a resonant circuit, 328, 371
- Quadrupole, three-dimensional, 115, 152
two-dimensional, 119, 143-144
- Quasi-static fields, classification of, 237
Maxwell's equations for, 236
relation to circuit elements, 238-241
- Radial distance, properties of, 73-74
- Reactance, 326
- Reciprocity theorem, field formulation of, 367
for capacitive systems, 299-300
for inductive systems, 307-308
for resistive systems, 303
network formulation of, 367-368
- Refraction, 191-192
- Relativity, special postulates of, 457, 462
- Reluctance, 200, 204
- Resistance, as real part of impedance, 326
circuit definition of, 238
- Resistor, frequency behavior of, 346-354
multiterminal, 241-246, 301-304
- Resonance, 327-329, 371
- Rod, conducting in a uniform field, 146
conducting, power dissipation in, 291-293
dielectric in a uniform field, 192-195
- Rogers, W. E., 77, 154
- Scalar, definition of, 31
- Scalar potential, electric, 106-111, 119-121
magnetic, 125
multiple-valuedness of, 196-198
- Skin depth, 354, 357-358, 360
- Skin effect, in magnetic core, 363
in resistor, 355-361
reduction of, 363-364
- Skin impedance, 360
- Slater, J. C., 28, 211
- Smythe, W. R., 155, 315
- Sommerfeld, A., 28, 211, 419, 451, 504
- Sphere, conducting in a uniform field, 152
permanently polarized, 188-189
- Spherical coil, air core, 205-206, 290, 339-346
magnetic core, 206-207
- Stokes' theorem, 68
- Stratton, J. A., 77, 155, 211, 315, 419, 451, 504
- Surface, multiply connected, 16
one-sided, 16
simply connected, 16
two-sided, 16
- Susceptance, 327
- Susceptibility, electric, 187
magnetic, 188
- Tensor, antisymmetric, 470
dual of, 471-472
definition of, 461

- Tensor, dot product of, with a vector, 471
- Time, interval, proper, 464–466
 relativistic dilatation of, 463–464
 family, 218, 392
 measurement of, 455
- Time-rate parameter, 216–217, 392–393
- Vector, components of, 32–33, 461
 definition of, 31, 461
 integral of, 52
 six-, 470
 unit, 32, 42
- Vectors, addition of, 32
 cross product of, 35–36
 in four-space, 469–470
 dot product of, 34
 scalar triple product of, 36–37
 vector triple product of, 37
- Vector field, conservative, 72, 75
 definition of, 58
 lines of force of, 58–59
 solenoidal, 72–73, 75
 sources of, 58–59
 vortex lines of, 64, 68
- Vector potential, 122
- Velocity, four-vector representation of, 466
 measurement of, 456
- Voltage, definition of, 256, 261–266, 294
- Volume, four-space representation of, 471–473
 proper, 472
- Wave length, 231
 in conductor, 358–359
- Weyl, H., 504
- Work, virtual, 432–435