

Index

- Absence, 211, 212, 230
Absenteeism, 12, 56, 138, 139, 209, 211, 212
Activities of daily living (ADL), 22, 201, 206–210, 213–214, 217, 233, 237, 257
ADL limitation(s), 236, 237, 238, 242, 243, 280
Acute illness, 209
Addiction, viii, 6, 14, 22, 247
Addictive, 25, 247
Adult(hood), 22, 31, 74, 78
Adverse health, 221, 269
 effects, 224
Adverse selection, 279
Alzheimer's, 268
American Association of Retired Persons (AARP), 126
American Cancer Society, 73
Angina, 236, 237, 243, 281
Antismoking, 215, 250
 lobbyists, 224
Arizona, 223
Assets and Health Dynamics of the Oldest Old (AHEAD), 18, 31, 33, 39, 41, 100, 102, 103, 105, 110, 116, 125, 126, 277
Asthma, 228, 229
Asymmetric information, 181
Attributable to smoking, 27, 30, 41, 53, 66, 88, 105, 108, 109, 121, 135, 147, 154, 202, 297, 212, 214, 240, 251, 262
Average indexed monthly earnings (AIME), 144

Behavioral Risk Factor Surveillance Survey (BRFSS), 71
Big Tobacco, 265
Bill of Rights for the Nonsmoker, 223

Body mass index (BMI), 33, 35, 36, 82, 84, 91, 92, 143, 146, 186, 195, 199, 201, 216, 217, 233, 241, 259, 277
Britain, 141
British doctors, 80, 200
British Doctors Study, 77, 80
Broker's World, 183
Bronchitis, 228, 229, 232

CAGE, 36, 275
California, 265
Cancer, viii, 1, 6, 10, 11, 32, 37, 48, 50, 52, 59, 68, 78, 79, 200, 202, 203, 203, 204, 213, 215, 216, 223–225, 230, 233, 237, 238, 242, 267, 268, 274, 275
attributable to smoking, 203
Cancer Prevention Study II (CPS-II), 18, 39, 78
Carbon monoxide (CO), 231
Carcinogenic, 221, 225, 230
Cardiology, 268
Cardiovascular, 55, 213
 disease, 200, 226, 243, 267
 systems, 231
Census Bureau. *See* U.S. Bureau of the Census
Centers for Disease Control (CDC), 2, 275
Centers for Disease Control and Prevention, 28
Centers for Medicare and Medicaid Services (CMS), 12, 71
Cessation, viii, 8, 23, 48, 79, 80, 160, 277
 cessation-related, 139
Chest pain, 236, 237, 243
Children, 4, 8, 16, 22, 43, 44, 50, 55–58, 61, 146, 186, 220, 226, 228, 229, 230, 232, 241, 258, 270

- China, 43
 Chronic condition, 209, 236–237
 Chronic disease, 212, 215, 280
 Chronic obstructive pulmonary disease (COPD), 1, 48, 201, 267
 Chronic pulmonary disease, 229
 Cigarette consumption, 246, 269
 Cigarette manufacturers, 250
 Cigarette manufacturing, 267–268
 Classification system, 182
 Cohort, 235, 236, 240, 249, 266, 268
 Congestive heart disease, 236, 237, 243
 congestive heart failure, 235
 Consumer price index (CPI), 58, 62
 Consumer price survey (CPS), 79, 269
 Consumer sovereignty, 2, 3, 8, 10, 11
 Coronary heart disease, 203, 204, 215, 233, 238
 Cost attributable, 274
 to smoking, 71, 101
 Counterfactual, 28, 105, 117, 120, 122, 123, 156, 169, 176, 188, 191
 mortality, 105
 smoker, 105
 Covariates, 71, 82, 103, 167, 168, 186, 233, 269
 Cross-section(al), 18, 28, 39, 42–45, 52, 56, 59, 65, 72, 73, 135, 152, 268, 276, 101
 analysis, ix, 18, 23, 24, 25, 49, 60, 67, 75, 241
 data, 211
 estimates, 27
 methodology, 251
 studies, 26, 75
 Cross-subsidization, v, 21, 108, 110, 163–166, 169, 170, 175, 177, 178, 181, 183, 184, 187, 192, 193, 256
 Current Population Survey (CPS), 65
 Current smoker, 11, 35, 79–85, 87, 88, 91, 92, 100, 104, 109, 112–115, 128, 129, 146, 170, 187, 189–191, 195, 198, 199, 201–204, 206, 207, 213, 215, 233–236, 239, 241–243, 253
 Czech Republic, 139, 140
 Czech Study, 140
 Death, 235
 Death-contingent payments, 193
 Death rates, 257
 Defined-benefit (DB), 163–169, 171, 172, 178, 256
 DB pension, 170
 DB retirement, 168
 Defined-contribution (DC), 163, 164, 165, 166, 170, 171, 178
 Department of Commerce, 59
 Diagnosis, 268
 Disability(ies), v, ix, 17, 21, 22, 29, 31, 32, 45, 53, 60, 65, 114, 135, 136, 161, 197–199, 206–208, 213, 214, 235, 236, 239, 252–254, 257–260, 268–271, 276
 attributable to smoking, 210
 rates, 202
 Disabled, 15, 16, 22, 105, 113, 127, 128, 146, 201
 disabling condition, 22
 Discount(s), 10, 41, 48, 61, 89, 104, 117, 118, 119, 120, 143, 145, 146, 156, 168, 187, 205, 248, 296, 212, 213, 237, 239, 251, 254, 266
 discounted value, 210
 rarity of, 9, 37, 41, 42, 66, 67, 69, 89, 104, 122, 135, 147, 149, 150, 151, 153, 154, 157, 160, 173, 174, 177, 213
 Divorce, 159, 234
 Education, 35, 38, 39, 53, 65, 74, 81, 82, 84, 88, 91, 92, 110, 126, 135, 143, 156, 158, 169, 171, 186, 195, 199, 201, 211, 216, 217, 223, 224, 241, 259, 276, 277
 Emphysema, 52, 202–207, 213, 216, 233, 238, 277
 Employer-based insurance, 106, 108
 employer-based health insurance, 108, 138
 Employment-paid benefits, 107
 End-stage renal disease (ESRD), 105, 112–114, 125, 127, 128, 262
 Enrolled, 108, 125
 Environment, 88
 Environmental exposure, 90
 Environmental Protection Agency (EPA), 57, 59, 69, 70, 225, 226, 228
 Environmental tobacco smoke (ETS), 10, 22, 44, 50, 56, 59, 60, 66, 68–70, 221–226, 228, 229, 231, 232, 234, 237, 249, 241, 273, 281
 Epidemiology, 224
 Equity, 7
 Established Populations for Epidemiologic Studies of the Elderly (EPESE), 199
 Excise tax(es), x, 1, 6–11, 14, 17, 29, 57, 63, 66, 111, 121, 140, 250, 251, 253, 255, 263, 264, 267, 271, 278, 279, 281

- Exercise, 81
Expected value(s), 41, 172
Explanatory, 233
External cost, vii, 3, 45, 60, 66, 67, 75, 249, 250, 265
Externality(ies), 5, 63, 70, 123, 157, 219–221, 250, 251, 281
External lifetime, 249

Financial externality(ies), vii, 60, 66, 219, 250
Financial horizon, 37, 233
 financial planning horizon, 33–35, 37, 82, 84, 85, 92, 186, 269, 143, 241
 financial time horizon, 91, 92, 259
Fires, 12, 63, 68, 69, 78
Florida, 219
Ford Motor Company, 141
Former smoker, 35, 65, 71, 78, 79, 81–84, 88, 91, 92, 100–104, 109, 111, 114, 115, 128, 141, 143, 146, 148, 155, 158–160, 167, 169, 170, 187–191, 195, 195, 198, 203, 206, 207, 213–215, 233, 234, 239, 242, 258
Forward-looking, 247, 250, 264
Framingham Study, 80
French pension, 141
Functional status, 34

Gender(s), 35, 39–41, 48, 71, 72, 81–83, 91, 93, 94, 114, 119–121, 143, 155, 159, 167, 168, 174, 186, 190, 216, 217, 225, 226, 234, 241, 249, 252, 254, 262, 263, 277, 279
Government insurance coverage, 114
Government intervention, 5, 6
Gross domestic product (GDP), 27, 44, 45, 59, 69, 75
Group insurance, 64
Group life insurance, 68

Health and Retirement Study (HRS), xi, 17, 18, 20–22, 31–41, 81, 82, 84, 88, 91, 92, 100, 102, 103, 105, 109, 111, 116, 125, 126, 129, 134, 142–144, 158, 159, 163–169, 178, 184–186, 189, 190, 198, 201, 215, 221, 232–235, 241, 242, 258, 259, 262, 270, 277, 279, 281
Health Care Financing Administration (HCFA), 71
Health effects, 232
Health expenditures, 276

Health insurance, ix, 12, 20, 100, 101, 102, 104, 106–109, 112–114, 118, 121, 123–128, 138, 139, 179, 182, 183, 262, 277
Health status, 23, 52, 203, 204, 205, 216, 238, 240
Heart attack, viii, 1, 23, 32, 203, 215, 216, 233, 238, 242, 268
Heart disease, 48, 50, 52, 55, 59, 70, 78, 202, 225, 230, 231
Hospital, 51, 53, 73, 74, 102, 103, 107, 114–117, 119, 125, 130, 131, 228, 232
Human capital, 30, 43, 55, 59
 approach, 29, 44, 49, 50

Illicit drugs, 227
Incidence-based estimates, 45
Income, 111, 112
Income tax, 108, 112
Infant(s), 4, 8, 44, 53, 55, 57, 58, 61, 227, 254, 270, 276, 277
Instrumental activities of daily living (IADL), 206–210, 213, 214, 217, 233, 257, 257
 IADL limitations, 238
Instrumental variables (IVs), 259
Insurance, 21, 26, 64, 73, 74, 101, 104–106, 113, 119, 125, 262, 280
Insurance market(s), 262, 279
Internal cost(s), vii, 16, 60, 264, 265
Ischemic, 231
 heart disease, 226

Liability, 13, 266
 insurance, 183
 limits, 280
Life cycle, ix, x, 3, 15, 19, 20, 23, 25, 35, 42, 44, 45, 49, 75, 81, 100, 107, 112, 118, 121, 123, 154, 156, 158, 213, 247, 248, 251, 153, 234, 248, 251, 253, 254, 261, 266, 278, 281
Life cycle approach, 23, 24, 29, 34
Life expectancies, 10, 21, 78–80, 83, 85, 87, 135–137, 139, 148, 160–162, 164, 165, 171, 174, 178, 183, 194, 199, 220, 237, 248, 276
Life insurance, viii, ix, 12, 21, 43, 63–65, 138, 181–190, 192, 194, 195, 252, 254–256, 280
 plans, 34
 premiums, 253
Life insurers, 181, 193, 280
Life-saving, 252
Life span, 133
Lifestyle(s), 26, 28, 163, 224

- Life tables, 41, 80–82, 91, 93, 94, 140, 143, 144, 158, 185, 187, 204
- Lifetime(s), 21, 23, 24, 27, 29, 31, 36, 44, 67, 85, 87, 110, 117, 119, 122, 135, 137, 143, 145, 150, 152, 155, 158, 168, 169, 172–175, 184, 187, 188, 191, 193, 202, 205, 206, 249, 251, 253
- benefit(s), 148, 161, 170
- earnings, 150, 156
- Lifetime smoker(s), 85, 86, 89, 94, 96, 157
- Life year(s), 238–240, 252, 257, 266, 270, 280, 281
- Litigation, 13, 28, 266
- Loading, 181
- Logit, 105, 86
- analysis, 39, 112, 125, 129, 167, 215
- model, 188
- Longevity, 21
- Longitudinal, 18, 19, 32, 50
- analysis, 277
- Loss(es), 53, 56, 59, 60, 75, 88, 90, 102, 157, 177, 183, 208, 209, 247
- attributable, 269
- attributable to smoking, 21, 60
- Lost productivity, 276
- Lost work days, 211
- due to illness, 55
- Lost years of life, 281
- Low birth weight (LBW), 53, 57, 68, 70, 78, 226, 227, 230, 276, 277, 281
- Low-tar products, 66
- Lung disease, 235, 236, 242, 243
- MacArthur studies, 199
- Marital relationships, 61
- Marital status, 33, 35, 82, 126, 149, 150, 152–154, 169, 171, 186, 195, 201, 216, 217, 277
- Market-based, 245, 246
- Marlboro Man, 246
- Marriage, 16, 84, 144, 145, 150, 153, 155, 161, 219, 233, 235, 241, 279
- Massachusetts, 67, 71, 72
- Massachusetts Medicaid, 72
- Massachusetts Tobacco Survey, 71
- Master Settlement Agreement (MSA), 5, 13, 15, 20, 72, 125, 146, 250, 251, 265, 267, 274, 281
- Maternal smoking, 4, 227
- Mature smoker, 258
- Medicaid, vii, ix, x, 5, 7, 11, 12, 14–16, 20, 26, 27, 60, 66, 67, 70–72, 99–101, 102, 105, 107, 111, 113, 114, 118, 119, 120–123, 125, 127, 128, 240, 251, 261, 265, 266, 271, 277, 278, 281
- Medicare, vii, ix, x, xi, 9, 12, 15, 16, 20, 34, 49, 60, 67, 72–74, 99, 100–102, 104–107, 109–123, 125, 127–129, 142, 167, 179, 261, 262, 267, 268, 271, 277, 282
- Medicare Part A, 73
- Medigap, 126
- Mental illness, 25
- Mental retardation, 52
- Mississippi, 19, 265
- Morbidity, v, ix, 1, 2, 6, 7, 15, 18, 21, 26, 29, 43, 44, 47, 49, 50, 53–56, 58, 60–62, 69, 78, 136, 139, 197, 198, 202, 206, 207, 209, 213, 235, 236, 259
- Mortality, v, ix, 1, 2, 7, 16, 20, 22, 23, 27–29, 39, 43, 44, 47, 49, 50, 53–55, 58, 60–62, 70, 73, 74, 77–83, 85, 87, 88, 90–92, 99, 101, 118, 135, 137, 139, 141, 143, 247, 152, 154–156, 160, 183, 193, 194, 197, 198, 200, 209, 212–214, 221, 225, 230, 232, 233, 235, 236, 241, 247, 251, 252, 254, 260–262, 276, 277, 281
- Mortality risk attributable to smoking, 82
- Multinomial analysis, 126
- multinomial logit, 127
- multinomial logit analysis, 167
- Multivariate analysis, 126, 202
- Myocardial infarction, 231, 281
- Myopia, 278
- Myopic, 6, 9
- National Center for Health Statistics (NCHS), 228
- National Health and Nutrition Examination Survey (NHANES), 222
- National Health and Nutrition Examination Survey II (NHANES II), 230
- National Health Interview Study (NHIS), 17, 18, 31, 33, 34, 39, 41, 64, 71, 81, 82, 88, 100, 101–103, 105, 112, 116, 125, 202–204, 206, 212, 214–215, 233, 251–254, 259, 263, 268, 270, 277, 280, 281
- National Health Services (NHS), 141
- National Longitudinal Survey of Youth, 270
- National Medical Care Expenditures Survey (NMES), 51, 73
- National Research Council, 223
- National Underwriter, 183

- NCHS, 236
Neonatal Intensive Care Unit (NICU), 70
Netherlands, 48
Never smoker(s), 6, 28, 65, 69, 79, 80, 81, 83–85, 87, 89, 94, 96, 102, 104, 109, 113–115, 121, 122, 126, 128, 129, 139, 143, 147–151, 153–156, 160, 170, 173–175, 187, 189, 191, 192, 199, 201, 202, 211, 218, 224, 233, 234, 239, 241, 242, 278, 279
Newborn(s), 50, 227
Nicotine, 222
Nicotine replacement therapy (NRT), 11
NICU, 68
Non-market goods, 30
Nonsmoker(s), 3, 5, 10, 14, 15, 20, 21, 23, 26, 28, 34, 43, 48, 50, 51–53, 60, 64, 74, 105, 107, 110, 115, 122–124, 137, 138, 140, 146, 147, 148, 152, 153, 156, 159, 161, 164, 165, 170, 173, 177, 181, 185, 191, 197, 198, 200, 201, 211, 213, 220, 222–225, 231, 253, 256, 259, 267, 269, 274, 275, 277, 278
nonsmoker divorce, 159
Nonsmoking, vii, 25, 43, 70, 220, 226–228, 239–241
nonsmoking adults, 55
nonsmoking coworkers, 56
nonsmoking public, 222
nonsmoking smoker(s), 20, 28, 34, 38, 39, 42, 52, 53, 65, 80–83, 85, 87, 93, 94, 96, 104, 111, 117–119, 121, 147, 149, 150–152, 154, 169, 173, 175, 188, 191, 192, 212, 259–261, 269
Nonsmoking-attributable risk, 231
Nonsmoking victims, 50
Nursing home, 14, 52, 63, 64, 68, 74, 102, 103, 106, 107, 114, 115, 117–119, 125, 129–131, 208, 214, 277
Nursing Home Survey, 104

Office of Technology Assessment, 67
Old Age and Survivors Insurance (OASI), 20, 65, 133–135, 137, 138, 142–148, 152, 154, 178, 261
Optimal level of taxation, 70
Out-of-pocket, 100
payments, 254

Passive smoking, 56, 224, 226–231, 281
Pay-as-you-go (PAYGO), 49, 73, 110
Pay-out-of-pocket, 124
Payroll tax(es), 108, 109

Pension(s), 14, 17, 20, 21, 43, 49, 65, 139, 141, 156, 163–165, 168, 169, 171, 174, 175, 177, 178
Personal health services, 20
Personal income, 108, 111
Philip Morris, 5, 139, 140, 267
Physical activity, 199
Physician(s), 1–3, 5, 53, 71, 73, 74, 77, 78, 102, 104, 107, 114–119, 125, 129–131, 213, 278
Physiological, 231
Pneumonia, 228, 232
Policyholder(s), 107, 156, 182, 193, 250, 271
Pregnancy, 221, 226, 230
 pregnancy-related, 57
 pregnant women, 12, 16, 78
Prevention, 57, 268
Primary insurance amount (PIA), 144–147, 169
Private costs, 264
Private external counterparts, 255
Private health insurance, viii, 104, 112
Private insurance, 101, 107, 119
Private pensions, viii, ix
Productivity, 12, 29, 56, 61
 losses, 12, 25, 51, 54, 56, 59, 69, 255, 274, 276
Psychiatric hospitals, 52
Public coverage, 105
Public health, 2, 8, 11, 105, 133, 156, 254, 273
Public Health and Prevention Services, 57, 59
Public policy, 178, 250
Pure external cost(s), viii, 249

Quality-adjusted life years (QALYs), 280
Quality of life, 260
Quasi-external, viii
cost(s), x, 221, 249, 254, 255, 264
counterparts, 255
gains, 154
lifetime, 256

Race, 126, 143, 171, 186, 195, 201, 241, 277
Rand, 64
Rand Health Insurance Experiment (HIE), 17, 270
Rand National Health Insurance Experiment, 63
Randomized controlled trials (RCTs), 258, 259

- Reliability, 184
 Respiratory disease, 50
 Respiratory illness, 226
 Retirement, 33, 65, 66, 68, 135–137, 144, 145, 154, 157–161, 163–170, 172–174, 178, 258, 278, 279
 Retirement Equity Act, 164
 retirement pension, 63
 Revealed-preference approach, 30, 31
 Risk aversion, 36, 37, 126, 181, 186
 Risk classification, 182, 183, 280
 Risk preference(s), ix, 33, 37, 115, 135, 156, 195, 233, 259, 269
 Risk tolerance, 143, 146, 241, 277
 Sales taxes, 111
 Sample-design-related, 35
 Scandinavian, 199
 Secondary smoke, vii, ix, 237, 238, 249, 259, 264
 Secondhand smoke, 56, 221, 225, 239, 241, 242, 274
 Self-control, 3, 6
 Seven Countries Study, 77
 Sick days, 270
 Sick leave, 63, 65, 68
 Sick time losses, 68
 Sin taxes, 161
 Small-for-gestational-age (SGA), 226, 227
 Smoking-attributable, 13, 17, 52, 63, 73, 87, 106, 121, 169, 174, 202, 213, 261
 cost(s), 8, 20, 38, 43, 104, 107, 256, 257, 276
 deaths, 77, 87, 88
 disease, 204
 to disability, 209
 expenditures, 123
 fraction(s) (SAF(s)), 13, 25–28, 51–53, 60, 67, 70–73, 275
 illnesses, 2
 loss(es), 19, 212
 mortality, 20, 28, 29, 34, 258, 276
 reductions, 160
 smoking, 27
 Smoking-attributable Mortality, Morbidity, and Economic Costs (SAMMEC), 73
 Smoking cessation(s), 2, 6, 9, 11–13, 16, 18, 38, 39, 41, 48, 72, 73, 78–80, 137, 139, 214, 257, 258, 266, 274, 278
 Smoking-related, 16, 56, 57, 60, 67, 78, 90, 118, 122, 123, 134, 138, 155, 194, 224
 complications, 78
 conditions, 71
 cost(s), 28, 46, 106
 disease(s), 1, 6, 50, 52, 70, 72, 101, 204, 213, 221, 240, 251, 257, 267
 expenditures, 107
 fires, 57, 59
 health problems, 4
 illnesses, 60, 78, 141, 209, 213, 233, 240, 261, 268
 losses, 51, 87
 Smoking status(es), 33, 39, 41, 51, 65, 83, 85, 93, 94, 100, 104, 111–113, 115, 117–119, 122–125, 134, 137, 140, 141, 143, 144, 147, 152, 155, 158, 166–168, 173, 174, 176, 186, 187, 189–191, 194, 211, 216, 233, 252, 262, 279
 Smoking-status-specific, 104, 167, 168, 234
 benefit, 140
 Social Security, v, vii, ix, xi, 5, 9, 10, 15, 17, 20, 21, 49, 65, 66, 72, 72, 100, 110, 133–144, 146–150, 152–163, 165, 167, 169, 170, 176, 178, 214, 252, 254, 255, 257, 261, 262, 268, 269, 277–279, 291
 Social Security Administration (SSA), 140, 142, 144, 279
 Social Security disability benefits, 146, 151
 Social Security Disability Insurance (SSDI), 20, 65, 105, 134, 135, 143, 145, 147, 150–154, 156, 262
 Social Security Old Age and Survivors Insurance (OASI). *See* Old Age and Survivors Insurance (OASI)
 Social-Security-taxable, 252, 253
 South Africa, 43
 Stroke, 1, 32, 52, 203, 204, 208, 215, 233, 238, 242, 268
 Substance Abuse and Mental Health Services Administration, 59
 Sudden infant death syndrome (SIDS), 57, 227, 228, 230, 281
 Supplemental Security Income (SSI), 141
 Surcharge(s), 64, 138, 193, 262
 Survivor benefits, 279
 Tar, 66, 268
 tar-adjusted, 66
 Taxes on earnings, 63
 Taxpayers, 107
 Term life insurance, 185, 187, 191, 192
 Time-consistent, 247, 264
 Time horizon, ix, 38, 91
 Time preferences, 37, 88, 115, 134, 146, 247, 264

- Tobacco cessation, 246
Tobacco companies, 99, 140, 160, 245, 250,
 251, 262, 265, 274, 275, 291
Tobacco consumption, 259
Tobacco control, 246, 265, 271
Tobacco industry, 224, 282
Tobacco litigation, 9, 13, 67, 75, 274
Tobacco manufacturers, 99, 125, 240, 245,
 260, 265–267, 274
Tobacco-related illnesses, 19
Tobacco settlement, 258
Tobacco smoke, 227, 232
Tobacco-specific, 230
Trade-offs, 270
TRICARE, 11, 14, 274
True battleground, 224
- Uninsured, 102, 105, 112–114, 118, 120,
 122, 127–129
University of Michigan, xi
 Institute for Social Research, 32, 165
U.S. Bureau of the Census, 33, 81, 252, 254.
- Value-of-a-statistical-life, 89
Value of life, 30, 214, 254, 270, 271, 280, 281
 value-of-life studies, 208
Valuing losses, 207, 214
Veterans Administration (VA), 111, 114,
 123
Virginia Slims, 246
- Wage(s), 74, 106, 110
 wage rates, 212
Welfare, 219, 223
Whole-life, 184, 185
Willingness-to-pay (WTP), 29, 30, 31, 44,
 45, 49, 55, 56, 58–60, 63, 69, 75, 208, 247,
 253
Work days lost, 41, 56, 218
Working life, 142, 214
Working status, 126, 195
Work loss, 21, 53, 197, 198, 212, 255, 256
Workplace, 224
World Health Organization (WHO), 77,
 200
World War II, 163, 268