Index

Ackley, H., 95, 395 Action cycles, 72, 80 Action-Direction (AD) strategy, 133-134 Action rule, 71 Activation function, 7 Active vision systems, 3 Adaptation evolution of, 301 genotype and, 68, 289 in information environments, browsing and, 348-352 links, 7 natural, 3-4, 289 ontogenetic change and, 292-300 experimental results, 294-300 overview, 292-294 phenotype and, 68, 289 traits, 229 Adaptive Heuristic Critic (AHC), 371 Adaptive-noise controllers, 293–294 AD strategy, 133-134 AFF, 122, 137 "Ages," learning at different genetically determined, 232-239 AHC, 371 AI, 2. See also Intelligent agents Algorithms. See also Evolutionary algorithm (EA); Genetic algorithm (GA) backpropagation (BP), 15, 86, 383, 385, 412 BOA of Pelikan, 444 bootstrap, 94 cascade-correlation (CCA), 399

complementary reinforcement backpropagation (CBRP), 333 constructive, 10, 159-160 destructive, 10, 160 Evolutionary Local Selection (ELSA), 339-343, 349-350, 353-356, 358-362 Factorized Distribution (FDA), 429-430, 439-442 **FNNCA**, 399 Fritzke's, 98 learning, 412 Learning Factorized Distribution (LFDA), 430, 442-448 Learning Vector Quantization (LVQ), 93-94, 100-106 **MCMC**, 94 Niched Pareto Genetic (NPGA), 356-357 optimization, 412-414 perceptron cascade (PCA), 399 powerful heuristics in search, 110 from Radial Basis Function (RBF) neural networks, 93 simple, blind search, 110 tower (TA), 399 Univariate Marginal Distribution (UMDA), 429-439, 449 vector quantization (VQ), 91, 97-99 Alleles, 10 Amino acids, 171 Angeline, P., 251 ANNs. See Artificial neural networks Approximation error, 257 Architecture, network. See also

MAXSON architecture artificial neural network, 2, 156-160 evolutionary computation and, 160 - 161evolving, 154 G2L-systems, 162–173 conflict-free, 170 context in, 169-171 extensions of, 164 genetic code of, 171–172 graph interpretation, 166–169 motivation of, 162-163 origin of, 162-163 overlapping genes, 172 in practice, 173 principles of, 163 repairing mechanisms, 172 string interpretation, 164-166 of intelligent agents, 2, 156-160 local search with evolving, 155-156 optimization during training, 159 - 160overview, 153-156 scalability through modularization, 155 ARR, 122-123, 128 Artificial agents. See Intelligent agents Artificial evolution, 11, 274 Artificial genomic network, 194–195 Artificial intelligence (AI), 2. See also Intelligent agents Artificial metabolism, 200-207 Artificial morphogenesis of neural networks. See Neurogenesis Artificial neural networks (ANNs).

See also Evolutionary artificial neural networks (EANNs); G2L-systems, coding neural networks: Interactive evolutionary robotics; Neurogenesis architecture, 2, 156-160 coding schemes for, 116, 121, 161 defined, 7-9 encoding for feedforward, 391-394 EPNet and, 384-386 evolutionary synthesis of, 12–15 genetic representation properties of, 15-21, 118-119 closure, 17-18 compactness, 18, 119 completeness, 17, 119 complexity, 21 genotype, 16 modularity, 20, 155 multiplicity, 19, 119 phenotype, 16 ontogenetic plasticity, 19-20 overview, 15-17 redundancy, 20-21, 119 scalability, 18-19 growth process of, 161 intelligent agents and, 4 interface to, 207-210 paradigm, 186 as programs, intelligent agent, 7-10 use of, 383-384 Associative networks, 333 Asymptotic order of growth notation, 18 Attention, maximum nodes for focus

of, 316 Australian credit card problem, 408-409, 416, 418-419 Automatic synthesis, 2–3 Axiom, 163 Axon growth, 195 Back-propagation (BP) algorithms, 15, 86, 383, 395, 412 Backpropagation procedure, 95, 103, 178, 215 Baldwin effect, 173-177, 180-181, 345, 395 Barto, A. G., 319 Bayes Dirichlet (BDe) score, 442, 444 Bayesian Information Criterion, 429, 444 Bayesian networks, 429, 440, 442-444, 446, 448, 450 Bayes optimized lookup tables, 379 BDe score, 442, 444 Beer, D., 53 Beer, R., 187 Behavior Language (BL), 185 Belew, R. K., 147, 219 Belief networks, 448, 450. See also Bayesian networks Bennet, K. P., 406-407 "Better fitness," 100 BFF, 122, 128 Bias, 7-8, 13, 124, 393 BIC score, 444 BigJump function, 431-432, 434-435, 441 Bill program, 379 Binary tournament selection, 120 Biological intelligent agents, 3–4 Bipolar threshold, 8, 115

BL, 185 Blocking problem, 251–252 Blueprint representations, 153, 161-162 BOA algorithm of Pelikan, 444 Boers, E., 187 Boltzmann distribution, 439, 441 Boolean networks, 196 Boolean values, 92 Bootstrap algorithm, 94 Box-pushing task baseline experiments, 134–138 constraints, 113-115 defined, 111-112 effective, 123-127 futility of designing effective, 132-138 generality of, 133-134 genetic programming and, 112-113 hidden units in, 128-132 neuro-controllers for, 120-132 overview. 110-111 sensors and, 147 trail-like, 136-138 Boyan, J. A., 367 BP algorithms, 15, 86, 383, 395, 412 Braitenberg strategy, 133-134, 205 Braitenberg, V., 332 Breast cancer problem, 401, 405–406 Breeding cycles, 71–74, 83 Brooks, Rodney, 185 Browsing adaptively in information environments, 348-352 BRR, 122-123 Burghardt, M., 65

Canonical parameterization, 253-254

Carroll, Lewis, 275 Carrying capacity of the environment, 342 Car sequencing problem, 372–373 Cascade-correlation algorithm (CCA), 399 Cascade-correlation (CC) learning, 411 **CBRP**, 333 CCA, 399 CC learning, 411 Cell differentiation. 162 Cell division, 195, 397 Cellular encoding enhancement of, 35–36 Gruau's use of, 161–162 review of, 32-35 Chelonia mydas (marine turtles), 3 Chemical diffusion, 192 Chen, S., 252–253 Choate, T., 251-252 Chromosomes, 95-96, 180-181, 193, 369 Church, A., 6 Circuits and control systems, 5 Classical neural networks, 218–220 Classifier systems. See also Optimization, of classifiers using genetic algorithms behavioral control mechanisms of intelligent agents and, 67-68, 185-186 Colombetti and Dorigo's use of, 185 - 186fuzzy rule, 97, 254-255 genetic design of, 96-97 neural networks and, 91 Pittsburgh-style fuzzy, 254

Cliff, D., 78, 87, 187, 276, 282 Closure, 17-18 Clustering extraction, 92 Cluster training, 92 Codebook C, 97 Codebook design, 91, 97-100 Co-design. See Co-evolution, competitive Co-evolution, competitive evolutionary synthesis of neural systems and, 13 experimental results, 283-292 Machine Learning and, 288-289 natural adaptation and, 288-289 overview, 283-288 Red Queen Effect and, 289-291 selection criteria, 291–292 fitness function and, 147, 291-292 Khepera Simulator and, 277–283 controller architecture, 280-282 evolutionary algorithm, 280-282genetic algorithm, 281 method, 280–282 overview, 277-279 software model, 282-283 ontogenetic adaptive change and, 292 - 300experimental results, 294-300 overview. 292-294 overview, 273-276 Red Queen Effect and, 274–276

related work, 276 summary, 300-302 "Co-evolutionary arms race," 273 Co-occurrence matrix, 75–78, 86 Coding schemes for neural networks, 116, 121, 161 Colombetti, Marco, 185 Communication through synthetic evolution inherently meaningful, 65 one-symbol communication by finite state machine, 70-79 partial cooperation, 71, 78-79,87 results, 73-78 setup, 70-72 one-symbol communication by neural networks, 85-87 motivation. 85 results, 86-87 setup, 86 overview, 65 paired symbol emission by finite state machine, 83-85 results, 83-85 setup, 83 related work, 87 summary, 87-88 two-symbol communication by finite state machine, 79-82 results, 80-82 setup, 79-80 Compactness, 18, 119 "Competing conventions" problem, 253 Competition, 252. See also Co-evolution, competitive Complementary reinforcement

backpropagation algorithm (CBRP), 333 Complete closure, 17 Completeness, 17, 119 Complete representations, 17 Complexity, 21 Computational complexity, 21 Computational modeling, 4 Computers, 5 Conditional probability, 440 Conditioning, 3 Conflict-free G2L-systems, 170 Connection addition, 397–398 Connection deletion, 396–397 Connectivity, 13-14, 116-117, 128 constraint matrix, 13 Connector, 167 Conrad. M., 389 Constrained closure, 17-18 Constraint satisfaction problems (CSP) value ordering, 372-376 Constructive algorithms, 10, 159-160 Context sensitivity, 164 Continuous spatial nature Q-learning, 323 Controller architecture, 280-282 Convention, 253-254 Convergence, 338, 369 Conversion of delayed to immediate reinforcement, 314-316 Cooperation agent, 66-67 competition versus, 252 genuine, 79 partial, 71, 78-79, 87 pseudo, 78 Coordination, degree of, 69 Cost-functions, 119

Cover optimization, heterogeneous neural agents for browsing adaptively in information environments. 348 - 352co-evolving sensors and behaviors in toy environments, 344-346 foraging efficiently in marine environments, 346-348 overview, 337, 343 summary, 359 Credit assignment problem, 367 Credit card problem, 408-409, 416, 418-419 Cross-modal association, 323 Crossover artificial metabolism and, 201 in evolutionary algorithm, 11 in evolutionary synthesis of neural systems, 15 Radial Basis Function neural networks and, 255-256, 258 - 260syntactic constraints and, 38 between trees. 38 uniform. 120 Crosstalk, 158 Crowding, 338 Crumpton, J. J., 83–85 CSP value ordering, 372-376 Darken, C., 263, 411 Darwinian evolution, 176, 395 Decoding

complexity, 21 function, 16 process, 10–11

redundancy, 20 time, 18 De Garis, H., 187 Deletion, 396-397 Dellaert, F., 187 Destructive algorithms, 10, 160 Development in neural networks genomes and, developmental, 226-239 learning at different genetically determined "ages" and, 232-239 overview, 226-227 with phenotypic plasticity, 229-232 simulation, 227-229 initial conditions, evolution of, 218 - 226in classical neural networks, 218 - 220in ecological neural networks, 219-223 in self-teaching networks, 223 - 226life history of organisms and, 239 - 241overview. 215-218 summary, 241-245 Development process, 10-11 Diabetes problem, 401, 406, 416, 418 - 419Diffusion, chemical, 192 Direct encoding scheme, 386-387 Directional-change controllers, 294-300 Discovery design approach, 6 Distal description, 302 Distortion, 91

Distributed reinforcement, 323 Diversity, 301 DNA, 171 Dorigo, Marco, 185 DRAMA (mobile robot), 333 Dynamical neural network model, 188-190 EANNs. See Evolutionary artificial neural networks EC. 160-161. 186 Ecological neural networks, 219-223 Effectors of intelligent agents, 2 Elman, J. L., 221, 237-239 ELSA, 339-343, 349-350, 353-356, 358 - 362Emission rule, 71 Emitter, 71 Encoding. See also Cellular encoding: Genetic representation direct scheme, 386-387 for feedforward artificial neural networks, 391-394 fitness function and, 12 of genotype string, 68 indirect scheme, 386-387 programs, intelligent agent, 5 strong specification scheme, 386-387 of synaptic parameters, 293-294 weak specification scheme, 386-387 Ensemble, population of evolutionary artificial neural networks as majority voting, 414-415 overview, 414 rank-based linear combination.

415-417 RLS algorithm linear combination, 417-419 subset of population as, 419-421 Environments carrying capacity of, 342 cycles, 72, 80 information, 348-352 intelligent agents, 2 latent energy, 147, 344, 346 marine, 3, 346-348 toy, 344-346 EP, 11-12, 251, 384 EPNet and evolutionary artificial neural networks architecture mutations and, 396-398 artificial neural networks and, 384-386 emphasis of, 389-390 encoding scheme for feedforward artificial neural networks. 391-394 experimental studies, 398-412 Australian credit card problem, 408-409, 416, 418-419 MacKey-Glass time series prediction problem, 409-412 medical diagnosis problems, 399-408, 416, 418-419 parity problems, 398–399 fitness evaluation, 394 generation gap, 394–395 hybrid training, 395-396 overview, 384 replacement strategy, 394–395

selection mechanisms, 394 steps, 390-391 structure, 384 Equivalence, network, 446-448 Error rate, 404 Errors, 257, 410-411, 417 Estimation error, 257 Evaluation function, genetic representation and, 12 Evolution. See also Communication through synthetic evolution of adaptation, 301 approaches of, 11-12 artificial, 11, 274 biological intelligent agents and, 3_{-4} Darwinian, 176, 395 of initial conditions, 218-226 in classical neural networks. 218 - 220in ecological neural networks, 219-223 in self-teaching networks, 223-226 innate behaviors and, 4 Lamarckian, 156, 173-177, 180-181, 395 local search with, 155-156, 173-176 by local selection, 339–343 MAXSON architecture and, 330-333 in Radial Basis Function neural network, 247-268 evolving, 255-257 experiments, 257-267 fuzzy rule based systems and, 254-255

Gaussian, 248 genetic algorithm and, 251-254 multi-layer perceptron (MLP) networks and, 248-251 overview. 247-249 summary, 267-268 simulated. 11 Evolutionary algorithm (EA) challenge of, 31-32 co-evolution and Khepera Simulator and, 280–282 crossover in, 11 evolutionary search and, 337-338 fitness value and, 154 functioning of, 10-11 genetic programming and, 429 genotype in, 10-11 intelligent agents and, 10-12 interactive, motivation for, 29-30 Lamarckian evolution and, 175 mutation in. 11 niching and, 338 phenotype in, 10-11 population and, 217-218 searches and, 10-12, 109 supervising, 30-31 Evolutionary artificial neural networks (EANNs) architecture, 386-389 as ensemble, 414-421 majority voting, 414-415 overview, 414 rank-based linear combination, 415-417 RLS algorithm linear combination, 417-419 subset of population as, 419-

421 EPNet. 389-398 architecture mutations, 396-398 artificial neural networks and, 384-386 emphasis of, 389-390 encoding scheme for feedforward artificial neural networks, 391-394 fitness evaluation, 394 generation gap, 394–395 hybrid training, 395-396 overview. 384 replacement strategy, 394-395 selection mechanisms, 394 steps, 390-391 structure, 384 experimental studies, 398-412 Australian credit card problem, 408-409, 416, 418-419 MacKey-Glass time series prediction problem, 409-412 medical diagnosis problems, 399-408, 416, 418-419 parity problems, 398–399 genetic algorithm and, 384 learning and, 412-414 optimization and, 412-414 overview, 383-386 related work, 389 summary, 421-423 Evolutionary computation (EC), 160– 161.186

Evolutionary Local Selection Algorithm (ELSA), 339–343, 349–350, 353–356, 358–362 Evolutionary programming (EP), 11– 12, 251, 384 Evolutionary robotics, 109, 113. *See also* Interactive evolutionary robotics Evolutionary search, 337–338 Evolutionary strategies, 11–12 Evolutionary synthesis, 12–15 Exploration-exploitation dilemma, 114–115, 337 Expressive pair, 84

F, 92

Factorized Distribution Algorithm (FDA), 429–430, 439–442 FAL sensor. 308 Fan-in of unit, 117, 128 Fault-tolerant sensor designs, 142-145 Faulty sensors, 143 FDA, 429-430, 439-442 FDL sensor, 308 Feature extraction, 92 Feature selection problem, 142, 149 Features (F), 92 Feed-forward networks best (BFF), 122, 128 best recurrent (ARR), 122-123, 128 fitness of best (AFF), 122, 137 hidden units and, 128–132 recurrent networks versus, 8-9, 116.122-125 FIFO queue, 34 Filter models, 353

Finite state machine (FSM) one-symbol communication by, 70-79 partial cooperation, 71, 78-79.87 results, 73-78 setup, 70-72 paired symbol emission by, 83-85 results, 83-85 setup, 83 two-symbol communication by, 79-82 results, 80-82 setup, 79-80 First In First Out (FIFO) queue, 34 First-order value network, 308 Fitness evaluation, 256–257, 394 Fitness function artificial metabolism and, 201-203 choice of, 291-292 co-evolution and, 147, 291-292 encoding and, 12 genetic representation and, 12 MDL-based, 452-454 Fitness landscape, 114 Fitness-proportionate selection scheme, 15 Fitness sharing, 338 Fitness value of best feedforward networks (AFF), 122, 137 "better fitness," 100 evolutionary algorithm and, 154 maximum, 137-138, 413 metabolism based, 197 standardized, 120-122, 127 total sum squared error and, 15

tournament selection and, 437 vectorial, 96 Flashlight fish, 3 Floreano, D., 146, 187, 222-223 FNNCA algorithm, 399 Focus networks, 378-379 Focus window, creating, 376-378 Food Angle Left (FAL) sensor, 308 Food Distance Left (FDL) sensor, 308 Foraging task, 146-147, 346-348 Fritzke's algorithm, 98 FSM. See Final state machine FULL division, 49 Functional-compactness, 18, 119 Functional modules, 20 Funes, P., 276 Fuzzy rule, 97 Fuzzy rule classifier systems, 97, 254-255

Gallagher, J. C., 53 Gaussian Radial Basis Function (RBF) neural networks, 248 Generation, 369 Generation gap, 394–395 Genes, 10, 369 Genetic algorithm (GA) co-evolution and Khepera Simulator and, 281 computer investigations and, 186 dynamical neural network model and, 189 as evolutionary approach, 11-12 evolutionary artificial neural networks and, 384 G2L-systems in, 161 Holland's, 217 hybrid local/global search and,

94-95 learning rules of MAXSON and, 327-330, 334 multi-layer perceptron networks and, evolution of, 249-251 neurogenesis and, 196-197 optimization of classifiers using, 91-107 codebook design and, 91, 97-100 future work, 106-107 genetic optimization of LVQ algorithm and, 100-106 method, 94-97 overview, 91-93 state of the art and, 93–94 Radial Basis Function neural networks and, evolution of, 251-254 techniques, 333 variable length chromosome, 95-96 Genetic encoding. See Encoding; Genetic representation Genetic Learning Vector Quantization (G-LVQ), 91-92, 100-101, 103-104, 106 Genetic programming box-pushing task and, 112-113 crossover in, 38 evolutionary algorithm and, 429 as evolutionary approach, 11-12 Koza's application of, 276 language, 11 Genetic representation components of, 10 evaluation function and, 12 fitness function and, 12

multi-level variable length, 116-118 properties of artificial neural networks, 15-21, 118-119 closure, 17-18 compactness, 18, 119 completeness, 17, 119 complexity, 21 genotype, 16 modularity, 20, 155 multiplicity, 19, 119 ontogenetic plasticity, 19-20 overview, 15-17 phenotype, 16 redundancy, 20-21, 119 scalability, 18-19, 155, 161 Genetically determined controllers, 293 GEN (high-level language), 185 GENITOR neuro-evolution system, 371 Genomes, developmental learning at different genetically determined "ages" and, 232 - 239overview. 226-227 with phenotypic plasticity, 229-232 simulation, 227-229 Genomic network, 193–195 Genotype adaptation and, 68, 289 directional-change controllers and, 299 encoding string of, 68 in evolutionary algorithm, 10-11 fitness of, 14, 387-388 G2L-systems and, 162

multiplicity and, 19, 119 permutations problem and, 250 properties of genetic representations and, 16 redundancy and, 20-21, 119 representation, 255 Genotype-to-phenotype mapping, 227-228, 250 Genuine cooperation, 79 Global environment, 67, 69 Global search heuristics, 110 Global search with local search, 94-95 Global selection, 341–343 G-LVQ, 91-92, 100-101, 103-104, 106 Goals, on-the-fly management of multiple, 314 Gomez, F., 333 Grammar, 30, 163 Grammar-tree, 33 Gripper arm, 2 Growth process of neural network, 161 Gruau, F., 20, 161, 177 G2L-systems coding neural networks, 162–173 conflict-free, 170 context in. 169-171 extensions of, 164 genetic code of, 171–172 graph interpretation, 166–169 motivation of, 162-163 origin of, 162-163 overlapping genes, 172 in practice, 173 principles of, 163 repairing mechanisms, 172

string interpretation, 164–166 in genetic algorithm, 161 genotype and, 162 not strictly modular, 168 phenotype and, 162 strictly modular, 168 Guessing, 71, 73 Gustatory experiences, 315 Habituation, 3 Hall-of-Fame method, 288, 300 Hand-coded solution, 51-52 Hand-designed structure of Werner, 332 Hansson, O., 376 Harvey, I., 44, 187, 222 Heart disease problem, 401-402, 406-407 Hebb rule, 294 Heterogeneous neural agents for cover optimization, 343–352 browsing adaptively in information environments, 348-352 co-evolving sensors and behaviors in toy environments, 344-346 foraging efficiently in marine environments, 346-348 overview, 337, 343 summary, 359 for pareto optimization, 352-359 algorithm details, 354-357 data sets, 357 experimental results, 357-359 feature selection, 353–354 overview, 337, 352-353

summary, 359 Heuristics, 110 Heuristic search methods, 353 Hidden note deletion, 396 Hidden units, 8, 115-116, 125-132 Hillis, W., 276 Holland, J. H., 174 Holland's genetic algorithm, 217 Husband, P., 187 Hybrid local/global search, 94–95 Hybrid training, 395–396 Ide, Koichi, 51-52 Immediate distributed reinforcement, 310-312.323 Immediate reinforcement, 314–316 Implementability, 156 Indigo R4000, 99, 102 Indigo R8000, 102 Indirect coding scheme, 386–387 Information environments, 348–352 Information theory, 21 InfoSpiders, 351-352 Initial conditions, evolution of in classical neural networks, 218-220 in ecological neural networks, 219-213 in self-teaching networks, 223-226 Innate behaviors, 4 Input connectivity, 117, 128 layers, 8 pattern, 8 units. 8 Integer, 36–38 Intelligent agents. See also Artificial

neural networks (ANNs); Robots architecture of, 2, 156-160 Artificial intelligence and, 2 artificial neural networks and, 4 behavioral control mechanisms of. 67-68, 185-186 behaviors, 113 biological, 3-4 defined, 1-2effectors of. 2 elements of, 2-3 environment of, 2 evolutionary algorithm and, 10-12 mail filtering, 2 neuro-controllers for, 109-150 box-pushing task, 120–132 fault-tolerant designs, 142-145 genetic programming and, 112 - 113hidden units and, 115-116, 128 - 132for noisy environments, 142-145 overview, 109-111 related work, 145-148 simulation setup details and, 115 - 120summary, 148-150 overview, 2–3 programs artificial neural networks as, 7 - 10designing, 2-3, 5-6 encoding, 5 evolutionary synthesis of, 12

language, 5 purpose of, 5-6 summary, 21-23 sensors for, 2, 138-142 Interactive evolutionary robotics artificial neural networks and, 29 cellular encoding and, 32-36 enhancement of. 35-36 review of, 32-35 comparison of, with hand-coded solution, 51-52 experimental runs, 46-51 goal of, 29 leg controller, 39–42 locomotion controller, 43-46 overview. 29-32 summary, 52-54 syntactic constraints, 30, 36-40, 44, 46, 49-50 Interface to artificial neural network, 207 - 210Interference, 156–158 Ionosphere data, 357

Jerke, Noel, 86–88 John, G. H., 353

Kale, L. V., 375 Kauffman, S., 187 Kauffman's N K model, 196 Khepera Simulator co-evolution and, 277–283 controller architecture and, 280–282 evolutionary algorithm and, 280–282 genetic algorithm, 281 method, 280–282

overview. 277-279 software model, 282-283 Miglino et al.'s use of, 146 neurogenesis and, 197-210 artificial metabolism and, 200 - 207description of robot, 198-199 first series of experiments, 200 - 207interface to artificial neural network and, 207-210 overview, 185, 197-198 second series of experiments, 207 - 210setup of experiments, 197-200 Kitano, H., 95 K-means, 97-100 "Knock-on" effect, 251 Knowledge base, 254 Knowledge engineering, 2 Knowledge extraction, 2 Kohonen's Learning Vector Quantization (LVQ), 93-94, 100 - 106Kohonen's Self-Organizing Map, 93, 98 Koichi's controller, 51–52 Koza, J., 38, 276 Kuiper, H., 187 Kullback Leibler divergence, 441-442 Lamarckian evolution, 156, 173–177, 180-181, 395

Langer, J., 215 Langton, C. G., 301

Language

BL, 185 computer, 5 GEN, 185 genetic programming, 11 grammar, 30, 163 L-system, 163 for programs, intelligent agent, 5 Latent energy environments (LEEs), 147, 344, 346 L codevectors, 97 Learnability, 156 Learning "ages" and, different genetically determined, 232-239 algorithms, 412 biological agents and, 3-4 cascade-correlation (CC), 411 in classical neural networks, 218-219 design approach, 6 evolutionary, 413 evolutionary artificial neural networks and, 412-414 MAXSON architecture and, 323-330 Q-learning and, comparison to, 323–324 rules, 326-330, 333 self-organization and, 324-326 neural reinforcement, 332-333 optimization versus, 413 process, of artificial neural networks, 412 Q-learning, 318-324, 333 in Radial Basis Function neural network, 247-268 evolving, 255-257

experiments, 257-267 fuzzy rule based systems and, 254-255 Gaussian, 248 genetic algorithm and, 251-254 multi-layer perceptron (MLP) networks and, 248-251 overview, 247-249 summary, 267-268 reinforcement, 332-333, 351 rules, 307, 326-330 self, 12 in setup of two-symbol communication by finite state machine. 80 supervised, 9-10 unsupervised, 9-10 Learning-disabled, 72, 74 Learning-enabled, 72, 75 Learning Factorized Distribution Algorithm (LFDA), 430, 442-448 Learning Vector Quantization (LVQ) algorithm, 93-94, 100-106 LEEs, 147, 344, 346 Left-Forward-Right (LFR) output coding strategy, 116, 121 Leg controller, 39-42 Lego robot, 146 LFDA, 430, 442-448 LFR output coding strategy, 116, 121 Library functions, 452 Life history of organisms, 239-241 Linden-Buzo-Gray, 97-100 Lindenmayer, A., 165 Linear combination rank-based, 415-417

RLS algorithm, 417–419 Linear function, 7 List, 36-38 Littman, M. L., 95, 367, 395 Local environment, 69 Locality of a selection. See Local selection (LS) Local maxima problems, 12 Local search with evolution, 155-156, 173-176 evolving network architecture directed by, 176-180 with global search, 94-95 Local selection (LS) evolution by, 339-343 global selection versus, 341-343 heterogeneous neural agents for cover optimization, 343-352 for pareto optimization, 352-359 mutation and, 341 overview, 337-339 summary, 359-362 Locomotion controller, 43-46 LS. See Local selection L-systems, 162-164. See also G2L-systems Lund, H., 146 LVQ algorithm, 93-94, 100-106 Machine Learning (ML), 2-3, 288-289, 357 MacKey-Glass time series prediction problem, 253, 264-268, 385, 409-412 Mail filtering agent, 2

Majority voting, 414-415 Mangasarian, O. L., 406-407 Mann-Whitney U-test, 321 Mapping, genotype-to-phenotype, 227-228,250 Mapping problem, 180 Marine environments, 3, 346–348 Marine turtles. 3 Markov, 6 Martinez, T. M., 411 Master Fitness value, 285, 299 Master Tournaments, 284, 288, 299 Max-based Second-Order Network. See MAXSON architecture Maximum fitness, 137–138, 413 MAXSON architecture evolution and, 330-332 experimental method, 320-322 experimental results, 320-322 learning and, 323-330 Q-learning, comparison to, 323-324.334 rules, 326-330, 333 self-organization and, 324-326 overview, 307 problem, 307-308 related work, 332-333 structure, 308-317 design features, 313-317 policy network weight adjustment, 310-312 reinforcement calculation by value network, 312 second-order networks, 309-310 sub-networks, 308-309 value network weight

adjustment, 313 summary, 334 Mayer, A., 376 McClelland, J., 215 McInerney, J., 219, 338 MCMC algorithm, 94 MDL, 413, 442-444 MDL-based fitness function, 452-454 Mean-square error, 410-411, 417 Medical diagnosis problems breast cancer, 401, 405-406 comparisons with other work, 405-408 diabetes, 401, 406, 416, 418-419 heart disease, 401-402, 406-407 overview, 399-401 results of experiments, 404–405 setup of experiments, 402-404 thyroid, 402, 407-408 Menczer, F., 147 Mental agents, 113 Metabolism, artificial, 200-207 Metabolism based fitness value, 197 Miglino, O., 146, 276 Mikkulainen, R., 333 Miller, G. F., 276, 282, 384 Miller, P. Todd, 13 Minimax search, 376–380 Minimum description length (MDL), 413, 442-444 Minimum message length (MML), 413 ML, 2-3, 288-289, 357 MLP networks, 93, 248–251 MML, 413 Mobile robotics, 188. See also Intelligent agents; Robots Modifier genes, 118

Modularity, 20, 155 Modules, adding, 179-180 Mondada, F., 146, 187, 222-223 Moody, J., 263, 411 Morphogenesis of neural networks. See Neurogenesis Mühlenbein, H., 430 Multi-layer perceptron (MLP) networks, 93, 248-251 Multi-level variable length genetic representation, 116-118 Multiplicity, 19, 119 Munroe, S., 263 Mutation adaptive traits and, 229 artificial metabolism and, 201 EPNet and evolutionary neural networks and, 396-398 in evolutionary algorithm, 11 in evolutionary synthesis of neural networks, 15 local selection and, 341 Radial Basis Function neural networks and, 256 SANE and sequential decision tasks. 370 subtree error and, 452 syntactic constraints and, 38-39, 49 between trees, 38–39 Natural adaptation, 3-4, 289

Natural adaptation, 3–4, 289 Natural selection, 436 Neruda, R., 253 Nested breeding, 80 Network architecture. *See* Architecture, network; MAXSON architecture Network synthesis, 9 Neural cells, 192 Neural networks See also Architecture; Artificial neural networks (ANNs); Evolutionary artificial neural networks (EANNs): Radial Basis Function (RBF) neural networks classical, 218-220 classifier systems and, 91 coding schemes for, 116, 121, 161 development in, 226-239 genomes, developmental, 226 - 239initial conditions, evolution of. 218-226 dynamical model, 188-190 ecological, 219-223 equivalence, 446-448 evolutionary synthesis of, 13-15 genomic, 193-195 growth process of, 161 multi-layer perceptron, 93, 248-251 one-symbol communication by, 85-87 motivation, 85 results, 86-87 setup, 86 optimality, 446-448 self-teaching, 223-226 Neural reinforcement learning, 332-333 Neural trees, 450-452 Neuro-controllers for intelligent agents for box-pushing task, 120–132 fault-tolerant designs, 142-145

genetic programming and, 112-113 hidden units and, 115-116, 128-132 for noisy environments, 142-145 overview. 109-111 related work, 145-148 simulation setup details and, 115-120 summary, 148-150 Neurogenesis actions, 195 application to mobile robotics, 188 dynamical neural networks and, 188-190 experiments first series, 200-207 second series, 207-210 setup, 197-200 genetic algorithm and, 196-197 genomic network, 193-195 Khepera Simulator and, 197-210 artificial metabolism and, 200 - 207description of robot and, 198-199 first series of experiments, 200 - 207interface to artificial neural network, 207-210 overview, 185, 197-198 second series of experiments, 207 - 210setup of experiments, 197-200multi-layer perceptron networks and, evolution of, 250

overview, 185-186 process, 190-196 space, 191-192 state of the art in, 186-187 summary, 210-211 Niched Pareto Genetic Algorithm (NPGA), 356-357 Niching, 338 N K model, 196 Noble, J., 78, 87 Nodes addition of, 177-179, 397-398 ELSA and, 350 maximum, 316, 323 Noise, sensor, 142-145 Nolfi, S., 221 NPGA, 356-357

Obstacle avoidance behaviors, 146 Odri, S. V., 389, 397 OneMax function, 431, 437, 446 One-symbol communication by finite state machines, 70–79 partial cooperation, 71, 78-79,87 results, 73-78 setup, 70-72 by neural networks, 85-87 motivation. 85 results, 86-87 setup, 86 On-the-fly management of multiple goals, 314 Ontogenetic adaptive change experimental results, 294-300 overview. 292-294 Ontogenetic plasticity, 19–20 Optimality, network, 446-448

Optimization algorithm, 412-414 architecture, during training, 159 - 160artificial neural network designs and, 9 of classifiers using genetic algorithms, 91-107 codebook design and, 91, 97-100 future work, 106-107 genetic optimization of LVQ algorithm and, 100-106 method, 94-97 overview, 91-93 state of the art and, 93–94 cover, heterogeneous neural agents for, 343-352 browsing adaptively in information environments, 348-352 co-evolving sensors and behaviors in toy environments, 344-346 foraging efficiently in marine environments, 346-348 overview, 337, 343 summary, 359 evolutionary artificial neural networks and, 412-414 learning versus, 413 of LVQ algorithm, 94, 100-106 pareto, heterogeneous neural agents for, 352-359 algorithm details, 354-357 data sets. 357 experimental results, 357-359

feature selection, 353-354 overview, 337, 352-353 summary, 359 Organized structure, 20 Othello, focus networks in, 378-379 Output coding strategies, 115-116 layers, 8 units, 8 Overlapping genes, 172 Overtrained, 156 Paired symbol emission by finite state machine results. 83-85 setup, 83 Parallel division, 33 Parameterization, 253 Pareto front, 353, 358-359 Pareto optimization algorithm details, 354-357 data sets, 357 experimental results, 357-359 feature selection, 353-354 overview, 337, 352-353 summary, 359 Parisi, D., 146, 215, 221 Parity problems, 398–399 Partial cooperation, 71, 78-79, 87 Partially complete representations, 17 Pattern recognition, 92 Payoff matrix, 436 Perceptron cascade algorithm (PCA), 399 Perez, J.-C., 94 Performance, 295-297 Permutations problem, 250–251 Phenotype

adaptation and, 68, 289 in evolutionary algorithm, 10-11 G2L-systems and, 162 multiplicity and, 19, 119 permutations problem and, 250 plasticity and, 229-232 properties of genetic representation and, 16 redundancy and, 20, 119 scalability and, 18-19 Photoblepharon palpebratus (flashlight fish), 3 Pittsburgh-style fuzzy classifier system, 254 Plasticity ontogenetic, 19-20 phenotypic, 229-232 Policy networks, 310–312 Population-based search, 12 Power Challenge, 102, 105 Power stroke, 39 PPT. 448-449 Prechelt, L., 402 Probabilistic Prototype Tree (PPT), 448-449 Probability theory, 450 Production rules, 171 Programs, intelligent agent artificial neural networks as, 7-10 designing, 2-3, 5-6encoding, 5 evolutionary synthesis of, 12 language, 5 purpose of, 5-6 summary, 21-23 Properties of genetic representation of artificial neural networks, 15-21, 118-119, 155

Protean behaviors, 273-274 Protein, 171, 193-194 Pseudo-cooperation, 78 Q-learning, 318-324, 333 OuickProp, 95, 103 Radial-basis activation function, 7 Radial Basis Function (RBF) neural networks algorithms from, 93 crossover and, 255-256, 258-260 evolution and learning in, 247-268 evolving, 255-257 experiments, 257-267 fuzzy rule based systems and, 254-255 Gaussian, 248 genetic algorithm and, 251-254 multi-layer perceptron (MLP) networks and, 248-251 overview, 247-249 summary, 267-268 hybrid algorithm for determining, 247 mutation and, 256 Radiative energy sources, 147-148 Random search, 134–138 Random walk, 134-138 Rank-based linear combination, 415-417 RBF neural networks. See Radial **Basis Function neural networks** Recipe representations, 153, 161–162 Recombination, 11. See also Crossover

Recurrence, 47 Recurrent links, 133-134 Recurrent networks, feed-forward networks versus, 8-9, 116, 122-125 Recurrent neuro-controllers, 116 Recursively-defined modules, 20 Red Queen Effect, 274-276, 289-291 Redundancy, 20-21, 119 Regularization, 252–253 Reinforcement calculation by value network, 312 immediate, 314-316 immediate distributed, 310-312, 323 learning, 332-333, 351 Relational measure of performance, 295 Relative performance, 295–297 Relief (filter model), 353 Repairing mechanisms, 172 Replacement strategy, 394–395 Response to selection equation, 438 Reverse-engineering, 153 Rewriting steps, 163, 165-166, 170-171 Reynolds, C., 147–148, 276 RLS algorithm linear combination, 417-419 RMS error, 410-411 Robbins, H., 263 Robots. See also Box-pushing task; Intelligent agents; Interactive evolutionary robotics behavior of, 109 blind, 111 gripper arm of, 2 Khepera, 146, 185

Lego, 146 obstacle avoidance behaviors of. 146 radiative energy source approaches and, 147–148 with vision morphology, 276 wandering, 146 Root-mean-square (RMS) error, 410-411 Rueckl, J. G., 157 Rule base, 254 SAGA paradigm, 44 Salustewicz, 448 SANE and sequential decision tasks function of, 367, 369-372 minimax search, 368, 376-380 mutation and, 370 value ordering, 368, 372-376 Saw landscape, 432–433, 438 Scalability, 18-19, 155, 161 Scaling up, 264-267 Schaffer, J., 250-251, 253 Schlesinger, M., 215 Schmidhuber, 448 Schraudolph, N., 219 Search space, 135 Second-level genes, 118 Second-order controller networks. 332 Second-order networks, 308–310 Second-order policy network, 308 Selection criteria, 291-292. See also Fitness function Selection mechanism, 394 Self-defeating actions, 141 Self-learning, 12 Self-loop, strong negative, 124

Self-organization of MAXSON networks, 324-326 Self-teaching networks, 223-226 Sensors box-pushing task and, 147 co-evolving, 344-346 evolution results, 139–142 fault-tolerant designs, 142-145 faulty, 143 Food Angle Left (FAL), 308 Food Distance Left (FDL), 308 for intelligent agents, 2, 138-142 noise from, 142-145 temporal difference based on threshold of. 317 Sensory conflict, 141 Sensory information integration modes, 138 Sensory inundation, 141 Sequential decision tasks constraint satisfaction problem value ordering, 372-376 future work, 380-381 minimax search, 376-380 overview, 367-368 SANE and, 367, 369-372 minimax search, 368, 376-380 mutation and, 370 value ordering, 368, 372-376 summary, 381 Sequential division, 32–33 Set, 36-37 Set of independent chain, 196 SGI Indigo R4000, 99, 102 SGI Indigo R8000, 102 SGI Power Challenge, 102, 105 SGL genes, 80

SHARI1, 40, 45-46 Shimohara, K., 187 Sigma-pi neural trees, 451 Sigmoid belief networks, 450 Sigmoid function, 7 Signal, 70-71 Sims, K., 276 Simulated evolution, 11 Simulation setup details, 115–120 Single parameterization, 253 Smalz, R., 389 Softbots, 2 Soft mutation, 49 Software systems, 2 Solution density, 17 Solution networks, 17 Space filling curves, 251 Space structure, 191 Space/time complexity, 21 Spatial crosstalk, 158 Specializations, 369 Spiral problem, 180 Stability-plasticity dilemma, 156–157 Standardized fitness, 120-122, 127 "Starting small" principle, 215 State of the art, 93–94, 186–187 Steady-state selection, 101 Stochastic rewriting, 165 Strong specification scheme, 386–387 Stroud, Rick, 86-88 Structural complexity, 21 Structural hill climbing methods, 384 "Student" network, 223-226 Subset of population as an ensemble, 418-421 Substrings, 369 Supervised learning, 9–10 "Sussex" approach, 29-30

Sutton, S., 319 Switching mechanism, 132 SWITCH operator, 45-46 Symbiotic, Adaptive Neuro-Evolution. See SANE Syntactic constraints, 30, 36-40, 44, 46, 49-50 Synthesis automatic, 2-3 network, 9 protein regulation in biology, 193-194 Synthesizing networks Factorized Distribution Algorithm (FDA), 429-430, 439-442 Learning Factorized Distribution Algorithm (LFDA), 430, 442-448 MDL-based fitness function, 452 - 454method, 448-449 neural trees, 450-452 overview, 429-430 summary, 454 Univariate Marginal Distribution Algorithm (UMDA), 429-439, 449 Synthetic evolution, 65, 68. See also Communication through synthetic evolution Synthetic world, 66-68 TA, 399

TC problem, 180 "Teacher" network, 223–226 Teller, A., 111–114 Temporal crosstalk, 158 Temporal difference based on sensor and goal threshold, 317 Testing theories and hypotheses, 4 Threshold, 7-8, 13, 98-99, 317 Thyroid problem, 402, 407-408 Time-bounded activity, 115-116 Time-scalability representation, 19 Topological-compactness, 18, 119 Total sum squared error, 15 Tournament selection, 120, 436-437 Tower algorithm (TA), 399 Toy environments, co-evolving sensors and behaviors in, 344-346 Trail-like box-pushing task, 136–138 Trainable connection, 14 Training epochs, varying number of, 260 - 265Training pairs, 92 Training speed, 157–159 Transfer functions, 5 Trigger mechanism, 132 Truncation selection, 436-437 Turing, A., 6 2-D simulation, 276 Two-symbol communication by finite state machine results, 80-82 setup, 79-80

UC-Irvine Machine Learning Repository, 357 UMDA, 429–439, 449 Uniform crossover, 120 Units, 7–8 Univariate Marginal Distribution Algorithm (UMDA), 429–439, 449 Unsupervised learning, 9–10

Vaario, J., 187 Value networks, 308, 312–313 Value-ordering neural networks, 373– 376 Vectorial fitness, 96 Vector quantization (VQ) algorithms, 91, 97–99 Vidal, E., 94 Vision morphology, 276 Vision systems, 3 Visual experiences, 315 Voting, majority, 414–415 VQ algorithms, 91, 97–99

Walker, J., 147-148 Wandering robot, 146 Weak specification scheme, 386-387 Weight adjustment, 310–313 Weights, 7 Werner, G. M., 332 "What-Where problem," 157–158 Whitehead, B., 251-252 Whitley, D., 177 Wiemer, M., 173 Winner-take-all computation, 116 Wisconsin Prognostic Breast Cancer Study (WPBC) data, 357–358 Wolberg, W. H., 105 WPBC data, 357-358 Wrapper models, 353

XOR problem, 158-159, 180