

Index

- acausal, 126
- adaptive spike coding, 42
- affinity-based models, 157
- attention, 103
- attention, Bayesian model of, 253
- average cost per stage, 277
- Bayes filter, 9
- Bayes Rule, 83
- Bayes rule, 240, 302
- Bayes theorem, 6, 78, 84
- Bayesian, 75
- Bayesian decision making, 250
- Bayesian estimate, 8, 9
- Bayesian estimator, 118
- Bayesian inference, 239, 240
- Bayesian network, 13
- belief propagation, 13, 239
- belief state, 289
- bell-shape, 115
- Bellman equation, 271
- Bellman error, 276
- bias, 117
- bit, 6
- boundary-sharpening, 165
- cascade model, 27
- causal, 126
- coding, 116
- Conditional order statistics, 80
- conditional probability, 4
- continuous-time Riccati equation, 285
- contraction mapping, 272
- contrasts, 96
- control gain, 286
- convolution code, 123
- convolution decoding, 125
- convolution encoding, 123
- correlation, 5
- costate, 278
- covariance, 4
- covariance analysis, 30
- Cramér-Rao bound, 117, 119
- Cramér-Rao inequality, 11
- cross-validation, 65
- curse of dimensionality, 276
- decision theory, 299
- decoded, 72
- decoder, 81
- decoding, 53, 76, 80, 81, 116
- decoding basis function, 125
- decoding, linear, 26
- deconvolution, 124
- differential dynamic programming, 287
- direct encoding, 121
- discounted cost, 277
- discrete-time Riccati equation, 286
- discrimination threshold, 120
- distributional codes, 261
- distributional population code, 121
- doubly distributional population code, 125, 262
- Dynamic Causal Modeling (DCM), 104
- dynamic programming, 270
- economics, 299
- EEG, 93
- efficient coding, 145
- encoding, 19, 25, 116
- entropy, 7, 19
- estimation-control duality, 291
- Euler-Lagrange equation, 282
- evidence, 12
- expectation, 4

- expectation-maximization, 125
extended Kalman filter, 289
extremal trajectory, 279
- feedback, 162
figure enhancement, 169
figure-ground segregation, 169
filter gain, 288
firing rate, 116
first order statistics, 78, 83
Fisher Information, 11
Fisher information, 119
fMRI, 93
Fokker-Planck equation, 290
- gain of population activity, 122
Gaussian derivative operators, 163
general linear model, 93
generalized linear model (GLM), 60
graphical model, 13, 240, 242
grouping, 145
- H1 motion-sensitive neuron, 22, 44
Hamilton equation, 282
Hamilton-Jacobi-Bellman equation, 275
Hamiltonian, 279
happiness factor, 175
hemodynamic response function, 94
hidden Markov model, 242, 289
hierarchical inference, 262
high-resolution buffer, 162
hyperparameter, 12
hypothesis, 6
- illusory contour, 164
importance sampling, 289
independence, 5
influence function, 281
information, 6, 20, 39
information filter, 288
information in spike sequences, 22
information in spikes, 21
information state, 289
information theory, 72
inhomogeneous Poisson process, 82
integrate-and-fire model, 247
integrate-and-fire model, generalized, 62
integrate-and-fire neuron, 28, 34
- integrate-and-fire neuron, generalized, 29
iterative LQG, 286
Ito diffusion, 273
Ito lemma, 275
- joint probability, 4
- Kalman filter, 9, 287
Kalman smoother, 289
Kalman-Bucy filter, 288
kernel function, 123
KL divergence, 8
Kolmogorov equation, 290
Kullback-Leibler divergence, 8
- Lagrange multiplier, 280
latency, 76
law of large numbers, 122
Legendre transformation, 282
likelihood, 6
linear-quadratic regulator, 285
linear/nonlinear model, 27
log posterior ratio, 252
loss function, 118
- MAP, 8
marginal likelihood, 12
marginalization, 12
Markov chain Monte Carlo (MCMC), 158
Markov decision process, 273
Markov random fields, 147
mass-univariate, 93
maximum a posterior estimate, 8
maximum a posteriori estimator, 67
maximum a posteriori estimator, 291
maximum entropy, 126
maximum likelihood, 29, 55, 72, 118
maximum likelihood estimate, 8
maximum likelihood Estimator, 118
maximum principle, 278
MDL, 149
mean, 4
MEG, 93
Mexican hat kernel, 124
minimal variance, 118
minimum-energy estimator, 291
MLE, 8
model selection, 12

- model-predictive control, 280
- motion energy, 122
- multiplicity, 125
- mutual information, 7, 20
- neural code, 72, 75
- neural coding problem, 17, 53
- nonlinear diffusion, 153
- nucleus magnocellularis, 37
- optimal coding, 43
- optimality principle, 270
- optimality value function, 270
- order statistic, 82
- order statistics, 77, 83
- particle filter, 9, 263, 289
- perceptual pop-out, 176
- Poisson, 76
- Poisson distribution, 116
- Poisson noise, 119
- Poisson process, 56, 76
- policy iteration, 271
- population code, 115, 262
- population codes, 88, 115
- population vector, 117
- posterior distribution, 118
- posterior probability, 6
- posterior probability mapping(PPM), 101
- predictive coding, 147
- preferred orientation, 115
- PrimerMarginal, 12
- prior distribution, 118
- prior probability, 6
- prior probability distribution, 79
- probabilistic population code, 122
- probability, 3
- probability density, 3
- probability distribution, 3
- product of expert, 126
- random field, 126
- random field theory (RFT), 101
- Rauch recursion, 289
- recurrent network, linear, 244
- recurrent network, nonlinear, 246
- redundancy, 23
- region competition, 156
- regularization, 12
- reverse correlation, 39, 56
- rollout policy, 280
- segmentation, 145
- shape-from-shading, 159
- spike count, 116
- spike density function, 82
- spike timing, 76
- spike-triggered average, 26
- spike-triggered average (STA), 56
- spike-triggered covariance (STC), 58
- spiking neuron model, 28, 33, 247
- square-root filter, 288
- statistical parametric mapping (SPM), 101
- stimulus decoding, 117
- stimulus encoding, 116
- stochastic, 75, 76
- surprise, 175
- synergy, 23
- synthesis, 157
- temporally changing probability, 126
- time-rescaling, 53
- timing code, 19
- tuning curve, 115, 118
- unbiased, 118
- unbiased estimate, 119
- uncertainty, 7, 120, 122, 124, 239, 299
- unscented filter, 289
- utility, 299
- value iteration, 271
- variance, 4, 117
- variance adaptation, 44
- variance components , 100
- visual attention, 253
- visual motion detection, 248
- Viterbi algorithm, 291
- weak-membrane, 149
- Zakai's equation, 290