

Subject Index

- Ablation. *See* Lesion studies; *specific systems*
- Acetylcholine, 124–128. *See also* Cholinergic systems
- Across region response patterning, 272, 414, 423. *See also* Gustatory system
- Acuity, visual. *See under* Visual (motor) competences
- Adipsia, 243
- Aggressive behavior, 256
- Amblyopia, 294, 513, 518. *See also* Visual deprivation; effects
- Anomalous projection. *See* Plasticity
- Anteromedial cortex, 314–316, 320
- Aphagia, 243
- Area 17. *See* Striate visual cortex (Oc1)
- Areas 18, 19, 20. *See* Extrastriate visual cortex
- Association cortex, 433–435
- Asymmetry, 55–58, 449–450
- Auditory competences, 392–395. *See also* Auditory system; Experience, roles in development
- conditioned emotional responses, 393–395
- localization, 392–395, 427
- temporal pattern discrimination, 395
- Auditory system, 381–398
- cortical tonotopicity, 385–392, 397
- lesion studies, 392–398. *See also* Auditory competences
- primary auditory cortex (Zilles's Te1), 381–385
- secondary auditory cortex, 382–385
- Autonomic functions of cortex, 204, 450
- Barrels. *See* Somatosensory system
- Behavioral analysis, 10–11, 415–519, 479–480, 510, 528–530, 547–548
- Behavioral demand, 476–525
- Bipolar cell, 80
- Cajal-Retzius cells, 38–39
- Calcification, 241, 243
- Cat. *See* Interspecies comparisons
- Cell death, 51–53
- Chandelier cell, 80
- Chemotopic organization, 409. *See also* Gustatory system
- Cholinergic systems, 163, 165, 170–172
- Cingulate cortex, 84–88
- Claws, 246
- Comparative studies, 3–8
- basic mechanisms, 6–8
- phylogenetic development, 5
- Controlled rearing, 473–479, 507–525. *See also* Environmental complexity, effects; Experience, roles in development; Visual deprivation, effects
- Corpus callosum, 27–28, 483, 495–498
- Cortex
- cell types, 78–81
- cholinergic fibers, 48–50
- connections of, 25–30
- defined, 77–78
- GABAergic fibers, 50
- general principles, 12–15
- monoaminergic fibers, 48–50
- organization of, 21–33
- somatostatin (SRIF), 52
- striatal connections, 28–30
- subdivisions of, 13–15, 23–25
- thalamic associates, 27
- Cortical column, 13–15, 345

- Cortical grafts. *See* Neural (cortical) transplantation effects
- Cortical organization, 12–15, 272, 276–277, 314, 329, 345, 422–423, 483–498
column, 345, 522–523, 528–530
- Cortical spreading depression, 219, 241
- Cross-modal or intermodal abilities. *See* Intersensory discriminative competences
- Cytoarchitectonics. *See specific area or system*
- Decortication, 239–267
activity, 248–249
circadian rhythm, 248
feeding deficits, 243–245
grooming, 249–252
learning, 258–260
maternal behavior, 254–256
posture, 245–248
sexual behavior, 253, 254
skilled movements, 257
- Defensive burying, 258
- Dendrites, 351–352, 486, 488–494, 550–551, 594–595. *See also* Plasticity
- Development, 34–65, 475–479, 507–510. *See also* Experience, roles in development; Plasticity; *specific cortical systems*
abnormal, 62–64
cell generation, 35–46
dendritic, 58–61
fiber growth, 47–51
migration, 46–47
postnatal, 53–62
synapses, 61–62
- Dopamine, 134–135
- Double bouquet cell, 80
- Dysgranular cortical zone, 344. *See also* Somatosensory system
- Elasticity, 476
- Electroencephalogram (EEG)
cholinergic, 163–165, 170–172
dopamine, 174–175
hippocampal, 161, 167
neocortical, 167–174
neural basis of, 151–156
relation to behavior, 156–160
serotonergic, 165–167, 172–174
- Empiricism, 476, 507–509
- Enabling stimuli, 476. *See also* Experience, roles in development
- Enriched environment. *See* Environmental complexity, effects
- Environmental complexity, effects, 483–498, 542–553. *See also* Experience, roles in development
behavior, 484, 494, 515, 523, 524, 528, 529, 543
cortical asymmetries, 492
hippocampus, 484
striate cortex, 484, 486, 529
temporal cortex, 484, 529
training, 487–488
- Evolutionary context, 5–6, 310. *See also* Development
- Experience, roles in development, 475–479, 528–530. *See also* Environmental complexity, effects; Visual deprivation, effects
enabling stimuli, 476
facilitative, 484, 508–509, 514–515, 528–539
induction, 508–509, 514–518, 528–530
intersensory effects, 525
in lesion effects, 510, 542–544, 564
maintenance, 508–509, 514–515, 528–530
selectivity, 476
- Extrastriate visual cortex, 277–297, 314, 317–319, 322–323, 326–327, 525–529
- Oc2L, 277, 284–286, 288–289, 292, 326–327
- Oc2M, 278, 285–286, 288–289, 292, 327–328
- Te2, Te3, 278, 285–286, 288–289, 292, 294–295, 518, 525–529
- Facilitation of development of competence. *See* Experience, roles in development
- Female. *See* Sex differences
- Form or pattern perception, 280–286, 507, 518–523, 545
- Frontal cortex, 90–95
- Frontal eye field, 202–203
- GABA, 41, 129–131
- Gerbil. *See* Interspecies comparisons
- Germinal cells, 37
- Glucose utilization, 120–124
- Glutamate, 128–129

- Granular cortical zone, 344. *See also* Somatosensory system
- Grooming, 249–252
- Gustatory system, 407–423
 agnosia, 412–414
 associative salience, 415, 418–423
 gustatory cortex, 89, 407–411, 418
 lesion studies, 411–414, 422–423, 541
 qualitative taste or chemotopic opposites, 409–410, 414
 sensitivity, 412, 415
- Hamster. *See* Interspecies comparisons
- Hemidecortication or hemispherectomy, 540, 543–545, 549, 566, 570, 578
- Hippocampus, 14–15, 292, 484, 591
- Hoarding, 256
- Homologies. *See* Interspecies comparisons
- Hormonal effects, 489–493, 547
 gonadectomy, 489
- Induction. *See* Experience, roles in development
- Inhibitory, synapse plasticity, 366, 523
- Insular cortex, 88–89
- Intersensory discriminative competences, 524–527
 ontogeny and experience, 525, 527, 529
- Interspecies comparisons, 3–5, 13–15, 297–298, 311–312, 315, 321–322, 325–327, 386–387, 395, 512, 515–516, 555
- Jumping, 324. *See also* Visual (motor) competences
- Kennard principle, 540, 563
- Krieg's areas, 22, 24
- Labeled line theory, 414. *See also* Specificity
- Latch box problems, 221
- Lateral geniculate nucleus (LGN), 13, 276, 297, 412
- Learning/memory, 417, 487–488, 518–520, 524–599, 601–602. *See also* Auditory competences; Behavioral analysis; Visual (motor) competences
- Lesion studies, 10–11, 279–280, 328–329, 368–369, 411–414, 510, 524–579, 589–603
 pharmacological treatments, 546–547, 551, 593–594
 serial lesion effect (SLE), 544–546
- Light seeking behavior. *See* Visual (motor) competences
- Low voltage fast activity (LVFA), 154–156
- Male. *See* Sex differences
- Martinotti cell, 80
- Maternal behavior, 254–256
- Maze training. *See* Spatial navigation
- Medial geniculate nucleus (MGD), 382–384. *See also* Auditory system
- Mind, 239
- Model for dyslexia, 491
- Modular organization, 14, 272, 274, 275, 295–297, 309, 329, 422–423, 510, 517, 528–530. *See also* Cortical organization
- Monaural deprivation, 525–527. *See also* Auditory competences
- Monkey. *See* Interspecies comparisons
- Motor cortex, 197–238, 350, 354, 487, 524–579, 564
 cytoarchitecture, 197–198
 eyes-head motor, 203
 mapping of, 198, 201
 somatic motor, 203
 unit activity, 228–230
 visceral activity, 204
- Mystacial vibrissae. *See* Somatosensory system
- Nativism, 475, 502–509
- Neodecortication, 240
- Neural specificity, 475
- Neural (cortical) transplantation effects, 589–603
 connectivity of grafts, 594–595
 development of visual system, 597–598
 functional significance, 595–596
 intrinsic organization of grafts, 591–594
 mechanism of recovery, 601–603
 techniques, 589–591
- Neural tube, 37

- Neuronal connectivity, development.
See Experience, roles in development; Plasticity; Dendrites
 Noradrenaline, 132–134
- Occipital cortex, 101–103
 Olfaction, 410, 419, 421
 Ontogeny. *See* development of specific systems
 Opioid peptides, 137–138
 Optic tectum. *See* Visual system, superior colliculus
 Orientation behavior. *See* Visual (motor) competences
 Orofacial movements, 220
- Paramedian pontine reticular formation (PPRF), 314–315
 Parietal cortex, 95–99
 Pattern theory, 414. *See also* Across region response patterning
 Paw preference, 214
 Paw use, 213–214, 215, 216
 biochemical correlates, 232
 effect of lesions, 216–219
 electrophysiological correlates, 217–231
 quantification of, 222
 Perigranular cortical zone, 344. *See also* Somatosensory system
 Perirhinal cortex, 89
 Phrenology, 239, 271
 Plasticity, 473–603
 age and brain damage, 540
 anomalous projections, 550, 565, 578–579
 brainstem plasticity, 570–578
 changes in neurochemistry, 546–547, 551
 developmental rules, 478, 554, 601–603
 environmental plasticity, 483–488, 529, 543–544
 model system: corticospinal tract, 565–570
 neural plasticity, 364–365, 476, 548–553, 563–565
 reactive synaptogenesis, 478, 550, 578–579
 recovery of function, 476, 537–542, 563–564, 570
 sparing of function, 476, 537–542, 563–564
 Play behavior, 256
- Plexiform primordium, 38
 Posteromedial barrel subfield (PMBSF), 345. *See also* Somatosensory system
 Posterior neocortex. *See* Extrastriate visual cortex; Striate visual cortex (Oc1)
 Posterior parietal cortex (PPC), 459–467, 518, 525, 529
 effects of lesions, 462–467
 structural organization, 459–462
 Prefrontal cortex, 437–457
 anatomic functions, 450
 effects of lesions, 442–447
 electrophysiological studies, 448
 learning tasks, 444
 memory, 442–445
 sex differences, 448–449
 species-typical behaviors, 443
 structural organization, 437–442
 Pulvinar, 298
 Pyramidal cell, 79
- Radial glia, 46
 Rat
 behavior of, 10–12
 history of use, 8–10
 Reaching, 213–214, 222–227
 Recovery. *See* Plasticity
 Remodeling, axonal. *See* Plasticity
 Reorganization. *See* Plasticity
 Retinotopic, 277–278, 282, 309, 311–322. *See also* Visual system
 Retrosplenial cortex, 89
- Selectivity, 476. *See also* Visual deprivation, effects
 Sensitive period. *See* Experience, roles in development; Visual deprivation, effects
 Sensory coding, 274, 357, 365–366
 Sensory cortex, 271–274, 275–299, 309–329, 341–369, 381–397, 407–422
 Sensory deprivation. *See* Auditory system; Plasticity; Somatosensory system; Visual deprivation
 Sensory-motor processing, 272, 350, 362, 366, 368–370, 524–579
 Serotonin, 131–132
 Sex differences, 448–449, 483–498
 behavior, 253–254
 corpus callosum, 483, 495–498
 cortical asymmetries, 492

- parietal cortex (FL), 489
- somatosensory cortex (Par1), 488
- striate cortex (Oc1), 488
- Single unit recording, 271–272, 277, 286, 316, 319, 358–364, 367–368, 385–392, 480, 508, 526, 595–596
- Somatosensory system, 341–369
 - barrels/mystacial vibrissal system, 345, 348–350, 364–365
 - corticofugal outputs, 354–355
 - granular cortical zone (Zilles's Par 1), 344–345
 - lesion behavior studies, 368–369, 545
 - movement-related modulation, 365–367
 - neonatal lesions, 548–554
 - perigranular and dysgranular cortical zones (Zilles's HL and FL), 344
 - primary somatic sensory cortex (S-I), 342–365
 - reorganization after damage, 364–365
 - S-II cortex, 350
 - single neuron receptive fields, 358–364, 367–368
 - somesthetic deprivation, 488, 527–528
 - transition zone (TZ), 347
 - transmitter substances, 366–368
- Somatostatin (SRIF), 136–137
- Sparing. *See* Plasticity
- Spatial navigation, 289, 292–295, 445, 463–466, 480, 523–524, 529, 547–548
- Species-specific behavior, 443, 447
- Specificity, 271, 414, 475
- Spiny stellate cell, 79
- Spreading depression. *See* Cortical spreading depression
- Stimulation history. *See* Experience, roles in development
- Striate visual cortex (Oc1), 276, 283–286, 288, 291–292, 293, 294, 296, 314, 317, 322, 324, 331, 484–486, 488, 493, 523, 545
- Striatum, 28–30
- Synapses, 351–352, 486. *See also* Plasticity; Environmental complexity, effects
- Taste. *See* Gustatory system
- Taste aversion, 417. *See also* Gustatory system
- Temporal cortex, 99–101, 467–468
- Testosterone. *See* Hormonal effects
- Thalamus, 27, 434
- Timm stain, 114–120
- Tongue use, 220
- Transfer tests, 520–522
- Vasoactive intestinal polypeptide, 135–136
- Ventral posterior thalamus, 352–353. *See also* Somatosensory system
- Visual (motor) competences, 279–295, 310–329, 511–523, 529
 - acuity, 280–286, 511–513
 - depth perception, 290, 513–516
 - orientation to external visual movement, 287, 310–315, 321
 - pattern or object perception, 280–286, 507, 513–518, 545
 - visual field, 298, 312
 - visually guided location, 292–295, 310, 321–327, 516–518
- Visual deprivation, effects, 486–487, 507–525
 - inhibitory synapses, 523
 - monocular deprivation, 512–513, 518, 522
 - X-cell pathing, 518
 - Y-cell pathing, 518
- Visual grasp reflex, 311
- Visual guided reaching, 327–328, 564–565. *See also* Visual (motor) competences
- Visual-spatial contrast. *See* Visual (motor) competences, acuity
- Visual system, 272–273, 275–299
 - geniculostriate, 272, 283, 288, 294, 516
 - lateral posterior nucleus, 277–278, 289
 - paramedian pontine reticular formation (PPRF), 314–315
 - superior colliculus, 277, 292, 282–294, 313–314, 319, 330, 517
 - tectocortical, 272, 298, 311–315, 319, 516
 - two visual system hypothesis, 311–315, 516
- Whiskers. *See* Somatosensory system