
General Subject Index

- ¹⁴C-2-deoxyglucose technique, 142, 145–146
- 3-hydroxyretinol, 193, 204, 207–209, 211, 212
- 4-hydroxyretinal, 300
- Absorption
 - efficiency, 302
 - spectrum, 166, 193, 194, 204, 207–209, 212, 215
- Acceptance angle, physiological, 80, 81, 82
- Accessory olfactory system, 273
- Acetylcholinergic synapses, 277
- Acoustic interference, 346
- Acoustic signal
 - disturbance, 338, 345
 - mate location, 336
 - spacing, 337
 - species-specificity, 336–337, 347
- Acute zone, 241, 258, 260. *See also*
 - Compound eye, acute zone
- Adapting angle, 286
- Adaptive tuning, 167
- Aggressive mimicry, 10
- Agonistic displays, 298
- Alarm substance, 273
- Algorithm
 - backpropagation, 151, 153
 - computational, 99, 100
 - features relating, 157, 160
 - prey recognition, in mantids, 101
- Alternative male morphs, 345, 347–348
- Amacrine cells, 82, 291
- Ambient light, 289
- Angle of polarization, 286
- Annular light stimulus, 294
- Aperture detection, 124–125
- Appetitive behavior, praying mantids, 90
- Apposition eye, 79, 84, 241, 246. *See also*
 - Compound eye
- Araneophagic, 5, 36
- Artificial horizon, 287
- Artificial neural network (ANN), 101, 153
- Associative grouping, 66, 73
- Associative learning. *See* Learning, associative
- Associative recall, 67
- Attack, predatory, 239, 314
- Attention, 142, 144, 159
- Attentional priming, 12
- Background effects, 121, 123, 136–137
- Banked retina, 300
- Barrier detection, 124, 158
- Basal ganglia, 142, 159
- Basement lamina, 277, 296
- Basement membrane, 294
- Benthic, 288
- β (beta)-band 209, 212
- Bezold-Brucke Effect, 178
- Bilateral symmetry, 288
- Bimodal convergence, 123, 129, 133–134
- Binocular disparity, in mantids, 105–107
- Binocular
 - input, 127–128, 133, 147
 - visual field, in mantids, 79–81, 91
- Biodiversity, 307
- Bioluminescence, 302
- Bird cone cells, 285
- Birefringent, 250
- Blue-shifted, 253–254, 300
- Brain
 - lesions, 138, 140, 144–145, 158
 - size, 13
- Brightness-matched camouflage, 289
- Broad-band, 202, 212, 263
- Butterfly, 193–219
- Campaniform sensilla, 316, 333
- Carotenoid-based filters, 263, 285

- Carotenoid, 215
- Catching patterns, in amphibians, 118
- Category formation, in amphibians, 156
- cDNA, 193, 210
- Cell assembly, 149–151
- Central brain, 273
- Central photoreceptors, 297
- Cerci, 314, 329
- Channel molecules, 297
- Chemical senses, 119, 272
- Chemotactile memory, 272
- Chordotonal organ
 - anatomy of, 339
 - distance perception, 343–344
 - exteroceptive functions, 342–343
 - mismatch to signal carrier frequency, 341
 - neuronal projection patterns, 343
 - serial, 339–340
- Chromatic aberration, 23
- Chromatophore, 166, 193, 204, 284, 285
- Ciliary muscles, 276
- Circadian rhythms, 275
- Circalunar rhythms, 275
- Circular polarization, 304
- Circularly polarized light, 249, 250
- Closed loop behavior, 19
- Coarse coding, 316
- Cochlea, 265, 266
- Cognition, 9, 10, 12. *See also* Learning
- Cognitive
 - capacity, 41, 72
 - limitations, 188
 - process, 72, 74
- Collaterals, 277
- Colliculus, superior, 157
- Color
 - based context-specific decisions, 189
 - categories, 181
 - categorization, 178
 - change, 284
 - coding, 170, 172
 - constancy, 177, 181–184, 195, 198, 199, 263, 264, 265
 - contrast, 178, 289
 - detection, 170
 - discrimination, 174, 188, 189, 198, 199, 218, 219, 297
 - filters, 302
 - and flower choice, 183, 184
 - matching, 285
 - opponency, 266, 304
 - opponent coding, 171, 174, 175
 - preference, 183–186
 - principal, 198
 - processing, 177
 - receptors, 170, 246
 - saturation, 178
 - sensitivity, 302
 - space, 179, 180, 182, 188, 189
 - vision, 23–26, 124, 165, 173, 174, 179, 193–195, 199, 218, 285
- Colorblindness in octopus, 285
- Colorblind system, 302
- Color-matched camouflage, 289
- Color-opponent channels, 288
- Combinatorial aspects, 160
- Command
 - element, 147
 - releasing system, 147
- Complex mazes
 - following a sign, 52, 54
 - symbolic cues, 53, 55
 - unmarked mazes, 53, 56, 57
- Compound eye, 14–18, 77–82, 173, 199, 202–204, 213, 216, 218. *See also* Eye; Ommatidia
 - acceptance angle, 80–82
 - acute zone, 79–82, 91, 95, 106–108
 - corneal lens, 21, 79
 - dioptric apparatus, 79–80
 - facet, 79–80
 - integration time, 82
 - interommatidial angle, 80–82
 - light sensitivity, 80–81
 - motion sensitivity, 82
- Computation, explicit/implicit, 155
- Conditioning
 - visual-olfactory, 145
 - visual-visual, 144
- Cone cells, 215, 285
- Cone opponency, 291. *See also* Opponency; Opponent
- Configurational selectivity, 134, 155
- Contrast

- detection, 119, 121, 129
- discrimination, 288
- enhanced, 285
- enhancement, 304
- enhancer, 290
- mechanisms, 283
- patterns, 288
- sensitivity, 80–81
- stimulus, 328
- Coordinated binocular vision, 283
- Copulation, 314
- Cornea, 202, 246, 255, 257, 267. *See also*
 - Compound eye
- Corneal lens. *See* Compound eye
- Counterilluminating, 305, 306
- Countershading, 274
- Courtship, 314
- Crystalline cone, 79–80, 203, 246, 254, 255, 257. *See also* Compound eye
- Cues
 - chemical, 6, 12, 13, 36
 - odor, 6
 - visual, 12, 34–36
- Cuticle, 314
- Cut-off filter, 302
- Cyclically, 273

- Dance language, x
- Dark adaptation, 277
- Darwin, Charles, 336, 349
- Dehydroretinal, 300
- Delayed match-to-sample, 64, 67
- Delayed nonmatch-to-sample, 67
- Dendritic fields, 281
- Depolarizations, 292
- Depth
 - of field, 16
 - of focus, 276
 - perception, 136, 147
- Descending
 - contralateral movement detector (DCMD), 100–108, 112–114
 - ipsilateral movement detector (DIMD), 88, 101, 112–113
 - mechanosensory interneurons, 322, 324
- Detection, visual, 145–152, 329
- Detour behavior, 124, 158
- Detour, ix, 9, 11–12, 20, 21, 36
- Detoxification stress proteins, 276
- Dichromatic
 - channels, 265, 266
 - color vision, 288
- Dishabituation, 121–122, 158
- Disinhibition, 140, 142, 145, 159
- Disruptive
 - body pattern, 284
 - skin patterns, 285
- Distal rhabdoms, 300
- Distance estimation, in mantids, 110–112
- Downwelling light, 242, 243
- Dragline, 6, 9

- E-vector, 249, 264, 266
 - angle, 249, 288
 - orientation, 279
- Edge detection, 120, 292
- Effective stimuli, 120, 273
- Efferent nerves, 291
- Electric vector, 290
- Electroretinogram (ERG), 79, 81, 82, 285, 291
- Electrotonic junctions, 277
- Elementary motion detectors, 87, 88, 114
- Enhanced contour detection, 283
- Enhancing visual contrast, 288
- Epidermal hair cells, 273
- Epigamic rhythms, 12
- Epi-illumination, 203, 210, 217
- ERG. *See* Electroretinogram
- Escape, 123, 147, 158
 - and visual stimuli, 120, 329
 - touch-evoked, 324
 - wind-evoked
- Evolutionary transitions in bladder
 - grasshoppers, 348
- Explicit computation, 155
- Extraocular photoreceptors, 275
- Eye. *See also* Compound eye
 - anterior lateral, 20–21, 37
 - anterior median, 20–34, 37
 - camera, 14
 - compound (*see* Compound eye)
 - human, 15
 - movements, 117, 258, 259, 260, 261, 267

- Eye. *See also* Compound eye (cont.)
 muscles, 274
 posterior lateral, 19
 posterior median, 15
 principal, 14, 19, 20–34, 37
 secondary, 14, 15–20, 37
 shine, 215–219
 tube, 21, 30, 33–35, 37
 vertebrate, 15
- False color phenomenon, 302
- Fast escape responses, 273
- Feature
 detection (in toads), 119, 121, 125, 138, 149, 151–152, 155
 relationships, 119, 136, 155–156
- Feeding, 117–118, 142, 144, 146, 155, 215
- Field of view, 15, 33–34, 244
- Filter pigment, 247, 250, 251, 252, 253, 254, 263, 267
- Flicker fusion frequency, 81–82
- Floral detection, 174
- Flower, 193, 195, 198, 199, 213, 218, 219
 colors, 170
 constancy, fidelity, 188, 189
 structure and constancy, 190
 scent constancy, 190
- Fluorescence, 203, 204, 210, 213, 215
 microscopy, 203, 213
 ommatidial, 204
 spectrum, 204
- Flying, 111–112
- Focal length, 15, 16, 18, 21, 276
- Foraging, 64, 67, 72, 73
 decisions, color learning, 186
- Forebrain, 138–145, 158–159
- Fovea, 30–33, 241
 mammalian, 15
- Foveal acquisition, 260
- Fused rhabdom, 279. *See also* Rhabdom
- Ganglia
 terminal abdominal, cockroach, 316
 thoracic, cockroach, 316
- Ganglion cells, retinal, 84, 126, 128
- Gastropod mollusks, 289
- Gating a response, 142, 159
- Giant interneurons, 322
- Glass cells, 21
- Global image motion, 90, 107
- Glutathione S-transferase, 276
- Gonadotropin, 273
- Gustatory stimuli, 123
- Habituation, 121–122, 158, 273
- Hairs, filiform, 314, 316
- Head-preference phenomenon, in toads, 120–121
- Hearing, 335
- Hearing sensitivity, bladder grasshoppers, 340–341
- Heterogeneity, in butterfly retinae, 202, 203, 213, 2116–219
- Horizontal
 axes, 286
 grid, 124
 orientation, 286
 polarized, 289
 polarizer, 290
 stripe, 119
- Hue, dominant wavelength, 178, 179
- Hunting strategy, 300
- Hybridization, 210, 211
- Illusory contour, 48
- Image motion, 90–99, 107, 117, 121, 123
 distance estimation, 90–91, 95, 110–112, 136
 global, 90, 107
 local, 88–90, 91–99
 self-induced, 90–91, 107–112
- Image sharpening, 292
- Image-forming vision, 275
- Implicit computation, 155
- Impulse generator sites, 294
- Inferior frontal lobes, 272
- Information transfer, optic lobe, 82–88
- Information, mechanosensory, 133, 322
- Inhibition, mutual, 292
- Innate color preference, 186–188
- Inner ear, 274
- Integration
 mechanosensory, 33, 133
 visual, 33

- Intensity, brightness, 179, 180
Interference, 215
 reflection, 215
Interneurons, visual, 82–88, 100–108,
 112–113, 128, 332
Interommatidial angle, 80, 81
Intracellular recordings, 287, 294
Intrinsic cells, 83
Iridophores, 284, 297
Isochromatic, 289
Isoluminous, 289
- Jetting escape response, 273
Julesz
 pattern, 98
 texture, 125, 136
- K⁺ channel blockers, 273
Kainic acid, 138
- Labeling, 210–212, 218
Lambda (λ) max, 302
Lamina, 82–85
 acute zone, 84
 amacrine cell, 82
 cartridge, 82–85, 256, 257, 266
 ganglionaris, 243, 254, 256, 257, 265, 266
 monopolar cells, 82–85
 retinotopic organization, 82, 127
 signal amplification, 84–85
 spatial resolution, 85
Landmarks, 42, 56, 72
Landing reaction, in mantids, 111–114
Lateral
 forebrain bundle (LFB), 142
 inhibition, 277, 292
 line system, 273
 processing, 297
Layered reflectors, 306
L-DOPA, 273
Learning, 193–195, 199, 276. *See also*
 Memory
 associative, 73, 90, 144–145, 158, 285
 concept, 67
 concept, difference, 71
 concept, sameness, 69, 70
 context dependent, 62, 63
 experiments, 288
 and memory, 64
 nonassociative, 121–122, 158
Lens, 276. *See also* Compound eye
 crystallin, 276
 corneal, 21, 33
 pit, 21
 secondary, 21, 30
 telephoto, 21–23, 33
Leucophores, 284
LGMD-DCMD complex, 99–107, 108,
 112–114. *See also* Descending
 contralateral movement detector
Light
 adaptation, 279
 guides, 30–32
 organs, 300
Light-flash, 291
Light-guiding, 279
Linear polarization, 249, 304
LMC. *See* Monopolar cells
Lobula, 87–89
 dynamic integration, 112–114
 giant movement detector (LGMD),
 100–108, 112–114
 movement-sensitive cell L-15, 103, 105
Local image motion, 88, 90
Looming stimuli, 119, 124, 129
Lower motor areas, 273
Luminance, 302
 contrast, 289
- Mantle, 272
 cavity, 269
Map, spatiotopic, 127, 316
Mate choice, bladder grasshoppers, 348
Mate-approaching, in toads, 147–148, 156
Matthiessen ratio, 276
Maze, 42, 43, 48, 52, 53, 54, 55, 56, 58,
 59, 60, 61, 62, 67, 74
Mechanical senses, 14
Mechanoreceptors, 272, 273, 314
Mechanosensation, 313
Medial pallium, posterior ventral, 143–146,
 158
Median inferior frontal lobe, 281
Mediating pathways, 140, 157–158

- Medulla
 columnar neuron, 85–87
 elementary motion detector, 87, 112
 externa, interna, terminalis, 243, 254, 256, 257
 large-field neurons, 85
 in mantids, 82–87
 (medullary) columnar neurons, 85, 86, 87
 spatial integration, 87
- Melanin-based pigment, 284
- Memory, 42, 64, 72, 73, 186, 276, 281. *See also* Learning
- Meral spot, 240
- Mesopelagic, 275, 300
- Metamorphosis, 155
- Microspectrophotometry, 252
- Microvilli, 246, 247, 248, 249, 266, 277
- Midband, 244, 245, 246, 247, 249, 250, 251, 253, 255, 256, 257, 258, 259, 260, 261, 263, 266, 267
- Midget ganglion cells, 291
- Model(s)
 of brain function, 142–152
 computational, 207, 209
 systems, 313
- Modulation of sound output, 344–345
- Modulatory loops, 140, 142–146, 158–159
- Molecular tree, mantid phylogeny, 78
- Mollusks, 269
- Monochromatic, 19
- Monocular input, 128–129, 134
- Monopolar cells, 82, 83, 84, 85, 87, 171, 172, 256
- Motion detection, by toads, 117–123, 128–129, 133–138, 159
- Motion
 detector, 16
 parallax, 50, 52, 110–112, 136
 parallax neuron, 112
 self-induced, 121
 sensitivity, 82
- Motivation, 147–148
- Motor
 centers, 283
 coordination, 118, 147–148
 pattern, 118, 147–148
 pattern generator, 147–148
- Movement(s), 117, 119, 155–156, 159
 antennal, 331
 direction, 120–121, 129
 forward-backward, 90–91, 107, 110
 mRNA, 206, 210, 211, 218
- Multifunctional network, 146, 148
- Multimodal convergence, 123, 129, 133–134, 146
- Muscle proprioceptors, 275
- Nerve cord, ventral, 316
- Neural engineering, 149–152
- Neural processing, 99–107
- Neurite, 314
- Neuroethology, 117–118, 313
- Neuronal filters, 149–151, 155–157
- Neuropeptide Y (NPY), 138–139, 155, 159
- Neurotransmitters, 142, 284
- Nucleus amygdalae, 145
- Object motion, 117, 119, 121, 128, 130, 155
- Obstacle-avoidance, 124, 133, 157–158
- Off-center/on-surround, 294
- Off-response, 119, 121, 128–129, 131, 138
- Oil droplets, 215, 285
- Olfactory
 nerves, 273
 organ, 272
 stimuli, 123, 126, 145–146
- Ommatidia, 80–82, 165, 171, 302. *See also* Compound eye
 fluorescing, 203–204, 208, 209
- On/off-response, 128–129
- On-response, 128, 131
- Open loop behavior, 19
- Opponency, 289. *See also* Cone opponency; Opponent
- Opponency-like, 291
- Opponent
 coding, 170
 interactions, 277, 292
 polarization channels, 297
 processing, 248, 256, 265, 266, 267, 268, 292
- Opsin, 166–168, 193, 206, 210, 212, 218, 251, 300

- Optic
 - flow, 91, 107
 - ganglia, 82–88, 173
 - lobe(s), 82–88, 171–173, 175, 177, 275–277, 281
 - nerve, 256, 257
 - tectum, 126–128, 131–132, 134–137, 143, 145–148
- Optimal color receptors, 170
- Optimal flower choice, 188
- Optokinesis, 258, 259, 260
- Optokinetic nystagmus, 117, 158
- Optomotor response, 174
- Orientation, 18–20
 - detector, 63
 - visual, 329
- Oviposition, 215

- Pair formation, bladder grasshoppers, 336
- Palpation, 326
- Parcellation theory, 155
- Parsimony, neural, 313
- Partial linear polarization, 284, 279
- Path regularity
 - constant turn maze, 56, 58, 61, 62
 - irregular maze, 58, 62
 - zig-zag maze, 58, 59, 61, 62
- Pattern
 - orientation, 42, 43
 - recognition, 41, 42, 145–152
- Peak emission, 306
- Peduncle lobe, 275
- Peering movement, in mantids, 90, 109–110, 112
- Perception/action translation, 144, 159
- Perceptual
 - category, 92, 156
 - unit, 126, 313
 - world, 313
- Peripheral photoreceptors, 248, 297
- Pheromone(s), 13, 273
 - detection, 273
- Photon capture, 277, 288, 302
- Photophores, 300
- Photoreception, 275
- Photoreceptor
 - cell, 77, 82–85, 165, 167, 193, 199–204, 207–215, 218, 277, 287
 - collaterals, 291, 294
 - spectral sensitivity, 169, 171–175, 186
- Photosensitive vesicles, 275
- Phototaxis, 124, 131, 173
- Phylogenetic analysis using parsimony (PAUP), 78
- Phylogeny, 75–78, 152, 167–169, 185, 186
- Physiological channels, 157, 286
- Pigment, 202
 - cells, 79
 - fluorescing, 204
 - granules, 279
 - screening, 202, 204, 207, 209, 213, 215
 - visual, 193, 200, 202, 204, 207–213
- Planktonic prey animals, 289
- Platelets, 284
- Plexiform layer, 277, 291
- Polarization
 - angle, 291
 - contrasts, 291
 - detection, 286
 - distorting filter, 290
 - motifs, 283
 - opponency, 290
 - patterns, 284
 - percent, 302
 - plane of, 276
 - sensitivity, 277, 279
 - stripes, 297
 - vision, 246, 248, 249, 256, 259, 262, 264, 267, 283, 288, 298
- Polarized light, 241, 243, 246, 247, 248, 250, 264, 286, 288
- Polarizer, 286
- Polychromatic vision, 245, 250, 255, 261, 265
- Posterior chamber, 276
- Postretinal processing, 297
- Predator-avoidance, 120, 123, 133, 136, 144, 147–148, 156, 158
- Predatory behavior, in mantids, 91–107
- Premoto/motor
 - neurons, 132
 - systems, 143, 157–158

- Pretectal
 thalamic neurons, 128–129, 131, 133,
 135, 137–145, 147, 150, 155
 thalamic nuclei, 126, 131, 133, 138, 143
Pretecto-tectal influences, 138–146, 155
Prey
 capture zone in mantids, 107, 108
 catching in toads, 119
 filter, 149–152
 localization in mantids, 91–107
 recognition in mantids, 91–108
 selection, 119–123
 selective neuron(s), 100–107, 128,
 135–136, 141
Preylike stimulus, 93–99, 120, 156
Processing streams
 interacting, 157–158
 segregated, 157–158
Processors, symmetric/asymmetric,
 155–157
Proprioception, 273
Proprioceptive neck receptor, 273
Proprioceptors, 273
Protocerebrum, 172
Proximal layer, 300
Pseudomorph, 269
Pseudopupil, 259
Psychophysical studies, 93–99

Quarter-wave retarder, 250

Range finding, 20
Rayleigh's Law, 304
Reafference principle, 123
Receptive field, excitatory/inhibitory,
 128–130
Receptor
 antennal, 324
 campaniform, 316
 cercal, 316
 flagellar, 324, 326
 output, 288
 potential, 291
 spectral sensitivity, 166, 168
Red-green color discrimination, 289
Red-shifted, 300
Reflectance, 290

Reflection, 215
 microscopy, 217
 spectrum, 198
 tapetal, 213
Reflective surfaces, 287
Refracted, 279
Regionalization, 213, 215–218
Releasing mechanism, 149–160
Representation of the visual world, 283
Response properties, neuronal, 127–130
Response threshold, 272
Retina, 16, 117, 126–131, 135, 137, 172,
 194, 199, 200, 212, 276
 anterior median, 23–33
 dorsal, 285
 ganglion cells, 126–130, 135
 layer I, 23, 30–33
 layer II, 23, 26–30, 32
 layer III, 23, 26, 32
 layer IV, 23, 26, 32
Retinal, 285
Retinal image motion, 88–99, 107–112
 and distance estimation, 90–91, 95,
 110–112
 global, 90, 107
 local, 88–90, 91–99
 self-induced, 90–91, 107–112
 spatial summation, 98–99
 temporal summation, 98–99
Retinal projections, 126–127
Retinaldehyde, 193
Retinotopic, 127, 281
Retinular cell, 246, 247, 248, 249, 251,
 253, 254, 255, 291
Rhabdom(ere), 16, 26, 30–32, 165,
 200–203, 207–215, 277, 279
Rhodopsin, 16, 19, 23, 193, 208, 209, 215,
 218, 248, 250, 251, 255, 279
Risk-sensitive decisions, 188
Roeder, Kenneth, 313

Saccade(s), 33, 117, 258, 259, 260, 261
Scanning
 eye movements, 260, 266
 visual, ix, 34, 37
Schema theory, 149
Screening pigment, 277, 297

- Search, 9
- Search costs, 188
- Secret wavelength, 306
- Segregation, processing, 157
- Selective attention, 9
- Semicircular canals, 274
- Sensitivity, spectrum, 204, 207, 208, 209, 211, 212, 215
- Sensorimotor code, 147–148
- Sensory
 - filters, 150, 165
 - space, 316
- Shell, 269
- Signal processing, 150, 256
- Signal structure, bladder grasshoppers, 336
- Skin
 - color, 283
 - texture, 283
- Sky compass, 26
- Smoke screen, 8
- Sound production mechanism, bladder grasshoppers, 345
- Sound transmission, 345–346, 347
- Spatial
 - acuity, 15, 18, 26, 32, 216
 - integration, 87
 - resolution, 80, 81, 85, 292
 - vision, 291
- Spectral
 - absorbance, 288
 - channel, 265
 - purity, color saturation, 177
 - reflections, 284
 - sensitivity, 251, 277, 285, 302
 - bandwidth, 199, 209
- Spectrum, mechanosensory, 314, 319
- Spherical aberration, 276
- Spike activity code, 287
- Staircase, 32–34
- Statocysts, 273
- Stellate ganglion, 275
- Stimulus
 - continuum, 120, 135, 156
 - filtering, x, 150
 - priming, 6
 - velocity, 119, 128–129
- Striatum, caudal ventral, 142–144, 159
- Subfrontal lobes, 272
- Subtectal neurons, 133
- Sun compass, 173
- Surround inhibition, 123
- Sustained response, neuronal, 128–129
- Swimming, 269, 273
- Symbolic delayed match-to-sample, 64, 65, 66, 67, 68
- Symmetry, of visual stimuli
 - bilateral, 46, 47
 - circular, 42, 43
 - radial, 42, 43, 45, 46, 48
- Tactile stimuli, 129, 133–134
- Tangential cells, 82
- Tapetum, 213, 215
- Tectal neurons, 100, 127–140. *See also* Optic tectum
- Tegmental neurons, 129, 133, 148
- Tegmentum, 129, 133, 140, 146, 148
- Telencephalon, 127, 142–146, 157–159
- Temporal resolution, 81
- Tentacles, 283
- Tetrachromatic, 250
- Tetrapods, 159
- Texture, 124–126, 128–129, 136–137
- Thalamic neurons, 128–131, 133–140
- Thalamic nuclei, 131, 143, 145
- Thalamus, anterior, 143–146
- Thalamus, pretectal, 126, 131, 133, 138, 143
- Threatening stimuli, 119–120, 123, 133, 144, 147–148
- Top-down processing, 41, 49, 51
- Tracking
 - antennal, 328
 - visual, 258, 260–261
- Transmission maximum, 304
- Trial and error, 9–11. *See also* Learning
- Trichromatic, 193, 199
- Trichromatic vision, 250
- Ultraviolet, 193, 195, 199, 219
 - light, 244, 245, 251, 253, 254, 255
 - polarization, 26
 - vision, 165, 287
- Umwelt*, xi, 36–40
- Unpolarized light, 289

- Velocity invariance, 119, 136
- Ventral retina, 285
- Vertical
 - grid, 125–126
 - lobe, 281
 - orientation, 286
 - polarizer, 290
 - stripe, 120, 130, 135
- Vertically polarized, 289
- Vibration detection, 133, 272
- Violet, 285
- Visual
 - absolute size, 119, 136
 - acuity, 288
 - angular size, 127–129
 - cues, 118, 120, 122, 125–126, 130, 135, 156
 - fibers, 171, 172
 - field, 292, 331
 - field, compound eye, 79
 - global image motion, 90–91, 107–114
 - local image motion, 91–107
 - map, 126–127
 - optic flow, 91, 107–114
 - pattern recognition, 119–120, 122, 125, 135, 138, 150, 153, 156
 - perception, 91–114
 - pigment(s), 166, 167, 277, 297, 247, 248, 249, 250, 251, 252, 253, 255, 267 (*see also* Pigment)
 - processing, convergent, 146, 148, 150, 153, 157–159
 - processing, parallel distributed, 146, 148, 150, 157–159
- Visuomotor system, 147–148, 281
- Vomeronasal organ, 273
- von Kries' receptor adaptation, 182
- von Uexküll, J, 336, 350

- Waveguide, 200, 202, 203, 207
- Wavelength, 124, 128, 131, 158
 - selective behavior, 173
 - sensitivity, 289
 - specific behavior, x, 265
- Web, 8–9, 36
 - signals, 8, 10, 13

- Wind
 - acceleration, 314
 - ambient, 314, 316

- Yellow-blue discrimination, 289
- Y-maze, 42, 43