

INDEX OF DEFINITIONS

- artificial node 95
- augmented tree of meshes 92

- basic piece of a necklace 35
- basis node 22
- bisection width 67
- block of zeros 27

- complex plane diagram 12
- contact cut 9
- crossing of the first kind 98
- crossing of the second kind 99
- crossing number 10
- crossing-time tradeoff 97

- degenerate necklace 14
- diameter 72
- distance in a graph 73
- distinguished node of a basic piece 35
- distinguished node of a necklace 29
- distinguished node of a primary piece 36
- distinguished node of a secondary piece 36

- Euler's formula 108
- even node 30
- exchange edge 8

- full necklace 14

- generated by a basis node 22
- genus of a graph 108

- layout area 10
- layout area/maximum edge length tradeoff 72
- layout of chips 54
- left edge 84

- level 15
- leveling 25
- level-necklace grid 17

- Manhattan routing 9
- matrix multiplication 83
- matrix-vector multiplication 79
- maximum edge crossing 10
- maximum edge length 10
- mesh of trees 76, 81
- minimum number represented by a necklace 25

- necklace 13
- necklace generator 15

- odd node 30

- primary block of zeros 30
- primary node 30
- primary piece of a necklace 35

- radius of a necklace 24
- reverse edge 42
- right edge 84

- secondary block of zeros 30
- secondary node 30
- secondary piece of a necklace 35
- separator 65
- shift edge 41
- shuffle edge 7
- shuffle-exchange computer 8
- shuffle-exchange graph 7
- shuffle-shift graph 41
- shuffle-shift-reverse graph 42
- shuffle-tree graph 83
- simple graph 107
- simultaneous separator 86
- size of a necklace 20
- size of a node 11

sorting 80
sublevel 23
switching 81

Thompson grid model 9
track 9
transpose edge 43
tree of meshes 84
type i edge 104
type i-j crossing 104

value of a node 13

wire area 10