

Index

- A-amino-3-hydroxy-5-methyl-4-isoxazolepropionic acid (AMPA) receptor, 242–243, 245, 253
- A-P axis, 102–104, 107
- Abbott, L. F., 315–316
- Ackers, G. K., 27
- Adenosine deaminase, 182
- Adenosine diphosphate (ADP), 171
- Adenosine triphosphate (ATP), 171, 199, 204
- ADI method, 197, 207, 216
- ADP, 171
- Akutsu, T., 44
- Alberts, B., 103
- Albritton, M. L., 201
- Algorithms, 43–44, 61–62, 137, 169, 174, 212. *See also* Reverse engineering (REVEAL) algorithm
- Allostery, 273
- Alternating direction implicit (ADI) method, 197, 207, 216
- AMI method, 163
- AMBER force field, 166, 177
- Amino acids, 7–8, 166, 175
- AMPA receptor, 242–243, 245, 253
- Anaphase-promoting complex (APC), 290
- Anderson, O., 236
- ANN, 41
- Anterior-posterior (A-P) axis, 102–104, 107
- APC, 290
- Apparent diffusion, 191, 205
- Approximating dynamics, 40
- Arkin, A., 49, 68
- Artificial neural networks (ANN), 41
- Asynchronicity, 33
- Atomic-level simulation and biomacromolecules modeling
 - biological problems, 174–184
 - binding energy calculation, 179–182
 - enzyme reaction mechanisms, 175–177
 - human rhinovirus drug reaction, 177–179
 - overview, 174–175
 - quantitative structure-activity relationship, 182–184
 - future research, 183–184
 - molecular dynamics, 163–174
 - force field, 161, 164–168
 - methods, 168–174
 - overview, 163–166
 - quantum mechanics and, 161, 163–164
 - solvents and, effect of, 167–168
 - overview, 161–163
- ATP, 171, 199, 204
- Averaged equations
 - Hebbian learning, 318–319
 - neural network from biophysics, 319–320
 - oscillators, weakly coupled, 320–322
 - overview, 317–318
- Averaging, 308
- Avogadro's number, 192
- Backpropagation, 43
- Backpropagation through time (BPTT), 43
- Barkai, N., 274
- Bessel walk process, 217–218
- Bezanilla, F., 233–234
- Bicoid (*bcd*) transcription factor, 11, 103–104
- Bifurcation analysis
 - biological significance of, 299–302
 - diagrams, 297–298
 - Hopf, 297
 - predictions, experimental, 302–303
 - saddle-loop, 297
 - saddle-node, 297
 - saddle-node-loop, 299
 - Takens-Bogdanov, 297
- Binding energy calculation, 179–182
- Biochemical models, predictions from
 - hybrid methods and, 32–39
 - between Boolean networks and differential equations, 32–35
 - between differential and stochastic equations, 35–39
 - continuous logic models, 34–35
 - overview of models, 21–23
 - “pure” methods and, 23–32
 - Boolean networks, 23–25
 - differential equations models, 25–28
 - stochastic models, 28–32
 - questions regarding, 20–21
- Biochemical networks modeling. *See specific models*
- Biochemical processes, 5–9
- Biological information flow, 127–128
- Biological problems
 - binding energy calculation, 179–182
 - enzyme reaction mechanisms, 175–177
 - human rhinovirus drug reaction, 177–179
 - overview, 174–175
 - quantitative structure-activity relationship, 182–184
- Biological significance of bifurcation analysis, 299–302
- Biology, understanding
 - biochemical processes, 5–9
 - biophysical processes, 9
 - feedback and gene circuits, 12–13
 - prokaryotes vs. eukaryotes, 9–12
- Biomacromolecules modeling. *See* Atomic-level simulation and biomacromolecules modeling
- Biomolecular network, conceptualizing distributed, 121
- Biophysical processes, 9
- Blake, C. F., 171

- Blastula, 288
 Boltzmann factor, 174
 Boolean networks
 dynamics of, wiring and rules determining, 122–125
 gene regulation and
 hybrid methods, 32–35
 “pure” methods, 23–25
 inference, 44
 many states converging on one attractor, 125
 overview, 21–22
 parameter estimation, data fitting, and phenomenology, 40
 reverse engineering and, 44, 119, 130–134
 state in, 15
 as theoretical model, 119, 121
 time series, 125
 Boundary conditions, 196–197
 BPTT, 43
 Brameld, K. A., 176
 Bray, D., 288
 Brownian motion, 189, 191
 Bruck, J., 69
 Bursting, 317
- Caenorhabditis elegans*, gene regulation and, 3
 Calcium diffusion, 199–205, 208
 Cartesian coordinates, 216–217
 CAT enzyme measurements, 81
 Cell cycle regulation, complex dynamics in
 cell division in frog eggs and, 288–289, 292
 computational molecular biology and, 287–288, 303
 implications of, 303
 M-phase-promoting factor regulation and, 290–303
 bifurcation analysis, 297–303
 feedback loops, isolating positive and negative, 292–297
 molecular machinery of, 290–292
 Novak-Tyson model of, 291–292
 overview, 287
 Cell division in frog eggs, 288–289, 292
 Cell multiple method (CMM), 165, 171, 174
 Cell signaling pathways simulation
 allostery, 273
 chemotactic response, 273–274
 free energy considerations, 279–282
 model description, 274–277
 results, 277–279
 signaling complexes, 272–273
 Cell-cell signaling, 107–108
 Central nervous system development of rat, 119–120, 134–136
 Changeux, J. P., 273
 Chaperones, 8
 Chapman-Kolmogorov equation, 309. *See also* Master equation
- Charge equilibrium (QEq), 164, 176
 CHARMM force field, 166
 Chemical reactions, 13–15
 Chemotactic response, 273–274
 Chen, Z., 320
 Chitin, 175–176
 CI, 163
cis-regulatory elements, 6, 73. *See also* Logical model
 of *cis*-regulatory control of eukaryotic system
 Cluster analysis
 Euclidean, 137–139, 142, 145
 of model network, 127
 mutual information, 139–142
 pathways suggested by, 142–144
 CMM, 165, 171, 174
 Complex models, simplifying and reducing
 averaging, 308
 deterministic models, 314–322
 averaged equations and, 317–322
 overview, 314
 pseudo-steady state and, 314–317
 master equation and, 308–314
 defined, 308–311
 fibroblast orientation model and, 311–312
 mean-field reduction of neural system, 312–314
 overview, 307–308
 questions raised from, 322–323
 Computational learning theory, 39
 Computational models. *See* Genetic network inference in computational models; *specific models*
 Computational molecular biology, 287–288, 303
 Concurrent reactions, 64–67
 Configuration, 29
 Configuration interaction (CI), 163
 Connor-Stevens model, 316
 Constitutive transcription factor, 114
 Constrained internal coordinates, 170–171
 Continuity, 33
 Continuous logic models
 hybrid methods and, 34–35
 overview, 22
 Continuous-time Markov chain, 30
 Cooperativity, 7
 Correspondence principle, 211–212
 Coulomb component of nonbond energy, 164
 Coulomb interactions, 198–199
 Crank, J., 193
 Crank-Nicholson method, 207, 213–215
 Cro, 49–50, 56, 58–59, 63, 69
 Cytoplasm, 200–201
- D’Ari, R., 32
 Data fitting. *See* Parameter estimation, data fitting, and phenomenology
 Davidson, E. H., 78
 De Schutter, E., 200, 214

- Degradation, 8, 55–57
 second-order reactions and, 68
- Density functional theory (DFT), 163
- Detailed balance condition, 211–212
- Deterministic models
 averaged equations and, 317–322
 Hebbian learning, 318–319
 neural network from biophysics, 319–320
 oscillators, weakly coupled, 320–322
 overview, 317–318
 complex models and, 314–322
 averaged equations, 317–322
 overview, 314
 pseudo-steady-state and, 314–317
 limitations of, 264–266, 283
 overview, 314
 probabilistic model and, 52
 pseudo-steady state and, 314–317
- D’haeseleer, P., 152
- Differential equations models
 gene regulation and
 hybrid methods, 32–39
 “pure” methods, 25–28
 overview, 22
 state in, 15
- Diffusion
 apparent, 191, 205
 biophysical processes and, 9
 boundary conditions and, 196–197
 Brownian motion and, 189, 191
 calcium, 199–205, 208
 case study, 216–221
 defined, 9, 191–194
 dimensionality and, 196–197
 implications of modeling, 190
 interactions among molecules and with external fields and, 197–207
 macroscopic description of, 194–196
 numerical methods of solving reaction-diffusion system and, 207–216
 diffusion Monte Carlo methods, 207–208
 discretization in space and time, 213
 Green’s function Monte Carlo methods, 197, 208–213
 Monte Carlo methods, 197–198, 207
 one-dimensional diffusion, 213–215
 overview, 207
 two-dimensional diffusion, 215–216
 one-dimensional, 213–215
 overview, 190–191
 reasons for modeling, 189
 relay race, 206
 two-dimensional, 215–216
- Diffusion Monte Carlo methods, 207–208
- Dimensionality, 196–197
- Ding, H. Q., 174
- Discretization in space and time, 213
- DNA
 binding sites, 27–28, 57–59
 equilibrium and, 16
 in eukaryotes, 5, 8–9
 force field and, 166
 function of, 3–4
 lambda phage biology and, 49
 transcription factors and, 73
- Dreiding FF, 176
- Driever, W., 104
- Drosophila melanogaster*, 3, 11. *See also* Trainable gene regulation networks with applications to *Drosophila* pattern formation
- Drug action on human rhinovirus, 177–179
- Edelstein-Keshet, L., 312
- 8R-coformycin, 182
- 8R-deoxycoformycin, 182
- Electrodiffusion equation, 198–199
- Electrostatic component of nonbond energy, 164
- Endo16 cis*-regulatory function model
 experimental procedure and data processing, 79–83
 hierarchical cooperative activation model and, 113
 implications of, 97–98
 modular interactions, 83–97
 overview, 79, 83
- Endo16* gene, 11, 77–79
- Engrailed transcription factor, 103
- Enhancers, 11
- Enzyme reaction mechanisms, 175–177
- Equilibrium, 16–18
- Equilibrium constant, 16
- Erb, R. S., 44
- Ermentrout, G. B., 312
- Escherichia coli*, 31, 49, 56, 273–274, 279
- Euclidean cluster analysis, 137–139, 142, 145
- Euclidean distance, 127, 140, 142
- Eukaryotes, 5–6, 8–12. *See also* Logical model of *cis*-regulatory control of eukaryotic system
- Even-skipped (*eve*) stripe transcription factor, 11, 102–104, 107
- Ewald summation, 172
- Exons, 7
- Expression constructs, 79–81
- Extended Hückel method, 163
- Feedback, 12–13, 68
- Feedback loops, isolating positive and negative, 292–297
- FEP theory, 179–182
- FF, 161, 164–168, 177
- Fibroblast orientation model, 311–312
- Fick’s law, 194
- Fitch-Margoliash clustering algorithm, 137
- Fokker-Planck method, 23, 35, 37–38

- Force field (FF), 161, 164–168, 177
 Fourier equation, 174
 Free energy, 18–19, 279–282
 Free energy perturbation (FEP) theory, 179–182
 Frog eggs, cell division in, 288–289, 292
 Fundamental equations, 168–169
 Furusawa, C., 43
 Fushi tarazu (*ftz*) transcription factor, 103, 107
- GABA receptors, 152, 243, 247, 253, 257
 GABA_B-mediated neurotransmission, 247–250
 GABAergic signaling gene family, 121, 123
 GAD, 152
 Gap gene expression, 103–104
 Gating, ion channel
 kinetic description of, 225, 227–231
 voltage-dependent, 230–231
 Gaussian distribution, 35, 192–193, 208–209
 Gene circuits, 12–13, 101
 Gene expression
 to functional networks, 120–127
 biomolecular network, conceptualizing distributed, 121
 dynamics of network, wiring and rules determining, 122–125
 many states converging on one attractor, 125–126
 overview, 120–122
 terminology, 127
 gap, 103–104
 large-scale, 132–153
 causal inference of gene interactions and, 150–153
 functional inference from, 132
 high-precision, high-sensitivity assay, 132, 134
 injury analysis and, 148–150
 level-by-level inference from, 154–155
 rat central nervous system development and, 119–120, 134–136
 rat hippocampus development and, 119–120, 145–148
 rat spinal cord development and, 119–120, 136–144, 147–148
 overlapping control of, 147–148
 Gene regulation. *See also* Probabilistic model of prokaryotic gene and its regulation; Trainable gene regulation networks with applications to *Drosophila* pattern formation
 Boolean networks and, 23–25
 hybrid methods, 32–35
 “pure” methods, 23–38
Caenorhabditis elegans and, 3
 differential equations models and
 hybrid methods, 32–39
 “pure” methods, 25–28
Drosophila melanogaster and, 3
 networks, 101
 stochastic models and, 28–32
 hybrid methods, 35–39
 “pure” methods, 28–32
 understanding, 3–5
 Generalized mass action (GMA), 42–43
 GENESIS software, 200
 Genetic algorithms, 44
 Genetic network inference in computational models
 constructing, general strategies for, 154–155
 gene expression to functional network, 120–127
 biomolecular network, conceptualizing distributed, 121
 dynamics of network, wiring and rules determining network, 122–125
 many states converging on one attractor, 125–126
 overview, 120–122
 terminology, 127
 large-scale gene expression data and, 132–153
 causal inference of gene interactions and, 150–153
 functional inference from, 132
 high-precision, high-sensitivity assay, 132, 134
 injury analysis and, 148–150
 level-by-level inference from, 154–155
 rat central nervous system development and, 119–120, 134–136
 rat hippocampus development and, 119–120, 145–148
 rat spinal cord development and, 119–120, 136–144, 147–148
 overview, 119–120
 reverse engineering and, 130–132
 shared control processes, inference of, 127–130
 Genetic networks modeling. *See specific models*
 Genetic programs, evidence for, 148–150
 Genetic regulatory networks, 101
 GEPASI simulator, 264
 Giant (*gt*) transcription factor, 11, 103
 Gibbs ensemble, 169
 Gibbs free energy, 18–19. *See also* Free energy
 Gibson, M. A., 69
 Gibson-Bruck algorithm, 62
 Gillespie algorithm, 62
 Gillespie, D. T., 62, 67, 69
 Glass, L., 32
 Glutamate AMPA receptor, 242–243, 245
 Glutamic acid decarboxylase (GAD), 152
 Glycosyl hydrolases, 175
 GMA, 42–43
 Goddard, W. A., III, 174, 177
 Goldbeter, A., 288
 Gradient random walk (GRW), 211
 Gray, S., 11
 Green’s function Monte Carlo methods, 197, 208–213
 GRW, 211
- H bifurcation, 297
 Hamahashi, S., 107

- Hartree-Fock (HF) density functional theory (DFT), 163
- HB component of nonbond energy, 164
- HCA model, 11, 110–115
- Hebbian learning, 318–319
- Helmholtz canonical ensemble, 169
- Hertz, J., 43
- Heterodimer transcription factor, 112
- HF density functional theory (DFT), 163
- Hidden Markov models, 39
- Hierarchical cooperative activation (HCA) model, 11, 110–115
- Hierarchical model, 42
- High-precision, high-sensitivity assay, 132, 134
- Hippocampus development of rat, 119–120, 145–148
- Hodgkin, A. L., 225, 231–232, 234
- Hodgkin-Huxley model of voltage-dependent channels, 231–233, 236, 256
- Holmes, W. R., 216
- Homodimeric transcription factor, 112–114
- Hopf (H) bifurcation, 297
- Hörstadius, S., 77
- Host cell growth, 56–57
- HRV, 177–179
- Human rhinovirus (HRV), 177–179
- Hunchback (hb) transcription factor, 11, 103–104
- Huxley, A. F., 225, 231–232, 234
- Hybrid methods
 - between Boolean networks and differential equations, 32–35
 - between differential and stochastic equations, 35–39
 - continuous logic models, 34–35
- Hydrogen bond (HB) component of nonbond energy, 164
- Hydrolysis, 175
- ICAM-1 receptors, 177
- Injury analysis, 148–150
- Integrated network analysis strategy, 155
- Interactions among molecules and with external fields, 197–207
- Intercellular adhesion molecule 1 (ICAM-1) receptors, 177
- Intermediate methods. *See* Hybrid methods
- Introns, 7
- Ion channels
 - biophysical properties of, 225
 - defined, 225
 - formalisms about, 255–256
 - kinetic description of gating, 225, 227–229, 230–231
 - ligand-gated synaptic, 241–245
 - defined, 241
 - kinetic models of, 242
 - Markov models of, 242–243
 - Markov models of, 225, 232–233
 - ligand-gated synaptic, 242–243
 - voltage-dependent, 232–233, 256
- neuronal interactions modeling and, applications to complex, 250–255
- second-messenger-gated synaptic, 246–250
 - defined, 246
 - GABA_B-mediated neurotransmission and, 247–250
 - kinetic models of, 246–247
 - voltage-dependent, 225–227, 229–237
- Hodgkin-Huxley model of, 231–233, 236, 256
- kinetics of, 230–231
- Markov models of, 232–233, 256
- overview, 225–227, 229–230
- sodium channels, 234–237
- Ionotropic receptor, 241
- Jackson, J., 40
- Kaneko, K., 43
- Karasawa, N., 174
- Kauffman, S. A., 32
- Kepler, T. B., 315–316
- Kinetic logic models
 - hybrid methods and, 32–34
 - overview of, 22
- Kinetic models of excitable membranes and synaptic interactions
 - assumptions about, 255–257
 - ion channels, 227–256
 - biophysical properties of, 225
 - defined, 225
 - formalisms about, 255–256
 - gating, 225, 227–231
 - interactions modeling and, applications to complex, 250–255
 - kinetic description of gating, 225, 227–229, 230–231
 - ligand-gated synaptic, 241–245
 - Markov models of, 225, 232–233
 - second-messenger-gated synaptic, 246–250
 - voltage-dependent, 225–227, 229–237
 - limits of, 255–257
 - molecular biology and, 257
 - overview, 225–227
 - simplified, 256–257
 - transmitter release, 237–241
- Kinetics-changes of state, 16
- Kitano, H., 107
- Knirps (*kni*) transcription factor, 103
- Koeppel, R. E., III, 236
- Kramers-Moyal expansion, 38
- Kruppel (*Kr*) transcription factor, 11, 103
- Lambda phage biology, 49–52
- Langevin approach, 22–23, 35–37

- Large-scale gene expression data
 causal inference of gene interactions and, 150–153
 functional inference from, 132
 high-precision, high-sensitivity assay, 132, 134
 injury analysis and, 148–150
 level-by-level inference from, 154–155
 rat central nervous system development and, 119–120, 134–136
 rat hippocampus development and, 119–120, 145–148
 rat spinal cord development and, 119–120, 136–144, 147–148
- Lawrence, P., 103
- Leibler, S., 274
- Liang, S., 44
- Ligand gating, 241
- Ligand-gated synaptic ion channels
 defined, 241
 kinetic models of, 242
 Markov models of, 242–243
- Linear function, 40–41
- Logical model of *cis*-regulatory control of eukaryotic system
 considerations in modeling, 73–79
Endo16 gene, 77–79
 problem, 73–74
 sea urchin development, 74–77
 framework, 79–98
Endo16 cis-regulatory function model, 83–98
 experimental procedure and data processing, 79–83
 future research, 99
 overview, 73
- M-phase-promoting factor (MPF)
 defined, 288–289
 regulation, 290–303
 bifurcation analysis and, 297–303
 feedback loops, isolating positive and negative, 292–297
 molecular machinery of, 290–292
 Novak-Tyson model of, 291–292
- McAdams, H. H., 288
- Macroscopic chemistry, 54
- Macroscopic description of diffusion, 194
- Markov chains, 39
- Markov models of ion channels, 225, 232–233
 ligand-gated synaptic, 242–243
 voltage-dependent, 232–233, 256
- Markov process, 311
- Markovian systems, 228
- Markram, H., 207
- Marnellos, G., 44, 107
- Mascagni, M., 211
- Master equation
 in complex models, 308–314
 defined, 308–311
 fibroblast orientation, 311–312
 mean-field reduction of neural systems, 312–314
 probabilistic model of prokaryotic gene and its regulation, 60–61
- Mayer, M. L., 242
- MBT, 288
- MD. *See* Molecular dynamics
- Mean-field approximation, 308, 312
- Mean-field reduction of neural network, 312–314
- Membrane excitability. *See* Kinetic models of excitable membranes and synaptic interactions
- Mesoscopic chemistry, 54
- Mestl, T., 34
- Metabotropic receptors, 246
- MIC, 177
- Michaelis-Menten equations, 246, 287, 314–315
- Michaels, G. S., 44
- Microscopic chemistry, 54. *See also* Molecular dynamics
- Midblastula transition (MBT), 288
- MINDO, 163
- Minimal stripe element (MSE2), 108–109
- Minimum inhibitory concentration (MIC), 177
- MIST simulator, 264
- Mjolsness, E., 101–102, 107
- MM3 force field, 166
- Modeling basics. *See also specific models*
 chemical reactions, 13–15
 overview, 13
 physical chemistry, 15–20
- Modified intermediate neglect of differential overlap (MINDO), 163
- Molecular biology, 257
 computational, 287–288, 303
- Molecular dynamics (MD)
 atomic-level simulation and biomacromolecules modeling, 163–174
 force field, 161, 164–168
 methods, 168–174
 overview, 163–166
 quantum mechanics and, 161, 163–164
 solvents and, effect of, 167–168
 biological problems and, 174–183
 binding energy calculation, 179–182
 enzyme reaction mechanisms, 175–177
 human rhinovirus drug reaction, 177–179
 overview, 174–175
 quantitative structure-activity relationship, 182–184
 defined, 161
 methods
 constrained internal coordinates, 170–171
 fundamental equations, 168–169
 Monte Carlo, 174
 MPSim program, 171–172, 177
 NPT and NVT dynamics, 169–170
 periodic boundary conditions, 172–174

- modeling and, 53–54
- quantum mechanics and, 161, 163–164
- state in, 15
- Monod-Wyman-Changeux (MWC) model, 111–112
- Monte Carlo algorithms, 61–62, 174
- Monte Carlo (MC) methods
 - diffusion of, 207–208
 - molecular dynamics methods, 174
 - numerical methods of solving reaction-diffusion system and, 197–198, 207
 - stochastic models and, 29
- MPF. *See* M-phase-promoting factor
- MPSim program, 171–172, 177
- mRNA, 5–8, 11–12, 107, 120
- MSC-PolyGraf program, 176
- MSE2, 108–109
- Multimers, 8
- Multistate molecules, 272
- Murray, J. D., 315
- Mutual information, 130
 - cluster analysis, 139–142
- MWC model, 111–112

- N*-methyl-D-aspartate (NMDA) receptor, 241, 243
- Naraghi, M., 206
- Neher, E., 206
- NEIMO method, 170–171
- Nernst-Planck equation, 199
- Network models, general strategies for constructing, 154–155. *See also specific types*
- Neural network. *See also specific types*
 - from biophysics, 319–320
 - mean-field reduction of, 312–314
- Neurogenesis, 107–108
- Neuronal interactions modeling, complex, 250–255
- Neurotransmission, 247–250
- Newton-Euler inverse mass operator (NEIMO) method, 170–171
- Newton's equations of motion, 169
- NMDA receptor, 241, 243
- Non-Fickian fluxes, 194, 212
- Nose dynamics, 169
- Novak, B., 291–292
- Novak-Tyson model of M-phase-promoting factor regulation, 291–292
- NPT dynamics, 169–170
- Numerical methods of solving reaction-diffusion system
 - diffusion Monte Carlo methods, 207–208
 - discretization in space and time, 213
 - Green's function Monte Carlo methods, 197, 208–213
 - Monte Carlo methods, 197–198, 207
 - one-dimensional diffusion, 213–215
 - overview, 207
 - two-dimensional diffusion, 215–216

- Nucleic acids, 166
- Nusslein-Volhard, C., 104
- NVT dynamics, 169–170

- ODE models. *See* Ordinary differential equations models
 - $1/\Omega$ expansion, 23, 38–39
- One-dimensional diffusion, 213–215
- OPLS force field, 166
- Ordinary differential equations (ODE) models
 - interactions among molecules and with external fields, 197
 - overview, 22
 - parameter estimation, data fitting, and phenomenology, 40–44
 - trainable gene regulation networks and, 101
- Organic systems (OPLS) force field, 166
- Oscillators, weakly coupled, 320–322
- Oster, G. F., 288

- Parameter estimation, data fitting, and phenomenology
 - Boolean models, 40
 - ordinary differential equation models, 40–44
 - overview, 39–40
 - stochastic models, 44
- Partial differential equation (PDE), 192, 211
- Patneau, D. K., 242
- PCSM, 177, 179
- PDE, 192, 211
- Pearlmutter, B. A., 43
- Pentamer channel stiffening model (PCSM), 177, 179
- Periodic boundary conditions, 172–174
- PGK, 171
- Phenomenology. *See* Parameter estimation, data fitting, and phenomenology
- Phosphoglycerate kinase (PGK), 171
- Physical chemistry, 15–20
- Poisson process, 67
- Poisson-Boltzmann approximation, 164
- Post-translational modification, 7–8
- Probabilistic model of prokaryotic gene its regulation degradation, 55–56
 - details, 57–60
 - calculations, 59
 - reaction per unit time, 59–60
 - TF-DNA binding, 57–59
- deterministic models and, 52
- future research, 69–70
- host cell growth, 56–57
- lambda phage biology and, 49–52
- master equation and, 60–62
- overview, 49, 54
- purpose of, 52–54
- results, 62–69

- Probabilistic model of prokaryotic gene its regulation
 (continued)
 stochastic models and, 52–54
 transcription, 54–55
 translation, 55
 Prokaryotes, 9–12. *See also* Probabilistic model of
 prokaryotic gene and its regulation
 Promoter, 6, 11, 121
 substructure, 108–115
 hierarchical cooperative activation, 110–115
 overview, 108–110
 Proteins, 3–4, 166
 Pseudo-first-order degradation, 56–57
 Pseudo-steady state, 314–317
 “Pure” methods
 Boolean networks, 23–25
 differential equations models, 25–28
 stochastic models, 28–32

 QEq, 164, 176
 Qian, N., 199
 QM, 161, 163–164
 QSAR, 170, 182–184
 Quantified information, 128–130
 Quantitative structure-activity relationship (QSAR),
 170, 182–184
 Quantum mechanics (QM), 161, 163–164

 Rall, W., 245
 Random-walk process, 211, 216–218
 Ransick, A., 78
 Rat
 central nervous system development of, 119–120,
 134–136
 hippocampus development of, 119–120, 145–148
 spinal cord development of, 119–120, 136–144,
 147–148
 Reaction kinetics. *See* Differential equations models
 Reaction per unit time, 59–60
 Reaction-diffusion system
 apparent diffusion coefficient and, 205
 buffers and, 207
 calcium diffusion and, 205–207
 numerical methods of solving, 207–216
 diffusion Monte Carlo methods, 207–208
 discretization in space and time and, 213
 Green’s function Monte Carlo methods, 208–213
 Monte Carlo methods, 207
 one-dimensional diffusion and, 213–214
 overview, 207
 two-dimensional diffusion and, 215–216
 study of, 191
 Reactions
 concurrent, 64–67
 second-order, 68–69
 sequential, 67–68
 Regulatory modules, 11
 Reinitz, J., 103–104, 107
 Relaxation oscillator, 316
 Relay race diffusion, 206
 Repressor, 56, 58–59, 63, 69
 Reverse engineering (REVEAL) algorithm, 44, 119,
 130–134, 150, 152, 155
 Reverse transcription polymerase chain reaction
 (RT-PCR), 132, 134–136, 145
 Rhinovirus-1A, 177–179
 Rhinovirus-14, 177–179
 Rinzel, J., 315, 317
 Risken, H., 35
 RNA, 3–4, 177
 RNA polymerase (RNAP), 6, 27–28, 50, 54
 RT-PCR, 132, 134–136, 145
 Runge-Kutta-Fehlberg with Rosenbrock-type exten-
 sions, 211

 Saddle-loop (SL) bifurcation, 297
 Saddle-node (SN) bifurcation, 297
 Saddle-node-loop (SNL) bifurcation, 299
 Savageau, M. A., 42
 SCAMP simulator, 264
 Schroedinger equation, 161
 Schroeter, E. H., 107
 Sea urchin, 11, 74–77
 Second-messenger-gated synaptic channels
 defined, 246
 GABA_B-mediated neurotransmission and, 247–250
 kinetic models of, 246–247
 Second-order reactions, 68–69
 Sejnowski, T. J., 199
 Sequential reactions, 67–68
 Shannon, Claude, 128
 Shannon entropy (H), 128–130
 Shapiro, L., 288
 Shared control processes, inference of, 127–130, 136–
 137
 Sharp, D. H., 104, 111
 Shea, M. A., 27
 Sherman, A., 211, 288
 Sigma-pi neural networks, 41–42
 Signaling complexes, 272–273
 Sigvardt, K. A., 322
 Simpson-Brose, M., 104
 Simulated annealing, 43–44
 Single gene activity modeling
 basics of modeling and, 13–20
 chemical reactions, 13–15
 overview, 13
 physical chemistry, 15–20

- biochemical models, predictions from, 20–39
 - hybrid methods and, 32–39
 - overview of models, 21–23
 - “pure” methods and, 23–32
 - questions regarding, 20–21
- biology and, understanding, 5–13
 - biochemical processes, 5–9
 - biophysical processes, 9
 - feedback and gene circuits, 12–13
 - prokaryotes vs. eukaryotes, 9–12
- future research, 45–46
- overview, 3–5
- parameter estimation, data fitting, and phenomenology, 39–44
 - Boolean models, 40
 - ordinary differential equation models, 40–44
 - overview, 39–40
 - stochastic models, 44
 - roadmap for understanding, 45
- SL bifurcation, 297
- Small, S., 109
- Smolen, P., 200, 214
- SN bifurcation, 297
- Sneyd, J., 288
- SNL bifurcation, 299
- Sodium channel models, voltage-dependent, 234–237
- Solvents, effect of, 167–168
- Somogyi, R., 40
- Spatial averaging, 308
- Spatial colocalization of related processes, 197
- Spatial localization, 266–267
- Spinal cord development of rat, 119–120, 136–144, 147–148
- Splicing, 7
- Standard force field, 166–167
- Standley, C., 243
- State of a system, 15
- Stochastic models
 - of cell signaling pathways, 272–284
 - allostery, 273
 - chemotactic response, 273–274
 - free energy considerations, 279–282
 - model description, 274–277
 - results, 277–279
 - signaling complexes, 272–273
 - deterministic model limitations and, 264–266, 283
 - fluctuations, 268
 - gene regulation and
 - hybrid methods, 35–39
 - “pure” methods, 28–32
 - limitations of, 284
 - Monte Carlo methods and, 29
 - multistate molecules and, 272
 - overview, 263–264
 - parameter estimation, data fitting, and phenomenology, 44
 - previous simulators and, 268–269
 - probabilistic model and, 52–54
 - spatial localization and, 266–267
 - state in, 15
 - StochSim and, 263, 269–271, 274
 - StochSim program, 263, 269–271, 274
 - Strongylocentrotus purpuratus*, 11, 74–77
- Synaptic interactions. *See* Kinetic models of excitable membranes and synaptic interactions
- System identification, 39–41
- Tailless (*tll*) transcription factor, 103, 110
- Takens-Bogdanov (TB) bifurcation, 297
- Temperate phage, 49
- TF-DNA binding, 57–59
- TFs, 4–6, 10–11, 73, 102–104, 107, 112–114
- Thalamic oscillations, 250
- Thermodynamics, 18–20, 211–212
- Thomas, R., 32, 34
- Time series table, 132
- Trainable gene regulation networks with applications
 - to *Drosophila* pattern formation
 - cell-cell signaling, 107–108
 - even-skipped (*eve*) stripe transcription factor, 102–104, 107
 - examples, 102–108
 - anterior-posterior axis, 102–104, 107
 - even-skipped (*eve*) stripe, 102–104, 107
 - gene circuit model, 103, 107–108
 - gap gene expression, 103–104
 - neurogenesis, 107–108
 - ordinary differential equations models and, 101
 - overview, 101–102
 - promoter substructure, 108–115
 - hierarchical cooperative activation, 110–115
 - overview, 108–110
- Training parameters, 43–44
- trans*-regulatory elements, 6, 73, 101
- Transcription
 - basics of, 5–6
 - in eukaryotes, 10
 - in probabilistic model, 54–55
 - transcription factors and, 4–6, 10–11, 73, 102–104, 107, 112–114
- Transcription factors (TFs), 4–6, 10–11, 73, 102–104, 107, 112–114
- Transition table, 132
- Translation, 7–8, 11–12, 55
- Transmitter release
 - kinetic model of, 238–239
 - overview, 237–238
 - simplified model of, 239–241
- Trypanosoma brucei* PGK, 171
- Two-dimensional diffusion, 215–216
- Universal force field (UFF), 167

- Vaidehi, N., 177
- van der Waals (VDW) component of nonbond energy, 164
- Van Kampen, N. G., 35, 37, 39
- Van Kampen's $1/\Omega$ expansion, 23, 38–39
- Vandenberg, C. A., 233–234
- Vandenberg-Bezánilla model of sodium channel, 233–234, 236
- VDW component of nonbond energy, 164
- Verlet algorithm, 169
- Voltage-dependent ion channels
 - Hodgkin-Huxley model of, 231–233, 236, 256
 - kinetics of, 230–231
 - Markov models of, 232–233, 256
 - overview, 225–227, 229–230
 - sodium channels, 234–237
- von Hippel, P. H., 6

- Walk processes, 211, 216–218
- Wang, X. J., 317
- Williams, T. L., 322
- Wingless transcription factor, 103

- Yamada, W. M., 238
- Yuh, C. H., 11, 113

- Zucker, R. S., 238