

# Index

- Abbott, Larry, 198–201
- Abeele, Sylvie, 314
- Abstract mapping, 58
- Accumulator models, 496–499
- Acetylcholine, 452
- Actin, 35, 94
- Action potential, 547
- Activity fields, 172–175, 184
  - adaptation and, 295–296, 313–314
  - Gaussian distribution and, 214–215
  - gaze location and, 259
  - multiple targets and, 503–504
  - planning and, 239
  - remapping and, 319–333
  - target location and, 179–201
- Actuators, 27, 245. *See also* Muscles
  - biological vs. mechanical, 93–94
  - land locomotion and, 31–32
  - springy, 34–35
  - target location and, 179–203
- Adaptation, 18, 30, 403
  - activity fields and, 295–296, 313–314
  - aftereffects and, 48, 126, 276, 278, 286, 384, 386, 435, 448, 516
  - altered dynamics and, 391–401
  - arbitrary mapping and, 516–518
  - basal ganglia and, 462–464
  - cerebellum and, 301–302, 314–316, 447–448, 455–458
  - complex spike rate and, 478–480
  - consolidation and, 316, 435–444
  - context and, 280–283
  - decision making and, 51–58 (*see also* Decision making)
  - EMG changes and, 393–395
  - eyeblink conditioning and, 459–461
  - eye rotation and, 275–278
  - filtering and, 449–454
  - Gaussian function and, 303–304, 313
  - generalization functions and, 303–316, 420–431
  - interaction torques and, 48
  - ION and, 301–302
  - Jacobian matrices and, 279, 307–308
  - joint coordinates and, 308
  - map realignment and, 305–316
  - motor learning and, 47–48, 51–58
  - newts and, 275–276
  - planning and, 286–287
  - PMv deactivation and, 295–296
  - PPC and, 303
  - pre-exposure and, 305
  - preferred direction and, 313, 395–401
  - primates and, 276–278
  - prism, 276–286, 299–301, 516
  - representations and, 304
  - rotation and, 395–397
  - signal cancellation and, 449–454
  - sleep and, 441–444
  - spatial neglect and, 296–301
  - stiffness and, 423–424
  - systems identification and, 423
  - time-dependent change and, 436–441
  - transformational mapping and, 513–516
  - virtual robotics and, 273–275, 284–286
  - VOR and, 486–488
- Adaptive critic, 455

- Aftereffects. *See* Adaptation  
 Agnathans, 12  
 Airplanes, xv–xvi  
 Ajemian, Robert, 266  
 Alexander, Gary, 252–254, 257, 259  
 Algorithms, 4  
 Allen, Todd, 456  
 Allocortex, 82  
 Amnesiacs, 435  
 Amphioxus, 15  
 Analogy, 533–534  
 Andersen, Richard, 324  
   difference vectors and, 234, 241–242  
   fixation-centered coordinates and,  
     211–212, 216  
   target location and, 188, 190–191,  
     193–198  
 Angular acceleration, 120–121  
 Angular velocity, 102, 385–386  
   defined, 544  
   gain fields and, 426–429  
   limb velocity and, 426–429  
 Antagonist muscles, 47  
 Anterior intraparietal cortex, 89  
 Anti-Hebbian learning, 452, 455  
 Appendages, 5, 27, 29–30, 39  
 Arbib, Michael, 354, 357–360, 489  
 Arbitrary mapping, 516–518  
 Ariff, Greg, 332  
 Arm configuration, 254–257  
 Artificial neural networks, 273–292  
 Ashe, James, 262  
 Attractor states, 220, 278  
 Auditory system, 159–162  
 Autonomic nervous system, 11, 18, 41  
  
 Balliene, Bernard, 51–52  
 Ballistic pinching, 440–441  
 Bannister, Roger, 40  
 Basal ganglia, 15, 62, 64, 447–448  
   architecture of, 75  
   context switching and, 78–79  
   GABA and, 75–76  
   Huntington's disease and, 76, 368–371  
   inputs and, 76–77  
   outputs and, 77–78  
   Parkinson's disease and, 76–77, 79,  
     134–135  
   Pavlovian learning and, 464–468  
   population coding and, 412–413  
   reflexes and, 134–135  
   sequential movement and, 511  
   skills and, 462–464  
   spiny neurons and, 76–78  
   striatum and, 76–77  
   training signal for, 464  
 Basis functions, 413–414, 417, 423–424  
 Basket cells, 68–69  
 Bastian, Amy, 482  
 Batista, Aaron, 212, 234, 241–242, 324  
 Bauer, Joseph, 287  
 Bauswein, Erhard, 232  
 Bayesian theory, 292  
 Behavior. *See also* Motor learning  
   crying, 65  
   decision making and, 51–58 (*see also*  
     Decision making)  
   escape, 66  
   habits and, 56–57  
   hindbrain and, 65–68  
   laughing, 65  
   Pavlovian learning and, 41, 44–46, 52,  
     449, 455–468, 473–480  
   periaqueductal gray and, 65  
   spiny neurons and, 76  
 Bell, Curtis, 452  
 Bernard, Claude, 3  
 Bilateria, 13  
 Bizzi, Emilio, 517–518  
   adaptation and, 283  
   limb stability and, 127–127, 129, 136  
   planning and, 364  
   prediction and, 397–399, 404  
 Blazquez, Pablo, 467  
 Blindness, 348  
 Bloch, Jonathan, 51, 349  
 Blocking effect, 458–461, 468  
 Bock, Otmar, 208–209, 314  
 Bodznick, David, 452–453  
 Bones  
   limb architecture and, 28–32 (*see also*  
     Limbs)  
   muscles and, 32–36  
 Boussaoud, Driss, 516  
 Boyer, Douglas, 51, 349  
*Brachistoma*, 15

- Brain, 15–16. *See also* Cortical areas;  
 Specific part  
 amnesia and, 435  
 communication speed and, 37–38  
 consciousness and, 54–55  
 decision making and, 495–520 (*see also*  
 Decision making)  
 forebrain and, 75–89  
 hindbrain and, 65–68  
 M1 neuron sensitivity and, 163–165,  
 171–172  
 medulla and, 450  
 neocortex and, 22–23  
 periaqueductal gray and, 65  
 PPC neuron sensitivity and, 163–164,  
 171–172  
 proprioceptive pathways and, 64–65  
 Purkinje cells and, 68–70, 76, 404, 450,  
 453–462, 478–480, 483–491  
 sexual behavior and, 64  
 spiny neurons and, 76–78  
 superior colliculus and, 73  
 transcranial magnetic stimulation and,  
 133–134, 330–331, 440–441
- Brakefield, Tiffany, 442, 444
- Branchiostoma, 15
- Brandt, Jason, 367, 435
- Brashers-Krug, Thomas, 436–437
- Brodmann, Korbinian, 83
- Brodmann's areas, 83–84, 86–89
- Buch, Ethan, 314
- Bullock, Daniel, 266, 355, 357–358
- Buneo, Christopher, 212, 214, 221, 324
- Camera-centered coordinate system,  
 184–185
- Caminiti, Roberto, 162, 171–172, 222
- Carroll, Robert, 34
- Cartesian space, 185, 265–268. *See also*  
 Coordinate systems
- Cartilage, 27
- Caudate nucleus, 75, 465–467
- Cell discharge rate, 193, 195, 198–199  
 fixation-centered coordinates and,  
 212–216, 222–225  
 movement direction and, 412  
 target location and, 222–225
- Center of gravity, 66–67
- Central nervous system  
 adaptation and, 273–292, 295–316,  
 449–454  
 artificial stimulation and, 126–127  
 basal ganglia and, 75–79  
 center of gravity and, 66–67  
 cerebellum and, 21–23, 68–71  
 cerebral cortex and, 84–85 (*see also*  
 Cortical areas)  
 chordates and, 12  
 coactivation and, 115  
 communication speed and, 37–38  
 components of, 10–11  
 consolidation and, 435–444  
 context switching and, 78–79  
 control issues and, 19–20, 27–38  
 crown group and, 12  
 difference vectors and, 205–244 (*see*  
*also* Difference vectors)  
 electricity and, 450–452  
 end effectors and, 143–177 (*see also*  
 End effectors)  
 escape and, 66  
 feedback and, 3–4  
 fixation-centered coordinates and,  
 205–225  
 functional understanding of, 3–4  
 generalization functions and, 404–406,  
 414–431  
 gnathostome and, 12  
 Golgi tendon organs and, 111–112  
 hindbrain and, 65–68  
 hypothalamus and, 11  
 inputs and, 69–70, 76–77, 84  
 internal model and, 67–68, 379–401  
 large-fiber sensory neuropathy and,  
 135  
 M1 neuron sensitivity and, 163–165,  
 171–172  
 mapping and, 58, 319–333 (*see also*  
 Mapping)  
 motor learning and, 1–2, 39–59  
 motor system and, 9–24, 32–36, 93–94  
 (*see also* Motor system; Muscles)  
 myoblasts and, 19–20  
 neocortex and, 11, 22–23  
 outputs and, 70–71, 77–78, 84–85  
 perceptual threshold and, 500

- Central nervous system (cont.)  
 planning and, 205–225, 229–242, 353–354  
 PPC neuron sensitivity and, 163–164, 171–175  
 proprioception and, 273–292  
 red nucleus and, 71–73  
 redundancy and, 31  
 reflexes and, 11, 20 (*see also* Reflexes)  
 S1 neuron sensitivity and, 167–171  
 sequential activation and, 127–129  
 signal processing and, 449–454 (*see also* Signal processing)  
 size principle and, 99  
 spinal cord and, 61–65  
 springy actuators and, 34–35  
 state estimation and, 503–513  
 stem group and, 12  
 target location and, 179–201  
 telencephalon and, 16–17  
 thalamus and, 11, 80–81  
 time-dependent change and, 436–440  
 transcranial magnetic stimulation and, 133–134, 330–331, 440–441
- Central pattern generators (CPGs), 11, 31, 62  
 fractionation and, 65  
 hindbrain and, 65–68  
 myotomes and, 63–64  
 sexual behavior and, 64
- Cerebellum, 21  
 adaptation and, 301–302, 314–316  
 architecture of, 68–69  
 augmentation by, 474  
 basket cells and, 68–69  
 climbing fibers and, 69  
 damage to, 447–448, 482  
 deep cerebellar nuclei and, 68–69  
 depression and, 439  
 dynamics and, 401  
 eyeblink conditioning and, 459–461  
 filtering and, 449–454  
 GABA and, 70–71  
 gnathostomes and, 21–22  
 granule cells and, 68–69  
 hemispheres of, 68  
 inferior olive (ION) and, 69–71, 455–458  
 inputs and, 69–70  
 interaction torques and, 482  
 ION and, 69–71, 455–458  
 limb velocity and, 425–426  
 mossy fibers and, 69  
 neocortex and, 22–23  
 outputs and, 69–70  
 parallel fibers and, 68–69  
 Pavlovian learning and, 41, 44–46, 52, 449, 455–468, 473–480  
 population coding and, 412–413  
 PPC and, 449  
 predictions and, 455–464  
 proprioception and, 401  
 Purkinje cells and, 68–70, 404  
 red nucleus and, 71–73  
 reflexes and, 134–135  
 sequential targets and, 511–512  
 signal cancellation and, 449–454  
 thalamus and, 80–81  
 training signal for, 455–458
- Chance, Frances, 201
- Chordates, 12, 15, 18–19, 98
- Cisek, Paul, 237, 239, 504
- Clack, Jennifer, 31
- Climbing fibers, 69, 475–480
- Clower, Dottie, 303, 516
- Coactivation, 384, 474  
 artificial stimulation and, 126–127  
 feedback and, 115  
 motor learning and, 47–49  
 stability and, 123
- Coelem, 13
- Coherent motion, 499–500
- Colby, Carol, 322
- Collinearity, 192
- Commissurotomy, 84
- Compliance matrix, 419
- Conditional probability, 291
- Conditt, Michael, 389–391
- Connectin, 96–97
- Consciousness, 54–55
- Consolidation, 316  
 amnesia and, 435  
 cortical areas and, 440–441  
 sleep and, 441–444  
 time-dependent change and, 436–441

- Context, 280–283, 447  
 accumulator models and, 496–499  
 swtiching and, 78–79
- Contreras-Vidal, José, 314
- Control, xvi, 49–50, 59. *See also* Signal processing  
 ACGs and, 368  
 adaptation and, 273–292, 295–316 (*see also* Adaptation)  
 arbitrary mapping and, 516–518  
 ejaculation and, 64  
 feedback and, 381 (*see also* Feedback)  
 homeostasis and, 3, 23, 43, 75  
 Huntington’s disease and, 76, 134–135, 368–371  
 next-state planner and, 354–374  
 oculomotor, 68, 86–87, 327–328, 482–486  
 online correction and, 366–371  
 Parkinson’s disease and, 76–77, 79, 134–135  
 planning and, 353–354 (*see also* Planning)  
 redundancy and, 371–374  
 remapping and, 319–333  
 robotics and, 247 (*see also* Robotics)  
 superior colliculus and, 73  
 target location and, 179–201  
 variable trade-offs and, 373–374
- Coolen, Lique, 64
- Coordinate systems, 144–146, 150–151  
 adaptation and, 273–292, 307–316 (*see also* Adaptation)  
 camera-centered, 184–185  
 coordinate smoothness and, 341–352  
 dynamics and, 403–410  
 extrinsic, 404, 407  
 fixation-centered, 205–225 (*see also* Fixation-centered coordinates)  
 internal models and, 403–410  
 intrinsic, 182, 405–407  
 path alteration and, 344–347  
 remapping and, 319–333  
 retinotopic, 183–184  
 shoulder-centered, 209–212  
 visual smoothness and, 341–352
- Cordo, Paul, 67
- Coriolis forces, 385–386, 388
- Corkin, Suzanne, 435
- Corpus callosum, 84
- Corrective movement, 128
- Cortical areas  
 5d, 230–235, 239, 257, 504–505  
 7a, 175  
 adaptation and, 273–292, 295–316  
 anterior intraparietal cortex (AIP), 89  
 arbitrary mapping and, 516–518  
 basal ganglia and, 75–79  
 Brodmann’s areas and, 83–89  
 caudal regions and, 162  
 cerebellum and, 21–23 (*see also* Cerebellum)  
 cerebral organization and, 81–85  
 colonies and, 64  
 columns and, 64  
 consolidation and, 435–444  
 crown group and, 12  
 decision making and, 499–500 (*see also* Decision making)  
 dorsal premotor cortex (PMd), 86, 230–231, 234, 237 (*see also* Dorsal premotor cortex [PMd])  
 efference copy and, 322, 325–331  
 frontal cortex, 85, 162  
 gnathostome and, 21–22  
 hand orientation and, 249–252  
 hemispheres and, 81–82  
 homunculus and, 85–86  
 lateral intraparietal (LIP) area, 175, 192, 239, 322–324 (*see also* Lateral intraparietal (LIP) area)  
 lesions and, 229  
 limb velocity and, 425–426  
 medial intraparietal area (MIP), 89  
 motor cortex, 85–88 (*see also* Motor system, Primary motor cortex [M1])  
 multiple targets and, 503–504  
 myelin and, 83  
 neglect and, 296–301  
 neocortex and, 11, 22–23, 82  
 optic ataxia and, 229  
 perceptual threshold and, 500  
 posterior parietal cortex (PPC), 81, 88–89, 162–164 (*see also* Posterior parietal cortex [PPC])

- Cortical areas (cont.)  
 primary motor cortex (M1), 163–165, 171–172, 229–234, 261 (*see also* Primary motor cortex [M1])  
 primary somatosensory areas (S1), 167–171  
 primary visual area (V1), 83  
 Purkinje cells and, 68–70, 76, 404, 450, 455–462, 478–480, 483–491  
 red nucleus and, 71–73  
 remapping and, 319–333  
 sequential movement and, 508–512  
 striate cortex, 83 (*see also* Primary visual area [V1])  
 supplementary eye field (SEF), 86, 88  
 supplementary motor area (SMA), 86, 508–512  
 thalamus and, 11, 80–81  
 time-dependent change and, 440–441  
 transcranial magnetic stimulation and, 133–134, 330–331, 440–441  
 tuning function and, 229–231  
 updating and, 331–336  
 V3a, 192  
 ventral premotor cortex (PMv), 86, 230–232, 234–235, 237 (*see also* Ventral premotor cortex [PMv])  
 visual coordinate smoothness and, 341–352
- Cortical fields, 85–89  
 Corticocortical projections, 84  
 Corticospinal projection, 23  
 Corticospinal tract, 86  
 Crackle, 351–352  
 Crammond, Donald, 230–232, 237, 239  
 Crawford, J. Douglas, 186, 297–298  
 Critic, 455  
 Crown group, 12  
 Cunningham, Helen, 311  
 Curl field, 393
- Dance, 42  
 Danielli, James, 194  
 da Vinci, Leonardo, xv  
 Davson, Hugh, 194  
 Daw, Nigel, 280  
 Decision making, 495  
 accumulator models and, 496–499  
 coherent-motion experiments and, 499–500  
 cues and, 504–505  
 efference copy and, 508  
 external cues and, 506–508  
 flexibility and, 57–58  
 habits and, 56–57  
 instructions and, 504  
 instrumental learning and, 56  
 internal cues and, 506–508  
 introspection and, 54–55  
 mapping and, 513–519  
 motor learning and, 51–58  
 movement veto and, 500–503  
 multiple movements and, 504–505  
 neuronal correlates of, 499–500  
 perceptual threshold and, 500  
 preferred direction and, 504–505  
 reflexes and, 51–52  
 reward and, 503–504  
 sequential reaching and, 508–512  
 serial reaction-time task (SRTT) and, 512–513  
 state estimation and, 505–513  
 targets and, 496–504
- Declarative knowledge, 507  
 Deep cerebellar nuclei, 68–69  
 Degeneracy, 16  
 Degrees of freedom, 28, 47, 172  
 coordinate frames and, 144–146  
 redundancy and, 372
- Delay-period activity, 229–230, 547–548  
 sequential movement and, 241–242  
 target disappearance and, 231–232
- Deneve, Sophie, 150, 217–219, 221–222, 274
- Dentate nucleus, 70  
 Desmurget, Michel, 328, 330  
 Difference vectors, 147, 179, 347–348  
 adaptation and, 273–292  
 amplitude coding and, 252  
 cue effects and, 257–261  
 delay-period activity and, 229–231 (*See also* Delay-period activity)  
 directional tuning and, 229–231  
 error and, 205–209  
 feedback and, 252

- fixation-centered coordinates and, 205–225
- frontal lobe areas and, 249–261
- Gaussian distribution and, 214–215
- gaze effects and, 261
- hand orientation and, 249–254
- head orientation and, 205
- M1 activity and, 261–268
- mapping and, 247, 252–254, 319–333
- minimization of, 343–344
- planning and, 205–225, 229–242
- posterior parietal cortex and, 229–231, 234–242
- shoulder-centered coordinates and, 209–212
- trajectories and, 354–357
- varying arm configuration and, 254–257
- varying gaze and, 249
- Differentials, 539
- Diffusion model, 496
- di Pellegrino, Giuseppe, 257
- Direction of action, 263, 265
- Displacement map, 279
- Distributed modules, 75, 80–81
- Dizio, Paul, 130–131, 385
- Donchin, Opher, 332, 417, 420–426
- Donegan, Nelson, 490
- Dopamine cells, 462–469
- Dorsal horn, 62
- Dorsal premotor cortex (PMd), 86, 230
  - adaptation and, 295–296, 301–302
  - deactivation of, 295–296
  - gaze locations and, 259
  - hand orientation and, 249–252
  - movement planning and, 231, 234, 237
  - population vectors and, 250–252
  - visionless reaching and, 257
  - visual coordinate smoothness and, 341–352
- Dorsal spinocerebellar tract (DSCT), 62, 65
- Dorsal striatum, 75
- Dove prisms, 276–278
- Duhamel, Rene, 322, 326
- Dynamics, 49–50, 162. *See also* Kinematics
  - adaptation and, 273–292, 295–316, 391–401
  - arbitrary mapping and, 517–518
  - attractor states and, 220, 278
  - cerebellum and, 401
  - coordinate system and, 403–410
  - end effectors and, 144
  - forward, 50, 336–338, 362–364, 381, 503–513
  - generalization functions and, 404–406, 414–431
  - internal models of, 379–401, 474–475
  - inverse, 362–364, 381, 482, 488–491
  - limb states and, 387–389
  - mapping and, 247
  - motor commands and, 382–384
  - networks and, 245
  - null-field condition and, 384
  - planning and, 232–234
  - preferred direction and, 395–401
  - Purkinje cells and, 483–491
  - robotic reaching and, 382–384
  - rotation and, 384–387, 395–397
  - state estimation and, 503–513
  - target location and, 179–201
  - time and, 389–391, 436–440
  - torque and, 362–364
  - tuning curves and, 414–416
- Eating, 12–13
- Ebner, Timothy, 167, 169, 252
- Eckmiller, Rolf, 208–209
- Efference copy, 322, 325–331, 333
  - adaptive filtering and, 449–454
  - decision making and, 508
  - electric fish and, 450–452
  - forward models and, 336–338
  - reflexes and, 474
  - trajectories and, 355
- Ejaculation, 64
- Elasticity, 99, 101, 113
- Electric fish, 450–452
- Electric organs, 450
- Electrocytes, 450
- Electromyographic (EMG) activity, 79, 134–135
  - adaptive changes and, 393–395
  - filtering and, 453–454
  - preferred direction and, 395–401

- End effectors, 245, 519  
 adaptation and, 273–292, 295–316 (*see also* Adaptation)  
 configuration coding and, 165–175  
 coordinate frames and, 144–146  
 current location estimation and, 205–208  
 decision making and, 495 (*see also* Decision making)  
 degrees of freedom and, 144–146  
 difference vectors and, 205–244 (*see also* Difference vectors)  
 displacement and, 247  
 dynamics and, 144  
 feedback and, 143–144  
 fixation-centered coordinates and, 205–209, 221–225  
 frontal neurophysiology and, 162–165  
 Jacobian for, 355  
 kinematics and, 144–157  
 location prediction and, 147–157  
 mapping and, 146–147, 252–254, 319–333  
 movement of, 347–348  
 planning and, 354–357 (*see also* Planning)  
 parietal neurophysiology and, 162–165 (*see also* PPC and)  
 PPC and, 171–175  
 proprioception and, 148–162, 273–292 (*see also* Proprioception)  
 reach planning and, 237  
 robotics and, 148–151  
 rotation matrices and, 151–154  
 target location and, 179–201  
 updating and, 331–336  
 visual coordinates and, 147–148, 341–352
- Endocrine functions, 41
- Endoskeleton, 27
- Energy, 544
- Equations  
 compliance matrix, 419  
 generalization functions, 416, 419–420, 425, 429  
 internal model, 388  
 Jacobian, 279–280, 355  
 smoothness, 350–351  
 stiffness, 97, 136
- Equilibrium-point hypothesis 129–131, 143–144  
 limb stability and, 120–122, 126–127
- Error, 47  
 cerebellum and, 455–464  
 climbing fibers and, 475–480  
 difference vectors and, 205–209  
 dopamine cells and, 464–465  
 EMG changes and, 393–395  
 eyeblink conditioning and, 459–461  
 fixation-centered coordinates and, 205–212  
 generalization functions and, 404–406, 414–431  
 Huntington’s disease and, 368–371  
 motor command correction and, 480–491  
 movement sequences and, 208–209  
 online correction and, 366–371  
 Pavlovian learning and, 41, 44–46, 52, 449, 455–468, 473–480  
 reflexes and, 473–491  
 target location and, 186–188
- Essential tremor, 128
- Eukaryotes, 36
- Evarts, Edward, 229
- Evolution, 3  
 biology and, 533–535  
 cerebellum and, 21–23  
 cerebral cortex and, 82–84  
 gnathostome and, 21–22  
 land locomotion and, 31–32  
 mammalian and, 22–23  
 motor learning and, 39–59  
 motor system and, 10, 12–24  
 preadaptation and, 18, 30  
 telencephalon and, 16–17  
 tetrapod and, 21–22  
 vertebrate brain and, 15–16  
 vertebrate head and, 17–19
- Explicit tasks, 52
- Extension, 28
- Extinction, 456, 458, 460, 535
- Extrafusal fibers, 35–36, 98–99
- Extrinsic coordinates, 404
- Eye movements  
 error and, 186–188  
 gain fields and, 188–201  
 modulation and, 188–201



- planning saccades and, 234–236
  - remapping and, 319–333
  - superior colliculus and, 73
  - target location and, 186–188
  - updating and, 331–336
- Eyes
  - activity field and, 239
  - camera-centered coordinates and, 184–185
  - cerebellum and, 314–316, 482–486
  - dominant eye and, 188
  - dove prisms and, 276–278
  - fixation-centered coordinates and, 188–192, 205–225
  - fovea and, 88, 148, 182, 184, 188, 191
  - frontal eye field and, 86, 234–236, 240–241, 497–503
  - Gaussian distribution and, 214–215
  - gaze location and, 259
  - multiple targets and, 503–504
  - optokinetic reflex and, 482–483
  - Purkinje cells and, 68–70, 76, 404, 450, 453–462, 478–480, 483–491
  - retinal ganglion cells and, 188–192
  - retinal location and, 188–201
  - retinotopic coordinates and, 183–184
  - rotational adaptation and, 275–278
  - supplementary eye field and, 86, 88
  - target location and, 186–201
  - vestibulo-ocular reflex and, 182
- Feedback, 3–4, 27, 39
  - adaptation and, 273–292, 295–316 (*see also* Adaptation)
  - biological vs. mechanical actuators and, 93–94
  - control and, 50, 462, 469
  - corollary discharge and, 322, 325–331
  - dove prisms and, 276–278
  - efference copy and, 322, 325–331
  - EMG changes and, 393–395
  - end effectors and, 143–177 (*see also* End effectors)
  - filtering and, 449–454
  - fixation-centered coordinates and, 205–225
  - forward models and, 336–339
  - Golgi tendon organ and, 132
  - internal dynamics models and, 379–401
  - Jacobian and, 105–108
  - large-fiber sensory neuropathy and, 135
  - muscle afferents and, 108–117
  - next-state planner and, 354–374
  - path altering and, 344–347
  - planning and, 353–354 (*see also* Planning)
  - pointing and, 143–144
  - reaching and, 123–126, 135, 143–144
  - remapping and, 319–333
  - serial reaction-time tasks (SRTT) and, 512–513
  - signal noise and, 364–366, 369–371
  - stability and, 123–126, 135
  - torque conversion and, 102–108
  - varying visual, 252
  - vestibular, 325
- Femur, 29
- Feynman, Richard, 121
- Fibula, 29
- Fields of Forel, 20
- Filaments, 35
- Fins, 29–30
- Fischer, Stefan, 441–442
- Fish, 12–13, 29–30
  - electric, 450–452
  - land locomotion and, 31–32
  - myotomes and, 63–64
- Fitness, 41, 64
- Fixation-centered coordinates, 184–186, 225, 247
  - adaptation and, 273–292, 295–316
  - cell discharge rates and, 212–216, 222–225
  - decision making and, 500–503
  - end-effector encoding and, 221–225
  - error and, 205–212
  - gain fields and, 211
  - Gaussian distribution and, 214–215
  - hand location and, 252–254
  - neglect and, 296–301
  - network analysis and, 211–212, 215–222
  - planning and, 205–221 (*see also* Planning)

- Fixation-centered coordinates (cont.)  
 proprioception and, 273–292 (*see also* Proprioception)  
 reciprocal connections and, 219  
 remapping and, 319–333  
 shoulder-centered coordinates and, 209–212  
 stop signal and, 503  
 trajectories and, 354–357, 360–364, 371–374
- Fixation point, 220–221  
 cell discharge rate and, 212–216
- Flash, Tamar, 350
- Flatworms, 13
- Flexibility, 43, 57–58. *See also* Decision making
- Flocculus, 483–486
- Forces, 32, 36, 519. *See also* Dynamics  
 adaptation and, 391–401 (*see also* Adaptation)  
 angular velocity and, 102, 385–386  
 arbitrary mapping and, 517  
 arm configurations and, 404–410  
 biological vs. mechanical actuators and, 93–94  
 coordinate system and, 403–410  
 Coriolis, 385–386, 388  
 curl field and, 393  
 defined, 543  
 EMG changes and, 393–395  
 end effectors and, 159–160 (*see also* End effectors)  
 estimated trajectory, 414–416  
 gain fields and, 426–429  
 generalization functions and, 404–406, 414–431  
 generation of, 94–96  
 inertial, 50, 96, 120, 381–382, 420, 544  
 internal dynamics models and, 379–401  
 Jacobians and, 105–108, 119  
 length-tension properties and, 97–98, 121–123  
 limb states and, 387–389, 406–407  
 M1 activity and, 261–263  
 muscles afferents and, 108–117  
 overcompensation and, 432  
 preferred direction and, 231, 247, 313, 322, 395–401  
 proteins and, 35  
 restoring, 373  
 rotation and, 384–387  
 skill consolidation and, 435–444  
 state maps and, 389–391  
 stiffness and, 97, 136  
 tension, 99  
 torque and, 102–108 (*see also* Torque)  
 tuning curves and, 414–416
- Forebrain  
 basal ganglia and, 75–80  
 cortical organization and, 81–89  
 thalamus and, 80–81
- Forward models, 367, 449. *See also* Dynamics  
 PPC damage and, 338–339  
 Remapping and, 319, 336  
 serial reaction-time tasks (SRTT) and, 512–513
- Fossils, 9–10
- Fovea, 88, 148, 182, 184, 188, 191
- Fractionation, 65
- Francis, Joseph, 422–423
- Freeman, John, 460
- Fromm, Christof, 232
- Frontal eye field (FEF), 86  
 difference vectors and, 234–236, 240–241  
 motor commands and, 497–503
- Frontal lobe  
 coordinate frames and, 265–268  
 difference vectors and, 249–261  
 feedback variance and, 252  
 force coding and, 262–263  
 gaze effects and, 261  
 hand location and, 249–252  
 planning and, 245–268  
 population coding and, 263–265
- Fuchs, Albert, 483–484
- Fujii, Noataka, 467
- Function approximation, 217
- Fuzzy categories, 40
- Gaffan, David, 296–297, 299, 324
- Gain fields, 186  
 angular velocity and, 426–429

- fixation-centered coordinates and, 211
- head orientation and, 197–198
- limb velocity and, 426–429
- modulation and, 188–201
- neural basis for, 198–201
- $\gamma$ -aminobutyric acid (GABA), 70–71
  - adaptation and, 295–296
  - basal ganglia and, 75–76
  - eyeblink conditioning and, 459–461
  - muscimol and, 295
  - pallidum and, 75
  - Pavlovian learning and, 459–464
  - remapping and, 328
  - sequential reaching and, 510
  - thalamus and, 80
- Gandolfo, Francesca, 389–391, 517–518
- Garwicz, Martin, 476, 480
- Gaussian distribution, 191, 194–195, 197–198, 214–215
  - adaptation and, 303–304, 313
  - basis functions and, 424
  - generalization functions and, 420–421
  - remapping and, 322
- Gauthier, Gabriel, 325
- Gaze, 249, 259, 261
- Generalization functions
  - adaptation and, 423–425
  - arm configurations and, 404–406
  - artificial systems and, 420–423
  - bimodality and, 423–425, 429
  - equations for, 416, 419–420, 425, 429
  - gain fields and, 426–429
  - learning and, 430–431
  - measurement problems and, 416–417
  - trial-to-trial changes and, 417–420
  - tuning curves and, 414–416
  - velocity encoding and, 425–426
- Genetics, 39, 43, 533–535
- Georgopoulos, Apostolos, 171–172, 230, 241, 257, 262–263
- Ghahramani, Zoubin, 344, 346
- Ghez, Claude, 311–312, 437
- Gibson, Alan, 476
- Gilbert, Peter, 478
- Giszter, Simon, 126
- Glickstein, Mitchell, 247
- Glimcher, Paul, 503–504
- Gluck, Mark, 456
- Gnathostome, 12, 21–22
- Goals, 41
- Go function, 355, 357–360
- Goldberg, Michael, 322, 504
- Golgi tendon organs, 108–109, 111–112, 132
- Gomi, Hiroaki, 486
- Goodbody, Susan, 305
- Graham, Robert, 1
- Granule cells, 68–69
- Graybiel, Ann, 467
- Graziano, Michael, 127, 223, 259
- Grea, Helene, 331
- Gribble, Paul, 482
- Grossberg, Steven, 266, 355, 357–358
- Gymnotid fish, 450
- Habits, 44, 54, 56–57
- Hagfish, 12–13
- Hallett, Mark, 301–302
- Hand location
  - adaptation and, 273–292
  - cell discharge rates and, 212–216, 222–225
  - directional mapping and, 252–254
  - fixation-centered coordinates and, 205–216
  - population vectors and, 250–252
  - proprioception and, 222 (*see also* Proprioception)
  - representations and, 217
  - tuning function and, 215–217
  - varying orientation and, 249–252
- Harris, Christopher, 354, 365–366
- Head orientation, 197–198, 205
  - cerebellum encoding and, 482–486
  - flocculus and, 483–486
  - movement and, 324–325
- Held, Richard, 280, 287
- Helms-Tillery, Steven, 167, 169–170
- Henriques, Denise, 186
- Hepp-Reymond, Marie-Claude, 262
- Hikosaka, Okihide, 465, 508–512
- Hildreth, Ellen, 4
- Hill, A. V., 99
- Hindbrain
  - CPGs and, 65–68
  - escape behavior and, 66

- Hindbrain (cont.)  
 organization of, 65  
 reaching and, 66–68
- Hobson, Allan, 442, 444
- Hoff, Bruce, 354, 357–360
- Hoff-Arbib model, 357–360
- Hoffman, Donna, 249
- Hogan, Neville, 136, 350, 353, 372
- Hollerbach, John, 4
- Homeostasis, 3, 23, 43, 75
- Homology, 12, 29, 533–534
- Homunculus, 85–86
- Horak, Fay, 79
- Horn, Kris, 476
- Hornak, Julia, 296–297, 299, 324
- Hoshi, Eiji, 237, 283, 301
- Houk, James, 80, 374, 455, 469
- Humerus, 28, 29
- Huntingtin gene, 368
- Huntington's disease, 76, 134–135  
 asymptomatic gene carriers (AGCs)  
 and, 368  
 cortical function and, 368–369  
 noise adjustments and, 369–371  
 reaching and, 468–469  
 serial reaction-time task (SRTT) and,  
 512  
 striatal cell death and, 368
- Hwang, Eun-Jung, 426, 429
- Hydrophilic substances, 37
- Hydrophobic substances, 37
- Hypothalamus, 11
- Ijspeert, Auke Jan, 361
- Implicit tasks, 52
- Impulse, 543
- Inertia, 50, 96, 120, 381–382, 420, 544
- Inferior olivary nuclei (ION), 69–71,  
 301–302  
 cerebral training signal and, 455–  
 458  
 eyeblink conditioning and, 459–461  
 Pavlovian learning and, 455–468,  
 475–480
- Insects, 27
- Instincts, 41–46
- Instruction stimulus, 229–232
- Interaction torques, 48, 380, 480–482
- Internal models, 50, 67–68, 79, 336,  
 379–381  
 adaptation and, 391–401, 449–454 (*see*  
*also* Adaptation)  
 amnesia and, 435  
 consolidation and, 435–444  
 coordinate system and, 403–410  
 generalizations and, 416–431  
 inverse dynamics and, 362–364  
 kinematics and, 150  
 limb states and, 387–389  
 partial, 489  
 planning and, 353–354 (*see also*  
 Planning)  
 population coding and, 410–416  
 preferred direction and, 395–401  
 reaching and, 382–387  
 rotation and, 395–397  
 signal cancellation and, 449–454  
 sleep and, 441–444  
 state estimation and, 503–513  
 state maps and, 389–391  
 synaptic weight matrix and, 245  
 time and, 389–391, 436–441
- Intrafusal fibers, 35–36, 98–99
- Intrinsic coordinates, 185
- Introspection, 54–55
- Invertebrates, 15
- Iriki, Atsushi, 172
- Isometric contractions, 261, 429
- Ito, Masao, 486
- Ivry, Richard, 462
- Jacobians  
 adaptation and, 279, 307–308  
 end-effector location and, 355  
 joint velocity and, 406  
 limb stability and, 119, 121  
 torque and, 105–108, 121
- Jarvis, Murray, 212
- Jaws, 12–13, 29–30
- Jerk, 350–351, 353  
 difference-vector transformation and,  
 354–357  
 Hoff-Arbib model and, 357–360  
 planning and, 354–357, 360–364, 371–  
 374  
 redundancy and, 371–374

- signal noise and, 369–371
- Joint coordinates, 167, 279
  - adaptation and, 308
  - degrees of freedom and, 145
  - difference vector minimization and, 343–344
  - limb stability and, 139
  - planning and, 245–248
- Joint stiffness, 138
- Joint velocity, 405–406, 410
- Jordan, Michael, 344, 346, 373–374
  
- Takei, Shinji, 249–250
- Kalaska, John, 171–172, 230–234, 237, 239–240, 252–257, 259, 262, 403, 504, 518
- Kamin, Leon, 458
- Kawato, Mitsuo, 302, 486–487, 489
- Kim, Keansok, 458
- Kinematics, 46, 404
  - adaptation and, 273–292, 295–316
  - alignment and, 147–149
  - coordinate frames and, 144–146, 150–151
  - degrees of freedom and, 144–146
  - end effectors and, 144–157
  - forward, 144–151, 159, 222, 265, 273
  - fovea and, 148
  - function approximation and, 150
  - internal dynamics models and, 379–401
  - mapping and, 146–147, 319–333
  - muscle vs. movement, 162–165
  - pattern-completion networks and, 150
  - planning and, 232–234
  - proprioception and, 273–292 (*see also* Proprioception)
  - Purkinje cells and, 483–491
  - state estimation and, 503–513
  - target location and, 179–203
- Kinesis, 43–44
- Kinetic energy, 544
- Kitazawa, Shegiru, 287
- Kojima, Jun, 467
- Kording, Konrad, 292
- Krupa, David, 458
- Kurata, Kiyoshi, 283, 301
  
- Lackner, James, 130–131, 160, 384–385
- Lacquaniti, Francisco, 172
- Lamprey, 12–13
- Lancelet, 15
- Large-fiber sensory neuropathy, 135
- Lateral intraparietal (LIP) area
  - decision making and, 500
  - multiple targets and, 503–504
  - perceptual threshold and, 500
  - remapping and, 322–324, 327
- Latham, Peter, 150, 217
- Law of sines, 105
- Learning. *See* Motor learning
- Lebedev, Mikhail, 58
- Lee, Sohie, 316
- Lesions, 72–73
  - cerebellum and, 447–448, 482
  - optic ataxia and, 229
- Levine, Minna, 160
- Li, Chiang-Shan Ray, 397
- Ligands, 64
- Lilienthal, Otto, xv
- Limbs
  - adaptation and, 30, 273–292, 295–316
  - coding configuration of, 165–175, 414–410
  - control and, 28–32 (*see also* Control)
  - degrees of freedom and, 47, 144–146
  - difference vectors and, 254–257 (*see also* Difference vectors)
  - equilibrium-point hypothesis and, 129–131
  - force states and, 387–389
  - forward models and, 336–339
  - hand location and, 205–217, 222–225, 249–254, 273–292
  - inertia and, 50
  - internal dynamics models and, 379–401
  - intrinsic coordinates and, 406–407
  - kinematics and, 144–146
  - large-fiber sensory neuropathy and, 135
  - M1 activity and, 171–172
  - next-state planner and, 354–374
  - passive properties and, 129–131
  - PPC activity and, 171–175
  - reflexes and add, 131–135

- Limbs (cont.)
  - remapping and, 319–333
  - S1 activity and, 167–171
  - stability and, 48–49, 119–139
  - transcranial magnetic stimulation and, 133–134
  - varying arm configuration and, 254–257
- Lisberger, Stephen, 483–484, 486–488
- Lobsters, 27
- Location map, 205, 247
- Loins, 61
- Long-loop reflexes, 134–135, 368–369, 382
- Long-term depression (LTD), 439, 453–454, 458
- Long-term potentiation (LTP), 458–461
- Loops
  - description of, 75, 80–81
  - long, 134–135, 368–369, 382
  - short, 132, 393, 473
- Lumbar, 61
  
- McGaugh, James, 506–507, 511
- MacLean, Paul, 45–46
- Malfait, Nicole, 410
- Manipulandum, 123, 237, 288, 332–333, 343
- Mapping, 58, 247
  - accumulator models and, 496–499
  - adaptation and, 273–292, 295–316 (*see also* Adaptation)
  - arbitrary, 516–518
  - decision making and, 513–519
  - efference copy and, 322, 325–331
  - end effectors and, 146–147
  - hand location and, 205–217, 222–225, 249–254, 273–292
  - internal models and, 389–391 (*see also* Internal models)
  - internal vs. external, 518–520
  - population coding and, 412–413
  - remapping and, 319–333
  - sensorimotor, 513–514, 520
  - transformational, 500, 513–516
  - updating and, 331–336
- Marr, David, 3–4
  
- Marsden, C. David, 133
- Matrices
  - Jacobian, 105–108, 119, 121, 279, 307–308, 355, 406
  - rotation, 151–156
- Mauk, Michael, 456, 490
- Mauritz, Karl-Heinz, 232, 257
- Maximum-likelihood estimation, 219
- Medawar, Jean, 40, 43
- Medawar, Peter, 40, 43
- Medendorp, Pieter, 297–298
- Medial intraparietal area (MIP), 89
- Medial superior temporal area (MST), 500
- Medina, Javier, 456
- Medulla, 69–70, 450
- Memory, 39–40, 43, 537
  - adaptation and, 273–292
  - amnesia and, 435
  - consolidation and, 283, 435–444
  - context and, 280–283
  - declarative, 54
  - habit and, 54
  - internal dynamics models and, 389–391
  - neglect and, 296–301
  - procedural, 54
  - rote learning and, 389–391
  - sleep and, 441–444
  - time-dependent change and, 436–441
  - transcranial magnetic stimulation (TMS) and, 330–331, 440–441
- Messier, Julie, 252
- Midbrain locomotion region, 65
- Midsagittal plane, 537
- Miller, Lee, 374, 469
- Minimal intervention principle, 373–374
- Mnemonic aids, 537
- Modulation, 548
- Moment arm, 104–105, 380
  - angular acceleration and, 120–121
  - Jacobian and, 119
- Momentum, 543
- Monosynaptic connections, 86, 111
- Montgomery, John, 453
- Moran, Daniel, 250

- Morasso, Pietro, 343–344, 372
- Mormyrid fish, 450
- Mossy fibers, 69
- Motor commands, 3, 17, 24
  - basal ganglia and, 76
  - efference copy and, 76
  - force generation and, 93
  - force prediction and, 379–382
  - hindbrain and, 68
  - inverse dynamics and, 362–364
  - planning and, 353–354 (*see also* Planning)
  - pulses and, 36
  - remapping and, 319–333
  - serial reaction-time tasks (SRTT) and, 512–513
  - signal noise and, 364–366
  - skill acquisition and, 46
- Motor cortex. *See* Cortical areas
- Motor field, 184
- Motor learning
  - adaptation and, 47–58
  - amnesia and, 435
  - anti-Hebbian rules and, 452, 455
  - appendages and, 39
  - arm configurations and, 407–410
  - cerebellum and, 68–71 (*see also* Cerebellum)
  - conditioning and, 44–46, 56
  - consolidation and, 435–444
  - control and, 49–50
  - decision making and, 495–520 (*see also* Decision making)
  - defining, 39–41
  - dynamics and, 382–384
  - electricity and, 450–452
  - escape and, 45
  - flexibility and, 43
  - forebrain and, 75–89
  - fuzzy categories and, 40
  - habits and, 56–57
  - hindbrain and, 65–68
  - instincts and, 41–46
  - instrumental learning and, 56
  - ION and, 455–458
  - kinesis and, 43–44
  - memory and, 39–40, 43
  - motor system and, 1–2
  - natural categories and, 40
  - Pavlovian learning and, 41, 44–46, 52, 455–468, 475–480
  - pointing and, 50–51
  - predicting ease of, 430–431
  - reaching and, 50–51, 508–512
  - red nucleus and, 71–73
  - reflexes and, 41–46, 473–491
  - rote learning and, 389–391
  - sensitization and, 44
  - sequential and, 508–512
  - skill acquisition and, 42, 46–47, 50–51 (*see also* Skills)
  - sleep and, 441–444
  - spinal cord and, 61–65
  - stability and, 48–49
  - superior colliculus and, 73
  - taxis and, 43–44
  - time-dependent change and, 436–441
  - training signals and, 455–458, 464
- Motor memories, 39–40, 43
- Motor neurons, 98–99
  - learning and, 49, 62, 86
  - muscular force and, 94–96
  - muscle afferents and, 115–117
- Motor pool, 62, 98
- Motor primitives, 126–127, 417
- Motor system
  - adaptation and, 273–292, 295–316
  - arm configurations and, 404–410
  - augmentation of, 474
  - brain and, 15–16
  - Brodmann’s areas and, 83–84
  - cerebellum and, 21–23
  - chordates and, 12
  - communication speed and, 37–38
  - components of, 10–12
  - control issues and, 27–38
  - crown group and, 12
  - decision making and, 495–520 (*see also* Decision making)
  - difference vectors and, 249–261 (*see also* Difference vectors)
  - efficiency of, 27
  - evolution of, 9–24
  - eyeblink conditioning and, 459–461
  - forward models and, 336–339
  - gnathostome and, 12

- Motor system (cont.)  
 hand location and, 205–217, 222–225, 249–254, 273–292  
 head and, 17–19  
 hypothalamus and, 11  
 internal dynamics models and, 379–401  
 limb velocity and, 425–426  
 muscles and, 32–36 (*see also* Muscles)  
 myoblasts and, 19  
 neocortex and, 11, 22–23  
 next-state planner and, 354–374  
 perceptual threshold and, 500  
 planning and, 205–225, 229–242, 353–354 (*see also* Planning)  
 posture and, 20  
 preparation and, 230–231  
 reflexes and, 20, 473–491 (*see also* Reflexes)  
 remapping and, 319–333  
 signal cancellation and, 449–454  
 telencephalon and, 16–17  
 transcranial magnetic stimulation (TMS) and, 133–134, 330–331, 440–441  
 trigger stimulus and, 230–231  
 varying arm configuration and, 254–257  
 vertebrates and, 4–5  
 visual coordinate smoothness and, 341–352
- Motor units, 98–99
- Moussavi, Zahra, 405–407
- Movement, 547–548. *See also* Motor system; Reaching; Pointing  
 accumulator models and, 496–499  
 adaptation and, 47–48, 51–58, 273–292, 295–316  
 angular velocity and, 426–429  
 cerebellum and, 455–464  
 computing plan for, 229–242  
 contraction and, 36  
 corrective, 128  
 decision making and, 495–520 (*see also* Decision making)  
 delay-period activity and, 229–231  
 difference vectors and, 205–244 (*see also* Difference vectors)  
 direction and, 229–231, 412–413  
 dynamics of, 46  
 EMG changes and, 393–395  
 eyeblink conditioning and, 459–461  
 fixation-centered coordinates and, 205–225  
 flocculus and, 483–486  
 fovea and, 148  
 generalization functions and, 404–406, 414–431  
 go function and, 355, 357–360  
 hand location and, 205–217, 222–225, 249–254, 273–292  
 head-direction encoding and, 482–486  
 Hoff-Arbib model and, 357–360  
 instructions and, 504  
 internal dynamics models and, 379–401  
 Jacobians and, 105–108  
 kinematics and, 46, 144–157 (*see also* Kinematics)  
 kinesis and, 43–44  
 land locomotion and, 31–32  
 mapping and, 247, 252–254 (*see also* Mapping)  
 muscles and, 93–94, 127–129, 162–165 (*see also* Muscles)  
 myotomes and, 63–64  
 Pavlovian learning and, 41, 44–46, 52, 449, 455–468, 473–480  
 planning and, 353–357, 364 (*see also* Planning)  
 population coding and, 410–416  
 preparation and, 230  
 Purkinje cells and, 68–70, 76, 404, 450, 453–462, 478–480, 483–491  
 reflexes and, 41–46, 473–491 (*see also* Reflexes)  
 saccades and, 234–236  
 sensory cue effects and, 257–261  
 sequential, 127–129, 241–242, 508–512  
 serial reaction-time task (SRTT) and, 512–513  
 shoulder-centered coordinates and, 209–212  
 signal noise and, 364–366, 369–371  
 S-shaped, 432



- superior colliculus and, 73
- target disappearance and, 231–232
- target size and, 360
- taxis and, 43–44
- trajectory smoothness and, 350–352
- tuning curves and, 414–416
- visual impairment and, 348
- zigzag paths and, 360–364
- Muellbacher, Wolf, 440–441
- Muscimol, 295
- Muscles
  - actin and, 94
  - active mechanisms of, 94–96
  - as actuators, 34–35
  - agonist, 72, 128
  - angular acceleration and, 120–121
  - angular velocity and, 102
  - antagonist, 47, 72, 93, 120–121, 143–144
  - arm configurations and, 404–410
  - climbing fibers and, 475–480
  - coactivation and, 115, 123, 126, 384
  - communication speed and, 37–38
  - complex spikes and, 478–480
  - connectin and, 96–97
  - contraction of, 36, 96, 261, 429
  - control and, 49–50
  - degrees of freedom and, 47
  - dynamics and, 49–50, 379–401
  - elasticity and, 99, 101, 113
  - electrocytes and, 450
  - EMG and, 79, 134–135, 393–401, 453–454
  - end effectors and, 143–177 (*see also* End effectors)
  - equilibrium points and, 120–121, 126–131, 143–144
  - fibers and, 35–36, 62, 98–99, 135
  - filaments and, 35, 94, 96, 98
  - $\gamma$ -motor neuron and, 115–117
  - Golgi tendon organs and, 111–112
  - inertia and, 96, 120
  - insertions and, 104
  - internal models and, 379–401
  - isometrics and, 96, 261, 429
  - Jacobians and, 105–108, 119, 121
  - joint velocity and, 405–406
  - land locomotion and, 31–32
  - large-fiber sensory neuropathy and, 135
  - length-tension properties and, 97–98, 121–123
  - limb architecture and, 32–34, 119–139 (*see also* Limbs)
  - M1 activity and, 163–165, 171–172
  - membrane voltage and, 37
  - moment arm and, 104–105, 119
  - motor units and, 98–99
  - movement and, 162–165 (*see also* Movement)
  - myelin and, 38, 62, 83
  - myoblasts and, 19, 35
  - myofibrils and, 35
  - myosin and, 35, 94
  - nuclear bag region and, 112–113
  - passive mechanisms of, 96–98
  - passive properties and, 129–131, 136–139
  - polarization of, 93–96
  - PPC activity and, 163–164, 171–172
  - preferred direction and, 231, 247, 313, 322, 395–401
  - pulling and, 119
  - reaction time and, 93–94
  - reflexes and, 131–135, 473–491 (*see also* Reflexes)
  - robotics and, 27–28
  - rotation and, 384–387, 395–397
  - S1 activity and, 167–171
  - sarcomeres and, 35, 96–98
  - sequential activation and, 127–129
  - signals and, 10–11
  - spindle afferents and, 36, 109–117, 133–134, 159–160
  - stability and, 48–49
  - stiffness and, 28, 96–97, 123, 136, 138, 372–373, 388, 423–424
  - torque and, 102–108, 121–123 (*see also* Forces; Torque)
  - transcranial magnetic stimulation (TMS) and, 133–134
  - vibration and, 159–162
  - viscosity and, 101, 388
- Mushiake, Hajime, 252
- Mussa-Ivaldi, Ferdinando, 126, 136–138, 372, 382, 384, 387–391, 517–518

- Myelin, 38, 62, 83  
 Myers, Catherine, 456  
 Myoblasts, 19, 35  
 Myofibrils, 35  
 Myosin, 35, 94  
 Myotomes, 34, 63–64
- Nakanishi, Jun, 361  
 Nanayakkara, Thrishantha, 332  
 Nashner, Lewis, 67  
 Neglect, 296–301  
 Neocortex, 11, 22–23, 82  
 Neoteny, 15  
 Networks, 200  
   adaptation and, 273–292 (*see also* Adaptation)  
   artificial neural, 282  
   fixation-centered coordinates and, 205–222  
   pattern-completion, 150  
   synaptic weight matrix and, 245  
 Neural crest, 17–18, 38  
 Neural integrator, 20  
 Neural transmission, 37–38  
 Neuroendocrine functions, 11  
 Neuromuscular junctions, 94  
 Neurons, 10–11, 547–548. *See also*  
   Feedback  
   activity field and, 172–175, 184, 214–215, 239, 249  
   adaptation and, 273–292, 295–316  
   caudate, 465–467  
   cerebellum and, 455–464  
   climbing fibers and, 475–480  
   complex spikes and, 478–480  
   configuration coding and, 165–175  
   decision making and, 499–500 (*see also* Decision making)  
   dopaminergic, 462–469  
   eyeblink conditioning and, 459–461  
   FEF, 497–503  
   fixation-centered coordinates and, 205–225  
    $\gamma$ -motor, 115–117  
   M1 activity and, 163–165, 171–172  
   motor, 450 (*see also* Motor system)  
   oculomotor, 3, 68, 86–87, 327–328, 482–486 (*see also* Eyes)  
   PPC, 162–164, 171–175, 188–201  
   preferred direction and, 231, 247, 313, 322, 395–403  
   projection, 77, 450, 452–453, 462–463, 484  
   proprioception and, 295–303 (*see also* Proprioception)  
   Purkinje cells and, 68–70, 76, 404, 450, 453–462, 478–480, 483–491  
   remapping and, 319–333 (*see also* Mapping)  
   S1 activity and, 167–171  
   signal cancellation and, 449–454 (*see also* Signal processing)  
   target location and, 179–203, 231–232  
   tonically active, 467  
 Neurophysiology, 2, 547–548  
 Newtonian mechanics, 2  
 Newtons, 275–276  
 Next-state planner  
   difference vector and, 354–357  
   Hoff-Arbib model and, 357–360  
   Huntington’s disease and, 366–371  
   redundancy and, 371–374  
   signal noise and, 364–366  
   trajectories and, 354–357, 360–364  
 Nicholson, Daniel, 460  
 Nieuwenhuys, Rudolf, 19  
 Nixon, Philip, 175, 461–462, 517  
 Nonprimary motor cortex, 85  
 Nonstandard mapping, 58  
 Nores, William, 456  
 Northcutt, R. Glenn, 18  
 Notochord, 12  
 Novak, Kevin, 374, 469  
 Nuclear bag region, 112–113  
 Nucleus accumbens, 75  
 Null-field condition, 384
- Ochiai, Tetsuji, 252  
 Oculomotor control, 3, 68, 86–87. *See also* Eyes  
   neurons and, 482–486  
   remapping and, 327–328  
 Olfaction, 9, 16–18  
 Optic ataxia, 229  
 Optokinetic reflex, 482–483

- Ostry, David, 410, 482
- Overcompleteness, 30–31
- Overlearning, 57, 465
- Packard, Mark, 506–507, 511
- Padoa-Schioppa, Camillo, 397
- Pallidum, 75
- Parallel fibers, 68–69
- Parietal reach region (PRR), 89, 239, 235, 322–324
- Parkinson's disease, 76–77, 79, 134–135, 464
- Pascual-Leone, Alvaro, 512
- Passingham, Richard, 175, 461–462, 516–518
- Pattern-completion networks, 150
- Pavlovian learning, 44–46, 52, 449, 459–461, 473
- approach behavior and, 45
- basal ganglia and, 464–468
- cerebellum and, 455–464
- eyeblink and, 459–461
- ION and, 455–458, 475–480
- reflexes and, 41
- Pectoral fins, 29
- Pelvic fins, 29
- Perceptual threshold, 500
- Periaqueductal gray, 65
- Perturbation, 334–336
- Petride, Michael, 516
- Phototaxis, 43–44
- Physics, 1–3, 5, 533–535
- implicit knowledge and, 380
- rotational, 544–545
- spring loads, 545
- translational, 543–544
- viscosity, 545
- Pinching, 440–441
- Placodes, 17–18
- Planning
- activity field and, 239
- adaptation and, 286–287
- amplitude coding and, 252
- controllers and, 247
- cue effects and, 257–261
- delay-period activity and, 229–231
- difference vectors and, 354–357 (*see also* Difference vectors)
- directional tuning and, 229–231
- direction coding and, 252
- end effectors and, 237
- feedback and, 252
- fixation-centered coordinates and, 205–225
- frontal eye field (FEF) and, 234–236, 240–241
- gaze effects and, 249, 261
- go function and, 355, 357–360
- hand orientation and, 249–254
- Hoff-Arbib model and, 357–360
- Huntington's disease and, 368–371
- kinematics and, 232–234
- M1 activity and, 261–268
- next-state, 354–374
- online correction and, 366–371
- problem of, 353–354
- redundancy and, 371–374
- remapping and, 319–333
- robotics and, 245–248
- saccades and, 234–236, 240–241
- sequential movement and, 241–242
- signal noise and, 364–366
- stretch reflex and, 247
- target disappearance and, 231–233
- torques and, 245–247
- trajectories and, 354–357, 360–364, 371–374
- trajectory smoothness and, 341–352
- varying arm configuration and, 254–257
- without execution, 237–241
- Plasticity, 50
- Platt, Michael, 503–504
- Pointing, 1
- adaptation and, 47–48, 51–58
- decision making and, 495–520 (*see also* Decision making)
- difference vectors and, 205–244 (*see also* Difference vectors)
- feedback and, 143–144
- fovea and, 188
- land locomotion and, 31–32
- motor learning and, 50–51
- neural transmission and, 37–38
- regularity in, 343–350
- remapping and, 319–333

- Pointing (cont.)  
 trajectory smoothness and, 341–352, 350–352  
 updating and, 331–336
- Polit, Andreas, 123–126, 129
- Pong, Milton, 476
- Pop out, 499
- Poppele, Richard, 165, 167, 170
- Population vectors, 263–265  
 internal models and, 410–416  
 PMv and, 250–252
- Posterior parietal cortex (PPC), 81, 88–89  
 adaptation and, 296–299, 303  
 arbitrary mapping and, 517  
 cerebellum and, 449  
 decision making and, 504  
 difference vectors and, 221–222, 229–242  
 end effectors and, 162–164, 171–175  
 forward models and, 338–339  
 motor cortex and, 247  
 motor imagery and, 338–339  
 planning and, 338–352  
 prediction and, 449, 504, 510, 517  
 proprioception and, 296–299, 303  
 sequential reaching and, 510  
 target location and, 186, 188–201  
 trajectory smoothness and, 341–352
- Posture, 66  
 artificial stimulation and, 126–127  
 force generation and, 93  
 head orientation and, 197–198, 205  
 internal model and, 67–68  
 limb architecture and, 28  
 stability and, 48–49
- Pouget, Alexandre, 150, 197, 217, 413–414
- Power, 32, 544–545
- Preadaptation, 18, 30
- Predictions  
 basal ganglia and, 462–464  
 consolidation and, 435–444  
 coordinate system and, 403–410  
 decision making and, 503–504 (*see also* Decision making)  
 dopamine cells and, 464–465  
 eyeblink conditioning and, 459–461  
 filtering and, 449–454  
 generalizations and, 416–431  
 interaction torques and, 480–482  
 internal models and, 410–416 (*see also* Internal models)  
 motor command correction and, 480–491  
 motor learning and, 430–431  
 Purkinje cells and, 483–491  
 reflexes and, 473–491  
 reward and, 464–467, 503–504  
 skill consolidation and, 435–444  
 stimulus response and, 454–464  
 training signal and, 455–458
- Preferred direction, 231, 247, 313, 322  
 arm configuration and, 404–406  
 consolidation and, 439  
 decision making and, 504–505  
 gain field and, 426–429  
 M1 activity and, 403–404  
 Purkinje cells and, 68–69, 404  
 rotation and, 395–401
- Preparation, 230–231
- Prepositus hypoglossi, 20
- Primary motor cortex (M1)  
 arbitrary mapping and, 518  
 arm configuration and, 404–406  
 consolidation and, 439–441  
 coordinate frames and, 265–268  
 decision making and, 504  
 force coding and, 262–263  
 hand orientation and, 249–254  
 intrinsic coordinates and, 250  
 limb velocity and, 426  
 population coding and, 263–265  
 preferred direction and, 247, 395–404  
 trajectory smoothness and, 341–352  
 transcranial magnetic stimulation (TMS) and, 440–441  
 torque coding and, 262–263  
 varying arm configuration and, 254–257
- Primary sensory afferents, 61–63
- Primary somatosensory areas (S1), 167–171
- Primates, 9, 276–278

- Prime mover, 34–35, 128  
 Prisms. *See* Adaptation  
 Procedural knowledge, 507  
 Projection neurons, 77, 450, 452–453, 462–463, 484  
 Proprioception, 62–65, 84, 125, 205, 448, 474  
   adaptation and, 273–292, 295–316  
   artificial stimulation and, 126–127, 159–162  
   cerebellum and, 401  
   end effectors and, 148–162  
   fixation-centered coordinates and, 205–225  
   forward models and, 336–339  
   Huntington’s disease and, 368–369  
   kinematics and, 144  
   remapping and, 319–333  
   robotics and, 273–275  
   rotation matrices and, 151–154  
   state estimation and, 503–513  
   target location and, 180–183  
 Proteins, 35  
   actin and, 94  
   myosin and, 94  
   water and, 37  
 Protists, 36  
 Protostomes, 13, 15  
 Psychophysics, 5, 170, 183, 237  
   complex spikes and, 478–480  
   go function and, 357–360  
   Hoff-Arbib model and, 357–360  
   limb velocity and, 425–426  
   remapping and, 319–333  
   smoothness and, 341–352  
 Purkinje cells, 68–70, 76, 404, 462  
   adaptive filtering and, 450, 453  
   cerebral training signal and, 455–458  
   complex spikes and, 478–480  
   electricity and, 450  
   eyeblink conditioning and, 459–461  
   flocculus and, 483–486  
   FTN discharge and, 486–487  
   inverse dynamics and, 488–491  
   training signal and, 455–458  
   VOR and, 483–488  
 Putamen, 75  
 Pyramidal cells, 82  
 Pyramidal tract, 86  
 Raccoons, 50  
 Racetrack models, 496–499  
 Rao, Ashwini, 518  
 Reaching, 1  
   adaptation and, 47–48, 51–58 (*see also* Adaptation)  
   complex spikes and, 478–480  
   context switching and, 78–79  
   cortical fields and, 85–89  
   decision making and, 495–520 (*see also* Decision making)  
   difference vectors and, 205–244 (*see also* Difference vectors)  
   end effectors and, 237, 331–336  
   feedback and, 123–126, 135, 143–144  
   gain fields and, 426–429  
   hindbrain and, 66–68  
   Huntington’s disease and, 75, 134–135, 368–371, 468–469  
   internal models and, 382–387  
   kinematics and, 144–157  
   land locomotion and, 31–32  
   motor learning and, 50–51  
   neural transmission and, 37–38  
   Pavlovian learning and, 41, 44–46, 52, 449, 455–468, 473–480  
   planning and, 229–242 (*see also* Planning)  
   population coding and, 410–416  
   reflexes and, 475–491 (*see also* Reflexes)  
   regularity in, 343–350  
   remapping and, 319–333  
   robotics and, 382–384  
   rotation and, 384–387  
   saccades and, 234–236  
   sequential, 508–512  
   target location and, 179–201  
   trajectory smoothness and, 341–352  
   updating and, 331–336  
   without vision, 257  
 Reaction time, 503–504, 512–513, 547–548  
 Reafference, 449  
 Receptive fields, 183–184

- Reciprocal connections, 219
- Reductionism, xvi
- Redundancy, 31, 247
  - control trade-offs and, 373–374
  - degrees of freedom and, 372
  - planning and, 371–374
  - stiffness and, 372–373
  - trajectories and, 371–374
- Reference frames, 162–165
- Reflexes, 11, 20
  - autonomic, 467
  - basal ganglia and, 134–135
  - blocking effect and, 458
  - cerebellum and, 134–135
  - climbing fibers and, 475–480
  - complex spike rate and, 478–480
  - conditioning and, 44–46
  - decision making and, 51–52, 495 (*see also* Decision making)
  - delay period and, 229–231
  - efference copy and, 474
  - extinction and, 456, 458
  - forward models and, 336–338
  - interaction torques and, 480–482
  - long-loop, 132, 368–369, 382
  - motor command correction and, 480–491
  - motor learning and, 41–46
  - optokinetic, 482–483
  - passive properties and, 136–139
  - Pavlovian learning and, 41, 44–46, 52, 449, 455–468, 473–480
  - primitive, 473
  - redundancy and, 373
  - short-loop, 132, 393, 473
  - spinal pathways and, 420
  - stability and, 48–49, 131–133
  - stiffness and, 373
  - stretch, 49, 111, 247, 473–474
  - time delays and, 133–134
  - unconditioned, 458
  - vestibulo-ocular (VOR), 182
  - withdrawal, 475–477
- Reina, G. Anthony, 250, 265
- Remapping
  - efference copy and, 322, 325–331
  - GABA and, 328
  - Gaussian function and, 322
  - head movement and, 324–325
  - intervening eye movements and, 319–324
  - LIP and, 322–324, 327
  - oculomotor commands and, 327–328
  - planned eye movement and, 326–327
  - preferred direction and, 322
  - transcranial magnetic stimulation (TMS) and, 330–331
  - trunk movement and, 324–325
- Representations, 165, 185. *See also* Mapping
  - accumulator models and, 496–499
  - adaptation and, 273–292, 295–316, 304
  - adaptive filtering and, 453–454
  - consolidation and, 435–444
  - intrinsic coordinates and, 407
  - planning and, 237
  - somatotopic, 76, 85
  - target location and, 217
- Reticulospinal system, 65–68
- Retinal location, 188–192
- Retinotopic coordinates, 183–184
- Reverse engineering, xv
- Reward, 56, 464–467, 503–504
- Reyes, Alexander, 201
- Robotics, 1–2, 5, 93–94
  - actuators and, 27–28
  - adaptation and, 273–275, 284–286
  - decision making and, 55
  - endeffectors and, 148–151
  - forces and, 245–248 (*see also* Forces)
  - inertia and, 381–382
  - internal dynamics models and, 379–401
  - joint coordinates and, 139, 245–248
  - manipulandum and, 123, 237, 288, 332–333, 343
  - mapping and, 146–147
  - planning and, 245–248
  - preferred direction and, 395–401
  - prism adaptation and, 284–286
  - proprioception and, 273–275
  - reaching and, 382–384 (*see also* Reaching)
  - redundancy and, 247

- target location and, 179–203
- virtual, 148–151
- visual coordinate smoothness and, 341–352
- Roitman, Jamie, 500
- Rossetti, Yves, 299
- Rotation
  - eyes and, 275–278
  - internal models and, 384–387, 395–397
  - joint, 103, 410
  - matrices for, 151–156
  - physics and, 544–545
  - preferred direction and, 395–401
- Rothwell, John, 135
- Rushworth, Matthew, 175, 517
  
- Saccades. *See also* Eye movement
  - accumulator models and, 496–499
  - activity field and, 239
  - antisaccades and, 500
  - double-jump tasks and, 328
  - multiple targets and, 503–504
  - planning and, 234–236, 240–241
  - prosaccades and, 500
  - reaching movement and, 234–236
  - remapping and, 319–333
  - reward-prediction and, 465–467
  - target location and, 184
  - transformational mapping and, 500
  - updating and, 331–336
- Sacral designation, 61
- Salinas, Emilio, 198–201
- Sarcomeres, 35, 96–98
- Sarcoplasm, 94
- Sarcopterygians, 21
- Scaling, 464
- Schaal, Stefan, 361
- Schall, Jeffrey, 240, 497, 499, 503
- Schmidt, Richard, 40
- Schultz, Wolfram, 465, 468
- Schwartz, Andrew, 250, 257, 263, 265
- Schweighofer, Nicholas, 489
- Scott, Stephen, 254–257, 259, 265–266, 348
- Sejnowski, Terrence, 197, 413–414
- Sensitization, 44
- Sensorimotor mapping. *See* Mapping
  
- Sensory system, 547–548
  - adaptation and, 273–292, 295–316 (*see also* Adaptation)
  - basal ganglia and, 75–79
  - blocking effect and, 468
  - Brodmann’s areas and, 86–89
  - conditioning and, 44–46
  - cue effects and, 257–261, 504–505
  - decision making and, 499–500 (*see also* Decision making)
  - efference copy and, 322, 325–331
  - electricity and, 450–452
  - escape and, 66
  - eyeblink conditioning and, 459–461
  - fixation-centered coordinates and, 205–225
  - forebrain and, 75–89
  - forward models and, 336–339
  - Gaussian distribution and, 214–215
  - hindbrain and, 65–68
  - instruction stimulus and, 229–231
  - kinesis and, 43–44
  - muscles and, 94–96 (*see also* Muscles)
  - neglect and, 296–301
  - perceptual threshold and, 500
  - preparation and, 230–231
  - Purkinje cells and, 68–70, 76, 404, 450, 453–462, 478–480, 483–491
  - reflexes and, 41–46, 472–491 (*see also* Reflexes)
  - remapping and, 319–333
  - sensitization and, 44
  - sequential targets and, 508–512
  - signal noise and, 364–366, 369–371
  - spatial neglect and, 296–301
  - stimulus prediction and, 454–464
  - stimulus response and, 454–464
  - target location and, 179–201
  - taxis and, 43–44
  - thalamus and, 80–81
  - trajectory smoothness and, 341–352
  - transcranial magnetic stimulation (TMS) and, 133–134, 330–331, 440–441
  - triggers and, 230–231
- Sergio, Lauren, 254–257, 259, 262, 348, 403
- Serial homologues, 29

- Serial reaction-time task (SRTT), 512–513
- Series elastic element, 99
- Sessile animals, 15
- Set-related activity, 547
- Sexual behavior, 62, 64
- Shadlen, Michael, 499–500
- Shadmehr, Reza, 136, 332, 364, 367, 382–388, 393, 397, 405–407, 417, 421, 423, 426, 435–437, 518
- Shared traits, 534
- Shen, Liming, 252–254, 257, 259
- Shenker, Barbara, 160
- Sherrington, Charles, 111
- Shiller, Douglas, 410
- Short-loop reflexes, 132, 393, 473
- Shoulders, 28–32
  - elbow joint system and, 154–157
  - fixation-centered coordinates and, 209–212
  - interaction torques and, 480–482
  - shoulder-centered coordinates, 209–212
- Signal processing, 547–548
  - adaptive critic and, 455
  - adaptive filtering and, 449–454
  - basal ganglia and, 462–464
  - blocking effect and, 458–461, 468
  - bottom-up, 498
  - cerebellum and, 455–464
  - complex spike rate and, 478–480
  - cues and, 506–508
  - decision making and, 495–520 (*see also* Decision making)
  - dopamine cells and, 464–465
  - electricity and, 450
  - extinction and, 456, 458
  - eyeblink conditioning and, 459–461
  - feedback and, 447 (*see also* Feedback)
  - Huntington’s disease and, 369–371
  - inferior olive (ION) and, 455–458
  - noise and, 364–366, 369–371
  - Pavlovian learning and, 41, 44–46, 52, 449, 455–468, 473–480
  - Purkinje cells and, 68–70, 76, 404, 450, 453–462, 478–480, 483–491
  - reflexes and, 473–491 (*see also* Reflexes)
  - reward and, 464–467
  - serial reaction-time tasks (SRTT) and, 512–513
  - stimulus prediction and, 454–464
  - stop signal, 503
  - top-down, 498
  - training signals and, 455–458, 464
- Simple spikes, 69–70
- Sines, 539
- Sirigu, Angela, 338–339
- Size principle, 99
- Skills, 1–2, 42
  - adaptation and, 47–48, 273–292, 295–316 (*see also* Adaptation)
  - attractor states and, 220, 278
  - basal ganglia and, 462–464
  - benefits of, 50–51
  - blocking effect and, 468
  - cerebellum and, 455–464
  - consolidation and, 435–444
  - control and, 49–50 (*see also* Control)
  - explicit, 83
  - eyeblink conditioning and, 459–461
  - implicit, 83
  - Pavlovian learning and, 41, 44–46, 52, 449, 455–468, 473–480
  - rote learning and, 389–391
  - sleep and, 441–444
  - stability and, 48–49
- Sleep, 441–444
- Smith, Maurice, 367, 426
- Smoothness
  - minimum-jerk trajectories and, 350–352
  - visual coordinates and, 341–352
- Snyder, Lawrence, 234, 239, 324
- Somatosensory cortex, 84, 88
- Somatotopic representations, 76, 85
- Sommer, Marc, 327–328
- Spatial neglect, 296–301
- Sperry, Roger, 275–276, 280
- Spinal cord, 10–11, 20. *See also* Vertebrates
  - artificial stimulation and, 126–127
  - caudal designation and, 61
  - cervical segments and, 61–62
  - configuration coding and, 165–167
  - ejaculation and, 64



- equilibrium points and, 126–127
- escape behavior and, 66
- feedback and, 123–126
- ganglia and, 62
- motor neurons and, 86
- myotomes and, 63–64
- organization of, 61–64
- primary sensory afferents and, 61–63
- proprioceptive pathways and, 62–65
- reaching and, 66–68
- red nucleus and, 71–73
- rostral designation and, 61
- stretch reflexes and, 247
- Spiny neurons, 76–78
- Spring loads, 545
- Stability, xvi, 41, 48–49
  - artificial stimulation and, 126–127
  - coactivation and, 123
  - feedback and, 123–126, 135
  - length-tension properties and, 121–122
  - moment arm and, 119–120
  - passive properties and, 129–131, 136–139
  - reflexes and, 48–49, 131–135
  - sequential activation and, 127–129
- State space, 391
- Stein, John, 247
- Stem group, 12
- Stiffness, 28, 97, 136, 388
  - adaptation and, 423–424
  - coactivation and, 123
  - joint, 138
  - redundancy and, 372–373
  - sarcomeres and, 96–97
- Stikgold, Robert, 442, 444
- Stimuli. *See* Sensory system
- Stop signal, 503
- Striatal cells, 368
- Strick, Peter, 134, 249
- Striosomes, 368, 463
- Substantia innominata, 75
- Sugita, Yoichi, 276
- Superior colliculus, 73
- Supination, 28–29
- Supplementary eye field (SEF), 86, 88
- Supplementary motor area (SMA), 86, 508–512
- Swimming, 12–13, 32, 42, 63–64
- Synapses. *See* Signal processing
- Synaptic weights, 414, 439, 453, 486
- Synergy, 164
- Systems identification, 423
- Tanji, Jun, 229, 237, 252
- Target location, 41, 179, 245
  - accumulator models and, 496–499
  - adaptation and, 273–292, 295–316
  - attractors and, 220
  - cell discharge rates and, 212–216, 222–225
  - common frame and, 180–183
  - decision making and, 496–504
  - difference vectors and, 205–244 (*see also* Difference vectors)
  - efference copy and, 322, 325–331
  - EMG changes and, 393–395
  - error and, 186–188, 205–209
  - fixation-centered coordinates and, 182–186, 205–225
  - flocculus and, 483–486
  - fovea and, 182, 184
  - gain fields and, 188–201, 426–429
  - Gaussian distribution and, 214–215
  - hand orientation and, 249–252
  - intrinsic coordinates, 182
  - neglect and, 296–301
  - network analysis and, 211–212, 215–218, 221–222
  - path altering and, 344–347
  - planning and, 354–357 (*see also* Planning)
  - proprioception and, 180–183, 273–292 (*see also* Proprioception)
  - Purkinje cells and, 483–491
  - reciprocal connections and, 219
  - remapping and, 319–333
  - retinotopic coordinates and, 183–184
  - saccades and, 184
  - sequential movement and, 241–242, 508–512
  - serial reaction-time task and, 512–513
  - shoulder-centered coordinates and, 209–212
  - signal noise and, 364–366
  - target disappearance and, 231–233

- Target location (cont.)
  - trajectories and, 354–357, 360–364, 371–374
  - transducers and, 180
  - updating and, 331–336
  - visual coordinate smoothness and, 341–352
  - zigzag paths and, 360–364
- Taxis, 43–44
- Telencephalon, 16–17
- Tension, 99
- Tetrapods, 21–22, 534
- Thach, W. Thomas, 280, 302, 478, 482
- Thalamus, 11, 75–76, 80–81
- Thick filaments, 94
- Thigmotaxis, 44
- Thin filaments, 94
- Thompson, Richard, 456, 458
- Thoroughman, Kurt, 393, 397, 417
- Tibia, 29
- Tinbergen, Niko, 42
- Todorov, Emanuel, 364, 373–374
- Tonically active neurons (TANs), 467
- Torque, 48–49, 93, 179, 245
  - angular acceleration and, 120–121
  - angular velocity and, 102
  - arbitrary mapping and, 517
  - basal ganglia and, 134
  - defined, 545
  - dynamics and, 362–364
  - force conversion and, 102–108
  - interaction, 48, 380, 480–482
  - inverse dynamics and, 362–364
  - Jacobians and, 105–108, 119
  - joint velocity and, 405–406
  - length-tension properties and, 121–123
  - negative, 119
  - M1 activity and, 261–263
  - moment arm and, 104–105
  - positive, 119
  - step, 123
  - virtual work and, 102–104
- Toughness, 28
- Training signals, 455–458, 464
- Trajectories, 432
  - control trade-offs and, 373–374
  - difference vector transformation and, 354–357
  - Hoff-Arbib model and, 357–360
  - planning and, 354–357, 360–364, 371–374
  - redundancy and, 371–374
  - signal noise and, 364–366
  - smoothness and, 342–351
  - S-shaped movements and, 432
  - target size and, 360
  - tuning curves and, 414–416
- Transcranial magnetic stimulation (TMS), 133–134, 330–331, 440–441
- Transducers, 27, 382
  - difference vectors and, 250
  - kinematics and, 144
  - motor learning and, 44
  - muscle afferents and, 108–117
  - spinal cord and, 61–63
  - target location and, 180
- Transformational mapping, 58, 513–516
- Truitt, William, 64
- T-tubules, 94
- Tunicates, 16
- Tuning functions, 215–217, 229–231, 414–416
- Ulna, 28–29
- Unconditioned stimulus (US), 458–459, 473
- Updating, 331–336
- Up state, 77
- van Beers, Robert, 170
- Ventral horn, 62
- Ventral premotor cortex (PMv), 86
  - arbitrary mapping and, 517
  - caudal, 504
  - decision making and, 504–505
  - hand location and, 252–254
  - movement planning and, 230–232, 234–235, 237, 239–240, 242
  - rostral, 504
  - sensory cue effects and, 257–261
  - sequential reaching and, 510
  - varying feedback and, 252
  - visionless reaching and, 257

- Ventral striatum, 75
- Vertebrates, 4–5, 10
- adaptation and, 275–276 (*see also* Adaptation)
  - brain and, 15–16
  - center of gravity and, 66–67
  - head and, 17–19
  - inertia and, 96
  - limbs and, 28–32
  - muscles and, 32–36 (*see also* Muscles)
  - myoblasts and, 19
  - sarcopterygians, 21
  - spinal cord and, 61–65
  - telencephalon and, 16–17
- Vestibular afferents, 68
- Vestibular nuclei, 20, 483
- Vestibular receptors, 18
- Vestibulo-ocular reflex (VOR), 182, 474–475
- adaptation and, 486–488
  - cerebellum and, 483–486
  - flocculus and, 483–486
  - Purkinje cells and, 483–488
- Vetter, Philipp, 305
- Vibration, 159–162
- Vindras, Philippe, 206–207
- Virtual work, 104–108
- Viscosity, 545
- Vision, 9, 18, 21. *See also* Eyes
- activity field and, 172–175, 188–192, 239
  - adaptation and, 273–292, 295–316
  - artificial muscle stimulation and, 159–162
  - coordinate smoothness and, 341–352
  - end effectors and, 147–148
  - fixation-centered coordinates and, 205–225
  - flocculus and, 483–486
  - gain fields and, 188–201
  - gaze effects and, 261
  - impairment and, 348–349
  - modulation and, 188–201
  - neglect and, 296–301
  - optic ataxia and, 229
  - proprioception and, 273–292 (*see also* Proprioception)
  - reaching and, 257 (*see also* Reaching)
  - remapping and, 319–333
  - sensory cue effects and, 257–261
  - spatial neglect and, 296–301
  - superior colliculus and, 73
  - V1 area and, 83
  - varying feedback and, 252
  - varying gaze location and, 249
- Walker, Matthew, 442, 444
- Walls, Gordon, 182
- Weinrich, Michael, 230, 257, 261
- Westphal, Carl, 111
- Whitehead, Alfred North, 2
- Wiesel, Torsten, 280
- Willingham, Daniel, 512
- Wise, Steven, 58, 230, 232, 257, 261, 316
- Wolpert, Daniel, 292, 308, 344, 346, 354, 366
- Work, 32
- defined, 543, 545
  - joint rotation, 103
  - torque conversion and, 102–108
- Wright brothers, xvi–xvii
- Wurtz, Robert, 327–328
- Yin, Ping-Bo, 287
- Young, Sereniti, 314
- Zaccaria, Roberto, 372
- Z disk, 96
- Zigzag paths, 360–364
- Zipser, David, 193–195, 197–198, 211, 216