Index

Abelson, Robert, 9 Accent shape parameter, 188, 190 Activation with a group, 137 Activation level, 46, 63, 117-118 Activation map, computing, 67-68 Activation threshold, 46, 118 Active behaviors, 114 Adjustment parameters, 137-138 Adultomorphism, 30 Aesthetics, 51-52, 85 Affect Editor (Janet Cahn), 186 Affect space, 165, 169 Affective appraisals, 115-116 Affective assessment subsystem, 95 Affective feedback, 33-34 Affective influence, 138 Affective intent classifying method, 87-93 performance, 93–94 cross-cultural studies on, 81-82 design issues, 85-87 drives and, 110 in human speech, 81-82 human-robot communication and, 98-99 mirroring, 101 recognizing, 85-87 socio-emotional context and, 97 Affective Reasoner, 238 Affective responses, 36 Affective state, 114 Agendas, balancing, 34 AI reasoning systems, 9, 238 Aibo (robot dog), 24 Aldiss, Brian, 1 ALIVE project, 21 Andrew (science fiction android), 240 Anger, 169, 171, 200-203 Anima machina, challenge of creating, 235-236 Animated pets, 2-3, 10-11, 242. See also specific names Animation insights, 163-165, 204 Appeal of social robots, 51 Appetitive behavior, 131 Applications of sociable robots, 1-4 Appraisals affective, 115-116 cognitive, 124 Approval-attention releaser, 93, 114 Arousal, regulating, 34, 167-168 Arousal tag, 95-96 Articulation, 56, 193 Artificial Intelligence Lab (at MIT), 5, 23

Asimo (child-sized humanoid robot), 4 Asimov, Isaac, 1, 240 Assertiveness setting, 191 Attend to human's speech turn, 145 Attention activation map, computing, 67-68 directing, 33 socially manipulating, 74-77 visual, 215-217 Attention system design issues, 61-69 attention activation map, 67-68 bottom-up contributions, 63-65 eve movement, 68 habituation effects, 62-63, 68-69 overview, 61-63 top-down contributions, 64-67 evaluation criteria, 72-77 gain adjustment on looking preference, 74 gain adjustment on saliency, 72-74 overview, 72 socially manipulating attention, 74-77 eve movement and, 68, 218-220 function of, 44-45, 61, 79-80 habituation effects and, 62-63, 68-69 limitations and extensions, 77-78 post-attentive processing, 69-72 eye detection, 69-70 loom detection, 71-72 oculo-motor system and, 218 overview, 69 proximity estimation, 71 threat detection, 72 stages of, 62 Attentional activity space, 172 Attentive-regard behavior, 144 Audience perception, 52 Auditory system affective intent and classifying, 87-94 cross-cultural studies on, 81-82 design issues, 85-87 in human speech, 81-82 human-robot communication and, 98-99 mirroring, 101 recognizing, 85-87 socio-emotional context and, 97 emotion system and, integrating, 94-97 hardware design and, 55 infant-directed speech and, 82-84 limitations and extensions, 101-103 low-level perception and, 59-60 overview, 81 results from studies on, 100-101

Autobiographic agent, 238 Autobiographic memory, 10, 238 Autonomy, 8 Average pitch parameter, 188, 190 Average-pitch setting, 190 Avoid-people behavior, 66, 72, 74 Avoid-stimulus behavior, 141 Avoid-toys behavior, 66, 72 Avoidance behaviors, 66, 72, 74, 141 Ball, Gene, 22 Baseline-fall setting, 190-191 Basic computational unit, 46 Basic emotions, 106-107. See also specific types Basis postures, 167-168 Bates, Joseph, 22 Bateson, Mary Catherine, 33 BDI approach, 9 Behavior centers, 131-132, 134 Behavior groups, 130-131, 135 Behavior level of motor behavior, 146-147 Behavior model, 135-136 Behavior system adjustment parameters, 137-138 affective appraisal and, 116 ethology and, 128-132 behavior groups, 130-131, 135 behavior hierarchies, 131–132 behaviors, 129 motivational contributions, 130 overview, 128-129 perceptual contributions, 129-130 function of, 45-46 hierarchy of concept of, 131-132 environmental-regulation level, 140-141 functional level, 139-140 play behaviors, 143-145 protective behaviors, 141-143 infant-caregiver interactions and, 127-128 interaction levels, 146-147 internal measures, 136 of Kismet organization of, 132-138 proto-social responses of, 139-145 limitations and extensions, 154-156 motivation system and, 130 motor system and, 145-150 overview, 127, 145-150 perceptual system and, 129-130 playful interactions with Kismet and, 150-154 releasers, 45, 136-137 Behavior-driven contributions, 65-67 Behavioral homeostasis, 106

Behavioral response threshold level, 118 Behaviors, view of, 129 Being there component, 7 Being understood component, 10-11, 239-240 Believability, 8, 10, 41, 51-52, 158, 233 Bicentennial Man (short story), 240 Billard, Aude, 11 Blade Runner (film), 1 Blumberg, Bruce, 41, 46, 123, 129, 132, 134 Bottom-up contributions, 63-65, 78 Brazelton, T. Barry, 27-29 Breathiness parameter, 188, 193 Breathiness setting, 193 Breese, Jack, 22 Brilliance parameter, 188, 193 Brooks, Rodney, 7, 46 Brothers, Leslie, 237-238 Bruner, Jerome, 9 Burst-pause-burst pattern, 28 C-3PO (science fiction mechanical droid), 1, 240 Cahn, Janet, 186-187, 208-209 Call-to-person behavior, 138, 143-144 Carnegie Mellon University (CMU), 22 Cassell, Justine, 19, 238

CCD (charge coupled device) camera, 54 Challenges of building sociable robots design issues, 230-233 learning, 16, 233-235 overview, 229-230 reflections and dreams about, 241-242 socially situated learning infrastructure, 233-235, 239 ultimate, 235-241 anima machina, 235-236 autobiographic memory, 238 embodied discourse, 236-237 empathy, 237-238 evaluation metrics, 239 friendship, 240 overview, 235 personal recognition, 237 personality, 236 personhood, 240-241 socially situated learning, 239 theory of mind, 237 understanding human, 239-240 Charge coupled device (CCD) camera, 54 Classification of affective intent method, 87-93 performance, 93-94 CMU (Carnegie Mellon University), 22 Cog (humanoid robot), 23

Cognitive appraisals, 124

Coherence, 157 Collis, Glyn, 31 Color saliency feature maps, 63-64, 78 Comma-pause setting, 192 Common currency, 47-48 Communication development, 30-31. See also Vocalization system Competent behavior in complex world, exhibiting, 41, 232-233 Componential approaches, 170-172 Consummatory behavior, 131 Container nodes, 134 Contingency, 35 Conversation agents, embodied, 7, 20-21 Conversation pragmatics, 30-31 Cosmo (animated Web-based pedagogical agent for children), 20-21 Cyber-pets, 2-3, 10-11, 242. See also specific names Darwin, Charles, 111 Dautenhahn, Kerstin, 6, 9-11, 24, 237-238 David (science fiction robot), 1 DB (full-bodied humanoid), 23 Deactivation within a group, 137 DEC (Digital Equipment Corporation), 56 DECtalk3, 186-187 DECtalk synthesizer settings, 189-195 DECtalk v.4.5 (software), 56 Deliver speech turn, 145 Depth map, 77–78 Design issues for sociable robots aesthetics, 51-52, 85 affective intent, recognizing, 85-87 attention system, 61-69 attention activation map, 67-68 bottom-up contributions, 63-65 eye movement, 68 habituation effects, 62-63, 68-69 overview, 61-63 top-down contributions, 65-67 challenges of building social robots and, 230-233 ethology and, 42-43 evaluation criteria, 48-49 expressive vocalization system, 185-186 facial animation system, 157-158 hardware, 52-60 auditory system, 55 motor system, expressive, 55-56 overview, 52-53, 60 perceptual system, 57-60 vision system, 54-55 vocalization system, 56-57 of Kismet, 39-41 lip synchronization, 185-186

overview, 39-41 synthetic nervous system and framework, 43-46 of Kismet, 42-43, 94-95 mechanics of, 46-48 term of, 39 vision system, 61-69 attention activation map, 67-68 bottom-up contributions, 63-65 eve movement, 68 habituation effects, 62-63, 68-69 overview, 61-63 top-down contributions, 65-67 visual-motor system, 213-215 vocalization system, 85-87 Developmental psychology insights communication development, 30-31 infant-caregiver interactions, 27-29 Kismet and, 27, 36-37 proto-social responses for, 36-37 social learning, 31-36 Diamond Age, The (Stephenson), 4 Dick, Philip, 1 Digital Equipment Corporation (DEC), 56 Digital pets, 2-3, 10-11, 242. See also specific names Disengagement phase of infant-caregiver interactions, 37, 128 Disgust, 143, 168-169, 201-203 Distress, 143 Do Androids Dream of Electric Sheep? (Dick), 1 Dobbs, Darris, 208 Dolls, robotic, 2-3 Drives affective intent and, 110 affective appraisal and, 116 emotional releasers and, 114 extension to, 123-124 fatigue, 109-110, 117, 122, 140 social, 72, 109, 136, 140 Edge orientation, 78 Edsinger, Aaron, 69-70 Eibl-Eiblsfeldt baby scheme, 230 Ekman, Paul, 111, 173 Ekman six, 96, 107, 111 Elliot, Clark, 238 Embodied approach, 9-10 Embodied discourse, challenging of creating, 236-237 Embodied systems importance of, 7 interface with humans and, 19-25 conversation agents, 7, 20-21 humanoids, human-friendly, 22-23 interactive characters, 21-22

Embodied systems (cont.) overview, 19 personal robots, 24-25 Emergent scaffolding, 32 Emotion. See also specific type components of, 112-114 processes, 165 Emotion arbitration subsystem, 96, 118-119 Emotion elicitor stage, 96, 116-117 Emotion system activation level and, 117-118 affective appraisal and, 115-116 affective subsystem of, 95 appraisal system and, 106, 115-116 auditory system and, integrating, 94-97 basic emotions and, 106-107 components of emotion and, 112-114 Ekman six and, 96, 107, 111 emotion arbitration subsystem of, 96, 118-119 emotional elicitor stage and, 96, 116-117 extension to, 124-125 of Kismet, 94-97, 107, 124-125 in living systems, 105-107 negative emotions in, 106 overview, 110-111 personality and, 124-125 positive emotions in, 106 releasers and, 94-95, 114-115 relevance-detection system and, 106 response-preparation system and, 106 responses and, 111-112 secondary emotions and, 124 somatic marker process and, 95-97, 115 Emotive facial expression generating, 165-170 subsystem, 161-163 Empathy, 9, 237-238 Engage-people behavior, 66, 141 Engage-toys behavior, 66, 137-138, 140-141, 221 Engagement behaviors, 66, 137-138, 140-141, 221 Engagement, inferring level of, 225 Entrainment by infant, 35 Environment-regulation level of behavior, 140 - 141Ethology behavior system and, 128-132 behavior groups, 130-131, 165 behavior hierarchies, 131–132 behaviors, 129 motivational contributions, 130 overview, 128-129 perceptual contributions, 129-130 design issues for sociable robots and, 42-43

Evaluation criteria attention system, 72-77 gain adjustment on looking preference, 74 gain adjustment on saliency, 72-74 socially manipulating attention, 74-77 design issues for sociable robots, 48-49 facial animation system, 180-182 vision system, 72-77 gain adjustment on looking preference, 74 gain adjustment on saliency, 72-74 socially manipulating attention, 74-77 Evaluation metrics, challenge of, 239 Exaggeration parameter, 188 Exploratory responses, 36 Expression threshold level, 118 Expressive feedback, 86 Expressive speech, 185 Expressive versatility, 158 Expressive vocalization system. See also Vocalization system design issues, 185-186 emotions in human speech and, 186-187 expressive voice synthesis and, 187-197 articulation, 193 overview, 187-190 pitch parameters, 188, 190-192 timing parameters, 188, 192 voice-quality, 188, 192-193 generating utterances, 194-198, 209 implementation overview, 194 of Kismet, 147, 185-186, 195-203 limitations and extensions, 208-210 mapping vocal affect parameters to synthesizer settings, 194-195 real-time lip synchronization and facial animation and, 203-208 Expressive voice synthesis, 187-193 Extraction system, low-level, 44 Eye detection, 69-70 Eve movement attention system and, 68, 218-220 human, 211-213 oculo-motor system and, 218-220 similar, 215 Face control, levels of facial function layer, 161-163 motor demon layer, 158-159 motor primitives layer, 159-160 motor server layer, 160-161 overview, 158 Face-to-face interaction, 144 Facial action coding system (FACS),

173-175

Facial animation system design issues, 157-158 evaluation criteria, 180-182 face control levels and, 158-163 facial function layer, 161-163 motor demon layer, 158-159 motor primitives layer, 159-160 motor server layer, 160-161 overview, 158 generation of facial expressions and, 163-172 animation insights, 163-165 comparison to componential approaches, 170 - 172emotive expression, 165-170 overview, 163 of Kismet, 147, 172-179 limitations and extensions, 182-183 lip synchronization and, real-time, 203-208 overview, 157 Facial display and behavior, communicative, 161-163 Facial expressions analysis of, 173-179 generating, 163-172 animation insights, 163-165 comparison to componential approaches, 170 - 172emotive expression, 165-170 overview, 163 infant-directed speech and, 84 of Kismet, 165-170 line drawings of, 175-179 mirroring, 28 Facial function layer, 161-163 Facial measurement system, 173-175 FACS (facial action coding system), 173-175 FAPs (fixed action pattern), 149–150 Fatigue drive, 109-110, 117, 122, 140 Fear, 169, 171, 200-203 Feature maps color saliency, 63-64, 78 computing, 63-65 edge orientation and, 78 habituation, 78 motion saliency, 64 skin tone, 64-67 Feedback affective, 33-34 expressive, 86 instructional, 18-19 Fernald, Ann, 82-84, 88, 92-93 Field of View (FoV) cameras, 69 Final lowering parameter, 188, 190-191 Finite state machine (FSM), 149-150, 220 Fixed action pattern (FAP), 149-150

Fleming, Bill, 208 Foerst, Anne, 241 Found-toy behavior, 137 Foveate vision, 211-212 Friendship, challenge of creating, 240 Friesen, Wallace, 173 Frijda, Nico, 106 Frustration, internal measure of, 136 FSM (finite state machine), 149-150, 220 Functional level of behavior, 139-140 Gain adjustment on looking preference, 74 on saliency, 72-74 Gain-of-aspiration setting, 193 Gain-of-friction setting, 193 Gain-of-voicing setting, 193 Games, establishing, 35-36 Gandalf (precursor system of Rea), 21 Glass, Jim. 59 Glos Jennifer 238 Goal directedness, 115 Goal releaser, 136 Graphical systems, 21 Greet-person behavior, 138, 144 Greeting phase of infant-caregiver interactions, 37, 128 Groups activation within, 137 deactivation within, 137 temporal dynamics within, 137-138 Guided Search v2.0 (software), 61 Habituation effects, 62-63, 68-69 Habituation feature maps, 78 Habituation filter, 68-69 Halliday, M. A. K., 31, 185 Happiness, expression of, 201-203 Hardware design. See Design issues for sociable robots Hat-rise setting, 191 HCI (human computer interaction), 15-16 Health-related robotic technology, 4 Hendriks-Jansen, Horst, 32 Hetherington, Lee, 59 Hierarchy of behavior system concept of, 131-132 environmental-regulation level, 140-141 functional level, 139-140 play behaviors, 143-145 protective behaviors, 141-143 Homeostatic regime, 108-109 Homeostatic regulation, 105, 107-110 Household robots, 4

Human computer interaction (HCI), 15-16 Human listener experiments, 201-203 Human speech affective intent in, 81-82 analysis of, 198-201 emotion in, 186-187 expressive, 185 infant-directed, 82-84 maternal exaggeration and intonation in, 82-84 perceptual system and, 145 as saliency marker, 86 as training signal, 85 Human visual behavior, 211-213 Human-aware component, 8-10 Humanoids, human-friendly, 22-23 Hydraulic model, 47 iCybie (robotic dog), 24 Imitation, maximizing, minimizing and modulating, 34 Infant-caregiver interactions behavior system and, 127-128 developmental psychology insights and, 27-29 Kismet and, 16 phases of, 37, 127-128 Infant-directed human speech, 82-84 Initiation phase of infant-caregiver interaction, 37, 127 Instruction, quality, 234 Instructional feedback, 18-19 Intensity of stimulus, 115 Interact-ability criteria, 49 Interaction. See also Infant-caregiver interactions distance, luring people to good, 224-225 dynamics of, 36-37 face-to-face, 144 infant-caregiver behavior system and, 127-128 developmental psychology insights and, 27-28 Kismet and, 16 phases of, 37, 127-128 levels, 146-147 perception and, 8-9 playful dynamics of, 151-153 infant-caregiver, 29, 35 with Kismet. 150-154 regulating, 119-123, 150-151 vocal exchanges and, 153-154 regulation of, 40, 231-232 self-motivated, 40, 231 social, 16-17, 37, 40, 221-223 understanding and, 8, 10-11 visual behavior and, 221-223 Interactive approach, 9-10

Interactive characters, 21-22 Interface of robots with humans embodied systems that interact with humans and, 19 - 25conversation agents, 7, 20-21 humanoids, human-friendly, 22-23 interactive characters, 21-22 overview, 19 personal robots, 24-25 human computer interaction and, 15-16 socially situated learning and, 16-19 Internal scaffolding, 32 Intrinsic pleasantness, 115 Intrinsic properties, 17 Izard, Carroll, 111 Johnson, Lewis, 28 K-lines, 47 Kaye, Kenneth, 30, 34-36 Kinny, David, 9 Kismet (sociable robot). See also specific systems of aesthetics of, 51-52 behavior system of organization of, 132-138 proto-social responses and, 139-145 creation of, 5-6 design issues of, 39-41 developmental psychology insights and, 27, 36-37 proto-social responses and, 36-37 ear movements of, 174-176 emotion system of, 94-97, 107, 124-125 expressive vocalization system of, 147, 185-186, 195-203 eye detection system for, 69-70 eyebrow movements of, 174-175 eyelid movements of, 174-175 facial animation system of, 147, 172-179 facial expressions of, 165-170 hardware design of auditory system, 55 motor system, expressive, 55-56 overview, 52-53, 60 perceptual system, 57-60 vision system, 54-55 vocalization system, 56-57 homeostatic regulation system of, 107-110 infant-caregiver interactions and, 16 interact-ability criteria, 49 loom detection of, 71-72 motor system of, 146-150 oculo-motor system of, 147, 216-220 overview, 11-13 playful interactions with, 150-154

proto-social responses of behavior system and, 139-145 developmental psychology insights and, 36-37 social intelligence components of, 6-11 being there, 7 being understood, 10-11 human-aware, 8-10 life-like quality, 7-8 socially situated learning, 11 somatic marker process of, 95-97 synthetic nervous system of, 42-43, 94-95 threat detection of, 72 vision of sociable robots and, 5-6 Klatt articulation synthesizer, 56 Knowing what actions to try, learning, 18 Knowing what matters, learning, 17, 233 Laryngealization parameter, 188, 193 Laryngealization setting, 193 Lax-breathiness setting, 193 Learning. See also Socially situated learning challenges of building sociable robots and, 16, 233-235 developmental psychology insights and social, 31-36 environment, 16-17 instructional feedback and, 18-19 knowing what actions to try and, 18 knowing what matters and, 17, 233 quality instruction and, 234 scaffolding for social, 31-36 structured, 234 Level of interest of behavior, 136 Levenson, Robert, 106 Levergood, Thomas, 204 Life-like quality component, 7-8, 235-236 Limited capacity stage, 62 Line drawings of facial expressions, 175-179 Lip synchronization design issues, 185-186 facial emphasis and, 161-163 improvements to, 209-210 real-time, 203-208 Loom detection, 71-72 Lorenz, Konrad, 45, 47-48, 129 Loudness parameter, 188, 193 Lt. Commander Data (android), 1 McFarland, David, 47-48 Madsen, Frank, 204 Maes, Pattie, 46 Mapping vocal affect parameters to synthesizer settings, 194-195 Massachusetts Institute of Technology. See MIT

Mastery/curiosity drive, 123

Media Lab (at MIT), 20-22, 236 Memory autobiographic, 10, 238 spreading activation and, 47 Memory mode, 204 Minsky, Marvin, 46-47 Mirroring affective, 101 facial expressions, 28 MIT (Massachusetts Institute of Technology) Artificial Intelligence Lab, 5, 23 Media Lab, 20-22, 236 Spoken Language Systems Group, 55, 59 Motherese, 29 Motion saliency feature maps, 64 Motivation system behavior system and, 130 emotion system and, 110-119 affective appraisal and, 115-116 components of emotion and, 112-114 emotion activation and, 117-118 emotion arbitration and, 96, 118-119 emotional elicitors and, 96, 116-117 in living systems, 105-107 overview, 110-111 releasers and, 94-95, 114-115 responses, 111–112 function of, 45 homeostatic regulation and, 105, 107-110 limitations and extensions, 123-125 in living systems, 105-107 overview, 105 playful interactions and, regulating, 119-123 term of, 105 Motor demon layer, 158-159 Motor primitives layer, 159-160 Motor server layer, 160-161 Motor skills mechanisms, 148-150 Motor skills system, 148 Motor system. See also Expressive vocal system; Facial animation system; Oculo-motor system behavior system and, 145-150 function of. 46 hardware design, expressive, 55-56 of Kismet, 146-150 overview of, 145-150 MOVAID system, 24 Mutual orientation phase of infant-caregiver interactions, 37, 127 My Real Baby (robotic doll), 3 Nagao, Katashi, 21 NASA (National Aeronautics and Space

Administration), 23

259

Nass, Clifford, 15–16, 52
National Aeronautics and Space Administration (NASA), 23
Natural systems. See Ethology
Negative emotions, 106. See also specific types
Nelson, Katherine, 10
Network of units, 47
Neutral-speech releaser, 92, 114
Newson, John, 27–28, 30, 61

Oculo-motor system extensions, 226 eye movement and, 218–220 of Kismet, 147, 216–220 low-level visual perception and, 216 overview, 216 post-attentive processing and, 218 vision-motor system and, 216–220 visual attention and, 216–217 Opto-kinetic nystagmus (OKN), 213, 215 Overwhelmed regime, 109 Oz project, 22

P3 (adult-sized humanoid robot), 4, 23 Parentese, 29 Pause discontinuity parameter, 188, 193 Pauses parameter, 188 Peedy (animated parrot), 22 People-present releaser, 140 Pepperberg, Irene, 33 Perception audience, 52 high-level, 56-57 interaction and, 8-9 knowing what matters and, 17 low-level, 59-60 states, 115 Perceptual releasers, 129-130 Perceptual system behavior system and, 129-130 emotional releasers and, 115 function of, 45 hardware design and, 57-60 human speech and, 145 Personal agency/control space, 172 Personal recognition, challenge of, 237 Personal robots, 24-25 Personal space, establishing, 224 Personality, 124-125, 236 Personhood, challenge of creating, 240-241 Petz (animated pet on computer screen), 24-25 Physicality of sociable robots aesthetics, 51-52 appeal, 51

hardware design, 52-60 auditory system, 55 motor system, expressive, 55-56 overview, 52-53 perceptual system, 57-60 vision system, 54-55 vocalization system, 56-57 Picard, Rosalind, 124, 186 Pitch contour slope parameter, 188, 190 Pitch discontinuity parameter, 188, 193 Pitch parameters, 188, 190-192 Pitch range parameter, 188, 191 Pitch reference line parameter, 188, 191 Pitch variance, 93 Pitch-range setting, 191 Play behaviors, 143-145 Play-dialogue phase of infant-caregiver interactions, 37.128 Playful interactions dynamics of, 151-153 infant-caregiver, 29, 35 with Kismet, 150-154 regulating, 119-123, 150-151 vocal exchanges and, 153-154 Pleasure-arousal space, 170-171 Pleasure-displeasure space, 171–172 Plutchik, Robert, 106, 111, 118 Positive emotions, 106. See also specific types Post-attentive processing eye detection, 69-70 loom detection, 71-72 oculo-motor system and, 218 overview, 69 proximity estimation, 71 threat detection, 72 Pre-attentive stage, 62 Precision, 193 Prespeech movements, 28 Primary prototype postures, 167-168 Primer (science fiction interactive book), 4 Primitive level of motor behavior, 146-147 Progress, recognizing, 233-234 Protective behaviors, 141-143 Protective responses, 36 Proto-dialogues, 29, 203, 231 Proto-language, 31 Proto-social responses of infants, 28 of Kismet behavior system and, 139-145 developmental psychology insights and, 36-37 scaffolding and, 32 Prototype postures, 167-168 Proximity estimation, 71

QNX machines, 204–206 QNX real-time operating system, 55 Quickness setting, 193

R2-D2 (science fiction mechanical droid), 1, 4, 240 Rea (synthetic real-estate agent), 20, 236 Reacquire speaking turn, 145 Readability, 10, 21, 40, 45, 158, 232 Real-time performance, 39, 85, 230 Real-time response, 157 Realism, believability versus, 51-52 Reeves, Byron, 15-16, 52 Referencing, 33-34 Reflexes, 29 Regulation of interaction, 40, 231-232 Regulatory responses, 36 Reject behavior, 143 Releasers affective appraisal and, 116 approval-attention, 93, 114 behavioral, 45, 136-137 concept of, 45 emotional, 94-95, 114-115 goal, 136 neutral-speech, 92, 114 people-present, 140 perceptual, 129-130 process, 114-115 soothing-speech, 92, 114 specificity of, 137 threat-stimulus, 142 toy-present, 140 Relevance-detection system, 106 Relevance of stimulus, 115 Relinquish speaking turn, 144-145 Repetition, introducing, 34-35 Response-preparation system, 106 Responses, emotional, 111–112 Richness setting, 193 Robbie (science fiction robot), 1 Robita (upper-torso humanoid robot), 237 Robonaut (humanoid robot), 23 Russell, James, 113, 170-171 Saccades, 212 Sadness, 200-203

Satiate-fatigue behavior, 139–140 Satiate-social behavior, 139–140 Satiate-stimulation behavior, 139–140 Sato, Jun, 187 Scaffolding for social learning, 31–36 Scale factors (SF), 195 Scassellati, Brian, 9 Schaffer, Rudolph, 30 Schank, Roger, 9 Scherer, Klaus, 106-107, 130 Science University of Tokyo, 22-23 Scott, Heather, 171-172, 174 Searching behaviors, 140 Secondary emotions, 124 Seek-people behavior, 66, 72, 74, 140 Seek-toys behavior, 66, 72, 137-138, 140, 221 Self-motivated interaction, 40, 231 Self-stimulation drive, 123 SF (scale factors), 195 Shared reference, 33 Siegel, Daniel, 31, 238 Silas (animated dog), 21 Situatedness of robot, 7 Skill, term of, 148-149 Skills level of motor behavior, 146-147 Skin tone feature maps, 64-67 SM (somatic marker) process, 95-97, 115 Smith, Craig, 113, 171-172, 174 Smooth pursuit vision, 213 Smoothness setting, 193 SNS. See Synthetic nervous system Social amplification, 222-225 Social constraints on animate vision. See Visual-motor system Social cues, 40, 143, 232 Social drive, 72, 109, 136, 140 Social environment, 39 Social expectations, establishing appropriate, 39-40, 230-231 Social intelligence components. See also specific sociable robots being there, 7 being understood, 10-11, 239-240 human aware, 8-10 life-like quality, 7-8, 235-236 socially situated learning, 11 Social interaction, 16-17, 37, 40, 221-223 Social interaction hypothesis, 238 Social level of motor behavior, 146-147 Social referencing, 33-34 Social responsiveness, improving, 226-227 Socially situated learning challenges of, 233-235, 239 as component of social intelligence and, 11 infrastructure for, 233-235 interface of robots with humans and, 16-19 strategy, 11 Socio-emotional context of affective intent, 97 Somatic Marker Hypothesis, 95 Somatic marker (SM) process, 95-97, 115 Soothing-speech releaser, 92, 114 Speaker-dependent vocalization systems, 86

Speaker-independent vocalization systems, 86 Speech rate parameter, 188, 192 Speech. See Human speech; Vocalization system Spoken Language Systems Group (at MIT), 55, 59 Spreading activation, 47 Stance tag, 96 Star Trek (television series), 1, 240 Star Wars (film), 1, 240 Stephenson, Neal, 4 Stern, Daniel, 34 Steve (tutoring system), 20 Stimulation drive, 72, 109, 123-124, 140, 145 Stimulus-driven contributions, 63-65, 78 Story-based approach, 9 Stress frequency parameter, 188, 192 Stress-rise setting, 190, 193 Subsystem of networks, 47 Success, recognizing, 234 Suckling behavior, 28 Surprise, 201–203 Swamped, (interactive character), 22 Synchrony, 157 Synthetic character systems, 21-22 Synthetic Characters Group, 22 Synthetic nervous system (SNS) framework for, 43-46 of Kismet, 42-43, 94-95 mechanics of, 46-48 term of, 39 Takeuchi, Akikazu, 21 Task-based influences, 65-67 Technology, robotic, 2-4 Temporal dynamics, 137-138 Theory of mind, 8-9, 237 Threat detection, 72 Threat-stimulus releaser, 142 Timing parameters, 188, 192 Timing of responses, 35 Tinbergen, Nikolaas, 45, 129, 131, 134 Top-down contributions, 65-67 Tour guides, robotic, 3-4 Toy-present releaser, 140 Trevarthen, Colwyn, 28, 30 Triesman, Ann. 63, 78 Tronick, Edward, 28-29, 31-32, 37, 127 Turn-taking phases, 144-145 Tyrrell, Toby, 132 Under-stimulated regime, 109 Understanding

Understanding challenge of creating, 239–240 interaction and, 8, 10–11 University of Southern California (USC), 20 Utterances. See also Expressive vocalization system extensions to, 209 generating, 195-198, 209 producing novel, 185 Valence tag, 96 Value-based system, 48 Vanderbilt University, 24 VAP (vocal affect parameters), 187-189, 194-195 Variation, introducing, 34-35 Vergence movements, 212 Versatility, expressive, 158 Vestibulo-ocular reflex (VOR), 213, 215, 226 Vision of sociable robots applications of robots and, 1-4 Kismet and, 5-6 science fiction and, 1 social intelligence components and, 6-11 being there, 7 being understood, 10-11 human-aware, 8-10 life-like quality, 7-8 socially situated learning, 11 Vision system design issues, 61-69 attention activation map, 67-68 bottom-up contributions, 63-65 eye movement, 68 habituation effects, 68-69 overview, 61-63 top-down contributions, 65-67 evaluation criteria, 72-77 gain adjustment on looking preference, 74 gain adjustment on saliency, 72-74 overview, 72 socially manipulating attention, 74-77 function of, 61, 79-80 hardware design, 54-55 limitations and extensions, 77-78 low-level perception and, 59 overview, 61 post-attentive processing and, 69-72 eye detection, 69-70 loom detection, 71-72 overview, 69 proximity estimation, 71 threat detection, 72 Visual attention, 215-217 Visual behavior, 211-213, 220-223 Visual morphology, similar, 214-215 Visual motor skills, 220 Visual perception low-level, 216 similar, 215

Visual-motor system design issues, 213-215 human, 211-213 limitations and extensions, 225-227 oculo-motor system and, 216-220 overview, 211 social amplification evidence and, 223-225 social interplay and, 221-223 visual behavior and, 220-221 visual motor skills and, 220 Vocal affect parameters (VAP), 187-189, 194-195 Vocal-play behavior, 138, 144, 153-154 Vocalization system. See also Expressive vocalization system design issues, 85-87 hardware design, 56-57 speaker-dependent, 86 speaker-independent, 86 Voice. See Human speech; Vocalization system Voice-quality parameters, 188, 192-193 VOR (vestibulo-ocular reflex), 213, 215, 226

Waters, Keith, 204 Weighted interpolation scheme, 169 Windows NT (software), 55–56 Withdraw behavior, 142–143 Wolfe, Jeremy, 61

Youthful appearance of sociable robots, 51