



Index

- 1NF:** *see first normal form;*
- 3NF:** *see third normal form;*
- abbreviations:** 12.1.9;
 - types 12.1.9 (endnote 8);
- ABIE:** *see Aggregate Business Information Entity;*
- Above All Software:**
 - user interface tools 4.4.2.2;
- abstraction:** 3.4.3;
 - business process analysis 9.3;
 - Model Matrix 3.3;
 - modeling 9.1;
 - patterns 10.3;
- Accenture:**
 - document automation 16.2.2.1;
- accounting systems:**
 - Neolithic 3.2.3;
 - Sarbanes-Oxley compliance 4.2.2.6;
 - types of documents 7.6.1; 11.2.1;
- Accounts Ledger:**
 - interdependencies 7.3;
- accuracy:**
 - generic requirement 8.1.3;
- ACID:** *see Atomicity, Consistency, Isolation and Durability;*
- acronyms:** 4.1.2 (sidebar);
 - code values 12.1.9;
- Address:**
 - meaning 1.4;
 - patterns 13.5.3;
 - qualifying values 12.1.8;
 - reusing 13.5.1;
 - variety of models 13.5.3 (endnote 11);
- Adobe:**
 - e-forms 15.3.1.1;
- Afuah, Allan:**
 - business models 8.2;
- Aggregate Business Information Entity:** 13.5.4 (sidebar);
- aggregates:** 4.3.1.3;
 - components 8.3.2;
 - interoperability conflicts 6.5.1;
 - of document components 7.8;
- agile modeling:** 9.3.3;
- Aligned Export Document:** 4.1.3.4;

- Altman, Ross:**
Standards Maturity Model 16.2.2.5;
- Amazon.com:** 1.3.2;
catalog as a business service 4.4.2.2;
implementation pattern 10.7.1;
Merchant Platform 10.6;
new business models 5.2;
technology innovation 4.4;
- American Express:**
in composite services 4.4.2.2;
- analyzing business processes:**
introduction 7.2.3;
overview 7.4;
- analyzing components:**
introduction 7.2.3;
overview 7.7;
- analyzing documents:**
introduction 7.2.3;
overview 7.6;
- analyzing the context:** 8.0;
introduction 7.2.3;
overview 7.3;
- ANSI ASC X12:** 2.7.1; 4.3.1.2; 6.3.1;
EDI standards 4.3.1.1;
implementation models 15.1.1;
patterns 13.5.3;
- anthropologist:**
in document inventory 11.2.1;
requirements gathering 7.3.1;
- API:** *see application program interface;*
- apocopations:**
code values 12.1.9;
- application:**
rules 7.10;
XML 2.3;
- application program interface:** 1.3.3; 4.4.1.2;
metadata 7.6.1;
schema 8.1.1;
- archaeologist:** 7.3.1;
in document inventory 11.2.1;
- artifact:** 7.3.1;
and modeling 7.2.2;
of business process modeling 9.3.3;

- artifact focused view of modeling:** 7.2.1;
- As-Implemented model:** 3.2;
- As-Is model:** 3.2; 3.2.2; 13.3;
 - and context dimensions 9.0;
 - pattern 10.5;
 - process analysis 7.2.3;
 - transactions 10.8.2;
- ASBIE:** *see Association Business Information Entity*;
- ASCII:** 2.7.1;
- Asia-Pacific Economic Cooperation:**
 - international trade documents 1.6.1;
 - paperless trading 16.2.2.1;
- ASN.1:** 1.9;
- assembling components:**
 - formal approach 7.8.1;
 - introduction 7.2.3;
 - overview 7.8;
- assembling documents:** 7.9;
 - introduction 7.2.3;
- association:**
 - naming 13.4.4;
 - roles 13.4.4;
- Association Business Information Entity:** 13.5.4 (sidebar);
- association by proximity:** 12.1.4;
- association class:** 13.4.6;
- asymmetric relationship:** 4.1.3.1;
 - desirability 16.2.3.1;
 - dominant party 15.3.4.1;
 - in CMM framework 16.1.3.3;
- Atomicity, Consistency, Isolation and Durability:**
 - transaction properties 9.4 (sidebar);
- attribute:**
 - and interoperability conflicts 6.3.2;
 - in markup 2.1 (sidebar);
- auction:** 1.3.2;
 - conceptual model of business 4.1.2.2;
 - intermediary platforms 15.3.5;
 - patterns 4.1.2.2 (endnote 10); 10.3;
 - physical patterns of business 4.1.1.4;
- Australian Customs Service:**
 - zombie project 16.2.3.2 (sidebar);
- Authorization Required:**
 - transaction properties 10.7.2.1;

- automated information capture:**
 - generic requirement 8.1.3;
- automated validation:**
 - generic requirement 8.1.3;
- automobile industry:**
 - and the supply chain 5.3;
 - cost savings 16.2.2.1;
 - US vs. Japan 4.1.3.2;
- B2B:** *see business to business;*
- B2C:** *see business to consumer;*
- B2G:** *see business to government;*
- Bain, Alexander:**
 - inventor of facsimile 16.0;
- balance sheet:**
 - physical views 4.3.1;
- Bank for International Settlements:** 5.8 (sidebar);
- banking industry:**
 - information accuracy 16.2.2.2;
- bar code:**
 - push technology 5.3;
- Barnes and Noble:**
 - in composite services 4.4.2.2;
- Basic Business Information Entity:** 13.5.4 (sidebar);
- BBIE:** *see Basic Business Information Entity;*
- BDV:** *see business domain view;*
- Bean, James:**
 - “XML for Data Architects” 15.1.1.1;
- behavioral rules:** *see process requirements;*
- Berkeley:** *see University of California, Berkeley;*
- Berkeley Event Calendar Network:** *see Event Calendar project;*
- Berners-Lee Tim:**
 - semantic web 15.3.7;
- BIE:** *see Business Information Entity;*
- Bill of Lading:** 1.0;
 - entry point 14.4.3;
 - presentation integrity 8.3.4;
 - replacing 11.1;
- BIS:** *see Bank of International Settlements;*
- BISAC:**
 - syntax 6.3.1;
- Blockbuster Video:**
 - real-time information 5.5;

Book:

analyzing components 11.3.1;
type of document 3.2.2; 14.0;

Book Industry Study Group: 6.3.1;

Booking:

incremental information trail 9.8.6;

Booking Confirmation:

document name 9.4.2;

bottom-up analysis: 10.4.2;

bottom-up approach:

analysis 1.8.3;
tactical perspective 16.1.3.3;
technology bias 16.4.1.2;

bottom-up thinking: 17.3;

Bourret, Ron:

Mapping W3C Schemas 15.1.1.2 (sidebar) (endnote 9);
XML and databases 14.1 (endnote 1);
XML data binding 15.2.2.1 (endnote 16);

BPEL: *see Business Process Execution Language;*

BPSS: *see Business Process Specification Schema;*

bricks and mortar: 1.1;

vs. e-commerce 5.2;

British Government:

annual audits 4.3.1;

BRM: *see Business Reference Model;*

Brochure:

type of document 7.6.1;

Brooks, Lynda:

reengineering publishing processes 16.2.2.4;

browser: 1.6.1; 2.1;

display of XML 2.4;
economic impact 5.2;
model based application 15.0;
wars 2.1.1;

BRV: *see business requirements view;*

BTV: *see business transaction view;*

business: 1.2; 3.4.1;

and patterns 3.4.2;

business alliance: 4.1.3.4;

business analysis: *see process analysis;*

business architecture: 4.4;

conceptual views 4.4.2;
physical views 4.4.1;

- business combination:**
 - science of composite services 10.4.3;
- business domain view:** 9.3.1;
 - models 7.2.3;
 - worksheet 9.3.3;
- business ecosystem:** 4.1.2; 4.1.3.4;
- business entities:** 10.8;
- business informatics:** 1.0; 1.8; 1.9 (sidebar); Foreward;
- business information:**
 - conceptual views 4.3.2;
 - physical views 4.3.1;
- Business Information Entity:** 13.5.4 (sidebar);
 - UBL spreadsheet 14.6;
- business information model:**
 - on Model Matrix 4.0;
- business model:** 1.2; 4.0; 4.1.2;
 - evolution 5.1;
 - fax machines 16.0;
- business organization:**
 - patterns 9.2;
 - views 4.1;
- business process:** 1.0; 3.3.2; 3.4.5; 4.2; 7.4;
 - and ambiguity 9.1;
 - and dependencies 7.3.3;
 - and external standards 4.2.1;
 - and organizational models 9.2;
 - automation 4.2.2.6;
 - conceptual views 4.2.2;
 - designing 7.5;
 - hierarchy 1.8.1;
 - private vs. public 9.3.1;
 - vs. context dimensions 9.0;
- business process analysis:** 1.8; 1.8.1; 9.3;
 - and Document Engineering 7.2.1;
 - in the Model Matrix 3.4.4;
 - techniques 7.3.1;
- Business Process Definition Metamodel:**
 - process metamodels 15.1.2.1;
- business process design:** 10.0;
- Business Process Execution Language:**
 - encoding models 7.10.2;
 - metamodels 15.1.2.1;

- business process implementation model:** 3.2; 7.10.2; 7.2.3;
 - model based applications 15.3.4;
- business process model:** 1.6.2; 3.2;
 - business rules 15.0;
 - in model based applications 7.10;
 - on Model Matrix 4.0;
 - physical views 4.2.1;
- business process modeling:** 9.1;
 - artifacts 9.3.3;
- business process requirements:** 8.3; 8.3.6;
- Business Process Specification Schema:** 9.0;
 - ebXML 3.3.2;
 - encoding models 7.10.2;
 - metamodel 7.1.1;
 - metamodels 15.1.2.1;
 - patterns 9.6;
 - realization 7.2.4;
- business reference model:** 4.0; 4.2.2.1; 7.4; 9.1; 9.3.2;
 - FEA BRM 1.3.2;
 - hierarchy 1.8.1;
 - patterns 10.3;
 - SCOR 4.2.2.2;
- Business Reference Model:**
 - of the FEA 9.3.2 (sidebar);
- business relationships:**
 - conceptual views 4.1.3;
 - symmetric vs. asymmetric 4.1.3.1;
- business requirements view:** 9.3.1;
- business rule:** 2.5.2;
 - aggregating components 13.3;
 - context dimensions 8.4;
 - context of use 9.10;
 - document automation/STP 4.2.2.6;
 - document inventory 11.2.3;
 - expressing requirements 8.0;
 - identifying 11.3.1;
 - implementation models 12.1.1;
 - process models 15.0;
 - quality of service levels 10.7;
 - semantics 6.5.1;
 - structural components 12.1.3;
 - transactional documents 13.2;
 - validating 15.1.1.4;

- business service network:** 4.4.2.2;
- business signals:** 9.5;
- business to business:** 4.1.2 (sidebar);
 - model based applications 15.3.4;
 - start ups 5.1;
- business to consumer:** 4.1.2 (sidebar);
- business to government:** 4.1.2 (sidebar);
- business transaction view:** 9.3.1;
- business trip:**
 - combining patterns 10.4.3;
- C2C:** *see consumer to consumer*;
- calendar:** *see Event Calendar project*;
- candidate components:** 7.7.2; 7.7.3; 12.1;
- capability assessment:** 16.1.1;
- Capability Maturity Model:** 16.1.2;
 - levels 16.1.2 (sidebar);
 - Model Matrix 16.1.3.3;
- cardinality:**
 - depth of hierarchy 14.4.4;
 - relationship 2.5.2;
 - roles 13.4.4;
 - structural rules 14.4.1;
- cargo cult:**
 - process ritual 10.4.4;
- Carlson, David:**
 - “Modeling XML Applications with UML” 15.1.1.2 (sidebar);
- Carnegie-Mellon University:**
 - Software Engineering Institute 16.1.2;
- Cascading Style Sheet:**
 - formatting 2.4;
 - recommendation 2.1.1;
 - transformation 2.7.2;
 - user interfaces 15.3.1.3;
- Catalog:**
 - arrangement 12.1.4;
 - cardinality 14.4.4;
 - dependencies 7.3.3;
 - interdependencies 7.3;
 - tables 12.1.6;
 - type of document 1.1; 1.3; 1.3.1; 1.3.2; 1.4.1; 2.1.2; 7.6.1; 11.1;
- CCTS:**
 - ebXML *see Core Component Technical Specification*;

Center for Document Engineering:

“Center in a Box” 15.3.3;

Center for E-Commerce Infrastructure Development:

Hong Kong University 16.2.2 (endnote 21);

CFPR: *see Collaborative Planning, Forecasting and Replenishment;*

chamber of commerce: 4.1.3.4;

Chandler, Alfred:

the “visible hand” 5.2;

channel assembly:

process pattern 10.6;

channel conflict: 4.1.1.3;

Check:

banking 11.1;

Chesbrough, Henry:

business relationships 16.2.3.1;

choreography: 1.2;

process control 15.3.4.2;

vs. orchestration 9.7;

Claim:

reconciliation 10.8.1;

Class diagram:

modeling notation 13.2 (sidebar);

Clay Tablet:

as a document 11.1;

tax receipt 1.0;

CMM: *see Capability Maturity Model;*

Coase, Ronald:

transaction costs 5.2;

Codd, Edgar:

Relational Theory 13.3.2;

codes: 12.1.9;

analysis 12.1.8;

as identifiers 12.1.10;

content conflicts 6.2;

cognitive psychology: 12.1.9 (sidebar);

cognitive science:

synthetic discipline 17.1;

Cohn, David: Foreword;

Business Informatics organization 1.9 (sidebar);

collaboration: 3.3.2; 9.7;

hierarchy 1.8.1;

in ebXML 9.0; 9.3.1;

properties 10.7;

Collaboration:

IBM pattern for e-business 4.4.2;

collaboration patterns: 9.8;

collaboration properties: 10.7.2;

Collaboration Protocol Profile and Agreement:

ebXML 15.1.2.2;

Collaborative Planning, Forecasting and Replenishment: 4.2.2.5;

process pattern 5.5;

requirements 8.0;

colocation:

business pattern 10.4.1;

Commerce One:

marketplace platform 4.1.3.3; 4.4.2.2 (endnote 67);

commercioigraphy: 9.2;

Commercial Transaction: *see Offer and Acceptance;*

Commitment to Supply:

business process 10.5.3;

community of practice: 4.1.3.4;

patterns 15.3.5;

Compaq: 7.2.3;

compensating transaction: 9.4 (sidebar);

completeness:

generic requirement 8.1.3;

component assembly conflicts: 6.4.2;

composite applications: 4.4.2.2;

composite key: 13.4.4 (sidebar);

composite service: 1.6.3;

business combinations 10.4.3 (sidebar);

model based 15.0;

model based application 15.3.6;

service platforms 15.3;

conceptual interface:

business applications 15.3.4;

mapping 15.3;

conceptual model: 3.0;

and interoperability 4.4.2.1;

formalized requirements 15.2.2;

gap between model and XML 2.5.2;

investment 15.1;

rules and requirements 15.1.2;

confirmation:

as business signal 9.5;

connector:

software 15.3.4.1;

consumer to consumer: 4.1.2 (sidebar);

containment relationships: 2.5.2;

content: 2.2; 6.0;

and interoperability conflicts 6.2;

separation from presentation 2.4;

content component: 7.7.1;

content integrity: 8.3.7;

content management:

storage requirements 15.3.3;

Content Provider:

IBM pattern for e-business 4.4.2;

content requirements: 8.3.7;

context: 3.4.3;

assembly conflicts 6.4.2;

conceptual models 15.1.2;

different 3.4.1;

document assembly 14.3;

document inventory 11.2.3;

Document Type Spectrum 11.3.1;

essentiality 13.4.2;

instantiating 10.7.1;

modeling 6.5.3;

of use 8.0; 10.5;

patterns 5.8; 7.3.2;

qualifiers 13.5.1;

representing 15.1;

requirements 7.2.3;

reusing libraries 15.1.1.3;

roles 13.4.4;

rules and requirements 7.9;

context dimension: 7.3.2;

and ebXML 8.2 (sidebar);

business processes 9.0;

ebXML dimensions 8.4;

requirements analysis 8.2;

context driver: 8.2;

contract:

business relationships 1.3.2;

contract formation:

business collaboration pattern 9.8.1;

contract manufacturing: 5.5;

- controlled vocabulary:** 6.5.2;
 - naming components 7.7.2; 12.1.11 (sidebar);
 - semantic rules 8.3.3;
- conversion:** 2.2; 2.7;
 - to XML 2.7.1;
- CORBA:**
 - integration technology 5.2;
- core competency:** 9.2;
- core component:** 4.3.2;
- Core Component Technical Specification:**
 - ebXML 3.3.1; 13.5.4;
 - metamodel 14.6;
- core plus contextualization:**
 - approach 13.3.1;
 - assembly approach 14.5.2;
- corporate culture:** 1.8.1;
- Covisint:**
 - business to business exchange 5.3;
- creeping featurism:** 8.1.1;
- cross-border trade:**
 - new markets 16.2.2.3;
 - paperless 16.2.2.1;
 - reusing information 1.6.1;
- CSS:** *see cascading style sheet*;
- cuneiform:** 3.2.3;
- currency:**
 - code 6.2.2;
 - paper 1.0;
- customizability:**
 - generic requirement 8.1.3;
- customization:**
 - approaches 14.5.1;
 - reusing patterns 15.1.1.4;
- customs:**
 - paperless trade 16.2.2.3;
- Customs Declarations:**
 - incremental information trail 9.8.6;
- D-U-N-S number:** 10.8.1;
- Da Vinci, Leonardo:**
 - helicopter 16.2.3.4;
- Darwinism:**
 - business relationships 16.2.3.1;

data:

vs. documents 1.3;

data analysis: 1.8; 1.8.4; 3.4.4;
and Document Engineering 7.2.1;
modeling 7.9;
modeling techniques 13.3.2;

Data and Information Reference Model:

Federal Enterprise Architecture 1.4.1;

data binding:

XML 15.2.1.1;

data mart: 4.3.1.3;

data type: 2.5.3;

and interoperability 6.0; 6.2;
XML Schema 15.3.1;

data warehouse: 4.3.1.3;

semantic web services 15.3.7;

database: 1.8.4;

as network models 7.9;
conversion to XML 2.7.1;
data types 2.5.3;
designing 14.0;
document 7.6.1;
foreign keys 14.4.2 (sidebar);
model based platform 15.2.1.2;
physical interfaces 15.3.4;
purpose 14.1;
relational 3.2.2;
Relational Theory 13.3.2;
schemas 1.6; 13.5.3;
software tools 15.1.1.2 (sidebar);
tables 11.2.1;
technology platform 4.4.1.1;
transformation to XML 2.7.2;
transformations 15.3.4.1;

database management system:

persistent storage 15.2.1.2;
semantic web services 15.3.7;

database schema: 15.2.1.2;

Date, Chris:

“An Introduction to Database Systems” 13.4 (endnote 5);

Daum, Berthold:

“Modeling Business Objects with XML schema” 15.1.1.1;

deadheading: 4.1.1.4;

- Declaration of Independence:**
 - unique document 11.3.1;
- decontextualize:**
 - components 13.5.2;
- Delivery Docket:**
 - document name 9.4.2;
- Delivery Notes:**
 - incremental information trail 9.8.6;
- Dell Inc.:**
 - context pattern 10.5.2;
 - demand chain management 5.5;
 - direct retail 10.6;
 - example of patterns 10.3;
 - performance standards 10.7.2.1;
- Dell-iversity:** 10.5.3;
- demand chain:** 4.2.2.5;
 - pattern 10.3;
 - properties 10.7.2;
- demand chain management:** 5.5;
- Denmark:**
 - invoices 16.2.2.1;
 - straight through processing 4.2.2.6;
- denormalization:**
 - refinements 13.5;
- Department of Homeland Security:** 9.3.2 (sidebar);
- dependency:** 2.5.4;
 - requirements 8.1.1;
 - scope 7.3.3;
- dependency relationships:**
 - and interoperability conflicts 6.5.1;
- dependent component:** 13.4.1;
 - primary key 13.4.4;
- deployment diagram:** 4.4.1.1;
- derivative component:** 13.4.2;
- deserialization:**
 - XML 15.2.1.1;
- determinant component:** 13.4.1;
 - primary key 13.4.4;
- dictionary:**
 - component names 7.7.2;
 - conceptual model 3.2.3;
 - constructing 12.1;
 - data 1.6;

- defining words 1.4;
- dependency rules 13.4.1;
- of terms 12.1.11 (sidebar);
- semantic rules 8.3.3;

Dictionary:

- Oxford English 15.3.2;

digital distribution:

- process 10.4.4;

dimensions of context: 7.3.2;**direct distribution:** 4.1.1.3;**direct procurement:** 16.1.3.2;**Direct to Consumer:**

- business pattern 4.4.2;

directory:

- intermediary platforms 15.3.5;

disaggregate: 7.7.1;**disintermediation:** 4.1.1.3;**Dispatch Advice:** 9.8.4;

- document name 9.4.2;

- reconciliation 10.8.1;

disruptive technology: 5.1;**distribution:**

- direct vs. indirect 4.1.1.3;

- information goods 5.4;

distribution and fulfilment:

- business collaboration pattern 9.8.4;

distribution channels:

- business problems 16.2.2.2;

- physical model of business 4.1.1.3;

document: 1.3.1;

- ancient Near Eastern 3.2.3;

- broadly defined 7.6.1;

- business processes 9.0;

- external models 3.2.1;

- misleading names 9.4.2; 11.3.1 (endnote 6);

- types 2.5; 11.1;

document analysis: 1.8; 1.8.3; 3.4.4;

- and Document Engineering 7.2.1;

- objective 7.6;

- vs. requirements analysis 8.1.2;

document approval: 9.8.6;**document assembly conflicts:** 6.4.1;

- document assembly model:** 3.2; 3.2.3; 7.8.2; 7.9;
 - introduction 7.2.3;
- document automation:** 4.2.2.6;
 - analysis 1.8.3;
 - applications 15.3.1;
 - cost savings 16.2.2.1;
 - goals 16.1.3.3; 16.2.2.3;
 - inward focus 5.2;
 - Sarbanes-Oxley 4.2.2.6;
- document component model:** 3.2; 3.2.3; 7.8.1; 7.8.2;
 - introduction 7.2.3;
 - network structure 14.2;
 - networks vs. hierarchy 7.9;
 - semantic rules 8.3.3;
- Document Engineering:**
 - approach 7.2;
 - interoperability conflicts 6.6;
 - Model Matrix 3.4.4; 7.2.3;
 - supply chain 4.1.2.1;
 - traditional engineering 7.0;
 - user-centered design 7.2.3 (sidebar);
- document implementation model:** 2.5; 3.2; 3.2.2; 7.10.1; 7.2.3;
 - conceptual interface 15.3.4;
 - physical interfaces 15.3;
 - XCBL 4.3.1.2;
- document instances:**
 - instance requirements 8.3.7;
- document inventory:** 6.5.3; 7.6.1; 11.0;
 - choosing 6.5.3;
 - revisiting 13.5.3;
 - sampling 7.6.2;
- document model:**
 - hierarchical 7.9;
 - model based applications 7.10;
- document relies:** 10.4.4 (sidebar);
- Document Type Definition:** 2.5.3;
 - assembly models 14.6;
 - modeling 13.3.1;
 - schema languages 2.5.3;
- Document Type Spectrum:** 1.3.1; 1.6.1; 1.8.5;
 - assembly patterns 14.3;
 - breadth of documents 7.1;
 - components 12.1;

- e-books 15.3.2;
- encoding models 15.1.1 (sidebar);
- model based applications 15.0;
- narrative style documents 15.3;
- schema languages 2.5.3;
- single source publishing 15.3.2;
- transformation 2.7;

documents:

- vs. data 1.3;

domain model: *see document component model;***dot-com:** 1.2;

- collapse 7.3.1;

down translation: 2.7.1;**Downes, Larry:**

- “The Strategy Machine” 16.2.1;

- “Unleashing The Killer App” 5.2 (endnote 5);

- virtual integration 5.6;

drop shipment: 1.2; 1.3.2; 4.4.2.2;

- adapting patterns 10.6;

- document inventory 11.2;

- GMBooks.com 10.7.1;

- merchants 10.2;

- pattern 10.1;

DTD: *see Document Type Definition;***duplication:** 13.4.2;

- accepting 13.5;

e-book: 1.6.1; 1.8.3; 15.0;

- applications 15.3.2;

e-Business: 4.4;**e-commerce:** 2.1.2;

- vs. bricks and mortar 5.2;

e-form: 1.6.1; 15.0;

- applications 15.3.1;

e-government: 4.1.2 (sidebar);**e-learning:** 4.1.2 (sidebar);**e-marketplace:** *see marketplace;***EAI:** *see enterprise application integration;***EAN:** *see European Article Numbering Association;***EAN/UCC:**

- product codes 12.1.8;

- standards 4.1.3.4;

EAR diagrams: *see Entity Attribute Relationship diagrams;*

eBay:

ontologies 12.1.11 (sidebar);
technology innovation 4.1.1.4;

ebXML: 3.3.1; 3.3.2; 4.3.2 (sidebar);

Business Process Analysis Worksheets 9.3.3 (endnote 10);

Business Process Specification Schema 9.0; 15.1.2.1;

context dimensions 8.2; 8.4;

core component types 15.1.1.3;

core components 4.3.2;

CPPA 15.1.2.2;

e-Commerce Patterns Technical Report 9.8.1;

ECB: *see European Central Bank*;

eCo Framework: 4.4.1.3 (endnote 62);

ecology:

synthetic discipline 17.1;

EDI: *see Electronic Data Interchange*;

EDIFACT: *see UN/EDIFACT*;

Edison, Thomas: 10.4.3 (sidebar);

EIDX: *see Electronic Industry Data Exchange*;

El Andaloussi, Jeanne:

“Developing SGML DTDs” 13.3.1;

assembly patterns 14.3;

encoding document models 15.1.1.1;

Electronic Data Interchange: 1.5; 1.7; 1.9; 3.2.2; 6.0;

adapting to XML 4.3.1.2;

and tight coupling 5.6;

automation 16.2.2.1;

batch implementations 5.5;

brittle links 5.2;

code sets 12.1.8;

conversion to XML 2.7.1;

examples 6.3.1;

gateway applications 2.7.2; 15.3.4.1;

goals 16.1.3.3;

history 4.3.1.1;

implementation guides 4.0;

Internet EDI 5.6;

patterns 13.5.3;

persistence of 4.1.3;

procurement 16.1.3.2;

qualifying values 12.1.8;

semantics 15.1.1.3;

standards 4.1.3.4; 5.7;

- support 10.7.1;
- trading relationships 5.6;
- Web EDI 5.6;
- Electronics Industry Data Exchange:** 4.1.3.4;
- patterns 13.5.3;
- element:**
 - and interoperability conflicts 6.3.2;
 - in markup 2.1 (sidebar);
- ELM diagrams:**
 - hierarchical models 14.6;
- encoding:**
 - and interoperability conflicts 6.0; 6.3.2;
 - document implementation models 7.10.1;
 - rules 15.1.1.1;
- Encyclopedia:**
 - dependency rules 13.4.1;
 - type of document 1.3.1;
- endnotes:**
 - links 12.1.2;
- engineer-to-order:** 5.5;
- Enron:** 4.2.2.6;
- enterprise:** *see business*;
- enterprise application integration:**
 - business process integration 15.2.1.1;
 - next generation 4.4.1.1 (endnote 58);
 - tight coupling 5.2;
- enterprise boundary:** 9.3.1;
- enterprise ecosystem:** 4.4.2.2;
- Enterprise Resource Planning:** 1.6.3;
 - application 15.3.1;
 - composite services 15.3.6;
 - conversion to XML 2.7.1;
 - integration 5.5; 5.6; 10.8.1;
 - physical interfaces 15.3.4;
 - process model 9.2;
 - strategic project 8.1.1;
 - technology platforms 4.4.1.1;
 - transformation to XML 2.7.2;
 - transformations 15.3.4.1;
- enterprise service bus:** 4.4.2.2;
- Entity Attribute Relationship diagrams:** 13.2 (sidebar);
- entry point:** 14.4.3;
- equivalence:** 6.1.2;

- ERP:** *see Enterprise Resource Planning*;
- escalating commitment:**
 business collaboration pattern 9.8.3;
- essentiality:** 13.4.2;
- European Article Numbering Association:**
 GTIN 10.8.1 (endnote 21);
- European Central Bank:** 5.8 (sidebar);
- Eurostat:** 5.8 (sidebar);
- Event Calendar project:** 1.4.1;
 and context dimensions 8.2;
 and interoperability 6.4.2;
 business collaborations 9.7;
 business organization 9.2;
 business process models 9.3.3;
 business rules 14.4.1;
 business signals 9.5;
 candidate components 12.2.2;
 consolidating components 12.2.1;
 different assembly paths 14.4.4;
 different notations 14.6;
 document inventory 11.2.3;
 document names 14.4.3;
 documents 7.6.1;
 essentiality 13.4.2;
 finding components 12.1;
 gathering requirements 8.1.2;
 instance requirements 8.3.7;
 introduction 8.0 (sidebar);
 key information components 10.8.1;
 maturity considerations 16.1.4.2;
 multivalued dependencies 13.4.6;
 narrative style documents 13.2.1;
 normalization 13.4.4;
 presentation requirements 8.3.4;
 process patterns 10.5.2;
 process requirements 8.3.6;
 recursive associations 13.4.5;
 refining models 13.5;
 reusing components 14.5.2;
 reusing UBL library 15.1.1.3;
 roles in document assembly 14.2;
 sample DTD 2.5.3;
 sample XML 2.3;

- sampling the inventory 11.3.1;
- scoping 8.1.1;
- semantic requirements 8.3.3;
- structural requirements 8.3.2;
- system architecture 15.3.1.3;
- transaction models 9.4.2;
- usage requirements 8.3.1;
- web services 15.3.7;

exchanges:

- conceptual patterns of business 4.1.2.2;
- intermediary platforms 15.3.5;
- physical patterns of business 4.1.1.4;
- service platforms 15.3;

exit mode: 4.1.3.2;

- technologies 16.2.3.1;

Export Integration:

- EXIT 16.2.3.2;

Extended Enterprise:

- IBM pattern for e-business 4.4.2;

extensible: 2.1.1;

- in XML 2.2;

Extensible Stylesheet Language for Formatting Objects: 2.7.2;**Extensible Stylesheet Language for Transformation:** 2.7.2;

- e-forms 15.3.1 (sidebar);
- interfaces 15.3.1.3;
- resolving encoding conflicts 6.3.2;
- transforms 16.1.4.2;
- website 15.3.3;

extension:

- Frege 12.1.9 (sidebar);

external codes: 6.2;**external model:** 3.0;**facets:** 12.1.8;**facilitator:** 4.1.3.4;**facilities map:**

- as physical model of business 4.1.1.1;
- compared to systems architecture 4.4.1.1;

facsimile machines:

- invention 16.0;

Federal Enterprise Architecture: 9.3.2 (sidebar);

- business reference model 1.3.2; 4.2.2.1;
- e-government 9.3.2;
- information reference model 1.4.1;

- FedEx:**
 - in composite services 4.4.2.2;
 - information aggregation 5.3;
 - resource scheduling 16.2.2.3;
- fidelity requirements:** 7.7.1;
- field stocking:**
 - process pattern 10.6;
- filers:**
 - document inventory 11.2.1;
- financial value chain:** 4.2.2.6;
- FIPS:** 8.2;
- first normal form:** 13.4.3;
- Flash Player:**
 - XML vocabulary 15.3.1.1;
- Flight Reservation:**
 - in composite services 14.1;
- Florida State Senate:**
 - straight through processing 4.2.2.6;
- focaccia:**
 - new model 10.4.2;
- footnotes:**
 - links 12.1.2;
- Forecasts:**
 - type of document 10.5.3;
- foreign key:** 14.4.2 (sidebar);
- formal ontology:** 6.5.2;
 - model based applications 15.0;
 - naming components 7.7.2; 12.1.11;
 - semantic rules 8.3.3;
 - semantic web 15.3.7;
- Forwarding Instruction:** 1.1;
 - entry point 14.4.3;
 - incremental information trail 9.8.6;
- franchising:**
 - pattern 10.4.4;
- Frege, Gottlob:**
 - intension and extension 12.1.9 (sidebar);
- fulfilment:** *see distribution*;
- functional dependency:** 6.5.1; 7.8.1;
 - normalization 13.4.1;
 - rules 13.4.4;
- functional organization:** 9.2;
- G2B:** *See e-government*;

- G2C:** *See e-government;*
- gateway:**
software 15.3.4.1;
- Gecko:**
rendering in Mozilla 15.3.1.1;
- General Motors:**
divisions 11.2.2;
inventory systems 4.4.2.2;
- generalization:** 3.2.3;
components 13.5.2;
- Generic Statistical Message:** 5.8 (sidebar);
- GESMES:** *see Generic Statistical Message;*
- getloaded.com:** 4.1.1.4;
- Gettysburg Address:**
unique document 11.3.1;
- Global Positioning System:**
and RFID 5.5;
- Global Trade Item Number:** 10.8.1;
- Global Trading Web Association:**
trading community 4.1.3.3;
- GMBooks.com:** 1.1; 1.3.3; 1.6.2;
composite service 15.3.6;
document inventory 11.3.1;
documents 9.4.2;
drop shipment 10.7.1; 11.2;
interoperability 6.1;
procurement process 9.4.1;
transaction patterns 9.6.2; 10.8.2;
- Google:**
technology innovation 4.4;
- government to business:** *See e-government;*
- government to citizen:** *See e-government;*
- GPS:** *see Global Positioning System;*
- grammar:** 2.5.3 (sidebar); 6.3.2;
encoding rules 7.10.1;
- granularity:** 3.4.3;
and business processes 7.4;
and interoperability conflicts 6.4.3;
and the Model Matrix 3.3;
in business vs. document models 7.2.3;
patterns 10.3;
- GTDI:** *see Guidelines for Trade Data Interchange;*
- GTIN:** *see Global Trade Item Number;*

- Guidelines for Trade Data Interchange:**
EDI standards 4.3.1.1;
- Haeckel, Ernst:**
ecology as a synthetic discipline 17.1;
- Haeckel, Stephan:**
business models 5.5;
- Halfat:**
ancient near eastern farmer 1.0;
tax receipt 3.2.1;
- harvesting:** 7.7; 12.0;
introduction 7.2.3;
- Hay, David:**
“Data Model Patterns” 4.3.2;
- Helper, Sue:**
modes of exchange 4.1.3.2 (endnote 14);
- Hewlett Packard:** 7.2.3;
- hierarchical model:** 5.2;
documents 14.1;
- hierarchical structures:** 7.9;
- hierarchy:**
and document assembly models 3.2.3;
depth 13.6;
- homonym:** 12.2;
- hosted drop shipment:**
adapted pattern 10.6;
- HTML:** 1.5; 2.0;
compared to XML 2.3;
content and presentation 2.4;
e-forms 15.3.1 (sidebar);
Event Calendar project 16.1.4.2;
evolution 2.1.1;
history 2.1;
limitations of 2.1.2;
model 15.0;
presentation markup 12.1.2;
tables 12.1.6;
- HTTP:**
Internet EDI 5.6;
protocol 15.0;
- Human Resources:** 4.1.1.1;
- Hypermodel:**
schema generation 15.1.1.2 (sidebar);

hypertext:

links 12.1.3; 15.3.2;

IBM:

BluePeople 4.1.1.1;
Business Informatics organization 1.9 (sidebar);
patterns for e-business 4.4.2;
service oriented architectures 17.2;
Web Services Industry Councils 4.1.3.3;

iCalendar:

IETF 11.2.3;

identifiability:

generic requirement 8.1.3;

identifiers: 12.1.10;

IEC: *see International Electrotechnical Commission;*

IETF: *see Internet Engineering Task Force;*

IETM: *see Interactive Electronic Training Manuals;*

IMF: *see International Monetary Fund;*

implementation:

as pattern 10.4.4;
of applications 7.2.4;

implementation guidelines: 4.3.1.1;

incremental information trail:

business collaboration pattern 9.8.6;
context 7.2.3;

indirect distribution: 4.1.1.3;

indirect procurement: 16.1.3.2;

industry group: 4.1.3.4;

information aggregation: 4.3.1.3;

Information Aggregation:

IBM pattern for e-business 4.4.2;

information aggregation:

pattern 10.3;

information analysis: 1.8;

information broker:

business model 1.3.2;

information composites: *see information aggregation;*

Information Distribution:

transaction pattern 9.6.6;

information flow: 4.2.2.4; 16.2.3.1;

information goods: 5.3; 5.4;

information model: 1.4;

information patterns: 3.4.5;

- information supply chain:** 4.2.2.4; 5.3;
 - design 8.1.1;
 - linear 5.2;
- initialism:**
 - code values 12.1.9;
- inline component:**
 - links 12.1.2;
- instance:** 2.5.1;
 - requirements 8.3; 8.3.7;
 - rules 7.3.1;
- instance rules:** 12.1;
 - narrative documents 13.2;
- Insurance Claim:**
 - e-forms 15.3;
 - structural components 14.4.3;
- Integrated Cargo System:**
 - Australian Customs 16.2.3.2;
- integration:** 4.4.1.2;
- Integration Acquisition Environment:**
 - US Government 16.2.2.1;
- integrity:**
 - requirements 7.7.1;
- Intel:**
 - patterns 10.4.4;
 - RosettaNet 4.1.3.2; 4.2.2.3 (sidebar);
- intension:**
 - Frege 12.1.9 (sidebar);
- Interactive Electronic Training Manuals:**
 - e-books 15.3.2;
- Intermediary:** 4.1.1.3;
 - application platform 15.3.5;
 - business pattern 4.4.2;
- International Electrotechnical Commission:**
 - standards 16.2.2.5;
- International Monetary Fund:** 5.8 (sidebar);
- International Organization for Standards:**
 - standards 16.2.2.5;
- International Telecommunication Union:**
 - standards 16.2.2.5;
- Internet EDI:** 5.6;
- Internet Engineering Task Force:**
 - standards 16.2.2.5;
- Internet marketplace:** *see marketplace;*

- Internet Protocol version 6:** 5.5;
- interoperability:**
 - and equivalence 6.1.2;
 - and semantic requirements 8.3.3;
 - as conceptual view of integration 4.4.2.1;
 - automatic resolution 6.6 (sidebar);
 - dependency rules 13.5;
 - document exchanges 15.3.4;
 - generic requirement 8.1.3;
 - GMBooks.com 7.7.1;
 - one-way 6.4.3;
 - overview 6.0;
 - patterns 13.5.1;
 - promoting 8.0;
 - requirements 15.1.1;
- intersection entity:** 13.4.6;
- inventory:**
 - and information 5.3;
- Inventory Reports:**
 - type of document 3.2.1; 10.5.3;
- Invoice:**
 - associations 14.4.4;
 - business rules 13.2.2;
 - conceptual model 3.2.3;
 - document name 9.4.2;
 - essentiality 13.4.2;
 - reconciliation 10.8.1;
 - reconciling 16.2.2.6;
 - structural components 7.8.2; 14.4.3;
 - structure 7.9;
 - type of document 1.3.3; 2.1.2; 2.5.1; 11.1;
- IPv6:** *see Internet Protocol version 6;*
- ISO:** *see International Organization for Standards;*
- ISO 11179:** 13.5.4;
 - naming rules 14.6;
- ISO 3166:** 8.2;
 - country codes 6.2;
- ISO 4217:**
 - currency codes 8.3.7;
 - intension and extension 12.1.9 (sidebar);
 - representation term 13.5.4;
- ISO 9735:** *see UN/EDIFACT;*
- ISO TC 154:** 3.3.1 (endnote 6); 4.3.2;

ITU: *see International Telecommunication Union;*

J2EE:

technology platform 4.4.1.1;

Japan:

address models 6.5.3;

context 8.2;

Kennedy, John F.:

moon program 5.1;

key information components: 10.8.1;

essentiality 13.4.2;

King Artaxerxes:

tax receipt 1.0;

Korea:

context 8.2;

Kroger:

EDI requirements 4.3.1.1;

last mile:

user interfaces 16.2.3.3;

law of diminishing returns: 7.6.2;

legacy:

application data from XML 2.7.2;

application data to XML 2.7.1;

formats 7.3.1;

integration 4.4.1.2;

requirements 15.1.1;

systems 1.6.3;

Letters of Credit: 1.0;

checking 16.2.2.6;

errors 16.2.2.2;

presentation integrity 8.3.4;

Liberty Alliance: 4.1.3.4;

library:

schema 15.1.1.3;

library books:

identifying documents 11.2.1;

links:

and functional dependency 13.4.1;

inline components 12.1.2;

presentation conventions 12.1.4;

semantic structures 12.1.3;

Linthicum, David:

“Next Generation Application Integration” 4.4.1.1 (endnote 58);

- Linux:**
 - technology platform 4.4.1.1;
- logical architecture:**
 - of business 4.4.2;
- long-running transactions:** 9.4 (sidebar);
 - properties 10.7.2.1;
- loose coupling:** 1.3.3; 7.1;
 - and web services 1.6.3; 4.4.1.3;
 - architecture 4.4.2.1;
 - business relationships 16.2.3.1;
 - implementation 7.3.1;
 - integration 4.4.1.2;
 - vs. tight coupling 5.6;
- Los Angeles, County of:**
 - lawn mowing 5.6;
- Macromedia:**
 - XML vocabulary 15.3.1.1;
- Magna Carta:**
 - unique document 11.3.1;
- make-to-order:**
 - pattern 10.1; 10.3;
 - process pattern 5.5;
 - university context 10.5.3;
- make-to-stock:**
 - process pattern 5.5;
- Maler, Eve:**
 - “Developing SGML DTDs” 13.3.1;
 - assembly patterns 14.3;
 - encoding document models 15.1.1.1;
- Malone, Thomas:**
 - “MIT Process Handbook” 3.3 (endnote 4);
 - filers and pilers 11.2.1;
- manuals:**
 - tasks and documents 11.2.1;
- mapping:** 3.2.2;
 - between XML and EDI 4.3.1.2;
 - physical interfaces 15.2.1.3;
 - software 15.3.4.1;
- market operator:** 4.1.2.2;
 - patterns 15.3.5;
- marketplace:** 1.3.2;
 - abstract patterns 1.7;
 - and the Internet 5.1;

- conceptual model of business 4.1.2.2;
- e-marketplace 4.4.2;
- evolution 5.2;
- intermediary platforms 15.3.5;
- pattern 10.7.1;
- physical patterns of business 4.1.1.4;
- service platforms 15.3;
- markup:** 2.1 (sidebar);
 - code 12.1.1;
 - presentation 12.1.2;
 - text encoding 11.3.1;
- Mars Orbiter:**
 - misunderstanding data 1.4;
- marshalling:** *see serialization*;
- mass customization:** 5.5;
- mass production:** 5.5;
- MasterCard:** 1.1;
- materials management:**
 - business collaboration pattern 9.8.4;
- maverick purchasing:** 16.1.3.2;
- MDA:** *see model-driven architectures*;
- Melville, Herman:**
 - Moby Dick 3.2.1;
- Merchant of Venice:**
 - William Shakespeare 5.3;
- message oriented middleware:**
 - mapping 15.3.4;
 - software 4.4.2.1;
- messaging:**
 - integration architecture for Document Engineering 4.4.2.1;
- metadata:** 3.3.1; 5.8 (sidebar); 12.1;
 - associations 13.4.4;
 - document 11.2.1;
 - document inventory 7.6.1;
- metalanguage:** 2.3; 3.3.1;
 - XML 15.1;
- metamodel:** 3.3.1;
 - and business process implementation models 7.10.2;
 - and methodologies 7.1.1;
 - common process 15.1.2.1;
 - for business processes 3.3.2;
 - software platform 15.2.1.2;
 - UML 13.2 (sidebar);

methodology:

vs. approach in Document Engineering 7.1;

Microsoft:

browser wars 2.1.1;
Passport 4.1.3.4;
standards 5.7;
technology platform 4.4.1.1;
XAML 15.3.1.1;

middleware:

architecture 4.4.2;

MIL-STD 1472D:

document 12.1.5;

MIT Process Handbook: 10.4;

library 10.4.2;
Model Matrix 3.3 (endnote 4);

mixed content: 2.5.3;

candidate components 12.1.2;

Moby Dick:

Herman Melville 3.2.1;
patterns 11.3.1;

mode of exchange: 4.1.3.2;**model:** 2.5.2; 3.0; 3.1;

and context 6.5.3;
and methodologies 7.1.1;
and user interface design 7.2.3 (sidebar);
artifact-based 7.2.2;
complexity 15.2.3;
for GMbooks order 6.1.1;
forecast vs. demand 5.5;
generated code 15.0;
hierarchical vs. network 5.2;
open vs. proprietary 5.7;
overview 1.0;
processes vs. documents 3.4.5;
project risks 16.2.3.4;
reuse 5.8;

model based application: 1.6; 15.0;

benefits 16.2.2.5;
configuring 7.2.4;
implementation 7.10; 7.3.1;
organizational maturity 16.1.4.2;

model driven architectures: 15.2.1.1;

- Model Matrix:** 3.0; 3.3;
 - activities 7.2;
 - analysis approach 17.1;
 - and business models 4.0;
 - and Document Engineering 7.2.3;
 - and patterns 3.4.3;
 - and requirements categories 8.3;
 - as roadmap 3.4.4;
 - capability maturity 16.1.3.3;
 - patterns 10.3;
 - re-using patterns 8.0;
- modeling:**
 - adapting to Document Engineering 3.2;
 - and candidate components 7.8.1;
 - and levels of abstraction 9.1;
 - classical approach 3.0;
 - organizational maturity 16.1.3.3;
 - worksheets 9.3.3;
- modeling languages:**
 - limits 15.2.3;
- modeling methodology:** 7.1.1;
- moon landing:** 5.1;
- Moore, Geoffrey:**
 - business strategist 10.2;
- Mozilla:**
 - rendering 15.3.1.1;
- multivalue dependencies:** 13.4.6;
- multivendor catalog:** 4.3.1.3;
- music industry:**
 - business model 10.4.4;
- MXML:**
 - XML vocabulary 15.3.1.1;
- NAICS:** *see North American Industry Classification System;*
- namespace:** 2.5.3;
- naming:** 7.2.3;
 - and semantics 6.1.2;
 - components 7.7.2;
 - issues with 6.5.2 (sidebar);
 - refinement 7.8.3;
 - rules 12.1.11;
- narrative documents:**
 - analysis 1.8;
 - analysis approach 13.3.1;

- and presentational requirements 8.3.4;
- and presentational structures 7.7.1;
- and schemas 2.5.3;
- business rules 13.2.1;
- capability maturity 16.1.4.1;
- encoding document models 15.1.1.1;
- finding components 12.1.2;
- improving processes 16.2.2.4;
- model based applications 15.0;
- naming 7.7.2;
- sampling 11.3.1;
- schema languages 15.1.1 (sidebar);
- natural selection:** 10.2;
- Netscape:**
 - browser wars 2.1.1;
- network forms:** 5.2;
- network model:** 7.9;
 - vs. hierarchical models 5.2;
- newspaper:**
 - presentational components 12.1.4;
- Non-Repudiation of Origin and Content:**
 - transaction properties 10.7.2.1;
- Non-Repudiation of Receipt:**
 - transaction properties 10.7.2.1;
- nonrepudiation:** 9.6.1; 9.6.5;
- normal forms:** 13.4.3;
- normalization:** 7.2.3; 7.8.1;
 - data analysis 13.3.2;
 - Document Engineering 13.4;
- North American Industry Classification System:** 3.4.1; 8.2;
- Norway:**
 - context 8.2;
 - straight through processing 4.2.2.6;
- notations:** 3.1;
- Notifiable Infectious Disease Information Messaging System:**
 - SARS 16.2.2.2;
- Notification:**
 - transaction pattern 9.6.5;
- OASIS:**
 - UBL 4.3.2 (sidebar);
- Obasanjo, Dare:**
 - XML schema 15.1.1.1;
- object analysis:** *see data analysis*;

Object Management Group:

Unified Modeling Language 3.1 (endnote 1);

OECD: *see Organisation for Economic Cooperation and Development;*

Offer and Acceptance:

transaction pattern 9.6.1;

ONCE: *see Open Network for Commerce Exchange;*

open access movement: 5.4;

Open eBook:

document interface model 15.3.2;

Open Network for Commerce Exchange:

trading community 4.1.3.3;

open source: 5.7;

OpenTable.com:

new services 16.2.2.3;

Operator Instructions:

document 14.5.2;

single-source publishing 15.3.3;

style guide 13.2.1;

Oracle:

application 9.2;

Orchard, David:

XML schema 15.1.1.1;

orchestration:

process control 15.3.4.2;

vs. choreography 9.7;

Order:

analysis 3.2.1;

ANSI ASC X12 6.3.1;

associations 14.4.4;

business rules 2.5.2; 9.7; 13.2.2;

cost savings 16.2.2.1;

dependencies 7.3.3;

document inventory 11.3.1;

document name 9.4.2;

e-forms 15.3.1;

entry point 14.4.3;

essentiality 13.4.2;

GMBooks model 6.1;

header 14.4.3 (sidebar);

homonyms 12.2.2;

incremental information trail 9.8.6;

instance requirements 8.3.7;

interdependencies 7.3;

- international 6.5.3;
- interoperability 6.1;
- naming components 7.8.3;
- primary key 13.4.4;
- process requirements 8.3.6;
- reconciliation 10.8.1;
- reconciling 16.2.2.6;
- requirements 8.1.1;
- standard EDI 14.5.1;
- structural components 7.8.2;
- structural rules 8.3.2;
- structure 7.9;
- type of document 1.1; 1.3; 1.3.1; 1.3.2; 1.3.3; 1.4.1; 1.6.1; 1.6.2; 2.1.2; 2.4; 2.5.1; 11.1; 14.0;
- UBL schema 10.3;
- UN/EDIFACT 6.3.1;
- order management:**
 - collaboration 10.7.2;
- Organisation for Economic Cooperation and Development:** 5.8 (sidebar);
- organization chart:**
 - as physical model of business 4.1.1.1;
 - dependencies 7.3.3;
 - document inventory 11.2.2;
- organizational capability:** 16.1;
- organizational maturity:** 16.1;
- organizational model:**
 - and business processes 9.2;
- Otis Elevator:**
 - Remote Elevator Monitoring 4.2.2.5;
- outsourcing:** 4.1.3.1;
- OWL:** *see Web Ontology Language;*
- P2P:** *see peer to peer;*
- paper-based document processes:** 10.4.4;
- paperless office:** 5.2;
- paperless trade:** 16.2.2.3;
- Pareto Principle:** 8.2;
- parliament:**
 - as pattern 3.4;
- parser:** 2.6;
- partner interface processes:** 4.2.2.3;
 - 3 level process hierarchy 10.4.2;
 - as metamodel 7.1.1;
 - implementation model 7.2.4;

key information components 10.8.1;
RosettaNet 4.1.3.2; 10.3; 10.5.2 (sidebar);

party:

qualifying names 12.1.11;
roles 13.4.4;

pattern: 2.5.2; 3.0; 3.4;

and analyzing the context 7.2.3; 8.0;
and business processes 7.5;
and context 7.3.2;
and requirements 8.2;
and the Model Matrix 3.4.3;
applying 10.0;
assembled components 14.5;
document assembly 14.3;
document component model 13.4;
generalization 13.5.2;
identifying 11.3.1;
in business 3.4.1; 3.4.2;
intermediary 15.3.5;
organizational maturity 16.1;
reducing costs 16.2.2.5;
refining models 13.5.1;

Pattern Compass: 3.4.3; 10.4;

patterns for e-business:

as defined by IBM 4.4.2;

Payment:

reconciliation 10.8.1;

peer to peer: 4.1.2 (sidebar); 5.2; 5.4;

PeopleSoft:

application 9.2;
technology platform 4.4.1.1;

perishable goods: 10.4.1;

persona:

and requirements analysis 8.1.2;

physical interface: 15.3;

business applications 15.3.4;
model 15.3.5;

physical model: 3.0;

physical view: 4.0;

picking list:

document 12.1.4;

- pliers:**
 - identifying documents 11.2.1;
- PIP:** *see partner interface processes;*
- pizza:**
 - pattern 10.4.2;
 - recipe 10.2;
- plug-and-play:**
 - business models 5.8;
 - business relationships 16.2.3.1;
 - Internet 6.0;
 - interoperability 6.6;
- port codes:**
 - arbitrary values 12.1.9;
- postal code:**
 - not a code 12.1.11;
- Postscript:**
 - presentation markup 12.1.2;
- Prescription:**
 - type of document 16.2.2.2;
- presentation:**
 - rules 7.3.1;
 - vs. content 2.2; 2.4;
- presentation components:** 7.7.1; 12.1.4;
 - derived components 13.4.2;
 - preserving 12.1.7;
 - quality of model 13.6;
- presentation integrity:** 7.7.1; 8.3.4;
- presentation requirements:** 8.3; 8.3.4;
- presentation rules:** 12.1.4;
- presentational structures:** 7.7.1;
 - separate semantics 12.1.4;
- primary key:** 13.4.4;
- private business process:** 7.4;
- private document exchange:** 11.2.2;
- procedural rules:** 8.3.6;
- process:**
 - in ebXML 3.3.2; 9.0; 9.3.1;
- Process Control Plan:**
 - document 14.5.2;
 - single-source publishing 15.3.3;
- process maturity:** 16.1.3.2;
- process requirements:** 8.3.6;
- process rituals:** 10.4.4 (sidebar);

procurement:

- context 7.2.3;
- cycle time 16.2.2.3;
- general pattern 10.5.1;
- generic pattern 8.2;
- maturity indicator 16.1.3.2;
- patterns 10.3;
- procedural rule 15.3.1;

product name:

- mixed content 12.1.11;

product number:

- identifier 12.1.11;

programming languages:

- data binding 15.2.1.1;

Promissary Note:

- type of document 1.0;

proof of concept: 8.1.1;**protocols:**

- and business processes 9.5 (sidebar);

prototype: 8.1.1;**public business process:** 7.4;**public document exchange:** 11.2.2;**publications:** 1.8;**pull mode:** 5.1;**Purchase Order:** *see Order*;**push mode:** 5.1;**qualifier:**

- name 13.5.2;

quality of service levels:

- business rules 10.7;

Query and Response:

- transaction pattern 9.6.4;

Quote:

- type of document 9.8.2;

Radio Frequency Identification:

- and GPS 5.5;
- hype 7.3.1;
- push technology 5.3;
- standards 5.8;
- Wal-Mart 5.1;

railroad companies:

- business model 10.4.4;

- Rational Rose:**
 - modeling notations 15.1.2;
- Rawlins, Michael:**
 - “Using XML with Legacy Business Applications” 2.7.1 (endnote 17);
- RDF:** *see Resource Description Framework;*
- RDF Site Summary:** 2.7.1;
- real-time inventory reporting:**
 - new services 16.2.2.3;
- receipt:**
 - as business signal 9.5;
- Receipt:**
 - business rules 13.2.2;
 - type of document 11.1;
- Receipt Advice:**
 - reconciliation 10.8.1;
- reconciliation:**
 - business collaboration pattern 9.8.5;
- recursive association:** 13.4.5;
 - document assembly 14.4.1;
 - relationships 2.5.2;
- redundancy:** 13.4.2;
 - accepting 13.5;
- reference model:** 3.4.2;
- referential integrity:** 8.3.7;
- registry:**
 - intermediary platform 15.3.5;
 - model based approaches 15.0;
- regular expression:** 2.5.3;
- relational database:** *see database;*
- relational models:**
 - encoding 15.1.1.2 (sidebar);
- Relational Theory:**
 - Edgar F. Codd 13.3.2;
- RELAX NG:** 2.5.4;
 - narrative documents 15.1.1 (sidebar);
- Remittance Advice:**
 - reconciliation 10.8.1;
- Remote Elevator Monitoring:** 4.2.2.5;
- repackaging:** 2.7.2;
- repository:** 4.2.2.6; 4.3.1.3;
 - content 15.3.7;
 - document content 15.3.5;
 - storage requirements 15.3.3;

- representation term:** 13.5.4;
- repurpose:** 2.7.1;
- Request and Confirm:**
 - transaction pattern 9.6.3;
- Request and Response:**
 - transaction pattern 9.6.2;
- Request For Information:**
 - collaboration pattern 9.8.2;
 - requirements 8.1.1;
- Request For Quote:**
 - collaboration pattern 9.8.2;
 - type of document 1.3.1;
- requirements:** 7.3.1;
 - categorizing 8.3;
 - document inventory 11.2.3;
 - generic 8.1.3;
 - identifying 8.1;
 - in Document Engineering 8.0;
 - models 15.2;
 - patterns 8.2; 10.2;
 - satisfying 10.5;
 - sources 8.1.2;
 - strategic vs. tactical 8.1.1;
- requirements analysis:**
 - vs. document analysis 8.1.2;
- Resource Description Framework:**
 - semantic web 15.3.7;
- resource scheduling:**
 - FedEx 16.2.2.3;
- reuse:**
 - of business patterns 7.5;
 - of content with XML 2.7.1;
 - of models 5.8;
 - of patterns 3.4.2;
 - of schemas 2.6;
- reverse auction:** 4.1.3.1;
- RFI:** *see Request for Information;*
- RFID:** *see Radio Frequency Identification.;*
- RFQ:** *see Request For Quote;*
- Rich Text Format:** 2.7.1;
- Roget's Thesaurus:**
 - types of documents 2.5 (endnote 8);

roles:

associations 13.4.4;

root element: 2.1 (sidebar); 2.6;

RosettaNet: 4.1.3.4; 4.2.2.3 (sidebar);

3 level process hierarchy 10.4.2;

conceptual views 4.2.2.3;

Implementation Framework 15.1.2.1;

implementation model 7.2.4;

metamodel 7.1.1;

standards 5.7;

transaction properties 10.7.2.1;

RSS: *see RDF Site Summary;*

RTF: *see Rich Text Format;*

SAD: *see Single Administrative Document;*

Sales Report:

interdependencies 7.3;

SAP:

application 9.2;

technology platform 4.4.1.1;

Sarbanes-Oxley Act:

controls and procedures 15.1.2;

financial reporting 16.1.3;

straight through processing 4.2.2.6;

SARS:

Notifiable Infectious Disease Information Messaging System 16.2.2.2;

SBL: *see Services Business Language;*

Schedule: 9.8.4;

document 7.6.1;

schema: 1.6; 2.5.2; 3.2.2; 4.0;

address patterns 13.5.3;

and UBL 4.3.2 (sidebar);

and validation 2.6;

automating 14.6;

conceptual model 6.1.2;

creating 8.1.1;

document model 7.6.2;

encoding 7.10;

expressing requirements 8.3;

generating 15.1.1.2;

implementation model 12.1.2;

language differences 15.1.1 (sidebar);

languages 2.5.3; 13.3.1;

libraries 15.1.1.3;

limitations of 2.5.4;
metadata 11.2.1;
one of XML's big ideas 2.2;
syntactic requirements 8.3.5;

Schematron: 2.5.4;
and XPath 2.7.2;
validation 15.1.1.4;

scope:
project 7.1;

SCOR: *see Supply Chain Operations Reference Model;*

screen scraping:
integration 4.4.1.2;

SDMX: *see Statistical Data and Metadata Exchange;*

security:
as usage requirement 8.3.1;

self-describing: 2.5.2;
XML 6.5.2; 6.5.2 (sidebar);

Self-Service:
IBM pattern for e-business 4.4.2;

semantic equivalence:
and interoperability 6.1.2;

semantic map: 4.3.1.2;

semantic requirements: 8.3; 8.3.3;

semantic rules: 12.1.1;
document assembly 14.4.1;

semantic web:
meaningful content 11.3.1 (endnote 3);
model based applications 15.3;
ontologies 12.1.11 (sidebar);
vision 15.3.7;

semantics: 1.4; 1.4.2;
and conversion to XML 2.7.1;
and harvesting 7.7.1;
and HTML 2.1.2;
and interoperability conflicts 6.0;
clarity 14.2;
conflicts 6.5;
EDI 15.1.1.3;
normalization 13.4;
of documents 3.2.3;
recognizing 15.2.2;

sequence relationships: 2.5.2;

serialization:

XML 15.2.1.1;

Service Level Agreement: 10.7.2;

satisfying 15.1.2;

service oriented architecture: 1.6.3; 1.8.5; 7.1;

IBM 17.2;

information exchanges 9.3.1;

model based 7.2.4;

model based applications 15.0;

organizational maturity 16.1;

perspective 4.4.2.2;

plug and play 5.8;

plug-and-play 16.2.3.1;

strategic perspective 16.1.3.3;

strategic project 16.2.1;

XML encoding 15.1;

Services Business Language:

XML vocabulary 4.4.2.2;

SCML:

assembly models 14.6;

document analysis 13.3.1;

encoding document models 15.1.1.1;

generic requirement 8.1.3;

schema language 2.5.3;

Shakespeare, William:

“Merchant of Venice” 5.3;

plays of 2.4;

Shapiro, Carl:

“Information Rules” 4.0 (endnote 1); 5.2 (endnote 6);

Ship’s Manifest:

document 11.2;

shipping container:

qualifying names 12.1.11;

shipping forms:

tasks and documents 11.2.1;

Shipping Note: 1.3; 1.3.3;

entry point 14.4.3;

incremental information trail 9.8.6;

Shipping Notice:

type of document 9.4.2;

Shipping Schedules: 4.3.1.3; 9.8.4;

- Shopping Cart:**
form 1.1;
incremental information trail 9.8.6;
- Silverston, Len:**
“Data Model Resource Book” 4.3.2;
- Single Administrative Document:**
type of document 10.4.3;
- single-source publishing:** 1.8.3; 2.7.1; 10.4.3;
applications 15.3;
model based application 15.3.3;
- SITPRO:**
trade facilitator 4.1.3.4;
- SKICal:** *see Structured Knowledge Initiative;*
- Smartdraw:**
modeling notations 15.1.2;
- SMTP:**
Internet EDI 5.6;
- SOA:** *see service oriented architecture;*
- SOAP:** 10.8.1;
Header 14.4.3 (sidebar);
- Social Security Number:**
identifier 12.1.10;
web services 4.4.1.3;
- software as a service:** 5.4;
- software engineering:**
complementing 15.0;
costs 16.2.2.5;
design patterns 3.4 (endnote 11); 15.4;
XML 1.6; 15.1;
- Software Engineering Institute:**
capability maturity 16.1.2;
- Soukup, Martin:**
model based architecture 16.2.2.5;
- sourcing:**
business collaboration pattern 9.8.2;
- spreadsheet:**
document 7.6.1; 11.2.1;
- SQL:**
metadata 3.3.1;
- SQL/DDL:** 3.2.2;
- standard:** 1.4.2; 1.7; 5.2;
and reuse 5.8;
benefits 16.2.2.5;

- de-facto 16.2.2.5;
- de-jure 16.2.2.5;
- international 2.5;
- licensing 16.2.2.5;
- open vs. proprietary 5.7;
- organizational maturity 16.1;

Standard:

- document name 11.3.1;

Standard Metropolitan Statistical Areas:

- reconciliation 10.8.1;

standards compliance:

- background 2.0;
- generic requirement 8.1.3;

Standards Maturity Model: 16.2.2.5;**standards organizations:**

- customization 14.5.2;

statement of accounts: 8.2;

- physical view 4.3.1;

Statistical Data and Metadata Exchange: 5.8 (sidebar);**Statistical Office of the European Communities:** *see Eurostat*;**statistics:** 5.8 (sidebar);**Stone Age:**

- accounting 3.2.3;

STP: *see straight through processing*;**straight through processing:** 1.7; 4.2.2.6;

- automation 16.2.2.3;
- generic requirement 8.1.3;
- requirements 8.0;
- trend toward 5.2;

strategic perspective: 16.1.3.3;

- process bias 16.1.4.2;

strategic projects:

- patterns 9.0;

strategy:

- vs. tactical projects 8.1.1;

structural components: 9.2;

- aggregating 13.3;
- associations 13.4.4;
- document models 13.0;
- entry point 14.4.3;
- normalization 13.4.3;

- structural integrity:**
 - narrative documents 14.3;
 - presentational 7.7.1;
- structural requirements:** 8.3; 8.3.2;
- structural rules:**
 - document assembly 14.4.1;
 - narrative document 13.2.1;
- structure:** 1.4.2; 8.3.2;
 - aggregating 7.8;
 - and interoperability conflicts 6.0; 6.4;
 - hierarchical 7.9;
 - rules 7.3.1;
- Structured Knowledge Initiative:**
 - contextualized 11.2.3;
 - library 14.5.2;
- Style Guide:**
 - document name 11.3.1;
- style guide:**
 - metadata 7.6.1; 11.2.1;
 - rules 13.2.1;
- stylesheet:** 1.8.3;
- styling:** 2.7.2;
- subtractive refinement:**
 - customization 14.5.1;
- supply chain:** 1.3.2;
 - abstract patterns 1.7;
 - business problems 16.2.2.2;
 - conceptual model of business 4.1.2.1;
 - EDI 16.2.2.1;
 - improving 16.2.1;
 - organizational maturity 16.1.3.2;
 - pattern 10.5.2 (sidebar); 10.8.2;
 - patterns 9.0;
 - physical model of business 4.1.1.2;
 - physical vs. information 4.2.2.4;
 - properties 10.7.2;
 - reengineering 11.1;
 - strategic project 8.1.1;
 - university context 10.5.3;
- Supply Chain Council:**
 - SCOR 4.2.2.2;
 - standards 4.1.3.4;

Supply Chain Operations Reference Model: 4.1.1.2;

development 4.1.3.4;
patterns 4.2.2.2;
processes 5.5;
reference model 9.3.2;
SCOR 4.2.2.2;
standards 5.7;

surrogate key: 13.4.4 (sidebar);

SWIFT:

patterns 13.5.3;

Sydney Opera House:

technology limitations 16.2.3.4;

synchronization:

pattern 10.5.3;

syndication: 2.7.1;

information aggregation pattern 4.3.1.3;
of business processes 9.3.1;

synonym: 12.2;

syntactic requirements: 8.3;

pattern 10.5.2 (sidebar);

syntax: 1.4.2; 8.3.5;

and interoperability conflicts 6.0;

system model: 15.2.3 (endnote 17);

systems analysis: 1.8;

systems architecture: 4.4.1; 6.3;

and business relationships 4.1.3;

tables: 12.1.6;

tactical perspective: 16.1.3.3;

technology bias 16.1.4.1;

tactical projects:

vs. strategic projects 8.1.1;

tag: 2.1 (sidebar); 2.1.2;

Talaris:

composite service 4.4.2.2;

task analysis: 1.8; 1.8.2; 3.4.4;

and Document Engineering 7.2.1;

techniques 7.3.1;

tax code:

analogy to methodology 7.2.2;

Tax Receipt:

e-forms 15.3.1;

pottery 1.0;

type of document 11.1; 14.0;

- technology:**
 - evolution 5.1;
- technology maturity:** 16.1.3.2;
- Teece, David:**
 - business relationships 16.3.2.1;
- telecommunications:**
 - and marketplaces 5.1;
- telegraph:** 1.0;
 - information about goods 5.3;
- text encoding:**
 - markup 11.3.1;
- third normal form:** 13.4.6;
- tight coupling:** 1.3.3;
 - integration 4.4.1.2;
 - physical interfaces 15.3.4;
 - vs. loose coupling 5.6;
- Time to Acknowledge Acceptance:**
 - properties 10.7.2.1;
- Time to Acknowledge Receipt:**
 - properties 10.7.2.1;
- Time to Respond:**
 - properties 10.7.2.1;
- timeliness:**
 - generic requirement 8.1.3;
- Timesheets:**
 - e-forms 15.3.1;
 - type of document 1.4.1; 1.6.1;
- Timmers, Paul:** 8.2;
- To-Be model:** 3.2; 7.10.2; 13.3;
 - and business reference models 9.3.2;
 - context dimensions 9.0;
 - creating 10.4;
 - implementing 7.10;
 - pattern 10.3; 10.5; 10.5.3;
 - process design 7.2.3;
 - transactions 10.8.2;
- top-down analysis:** 10.4.2;
- top-down approach:**
 - analysis 1.8.3;
 - process bias 16.1.4.1;
 - strategic perspective 16.1.3.3;
- top-down thinking:** 17.3;

Topic Maps:

semantic web 15.3.7;

Toyota: 4.1.3.2;

traceability:

of artifacts 9.3.3;

product 16.2.2.2;

trade association: 4.1.3.4;

trade practice: 3.4.2;

Tradegate:

trade facilitator 4.1.3.4;

trading community: 4.1.3.3;

Training Manual:

single-source publishing 15.3.3;

type of document 14.5.2;

transaction: 3.3.2;

analyzing 9.4;

hierarchy 1.8.1;

in ebXML 9.0;

in UMM 9.3.1;

patterns 15.1.2.2;

properties 10.7;

transaction costs:

Coase's Law 5.2;

transaction patterns:

ebXML 9.6;

transaction properties: 10.7.2;

transactional documents:

analysis 1.8;

and content integrity 8.3.7;

and schema languages 2.5.3;

business rules 13.2.2;

model based applications 15.0;

naming 7.7.2;

organizational maturity 16.1.4.1;

sampling 11.3.1;

transformation: 2.2; 2.4; 2.7;

from XML 2.7.2;

where to use 2.7.3;

translation: 2.7.1;

transparency:

migration 15.3.1;

scalability 5.6;

service substitutions 10.1;

Troubleshooting Guide:

- single-source publishing 15.3.3;
- type of document 14.5.2;

Tucci, Christopher: 8.2;**TurboTax:** 7.2.2;**UBL:** *see Universal Business Language*;**UCCnet:**

- product information 5.8;

UCR: *see Unique Consignment Reference number*;**UDDI:**

- service descriptions 10.4.3 (sidebar);
- web services 4.4.1.3;

UI design: *see user interface design*;**UML:** *see Unified Modeling Language*;**UMM:** *see UN/CEFACT Modeling Methodology*;**UN Layout Key:**

- presentation integrity 8.3.4;

UN/CEFACT: 3.3.2;

- implementation models 15.1.1;
- standards 4.1.3.4;

UN/CEFACT Modeling Methodology: 3.3.2; 7.1.1;**UN/EDIFACT:** 2.7.1; 3.2.2; 4.3.1.2;

- code sets 12.1.8;
- EDI standards 4.3.1.1;
- implementation models 15.1.1;
- Message Function Code 12.1.9;
- Order document 6.3.1;
- patterns 13.5.3;
- shoehorning definitions 12.2.2;
- UN-XML 6.5.2 (sidebar);

UN/SPSC: 8.2;

- coding system 3.4.1;

Unified Modeling Language: 1.6; 7.8.1; 10.8.1;

- activity diagrams 7.4;
- class diagrams 3.2.3; 4.0; 13.2 (sidebar); 14.6;
- dependency diagrams 14.5.2 (endnote 6);
- mapping 15.1.1.2 (sidebar);
- metadata 3.3.1;
- model based architecture 16.2.2.5;
- model-driven architectures 15.2.1.1;
- modeling tool 9.3.3;
- notations 3.1;
- process metamodel 15.1.2.1;

sequence diagrams 9.4.1; 9.4.1 (sidebar);

use case diagrams 7.3.1;

Unique Consignment Reference number:

transaction patterns 9.6;

United Nations: 5.8 (sidebar);

United Nations Convention on Contracts for the International Sale of Goods: 9.6.1;

Universal Business Language: 1.4.2; 2.3; 4.3.2; 4.3.2 (sidebar);

core plus customization 14.5.2;

customization 15.1.1.4;

Danish government 16.2.2.1;

Naming and Design Rules 15.1.1.1;

order 9.0;

Order schema 15.3.1;

patterns 13.5.3;

re-usable components 7.10.1;

schema library 15.1.1.3;

spreadsheet 14.6;

University of California, Berkeley:

“Center in a Box” 15.3.3;

campuses 11.2.2;

Course Approval System 10.4.4 (sidebar);

Document Engineering course 17.3 (endnote 3);

Event Calendar Network Project 8.0;

supply chain pattern 10.5.3;

unmarshalling: *see deserialization;*

up translation: 2.7.1;

UPS: 1.3.2;

field stocking 10.6;

information aggregation 5.3;

package delivery service 4.4.2.2;

US Army:

content management 4.2.2.6;

US Census Bureau: 8.2;

US Department of Defense:

Interactive Electronic Training Manuals 15.3.2;

US Government:

Federal Enterprise Architecture 9.3.2;

Integration Acquisition Environment 16.2.2.1;

US National Academy of Sciences Institute of Medicine:

medication errors 16.2.2.2;

US Postal Service:

postal address 8.1.1;

Zip codes 6.2;

- usability:**
 - generic requirement 8.1.3;
- usability engineering:** 7.2.4 (sidebar);
- usage requirements:** 8.3.1;
- use case:** 1.8.2;
 - and task analysis 7.2.1;
- user interface:**
 - applications 15.3;
 - design tasks 15.3.1.1;
 - model based 15.3.1.3;
- user interface design:** 7.2.3 (sidebar);
- user-centered:**
 - interface design 7.2.3 (sidebar);
- validating parser:** 2.6;
- validation:** 2.6;
 - one of XML's big ideas 2.2;
- value chain:** 4.2.2.4;
 - supply chain 4.2.2.6;
- value-added services:** 4.1.2.2;
- van der Vlist, Erik:**
 - "XML Schema" 15.1.1.1;
- Varian, Hal:**
 - "Information Rules" 4.0 (endnote 1); 5.2 (endnote 6);
 - real-time business model 5.5 (endnote 25);
- vendor managed inventory:** 4.2.2.5;
 - process pattern 5.5;
- vendors:**
 - products 15.0;
 - software 16.2.2.5;
- vertical integration:** 4.1.3;
- virtual business builder:** 10.4.3 (sidebar);
- virtual enterprise:** 1.0;
 - evolution 5.2;
 - patterns 9.0;
 - vision 6.0;
- Visa:** 1.1; 1.3.2;
 - payment service 4.4.2.2;
- Visio:**
 - modeling notations 15.1.2;
- Vitale, Michael:**
 - atomic business patterns 4.4.2;
- VMI:** *see vendor managed inventory*;
- vocabulary:** 2.1.2; 2.3; 2.5.1; 6.5.2;

- voice mode:** 4.1.3.2;
 - technologies 16.2.3.1;
- W3C:** *see World Wide Web Consortium;*
- Wal-Mart:** 1.8.3;
 - document 11.1;
 - document automation 1.8.3;
 - Internet EDI 5.6;
 - RFID 5.1;
- Walmsley, Priscilla:**
 - “Definitive XML Schema” 15.1.1.1;
- Waybill:**
 - entry point 14.4.3;
- web browsers:** *see browsers;*
- Web EDI:** 5.6;
- Web for computers:** 2.1.2;
- Web for eyes:** 2.1.2;
- Web Ontology Language:**
 - semantic web 15.3.7;
- web page:**
 - document 7.6.1;
 - patterns 13.5.3;
- web services:** 1.0; 1.3.2; 1.5; 1.6.3;
 - and SOA 4.4.2.2;
 - application 9.3.3;
 - BPEL 15.1.2.2;
 - business case 16.2.1;
 - deploying 8.1.1;
 - document exchange 4.1.3;
 - economic impact 5.2;
 - Event Calendar project 16.1.4.2;
 - explicit models 15.3.1.3;
 - history of idea 1.1 (endnote 3); 4.4.1.3 (endnote 62);
 - hosted drop shipment 10.6;
 - hype 7.3.1;
 - information exchanges 9.3.1;
 - interoperability 6.6;
 - model based 7.2.4;
 - model based application 15.0;
 - overview 4.4.1.3;
 - plug and play 5.8;
 - responsiveness 10.7.2;
 - semantic 15.3; 15.3.7;

- standards 16.2.2.5; 5.7;
- XML 15.1;
- Web Services Description Language:** 4.4.1.3;
- Web Services Industry Councils:** 4.1.3.3;
- wedding invitation:**
 - type of document 12.1.4;
- Weill, Peter:**
 - atomic business patterns 4.4.2;
- well-formed:** 2.6;
- Wellpoint Health Networks:**
 - document automation 16.2.2.2;
- Williamson, Oliver:**
 - business organization 5.2;
- Wittenstein, Ludwig:**
 - intension and extension 12.1.9 (sidebar);
- word processing files:**
 - document 7.6.1;
- workflow:**
 - business collaboration pattern 9.8.6;
- worksheets:** 7.4; 9.3.3;
 - analysis 7.3.1;
 - modeling notations 15.1.2;
- World Bank:** 5.8 (sidebar);
- World Wide Web Consortium:** 2.1.1; 2.5.3; 2.5.4; 2.7.2;
 - recommendations 5.7;
 - semantic web 12.1.11 (sidebar);
 - XML Schema 15.1.1 (sidebar);
- WorldCom:** 4.2.2.6;
- WSDL:** *see Web Services Description Language*;
- X12:** *see ANSI ASC X12*;
- XAML:**
 - vocabulary 15.3.1.1;
- XCBL:** 4.3.1.2;
 - schema library 15.1.1.3;
- XForms:**
 - alternatives 15.3.1.1;
 - e-forms 15.3.1 (sidebar);
 - mapping 15.3.1.2;
- XHTML:** 2.3;
 - e-form applications 15.3.1 (sidebar);
 - physical interface model 15.3.1;
 - transforming 15.3.3;

XML: 1.0; 1.5;
and conversion 2.7.1;
and document automation/STP 4.2.2.6;
and document implementation models 7.10.1;
and document models 2.5.1;
and naming 6.5.2 (sidebar);
and transformation 2.7; 2.7.2;
and validation 2.6;
and web services 4.4.1.3;
as standard 5.7;
big ideas 2.2;
capability 10.7.1;
compared to HTML 2.3;
document automation 16.2.2.1;
document exchange 4.1.3;
e-forms 15.3.1 (sidebar);
editors 15.1.1.2 (sidebar);
encoding 15.0;
in model based applications 7.10;
metadata 14.6;
modeling approaches 13.3.1;
naming and design rules 6.3.2;
narrative components 12.1.2;
not self describing 2.5.2;
overview 2.0;
process model 15.1.2.1;
separating content from presentation 2.4;
syntax 2.1 (sidebar);
system architectures 4.4.1.1;
web services 15.3.1.3;

XML applications: *see XML vocabularies;*

XML Common Business Library: *see XCBL;*

XML Schema: 2.5.3;

XML schema: *see schema;*

XML Schema:

and UBL 4.3.2 (sidebar);
as metamodel 3.3.1;
customization 15.1.1.4;
datatypes 15.3.1;
encoding rules 15.1.1.1;
implementation models 15.1.1;
mapping 15.1.1.2 (sidebar);
metadata 14.6;

- style 2.5.3 (endnote 14);
- W3C 15.1.1 (sidebar);
- XML vocabularies:** 2.3;
 - domain-specific 15.3.1.1;
 - encoding process models 15.1.2;
 - patterns 7.10.1;
 - proliferation of 4.3.1.2;
 - qualifying values 12.1.8;
 - syntactic requirements 8.3.5;
 - user interface modeling 13.3.1.2 (sidebar);
- XPath:** 2.5.4; 2.7.2;
 - BPEL 15.1.2.2;
 - resolving encoding conflicts 6.3.2;
- XSD:** *see XML Schema*;
- XSL FO:** *see Extensible Stylesheet Language for Formatting Objects*;
- XSLT:** *see Extensible Stylesheet Language for Transformation*;
- XUL:**
 - rendering 15.3.1.1;
- Yahoo:**
 - ontologies 12.1.11 (sidebar);
- Yin and Yang:**
 - in Document Engineering 3.0; 7.0;
- zipcode:**
 - not a code 12.1.11;
- zombie systems:**
 - risks 16.2.3.2;