

INDEX

- ABACUS-2, 471
- Absolutely forbidden transitions, 434–435
- Absorption constant in complex square well, 364
- Absorptive potential in optical model, 369–370
- Acoustical resonances, analogy with virtual levels, 162
- Action of system of particles, 77
- Activation energy for fission, 487–490
- Addition of angular momenta, quantum rules for, 308–310
- Ajzenberg-Selove, F., 380, 392
- Allen, R. C., 431
- Alpha particle emission
 - one-dimensional theory of, 133
 - semiclassical theory of, 464–468
- Amaldi, E., 564
- Amplitude of wave, definition of, 99
- Angular distribution
 - of elastically scattered neutrons, 353–354, 359, 366–367, 380–384, 387, 418, 534–538
 - of emitted charged particles, 477–478
 - of fission fragments, 498–499
 - Legendre polynomial expansion of, 385–391
- Angular momentum
 - bookkeeping, 312–317
 - bookkeeping in $^{40}\text{Ca}(n,p)^{40}\text{K}$ reaction, 474–476
 - commutation rules governing orbital, 166–167
 - conservation of classical, 24–26
 - conservation of quantum mechanical, 268
 - intrinsic. *See* Spin
 - quantum description of orbital, 164–171
 - quantum properties of, 308–310
 - vector model of orbital, 170–171
- Angular velocity of wave, 99
- Anisotropy of fission fragment angular distribution, 498–499
- Annihilation gamma rays, 424
- Anomalous magnetic moments of neutron and proton, 220
- Apparent threshold
 - of cpo reaction, 463, 470
 - for fission, 489–490
- Associated Legendre functions
 - definitions and table of, 151–152
 - relation to spherical harmonics, 321
- Asymmetry
 - of fission resonances, 493–494
 - of mass distribution in fission, 497–498, 501–506
- Atomic mass
 - relation to nuclear mass, 212
 - variation of (η, γ) cross section with, 448–449
- Atomic mass unit, definition of, 209, 567
- Atomic number, definition of, 210
- Atomic shell theory, 241–247
- Atomic theory, Bohr's, 84–85
- Auerbach, E. H., 471
- Austern, N., 482

- Average cross sections, optical model
 - theory of, 360–363
- Average fractional energy loss in elastic scattering, 386–388
- Average reflection factor, optical model, 361
- Avogadro's number, 567
- Azimuthal angle, definition of, 10
- Azimuthal asymmetry in double scattering, 251–254
- Azimuthal degeneracy in Coulomb potential, 164
- Azimuthal quantum number
 - in hydrogen energy levels, 241
 - introduction of, 148
- Bacon, G. E., 566
- Baggott, E. A., 194
- Barn, definition of, 5
- Barrier transparency
 - toward alpha particle emission, 464–468
 - approximate expression for, 113–114
 - definition of, 110
- Barriers
 - of arbitrary shape, 113–114
 - quantum mechanical treatment of one-dimensional, 108–118
- Bartlett, T. H., 249
- Baumgartner, E., 482
- Beam, uncertainty in collimation of, 177–178
- Bessel functions
 - definitions and properties of spherical, 156–157
 - integral representation of spherical, 181
- Beta decay
 - of fission fragments, 486
 - of isomeric level, 434–436
 - nonconservation of parity in, 267
- Bethe, H., 261, 264, 282
- Beynon, T. D., 515, 520
- Biedenharn, L. C., 337, 412, 482
- Binding energy
 - atomic, 212
 - definition of, 212
 - nuclear, 212
- Binding fraction, 212–213
- Black-nucleus model, 262–264, 360
 - penetrabilities obtained from, 468–472
- Blatt, J. M., 273, 281, 325, 337, 346, 408, 412, 451, 460, 466
- Bohm, D., 98, 138, 205
- Bohr, A., 455, 504–506
- Bohr, N., 58, 261–262, 485, 499
- Bohr's independence hypothesis, 262
- Bohr's theory of the atom, 84–85
- Boltzmann's constant, 567
- Born approximation
 - application to Fermi pseudopotential, 529–530, 553
 - application to slow-neutron scattering, 553
 - derivation of, 199–205
- Bound-atom scattering cross section, 530–532
- Bound states in spherical square well, 155–159
- Box, energy levels in, 119–123
- Bracket, definition of Poisson, 75
- Bragg cutoff, 539
- Bragg scattering, 538–539
- Bragg's law, 538–539
- Branching ratio in inelastic scattering, 404–405
- Breit, G., 295
- Breit-Wigner equations
 - elementary derivation of, 295–298
 - including spin, 329–331
 - R-matrix derivation of, 343–344
 - for scattering resonances, 353–359
- Breit-Wigner resonance
 - area invariance of, 517–518
 - Doppler effect on, 512–520
- Brolley, J. E., 498
- Brown, G. E., 370
- Buck, B., 371
- Calcium
 - elastic cross sections of, 382–384
 - inelastic cross sections of, 420–425
 - nuclear energy levels in, 416–417
- Canfield, E. H., 518
- Canonical
 - conjugate variables, 74
 - equations of motion, 73–75
 - transformation, 78
- Capture, elastic. *See* Compound elastic scattering
- Capture gamma rays
 - measured spectra, 436–442, 458–459
 - from nonthermal neutron capture, 441, 458–460
- Capture gamma spectrum
 - from aluminum, 458–459
 - from cadmium, 441
 - from iron, 437
 - from vanadium, 439
- Carter, R. E., 431
- Cascade reactions, 425–430
- Caswell, R. S., 372–384, 417
- Center of mass
 - constant velocity of, 28–29, 31–32

- definition of, 28
- Central difference solution of Schrödinger equation, 193–199
- Centrifugal force, classical, 63
- Centrifugal potential
 - classical, 62–65
 - quantum mechanical, 153
- Chadwick, J., 208–209, 484
- Changes of variables in differential cross sections, 10
- Channel
 - to channel cross sections, 338
 - definition of, 332
 - elastic scattering, 338
 - reaction, 338
 - wave functions, 333–334
- Channel radius
 - for alpha particle emission, 466
 - definition of, 332
- Channel spin
 - analysis of interactions, 325–328
 - coupling, 311
 - definition of, 311
 - eigenfunctions, 318–324
- Channels
 - open to fission, 494, 504–506
 - open to gamma decay, 494
- Charge density in nucleus, 216–217
- Charge independence of nuclear forces, 211
- Charged-particle-out reactions
 - Hauser–Feshbach theory of, 472–478
 - induced by slow neutrons, 478–482
 - kinematics of, 462–463
 - the $^{27}\text{Al}(n,\alpha)^{24}\text{Na}$ reaction, 463–468
 - the $^{10}\text{B}(n,\alpha)^7\text{Li}$ reaction, 479–482
 - the $^{40}\text{Ca}(n,p)^{40}\text{K}$ reaction, 473–478
 - the $^6\text{Li}(n,\alpha)^3\text{H}$ reaction, 482
- Charged-particle penetrabilities, 468–472
- Chase, D. M., 371
- Chemical region
 - coherent scattering in, 532–539
 - incoherent scattering in, 539–548
 - inelastic scattering in, 548–552
 - interactions of neutrons in, 524–525
 - scattering amplitudes in, 526–529
- Classical elastic scattering cross section
 - general expression for, 43–46
 - for repulsive inverse- r potential, 55–58
 - for square well, 50–55
- Classical impossibilities, 99
- Classical mechanics, survey, 69–84
- Classical observables and operators, 90–91
- Classification of neutron cross sections, 264–267
- Clebsch–Gordon coefficients, 320–328
 - table of, 323
- Cloudy-crystal-ball model. *See* Optical model
- Coherent scattering
 - of neutrons in chemical region, 532–539
 - from two fixed nuclei, 535–539
- Coherent scattering cross sections, table of, 546
- Collective model, 248, 260, 455–456
- Collective state, 450
- Collective transitions, 455–456
- Collimation of incident beam, 177–178
- Collision
 - definition of. 1
 - elastic, 2
 - inelastic, 2
 - reaction, 2
 - scattering, 1–2
- Collision matrix
 - definition of, 325, 335
 - relation to R matrix, 343–345
 - symmetry of, 339
 - unitarity of, 338
- Commutation relations
 - governing orbital angular momenta, 166–167
 - governing quantum operators, 91
 - governing spin operators, 302–303
- Commutator, definition of, 91
- Complex energy of decaying state, 280
- Complex phase shift, 284–287
- Complex potential as sink for probability density, 176–177. *See also* Optical model potentials
- Complex square well, optical model of, 364–368
- Compound elastic scattering
 - amplitude for, 293–297
 - definition of, 265–266, 288
 - Hauser–Feshbach expression for, 418
 - optical model expression for, 363, 380–381
- Compound nucleus
 - Rohr's model of. 261–264
 - decay by fission, 489–494
 - energy levels in, 277–284
 - formation cross section, 262–266
 - 297–298, 362–363, 380
 - in inelastic scattering, 404–405
 - as a traffic controller, 312–317
- Condon, E. U., 133, 152, 322, 467
- Configuration space, 74
- Conservation
 - of parity, 235
 - of probability, 173–175
- Conservation laws
 - classical, 21–26

- in formation and decay of compound nucleus. 312–317
- in nuclear interactions, 267–269
- Constants of motion, 171–173
- Constellation, definition of, 1
- Contact collisions, 17–19
- Continuity of wave function, 92
- Conversion factors for length, area, mass, and energy, 568
- Coordinate systems
 - definitions of, 26
 - transformations between, 36, 58–61
- Copenhagen language, 138
- Corben, H. C., 70
- Correlation functions, 556
- Correspondence principle, 90, 121
- Coulomb barrier
 - in alpha particle emission, 465, 478
 - against fission, 487–489
- Coulomb constant, 568
- Coulomb field parameter, 334
- Coulomb phase shift, 334
- Coulomb potential
 - accidental degeneracy in, 164, 241–242
 - from distributed charge, 223–225
- Coulomb wave functions, 163, 290, 334, 336
- Coulomb's law, 236
- Coupling of angular momenta, 308–311
- Cranberg, L., 383
- Cross, W. G., 382
- Cross section(s). *See also* Elastic scattering
 - cross section(s); Fission cross sections; etc.
 - definitions of, 4–9
 - expansion of, 385–391
 - maximum possible, 286–287
 - rigid sphere, 191–193
 - symbols for, 265–267
 - transformation of, 58–61
- Crystal ball
 - analogy of classical scattering to, 52
 - cloudy. *See* Optical model
- Crystal scattering, Bragg's law, 538–539
- Crystals, saturation of forces in, 239–240
- C-system, definition of, 26
- Curie, I., 209, 484
- Current density, probability, derivation of
 - expressions for, 173–175
- Cyclic coordinates in Hamiltonian dynamics, 74
- D'Abro, A., 98, 140
- Davisson, C. J., 68
- DeBenedetti, S., 273
- DeBroglie, L. V., 68–69, 138–139
- DeBroglie wavelength
 - and classical radius of particle, 187
 - of neutron, 533
- DeBroglie's postulate, 68
- Debye model of solids, 521–522, 551–552
- Debye temperature of solids, 521–522
- Decay gamma rays, 432
- Decay probability
 - for alpha particle emission, 466–468
 - of excited state, 279–280
- Deformation energy in fission, 503–506
- Degeneracy
 - of eigenfunctions, 122
 - of eigenstates of dice, 135–136
 - of l th partial wave, 182
- Degrees of freedom, 70, 283–284
- Delayed neutrons
 - from fission, 486
 - and shell structure, 250
- DeMeevergnies, M. N., 460
- Demidov, A. M., 439
- Density
 - of energy levels, 280–282
 - of nuclear matter, 215–216
- Deuteron
 - photodisintegration of, 273
 - quadrupole moment of, 232
- Deviation, standard or root-mean-square, 97
- Diatomic molecule, energy levels in, 548–551
- Dice, analogy to eigenstates, 135–136
- Differential cross sections, definition of, 9
- Differential elastic cross section
 - classical calculation of, 44–58
 - definition of, 10–12
 - expansions of, 385–391
 - optical model expression for, 362–363
 - quantum expression for, 180
 - in scattering resonance, 359
 - transformation of, 58–61
- Dipole moment, electrostatic, 225
- Dirac, P. A. M., 138
- Direct radiative capture, 450
- Distant correlation function, 556
- Doppler-broadened line shape, 515, 520
- Doppler effect, 508–523
 - on Breit–Wigner reaction resonance, 512–518
 - on Breit–Wigner scattering resonance, 518–520
 - on constant cross section, 511–512
 - on energy of resonance center, 523
 - invariance of resonance area, 517–518
 - on $1/v$ cross section, 509
 - significance in nuclear reactors of, 523

- Doppler line shape, pure, 517
 Doppler resonance area, invariance of, 517–518
 Double differential cross section
 of heavy water, 563
 of solids and liquids, 558
 Double-scattering experiments, 249–251
 Doublet, nuclear spin, 253–254
 Dresner, L., 565
 Duffy, G. J., 416
 Dynamical variable, average of, 92
- Edmonds, A. R., 309, 346, 371
 Effective mass of bound atom, 531
 Effective potential
 classical, 62–63
 quantum mechanical, 153
 Egelstaff, P. A., 559, 565
 Eigenfunction(s)
 of angular wave equation, 148–152
 in channel spin formalism, 318–325
 in Coulomb potential, 163–164
 definition of, 93
 degeneracy of, 122
 in finite potential well, 123–125
 harmonic oscillator, 127
 in infinite potential well, 119–123
 of linear harmonic oscillator, 126–127
 linear independency of, 122
 numerical calculation of, 193–199
 orthogonality of, 123
 spectrum of, 94
 of spherical Bessel equation, 155–157
 Eigenvalue(s)
 in Coulomb potential, 163–164
 definition of, 93
 of dice, 135
 in finite potential well, 123–125
 of free-particle energy, 104–107
 in infinite potential well, 121
 of linear harmonic oscillator, 127
 numerical calculation of, 198–199
 of orbital angular momentum, 153
 of three-dimensional oscillator, 255
 Einstein, A., 84
 Einstein model of solids, 521, 551–552
 Eisenbud, L., 340
 Elastic scattering
 in the chemical region, 524–548, 552–565
 C-system invariance of speeds in, 35–36
 definition of, 2
 fractional energy loss in, 386–388
 kinematics of neutron, 350–352
 neutron–nucleus, 349–393
 optical model of, 360–385
 Elastic scattering cross section(s)
 classical derivation of, 44–58
 graphs of neutron–nucleus, 365–367
 in isolated resonances, 292–297, 329–331
 Legendre polynomial expansions of, 385–391
 measured behavior of, 352–354
 of neutrons on calcium, 382–384
 optical model expressions for, 360–363
 partial wave expression for, 185
 Electric charge, conservation of, 267
 Electric multipole quanta, 450–455
 Electric quadrupole moments, 223–232
 Electrodynamic force, 236
 Electron
 charge, 567
 classical radius, 568
 rest mass, 567
 Electron volt, definition of, 3
 Ellipsoidal charges, quadrupole moments of, 228–232
 Ellipticity of ellipsoid, 229
 Elwyn, A. J., 384
 Emde, F., 149, 181
 Endoergic reaction, threshold energy of, 270
 Energy, conservation of total, 22–23
 Energy of deformation of nucleus, 503–506
 Energy eigenfunctions. *See* Eigenfunction(s)
 Energy eigenvalues. *See* Eigenvalue(s)
 Energy gaps between levels in rectangular box, 121
 Energy level spacing, from neutron capture data, 449
 Energy levels
 in compound nucleus, 277–284
 in Coulomb potential, 241–242
 density of nuclear, 280–282
 in finite potential well, 123–125
 in hydrogen atom, 241–243
 in infinite potential well, 121
 of linear harmonic oscillator, 127
 in liquids, 553
 in molecules, 548–550
 notation for atomic and nuclear, 244
 numerical determination of, 198–199
 in solids, 551–552
 of three-dimensional harmonic oscillator, 254–256
 widths and lifetimes of, 279–280, 283–284
 Energy loss in elastic scattering, 386–388
 Energy resolution of inelastic neutron spectra, 406–407
 Energy spectrum of neutrons from inelastic scattering, 405–407
 Engelbrecht, C. A., 416

- Entrance channel, definition of, 332
- Equilibrium constant, 271–273
- Evans, R. D., 222, 273
- Exclusion principle, 244
- Exit channels
 - definition of, 332
 - for fission, 494, 504–506
 - for gamma emission, 494
- Exoergic reactions, 269
- Expectation value(s)
 - definition of, 92
 - of momentum of free particle, 107
 - of orbital angular momentum, 168–170
 - of total energy, 105, 134–135
- External fields, influence of, 19
- Feld, B. T., 471
- Femtometer, definition of, 215
- Fermat, Pierre de, 78
- Fermat's principle, 78
- Fermi, E., 261, 484, 529
- Fermi age solution, 553
- Fermi pseudopotential, 529–530, 553
- Fernbach, S., 360, 370
- Feshbach, H., 264, 360, 364–366, 380, 392, 408, 471
- Feshbach, Porter, and Weisskopf, optical model, 364–368
- Fine-structure constant, 569
- Fine structure of electronic energy levels, 243
- Finite difference solution of Schrödinger equation, 193–199
- First Born approximation. *See* Born approximation
- Fissile nuclides, 485
- Fission
 - activation energy for, 487–490
 - branching ratio for decay by, 495
 - degrees of freedom in, 283–284
 - distribution of energy in, 496–497
 - kinematics of, 486–487
 - second chance, 496
 - spontaneous, 487
 - ternary and quaternary, 487
 - theories of, 498–506
 - unified model of, 504–506
- Fission cross sections
 - departure from $1/v$ variation of, 491–493
 - at high energies, 494–496
 - at low energies, 490–494
- Fission fragments
 - angular distribution of, 498
 - decay of, 486
 - kinetic energies of, 496–497
 - mass distribution of, 497–498, 501–506
- Fission resonances, departure from symmetry of, 493–494
- Fissionable nuclides, 485
- Fluctuation cross section, 362–380
- Forbidden transitions, 423, 434–436
- Force field collisions, 16–19
- Forces
 - in nature, 236–237
 - between nucleons, 237–240
 - saturation of nuclear, 239–240
- Formal resonance energy
 - in Breit–Wigner theory, 295–296
 - in R-matrix theory, 340
- Fowler, J. L., 430, 482
- Free particle in one dimension, 106–108
- Free-atom scattering cross section, 530–532
- Freeman, J. M., 431
- Freier, G., 253
- Frequency spectrum
 - derived from measured scattering law, 559
 - of graphite, 562
 - of heavy water, 565
 - of liquids, 552
 - of solids, 551–552
- Frequency of wave, definition of, 99
- Frisch, O., 485
- Galilean transformation, 36
- Gamma ray emission
 - of collective type, 455
 - degrees of freedom in, 283–284
 - selection rules for, 453–454
 - theory of, 450–460
 - transition probabilities for, 450–453
- Gamma ray spectra
 - from nonthermal-neutron capture, 458–460
 - statistical theory of, 456–460
 - from thermal-neutron capture, 436–443
- Gamma ray transition diagram
 - for cadmium, 442
 - for iron, 438
 - for vanadium, 440
- Gamma rays
 - emitted in fission, 486, 496
 - from inelastic scattering, 397–398, 421–425
 - from neutron capture, 436–443
- Gamow, G., 133, 467
- Gamow factor, 467
- Gaudin, M., 283
- Gedanken experiment
 - demonstrating isotropic scattering, 13–14
 - demonstrating uncertainty principle, 97–98

- Geiger, H., 57
 General theory of nuclear interactions, 331–334
 Generalized coordinates, 70–74
 Generating function of canonical transformation, 78–81
 Germer, L. H., 68
 Goldstein, H., 27, 55, 66, 70, 431
 Goldstein, N., 448
 Gomolcak, L., 391
 Goudsmit, S., 298
 Grant, I. S., 515, 520
 Graphite, scattering law for, 559–561
 Gravitation, universal law of, 236
 Gravitational constant, 567
 Gravity, influence of Earth's, 19
 Green's function
 of Schrödinger equation, 200
 for slow-neutron scattering, 553
 Groshev, L. V., 437–442
 Gross-structure problem, 360
 Ground state of nucleus, definition of, 260
 Group velocity of wave, 101–103, 108
 Guernsey, J. B., 431
 Gurney, R. W., 133, 467
- Hahn, O., 484
 Hamiltonian
 action, 77
 dynamics, 73–75
 function, 73
 Hamilton–Jacobi dynamics, 78–81
 Hamilton's
 equations of motion, 73–75
 principle, 76–77
 wave theory of matter, 78, 81–84
 Hankel functions, properties of, 156–157
 Harling, O. K., 561–565
 Harmonic oscillator
 one dimensional, 126–127
 three dimensional, 255–256
 Hauser, W., 408
 Hauser–Feshbach theory, 408–416
 application to calcium, 416–421
 of cpo reactions, 472–478
 Haxel, O., 251
 Heavy water, scattering law for, 561–565
 Heckrotte, W., 370
 Heisenberg, W., 69, 95, 138, 240
 Heisenberg's principle, 95–98, 279
 Henkel, R. L., 498
 Hermite polynomials, 127
 Heusinkveld, M., 253
 High-energy cross sections, 288–289
 Hodgson, P. E., 391
 Hollander, J. M., 260, 436
- Hooke's law, 521, 549
 Howerton, R. J., 383–384
 Huber, P., 482
 Hughes, D. J., 276, 448
 Hurwitz, H., 390
 Hyde, E. K., 489, 506
 Hydrogen
 atomic energy levels in, 241–243
 coherent cross section of, 544
 effective mass of, 532
 free and bound cross sections of, 533
 Hyperfine spectra and nuclear quadrupole moments, 232
- Impact parameter, 32, 44–57, 177
 Impenetrable sphere, cross section of, 190–193
 Incident wave in scattering experiment, 178–179
 Incoherent scattering
 in chemical region, 539–548
 isotopic, 539–543, 547
 spin, 543–545, 547
 thermal, 547–548
 Independence, linear, 122
 Independence hypothesis, 262
 Independent particle models, 248
 Index of refraction, 52, 102
 Inelastic gamma rays, angular distribution of, 425
 Inelastic scattering
 in the chemical region, 524–525, 548–552
 gamma rays from, 397–398, 421–425
 general behavior of cross sections for, 404–408
 Hauser–Feshbach theory of, 408–416, 418–421
 kinematics of, 395–404
 parity conservation in, 410
 threshold energy for, 395
 Infinite potential step, condition on wave function, 117
 Infinite rectangular box
 energy levels in, 119–123
 parity of wave functions in, 234
 Interaction, definition of, 1
 Interaction models, 248–249, 260–264
 Interactions, channel spin analysis of, 325–328
 Interactions between spinless particles, analysis of, 284–298
 Interface continuity conditions, 111
 Interference of probabilities, 136–137
 Internal conversion, 423, 434
 Intrinsic angular momentum. *See* Spin

- Intrinsic parity of fundamental particles, 235
- Inverse- r potential
 - Born approximation applied to, 204–205
 - solution of Schrödinger equation for, 163–164
- Ionization potentials of atoms, 246–247
- Isobaric spin, nuclear, 232–233
- Isobars, definition of, 211
- Isolated (n, γ) resonances, 443–445
- Isolated resonance formulas
 - derivation of, 295–298
 - R-matrix theory of, 343–344
- Isolated scattering resonances, 353–359
- Isomeric transitions, 434, 436, 455
- Isomers, definition of, 211
- Isospin
 - conservation of, 269
 - nuclear, 232–233
- Isotones, definition of, 211
- Isotopes, definition of, 210–211
- Isotopic incoherence, 539–543, 547
- Isotropic scattering
 - gedanken experiment, 13–14
 - at low energies, 191, 352, 526
- Jahnke, E., 181
- Jarvis, R. G., 382
- Jensen, J. H. D., 249, 251, 273
- j - j coupling, 311
- Johnson, T. H., 68
- Joliot, F., 209, 484
- Julien, J., 460
- Kalos, M. H., 420, 473
- Katcoff, S., 497
- Kinematics
 - of cpo reactions, 462–463
 - definition of, 3
 - of elastic scattering of neutrons, 350–352
 - of the fission reaction, 486–487
 - general development of, 30–44
 - of inelastic scattering, 395–404
- Kronecker delta, 76, 336
- Lagrange, J. L., 70
- Lagrange's equations, 70–73
- Lagrangian function, 71
- Lamb, W. E., 521
- Landé, A., 137
- Lane, A. M., 332, 337, 385, 460
- Lane, R. O., 384
- Langsdorf, A. S., Jr., 384
- Laplace's equation, 200
- Laplacian in spherical coordinates, 146–147
- Least action, principle of, 77–78
- Lederer, C. M., 260, 436
- Legendre functions, associated, 151–152
- Legendre polynomials, 151–152
 - expansions of elastic scattering cross sections in, 385–391
 - expansion of incident wave in, 181
 - relation to spherical harmonics, 321
 - Rodrigues' formula for, 151
- Lepore, J. V., 370
- Level density, 281–282, 408
- Level spacings
 - from neutron capture data, 449
 - Wigner distribution of, 283
- Level widths
 - for elastic scattering, 344, 355–358
 - for fission, 492–493
 - and lifetimes, 279–280
 - Porter-Thomas distribution of, 283–284
 - for radiative capture, 444–445, 492
- Levy, H., 194
- Liedtke, R. A., 436
- Lifetimes
 - of energy levels, 279–280
 - for gamma ray emission, 451–453
- Light, speed in vacuum, 567
- Lind, D. A., 431
- Lindsay, R. B., 66
- Linear independence, definition of, 122
- Linear momentum, conservation of, 21–22, 268
- Liquid drop model, 248–249
 - application to fission reaction, 498–506
- Liquids
 - energy levels in, 552
 - theory of slow-neutron scattering in, 552–557
- L - j coupling, 311
- Logarithmic derivative of radial wave function, 290
- Lorentz transformation, 36
- Low-energy neutron cross sections, 287–288
 - for cpo reactions, 478–482
 - for elastic scattering, 352–353
 - for fission, 490–494
 - for radiative capture, 443–446
 - in solids and liquids, 524–548, 552–565
- L - S coupling, 311
- L -system, definition of, 26
- Lustig, H., 420, 472
- Lutsenko, V. N., 439
- Lynn, J. E., 346, 494
- Macroscopic cross sections, 8–9
- Magic numbers
 - effect on (n, γ) cross sections, 448–449

- effects and theory of, 249–260
- of nucleons in fission, 501–504
- Magnetic dipole moment(s)
 - anomalous, 220
 - definition of, 219
 - of electron, 299
 - of neutron and proton, 209–210
 - of nuclei, 220–223
 - Schmidt's model of nuclear, 220–223
- Magnetic field, influence of Earth's, 19
- Magnetic multipole quanta, 451–455
- Many-electron atom, 245–247
- Margenau, H., 66, 98, 140
- Marion, J. B., 430, 482
- Marsden, E., 57
- Mass
 - bound-atom effective reduced, 530–532
 - reduced, 29
- Mass defect, definition of, 212
- Mass distribution of fission fragments, 497–498, 501–505
- Mass-energy, conservation of, 268
- Mass-energy balance in nuclear reactions, 269–270
- Mass number, definition of, 210
- Massey, H. S. W., 200, 205
- Mathematical symbols, 569
- Matrices, Pauli spin, 302–303, 306–308
- Matrix, collision, 325, 335, 338–339, 343–345
 - R, 340–346
 - U. *See* Collision matrix
 - unit, 304
- Matrix mechanics, 69
- Maupertius, Pierre de, 77
- Maupertius' principle, 77
- Maximum cross sections, 286–287, 330–331
- Maxwellian form of inelastic neutron spectrum, 406–408
- Maxwellian velocity distribution, 509–510
 - of atoms in solids, 521–522
- Mayer, M., 249, 251, 273
- Mean free path in nuclear matter, 262
- Mean life
 - for alpha emission, 468
 - of excited state, 279–280
 - for gamma ray emission, 453
 - of particle inside barrier, 131–133
- Mehta, M. L., 283
- Meitner, L., 485
- Melkonian, E., 532
- Mesh points, in numerical solution of Schrödinger equation, 194–195
- Mesons, and nuclear forces, 240, 254
- Messiah, A., 234
- Method of partial waves, 181–192
- Microscopic cross section, definition of, 4–8. *See also* Cross section(s)
- Mittleman, P. S., 436
- Modulus of reflection factor, 284–287
- Moldauer, P. A., 416
- Molecules
 - energy levels of, 548–551
 - neutron scattering from, 552–565
- Momentum
 - angular. *See* Angular momentum
 - intrinsic angular. *See* Spin
 - linear. *See* Linear momentum
- Momentum states in large box, 271–273
- Monochromatic wave
 - de Broglie, 106
 - definition and properties of, 99–103
- Monohan, J. B., 384
- Monopole strength of distributed charge, 225
- Mott, N. F., 200, 205
- Mottelson, B. R., 455, 504
- Multilevel multichannel R-matrix theory, 345–346
- Multiplicity of levels, 244–246
- Multipole components of radiation field, 450–451
- NEARREX, 416
- Negative-energy resonances, 492–493
- Nemirovskii, P. E., 274
- Neumann functions, spherical, 156–157
- Neutron
 - magnetic moment of, 209–210
 - mass of, 209, 567
 - radioactivity of, 210
 - spin, 209, 300–306
- Neutron absorption, $1/v$ law of, 294
- Neutron emission, degrees of freedom in, 283–284
- Neutron groups from inelastic scattering, 404–407
- Neutron separation energy, 213–214
- Neutron wavelength as function of energy, 533
- Neutron width, 296–298, 355–358
 - reduced, 357–358
- Neutrons, average number emitted in fission, 503
- Newton, I., 69
- Newtonian dynamics, 69–70
- Newton's laws of motion, 69–70
- Nodes in radial wave function, 164
- Nonelastic cross section. *See* Reaction cross section
- Nonlocal potentials, 371
- Nonspherical potentials, 371

- Nonthermal neutron capture, gamma rays from, 441, 458–460
- Nuclear charge, 211
- Nuclear charge and mass density, 216–217
- Nuclear forces, 235–240
 - charge independence of, 211
- Nuclear interactions, general theory of, 331–334
- Nuclear magneton, 220
- Nuclear mass, 212–217
- Nuclear models, 248–260
- Nuclear parity, 233–235
- Nuclear properties, 210–235
- Nuclear quadrupole moments, 223–232
- Nuclear radii, 215–217
- Nuclear shell model, 248–260
- Nuclear spin, 217–218, 298–308
- Nuclear temperature, 408
- Nucleon number, definition of, 210
- Nucleons, conservation of, 267
- Nuclide, definition of, 210
- Number density, definition of, 4
- Numerical solution of Schrödinger equation, 193–199

- Oblate charge distributions, 226–228
- Observed resonance energy, 296
- Occupancy number, definition of, 246
- One over v law, 294
- Operational philosophy, 98
- Operators
 - and classical observables, 91
 - for orbital angular momenta, 166, 168
 - Pauli form of quantum, 304–306
 - for spin, 302–303, 306–308
- Optical model, 248, 264
 - calculation for calcium, 372–385
 - the complex square well, 364–368
 - penetrabilities, 363, 411
 - potentials, 368–372
 - theory of, 360–363
- Orbital angular momentum
 - eigenvalues of, 153
 - quantum mechanical description of, 164–170
- Orthogonality
 - definition of, 123
 - of eigenfunctions, 123
- Overlapping resonance region, 446–447

- Pair emission, 423, 435
- Parity
 - definition of, 233–234
 - of fundamental particles, 235
 - of particles and nuclei, 319
 - of rotational states, 455
 - of system of particles, 235
- Parity conservation, 268–269
 - in compound nucleus formation and decay, 312–317
 - formalization of, 317–318
 - in inelastic scattering, 410
- Partial waves
 - method of, 181–192, 284–298
 - spectroscopic notation for, 182
- Partial width of energy level, 279
- Pauli, W., 299–304
- Pauli
 - exclusion principle, 244, 257
 - spin matrices, 303–308
 - wave equations, 304–306
 - wave functions, 301–306
- Pauli's theory of spin, 299–306
- Pelevkhov, V. I., 439
- Penetrabilities
 - black nucleus, 262–264
 - of neutrons from black-nucleus model, 471
 - from optical model, 363
 - of photons, 416
 - of protons from black-nucleus model, 472
 - references to tables of, 471
- Penetration factor
 - in Breit–Wigner formulas, 296
 - definition and table of, 291
- Perey, F. G. J., 372
- Period of wave, definition of, 99
- Periodic table, explained by Pauli principle, 244–246
- Perlman, I., 260, 436
- Phase factor of reflection factor, 284–287
- Phase shifts
 - calculation of, 187–190
 - complex, 284–287
 - for impenetrable sphere, 191
 - numerical determination of, 197–198
 - of reflected wave in one dimension, 133–134
- Phase space, 74
- Phase velocity of wave, 100
- Phase of wave, definition of, 99
- Phonon, 552
- Phonon spectrum. *See* Frequency spectrum
- Photoelectric effect, 84
- Physical meaning of wave function, 137–140
- Picasso, P., 543
- Pipe with open end, condition for resonances in, 162
- Planck, M., 84

- Planck's constant, 567
 Planck's hypothesis, 84
 Pluhar, Z., 191
 Point charge, electrostatic moment of, 225
 Poisson bracket
 and commutator, 91
 definition and properties of, 75–76
 Polar degeneracy in Coulomb potential, 164
 Polarization
 of beam by double scattering, 251–254
 of scattered neutrons, 379–382
 Polynomials
 Hermite, 127
 Legendre. *See* Legendre polynomials
 Porter, C. E., 264, 283, 364–366
 Porter–Thomas distribution, 283–284, 459
 Posener, D. W., 516
 Postulates of wave mechanics, 90–95
 Potential(s)
 absorptive, 369–370
 centrifugal, 62–65, 153
 common, 18–19
 complex, as sink for probability density, 176–177
 effective, 62–63
 between fission fragments, 488
 nonlocal, 371
 nonspherical, 371
 refinements of optical model, 368–372
 Saxon–Woods, 369, 373
 spin–orbit, 370–371, 373–374
 Potential barriers, quantum mechanics of, 108–119
 Potential-energy maps, 500–502
 Potential scattering. *See* Shape elastic scattering
 Potential step, reflection from, 116–118
 Potential well(s)
 in alpha particle emission, 465
 energy levels in one-dimensional, 119–133
 Preston, M. A., 339, 345–346
 Principal quantum number
 in hydrogen atom, 241–242
 in inverse- r potential, 164
 in periodic table, 244–247
 Principle of least action, 77–78
 Probability current density
 in derivation of elastic cross sections, 179–180
 derivation of expressions for, 173–175
 in derivation of reaction cross sections, 285–286
 in one-dimensional potential barrier, 175–176
 Probability density function of position, identification of, 92
 Prolate charge distributions, 226–228
 Propagation constant of wave, definition of, 99
 Properties
 of neutron, 208–210
 of nuclei, 210–235
 of proton, 210
 Proton, properties of, 210
 Proton energy levels in ^{27}Al , 259
 Proton separation energy, 213–214
 Pseudopotential, Fermi, 529–530, 553
 p -wave scattering
 definition of, 182
 resonances, 358–359
 Quadratic integrability of wave function, 92
 Quadrupole moments, 223–232
 Quantum numbers
 associated with interactions, table of, 313
 as indices numbering eigenfunctions, 121–122
 Quantum theory
 development of “new,” 84–90
 “old,” 84–85
 Quaternary fission, 487
 Q value
 of cpo reaction, 463
 definition of, 269–270
 of fission reaction, 486–487
 of (γ, n) reaction, 426–427
 of (n, γ) reaction, 433
 of $(n, 2n)$ reaction, 426–427
 Racah coefficients, reference to tables of, 412
 Radial Schrödinger equation
 derivation of, 146–147, 153
 numerical solution of, 193–199
 reduction to Coulomb wave equation, 163
 reduction to spherical Bessel equation, 155
 Radiative capture
 direct, 450
 kinematics of, 433–434
 Radiative capture cross sections, 443–450
 variation with atomic mass, 448–449
 Radiative capture width, 443–445
 Radii, nuclear, 215–217
 Radioactive alpha decay, 133
 Radioactivity of neutron, 210
 Ray, J. H., 420, 473
 Reaction cross sections, 264–267
 Breit–Wigner expressions, 292–293, 329

- for channel reaction, 338
- channel-spin analysis of, 327–328
- optical model expression for, 362
- partial wave derivation of, 285–286
- Reaction width, 296–298
- Reactions, in the chemical region, 524–525
- Real potential well model of nucleus, 261
- Reciprocity relation
 - application to inelastic scattering, 412
 - channel to channel, 339
 - derivation of, 270–273
- Recoil of nucleus following gamma ray emission, 434
- Rectangular potential well, 123–126
- Recursion formula, 196
- Reduced mass, definition of, 29
- Reduced mass effect, 530–532
- Reduced neutron width, 340, 342, 357–358
- Reflection factor. *See also* Collision matrix
 - calculation of, 289–292
 - definition of, 284
 - optical model average, 361
- Reflectivity of potential step, 118
- Relative speed of particle beams, 7–8
- Resonance area, invariance of to Doppler effect, 517–518
- Resonance center, shift in peak of by Doppler effect, 523
- Resonance energy, observed, 296
- Resonance formulas, R-matrix derivation of, 343–344
- Resonance parameters for low lying levels in fissile nuclides, 492
- Resonance shape, Doppler effect on, 512–520
- Resonances, scattering, 353–359
- Resonances in measured cross sections, 276–277
- Ribe, F. L., 482
- Rigid rotator
 - diatomic molecule as a, 548–550
 - nucleus as a, 455–456
- Rigid sphere, cross section of, 190–193
- Ring charges, quadrupole moments of, 226–227
- R-matrix theory, 340–346
- Rodrigues' formula for Legendre polynomials, 152
- Rojansky, V., 140, 149
- Root-mean-square deviation, 97
- Rose, M. E., 309, 346, 515
- Rotational levels
 - in molecules, 548–551
 - in nucleus, 455–456
- R-system
 - definition of, 26
 - transformation of cross sections from, 58–61
- Runge and Kutta, method of, 194
- Russell-Saunders coupling, 311
- Rutherford, E., 57–58
- Rutherford cross section
 - classical derivation of, 55–58
 - quantum derivation of, 204–205
- Rutherford scattering, 55–58, 204–205
- Rutherford's nuclear model, 84
- Saddle point leading to fission, 500–506
- Sailor, V. L., 493
- Saturation of nuclear forces, 239–240
- Saxon-Woods potential, 369, 373
- Scattered wave, description of, 179–180
- Scattering. *See also* Elastic scattering; Inelastic scattering
 - coherent, 532–539
 - compound elastic, 288
 - by inverse- r potential, 55–58, 204–205
 - isotopic incoherent, 539–543, 547
 - at low neutron energies, 525–529
 - by rigid sphere, 190–193
 - shape elastic, 288
 - spin incoherent, 543–545, 547
 - thermal incoherent, 547–548
 - wave-mechanical description of, 177–181
- Scattering amplitude
 - Born-approximation expression for, 202
 - introduction of, 180
 - at low neutron energies, 526–528
 - partial wave expression for, 185
- Scattering angle, definition of, 10
- Scattering cross sections. *See* Elastic scattering cross sections; Differential elastic cross sections
- Scattering law(s)
 - definition of, 557–558
 - graphite, 561
 - heavy water, 564
- Scattering length(s)
 - algebraic sign of, 544–545
 - definition of, 527–529
 - table of nuclear, 546
- Scattering matrix, 378–382
- Scattering resonances, 159–162, 353–359
 - Doppler effect on, 518–520
 - one-dimensional, 128–133
- Schmidt, T., 220–222
- Schmidt diagrams, 220–222
- Schmidt limits, of magnetic moments, 222
- Schofield, P., 559
- Schrödinger, E., 69, 138–139
- Schrödinger equation
 - derivations of, 86–90

- numerical solution of, 193–199
- Pauli form of, 304–306
- solution for inverse- r potential, 163–164
- solution in spherical coordinates, 146–153
- Schüler, H., 220
- Schwartz, R. B., 276
- Scission, 486
- Seagrave, J. D., 383
- Second-chance fission, 496
- Segre, E., 502
- Selection rules for gamma ray emission, 453–455
- Self-correlation function, 556
- Semiclassical theory of alpha particle emission, 464–468
- Separation energies and shell structure, 250
- Separation energy
 - of neutron, 213–214, 395
 - of proton, 213–214
- Separation of Schrödinger equation
 - in one spatial dimension, 104–105
 - in three spatial dimensions, 144–147
- Serber, R., 360
- Shape elastic cross sections, 265–266. *See also* Elastic scattering cross sections; Differential elastic cross sections
- Shape elastic scattering, definition of, 288
- Shape elastic scattering amplitude, 293–297
- Shapiro, M. M., 470
- Shell model
 - application to fission reaction, 501–504
 - of atom, 244–247
 - of nucleus, 246–260
- Shell structure, experimental evidence for nuclear, 249–250
- Shift factor
 - in Breit–Wigner formulas, 296–298
 - definition and table of, 291
- Shift of resonance center due to Doppler effect, 523
- Shore, F. J., 493
- Shortley, G. H., 152, 322
- Shull, C. G., 546
- Silk, M. G., 483
- Simmons, J. E., 383
- Simon, A., 322, 412
- Simple harmonic oscillator
 - one dimensional, 126–127
 - three dimensional, 255–256
- Simple harmonic vibrator, diatomic molecule as, 548–549
- Sink for probability density, 176–177
- Slow-neutron-induced cpo reactions, 478–482
- Slow neutron scattering. *See* Low-energy neutron cross sections
- Smith, A. B., 384
- Solid angle in spherical coordinates, 14–15
- Solids
 - Debye model of, 521–522, 551–552
 - Einstein model of, 521, 551–552
 - energy levels in, 551–552
 - equivalent temperatures of, 521–522
 - theory of slow-neutron scattering in, 552–557
- Space-time correlation functions, 556
- Space-time theory of slow neutron scattering, 552–557
- Spacing between energy levels
 - in diatomic molecule, 550–551
 - in hydrogen atom, 241–242
 - in nuclear shell model, 254–256, 259
 - in one-dimensional wells, 121, 125–127
 - Wigner distribution of, 283
- Spatz, W. D. B., 448
- Spectral density function. *See* Frequency spectrum
- Spectroscopic notation for partial waves, 182
- Sphere, cross section of rigid, 190–193
- Spherical Bessel equation, solutions of, 155–157
- Spherical Bessel functions
 - integral representation of, 181
 - properties of, 156–157
- Spherical charge, electrostatic moments of, 225–226
- Spherical coordinates, solution of Schrödinger equation in, 146–153
- Spherical Hankel functions, properties of, 156–157
- Spherical harmonics, 319–324
- Spherical Neumann functions, properties of, 156–157
- Spherical square well, solution of Schrödinger equation for, 154–162
- Spin
 - incoherence, 543–545, 547
 - nuclear, 217–218
 - operators, 302–308
 - Pauli's theory of, 299–306
 - pictorial representation of, 300
 - quantum description of, 298–308
 - quantum numbers, 218, 319
 - wave functions, 300–308
- Spin doublet
 - atomic, 243
 - nuclear, 253–254
- Spin-orbit coupling, 311
- Spin-orbit force, experimental evidence for nuclear, 251–254

- Spin-orbit potential, 243
 - in optical model, 370–371, 373–374
- Splitting of degenerate energy levels, 241–243, 255–257
- Spontaneous fission, 487
- Square well potential
 - classical scattering from, 50–55
 - energy levels in one-dimensional, 119–125
 - energy levels in three-dimensional, 154–159
 - optical model cross sections derived from complex, 364–368
 - quantum scattering from, 159–162
- Standard deviation, 97
- Stark effect, 241
- Stationary states, early quantum theory of, 85
- Statistical factor in compound nucleus formation, 315–316
- Statistical model, 248–249, 282
 - in inelastic scattering, 409–411, 413–414
- Statistical theory of gamma ray spectra, 456–460
- Statistical weights of constellations, 271
- Stehle, P., 70
- Strassman, F., 484
- Suess, H. E., 251
- Superposition of quantum states, 134–137
- s-wave scattering
 - definition of, 182
 - at low neutron energies, 526–529
 - resonances, 358–359
- Symbols for neutron cross sections, 265–267
- Symmetry
 - of collision matrix, 339
 - of resonances, 493–494
- Szilard, L., 261
- Taylor, H. L., 431
- Taylor, T., 360
- Temperature(s)
 - equivalent, of solids, 521–522
 - nuclear, 282, 408
- Tensor force, 236–239
- Ternary fission, 487
- Terrell, J., 497
- Thermal equilibrium, and reciprocity, 271–273
- Thermal incoherence, 547–548
- Thomas, R. G., 283, 332, 337, 385
- Threshold, apparent, for fission, 489–490
- Threshold energy
 - for cpo reaction, 463
 - definition of, 269–270
 - for inelastic scattering, 395
 - for (γ, n) reaction, 426–427
 - for $(n, 2n)$ reaction, 426–428
- Time reversal, 339
- Torque on magnetic dipole, 219–220
- Total neutron cross section
 - composition of, 266
 - measured behavior of, 289
- Total width of energy level, 279–280, 296
- Transformation
 - of cross sections from R- to L-system, 58–61
 - of Legendre polynomial expansions, 389–391
 - of velocities, 36
- Transformation matrix, 389–391
- Transition diagrams, for capture gamma rays, 438–442
- Transition probabilities
 - for collective transitions, 455
 - for gamma ray emission, 451–453
- Transitions between stationary states, 94–95
- Transmission coefficients. *See* Penetrabilities
- Transparency
 - of Coulomb barrier, 465–468
 - definition of, 110
 - of one-dimensional potential barriers, 108–115
- Troubetzkoy, E. S., 387, 420–421, 423, 424, 473–475
- Trupin, B. H., 420, 473
- Turchin, V. F., 511, 565
- Turning point, 50, 53, 57
- Two-level resonance, cross section for, 344
- Two-particle wave equation, 144–145
- Uhlenbeck, G. E., 298
- Uhlenbeck–Goudsmit hypothesis, 298–299
- Ulehla, I., 391
- U matrix. *See* Collision matrix
- Uncertainty
 - in orbital angular momentum, 167
 - in preparing beam, 177–178
- Uncertainty principle, 95–98
 - and compound-nucleus model, 261–262
 - and nuclear level widths, 279
- Unitarity of collision matrix, 338
- Van Assche, P., 460
- Van Hove, L., 553
- Van Hove theory, 552–557

- Vector addition coefficients. *See* Clebsch–Gordon coefficients
- Vector model of angular momenta, 170–171
- Velocity distribution, Maxwellian, 509–510, 521–522
- Vervier, J., 460
- Vibrational levels
 molecular, 548–551
 nuclear, 455–456
- Vibration-rotation levels, diagram of, 551
- Virtual levels
 in compound nucleus, 277–284
 one-dimensional, 128–133
 in spherical square well, 162
- Voight, W., 515
- Voight profile, 515
- Volume, specific, of nuclear matter, 215
- Wave equation. *See also* Schrödinger equation
 classical, 87
 derivation of Schrödinger, 86–90
 Hamilton's, 81–82
- Wave functions. *See* Eigenfunction(s)
- Wavelength, definition of, 99
- Wavelength of neutron, as function of energy, 533
- Wave mechanics, postulates of, 90–95
- Wave number inside nucleus, 263
- Waves in one dimension, 99–103
- Weisskopf, V. F., 264, 273, 281, 325, 346, 360, 364–366, 406, 408, 451, 460, 466, 471
- Well strength and bound states in spherical square well, 159
- Wells, potential energy levels in
 one-dimensional, 119–133
- Wheeler, J. A., 499
- Whetstone, S. L., 501
- Whittemore, W. L., 559, 560, 561, 562
- Wick, G. C., 391
- Wick's inequality, 391
- Widths of energy levels. *See* Level widths
- Wigner, E. P., 295, 322, 340
- Wigner coefficients. *See* Clebsch–Gordon coefficients
- Wigner distribution of level spacings, 283
- Wilets, L., 371, 506
- Willard, H. B., 482
- Wolfenstein, L., 408
- Wolfenstein–Hauser–Feshbach theory, 408–416
- Wollan, E. O., 546
- Yost, K. J., 458–460
- Yukawa, H., 240
- Z coefficients, 337, 412, 418
- Zeeman effect, 241
- Zweifel, P. F., 390

