Index

Achim, A., 205 Adjacent response (ADJAR), 135, 138-139 Age, 244–245 adolescents, 281 children, 127, 267, 280-281 developmental populations and, 263-266, 275 - 276facial recognition and, 271-272 infants, 264-265, 267-272, 277-280 low-density amplifiers and, 277-278 newborns, 279 seniors, 127 Alcoholism, 288 Aliasing, 88-90, 96, 172 Allocation, 190, 198-200 Alpha oscillations, 232–234 Amplifier saturations, 122-125 Amplitude, 6–7, 11–12. See also Digital filters; Signals ambiguities and, 24-25 anesthetic effects and, 330-331, 333 artifacts and, 115-132, 140-143 decibels and, 95 developmental populations and, 269 drift and. 123-125 exact gain values and, 109-110 frequency and, 95–96, 98 (see also Frequency) high/low settings and, 104-106 jitter and, 209–214 mean, 27-29, 38-40 oscillations and, 229-254

peak measure and, 38-40, 218 (see also Peaks) quantification and, 38-39 spikes and, 117-120, 141-142 stimulus size and, 243 weight series and, 98-103 Analog filters, 85, 86, 90-92, 106-107 Analog-to-digital (A/D) converters, 85 Analysis Tools, 86 Anderson, J., 221 Anesthesia, 330–331, 333 ANOVA (analysis of variance), ix, 48, 81-82 between-group factors and, 57-60, 65-67 compound symmetry and, 64 data analysis procedure for, 73-80 degrees of freedom and, 72-73 determinants and, 67 developmental populations and, 285-286 electrode factors and, 70-73 epsilon indexes and, 64-65 error and, 58 (see also Error) F-statistic and, 58, 61-62, 67 gender effects and, 58-59 independence and, 65 kurtosis and, 62, 76 mixed model and. 62 multivariate, 65-74, 285-286 neuroimaging and, 355-361 (see also Neuroimaging) outliers and, 69-70 P300 waveforms and, 57 post hoc examinations and, 78-79

ANOVA (analysis of variance) (cont.) power estimates and, 78 profile analysis and, 67-68 random effects and, 57-65 reference sites and, 72 regional averaging and, 75 score variance and, 63-64 skew and. 62. 76 split-plot analysis and, 62 subject factor and, 60 univariate, 57-65 within-group factors and, 60-68 Anti-aliasing filters, 89-90 Aphasia, 311-314 A posteriori methods, 215-216 Apparent diffusion coefficient (ADC), 368-369 Arterial spin labeling (ASL), 368 Artifacts amplifier saturations and, 122-125 averaging and, 283-284 body movement and, 117 contaminated trial rejection and, 126-129 definition of, 115 developmental populations and, 282-283 dipole source modeling and, 131-132 ECG activity and, 117 electrode-related. 118 EOG, 49, 101, 126-132, 282-283 eve movement and, 125-126 flat line detection and, 142-143 frequency domain regression and, 130 handling methods for, 126-132 independent component analysis and, 132 infants and, 278 instrumentation and, 116-125 interference and, 120-122 muscle activity and, 117 oscillations and, 242-243 periodic noise and, 120-122 pulse-wave, 117-118 recordings and, 331-333 regression methods and, 129-130, 140

rhythmic activity and, 122 signal recapture and, 367-368 slow drifts and, 122-125 sources of, 331-332 spike detection and, 118-120, 141-142 time domain regression and, 130 transient activities and, 117 Attentional deficit/hyperactivity disorder (ADHD), 127, 288 Attentional load, 359 Auditory signals, 21-22 Autism, 127, 288-289 Bandettini, P. A., 371-372 Bandpass filters, 86, 101-103 roll-off and, 107-109 settings and, 104-106 Bandstop filters, 86, 104-106 Barbiturates, 331 Barry, R. J., 127 Bayley, R. H., 151 Benzodiazipines, 331 Berg, P., 131 Berger, Hans, 323 Berger, Mitchel S., 323-343, 381 Beta oscillations, 234 Biggins, C. A., 252 Bin. 96 Blinking. See Vision Blood flow, 354-355 magnetic field strength and, 369-370 oxygenation level dependent (BOLD) signals, 365-369 Bodurka, J., 371–372 Body movements, 117 Bonferroni correction, 79 Boundary element model (BEM), 156, 348 Boxcar filters, 100 Brain anesthetic effects and, 330-331 aphasia and, 312-314 artifacts and, 115-132, 140-143 cortical magnification error and, 157-160

developmental populations and, 263-290 dipole modeling and, 131-132, 151-161 electrical impedance tomography and, 370-371 error-related negativity and, 309-310 functional units size and, 336-337 gyrus and, 300, 361-363 hippocampus and, 300-301, 304, 335-336 inflammatory reactions and, 324 interdomain mapping and, 13-14 late positive components and, 307-309 lesions and, 299-310 magnetic field strength and, 369-370 memory and, 230, 270-271, 300, 302-304, 307 - 310mismatch negativity and, 302-304 negative slow wave, 271 neural circuits and, 264 (see also Neuroscience) noninvasive methods and, 3 oscillations and, 229-254 oxygenation levels and, 365-369 positive slow wave and, 271 recordings and, 323-338 scalp distribution and, 5-14 (see also Scalp distribution) sinks and, 329 surface Laplacian method and, 168, 172-185 syndrome-based approach and, 310-314 task response of, 324 tissue loss and, 299-300 Brain Electrical Source Analysis (BESA), 85, 104, 106–108, 287 Brain Innovation, 86 Brain Products Vision Analyzer, 86 Brain Voyager, 86 Brunia, C. H. M., 129 Busch, Niko A., 229-259, 381 Busse, L., 136 Butterworth filter, 104, 106-109 C1 waves, 22

Capacitors. See RC circuits

Cardiac arrest, 300 Caton, Richard, 323 Cerebral blood flow (rCBF), 354-355, 365-369 Cerebrospinal fluid (CSF), 167, 169–174 Chebyshev filter, 104 Children, 127, 267, 280-281 Chi-square analysis, 155 Clark, V. P., 155 Cognition, 4 ADHD and, 127, 288 anesthetic effects and, 330-331 attentional load and, 359 degree of engagement and, 5 developmental populations and, 263-290 digital filters and, 85-86 (see also Digital filters) effort and, 307 equivalence and, 5 error-related negativity and, 309-310 facial recognition and, 271-272 hemodynamic methods and, 351-372 interdomain mapping and, 13-14 late positive components and, 307-309 lesions and, 299-310 localized generators and, 169-170, 181-183 mismatch negativity and, 302-304 novelty response and, 303 oddball tasks and, 264, 300, 305 oscillations and, 229-254 prior knowledge and, 5-9 regional functions and, 301-302 scalp distribution and, 5-11 stimulus size and, 243 (see also Stimuli) timing and, 5 Coincidence detectors, 351 Coles, M. G. H., 216 Collodion, 273 Competitive-learning neural network, 221 Components. See Event-related potential components Compound symmetry, 64 Computed tomography (CT), 299 Conductance cream, 273-274

Conductivity cerebrospinal fluid and, 167, 169-174 cortical magnification and, 157-160 dipole modeling and, 151-153, 346, 349-350 distributed source models and, 349-350 electrical impedance tomography and, 370-371 equivalent current dipoles and, 346, 349-350 forward solution and, 149-153, 345 hippocampus and, 300, 304 impedance and, 328, 370-371 interference and, 120-122, 327-328 (see also Signals) localization and, 151-157 MRI head models and, 347-348 Ohm's Law and, 174-175 RC circuits and, 93-94 sinks and, 329 skull effects and, 168, 300, 336 spherical shell models and, 346-347 surface Laplacian method and, 168, 172-185 Confounds, 26-30 Contaminated trials, 126-129 Contingent negative variation (CNV), 103 Convolution, 99–100 ADJAR and, 135 dura suface potential and, 168 filter design and, 101-102 Fourier transform and, 236-237 wavelet transform and, 236-241 Cook, Edwin, 85, 101-102, 110 Coppola, Richard, 85 Corner frequency, 91 Correlation matrix, 192–193 CorTech Labs, 86 Cortical magnification, 157-160 Covariance, 218-219 ERP/neuroimaging results and, 355-361 matrix for, 192-194 phase synchronization and, 248 Croft, R. J., 127 Crone, N. E., 329 Cross-correlation, 219

Cuffin, B. N., 156 CURRY, 85 Curry, S. H., 192 Cutoff frequency, 91, 93, 95 Cycles, 87

Data analysis. See also Wave analysis allocation and. 198-200 ANOVA and. 355-361 (see also ANOVA) a posteriori methods and, 215-216 artifacts and, 115-132, 140-143, 282-283, 331-333 (see also Artifacts) averaging and, 209-214, 283-284, 333-335 collection systems and, 272-282 contaminated trials and, 126-129 data matrix and, 191 digital filters and, 85-113 (see also Digital filters) dipole source modeling and, 131-132 discriminant analysis and, 220-221 EEGs and, 167-185 eigenvalue decomposition and, 193-195 extraction and, 193-196 factor retention and, 196-198 forward solution and, 149-153, 345-346 Fourier transforms and, 95-98, 109-110, 235-241, 246-253, 335 ICA techniques and, 21-22, 132 least-squares method, 203-204, 346 localization and, 149-166 mismatch negativity and, 302-304 multimode factor analysis and, 204-205 oscillations and, 229-254 overlap and, 133-139 partial least squares method, 203-204 principal components analysis and, 21-22, 79, 131-132, 189-207 randomness and, 134-135, 196-197 recordings and, 277-278 (see also Recordings) reduction and, 282-284 regression methods and, 123-125, 129-132, 140 relationship matrix and, 191-193

rotation and, 198-200 single-trial measurement and, 214-222 SSCP matrix and, 192 standard deviation and, 196 statistical analysis and, 285-288 sum-of-squares error and, 153 time-frequency analysis and, 335-336 Varimax and, 194, 198-201 Davidson, M. L., 286 Dawson, G., 288 DC offsets, 328 DeBoer, Tracy, 263-297, 381 Decibels. 95 Degrees of freedom (DOF), 72-73 Delta activity, 213, 230-232 Determinants, 67 Developmental populations adolescents and, 280-281 age and, 263-266, 275-276 amplitude and, 269 ANOVA and, 285-286 artifacts and, 282-283 averaging and, 283-284 children and, 267, 280-281 data collection and, 272-282 ERP components and, 269-272 experimental design for, 263-268 facial processing and, 271-272 Geodesic Sensor Net and, 274-275 hierarchical linear modeling and, 286 infants and, 264-265, 269-270, 279-280 latency and, 269 localization and, 286-288 low-density amplifiers and, 277-278 memory and, 270-271 newborns and, 279 passive viewing and, 265-267 principal components analysis (PCA) and, 285 recording and, 277-278, 281-282 references and, 281-282 research breadth in, 268-272 sample size and, 276-277

screening and, 276 session specifics for, 278-279 source separation and, 286-288 special populations and, 288-289 statistical analysis and, 285-288 wave analysis and, 265 Dien, Joseph, 57-82, 189-207, 381 Diffusion imaging, 299, 368-369, 371 Digital filters, 111–113 aliasing and, 88-90, 96, 172 a posteriori methods and, 215-216 application notes for, 102-103 artifacts and. 115-132. 140-143 boxcar filters and. 100 convolution and, 99-100 decibels and, 95 description of, 85-94 design of, 101-102 epoch length and, 96–97 evaluation of, 101-102 filter shaping and, 105 FIR, 100-103 Fourier transforms and, 96-97 frequency domain and, 95-96, 98, 101-102, 215 - 216gain function and, 100, 109-110 high-pass settings and, 104-106 implementation of, 98-103 impulse response and, 100 interference and, 120–122 low-pass, 86, 90, 93, 104-106, 215-216 memory of, 93-94 moving-average filters and, 100-101 noise and, 85 (see also Signals) Nyquist rule and, 88-90 oscillations and, 229-254 overlap and, 133-139 phase and, 87, 93-94 RC circuits and, 93-94 roll-off adjustment and, 107-109 single-trial measurement and, 215-220 software and, 85-86 spatial domain, 216

Digital filters (cont.) stationarity and, 96-97 surface Laplacian method and, 168, 172-185 terms for, 86, 90-92 time constants and, 93-94 wave analysis and, 95-96, 98, 235-241 (see also Wave analysis) weight series and, 98-103 zero phase shift and, 106-107 Dipole modeling, 131–132, 151–152 cerebrospinal fluid and, 167, 169-170 cortical magnification and, 157-160 ECoG and. 325-339 EEG and, 167-168 equivalent current dipoles and, 346, 349-350 inverse solution and, 153-157 localized generators and, 169-170, 181-183 memory and, 270-271 MRI head models and, 347-348 spherical head models and, 346-347 surface Laplacian method and, 168, 172-185 visual attention and, 160-161 Direct Fourier transform, 95 Discriminant analysis, 220–221 Distributed source models, 349-350 Donchin, E., 202, 213, 216-217, 219-220 Drift, 122-125, 138 Dunlap, Bill, 202 Dura surface potential, 168, 175, 328 Dynamic water diffusion imaging, 368-369

Eccentricity, 244 Echo-planar imaging (EPI), 366 Edgar, J. Christopher, 85–113, 215, 381 Edwards, Erik, 323–343, 381 EEG Analysis System, 85, 104 EEGLAB, 86, 104 EEGSYS, 85 Effect-specific hypothesis, 35–36, 48 Effect-unspecific hypothesis, 35–36, 48 EGI Net Station, 104 Eigenvalue decomposition, 193–195 Electrical Geodesics, 86 Electrical impedance tomography (EIT), 370-371 Electrical stimulation mapping (ESM), 323, 325-326, 338 Electrocorticography (ECoG), 323, 338-339 anesthetic effects and, 330-331, 333 artifacts and, 331-333 electromagnetic interference and, 327-328 far vs. local potentials and, 329-330 functional units size and, 336-337 Individual Moveable Electrodes and. 325-326 reference electrodes and, 328-329 signal averaging and, 333-335 siliastic sheets and, 326-327 skull effects and, 336 time-frequency analysis and, 335-336 Electrode factors, 70-73 artifacts and, 117-118 caps and, 273-274 conductance cream and, 273-274 (see also Conductivity) cortical magnification and, 157-160 EEGs and, 170, 172, 179-181 Geodesic Sensor Net and, 274-275 hat-on-the-head methods and, 351 impedance and, 328 Individual Moveable Electrodes and, 325-326 (see also Recordings) infants and, 268 interference and, 120-122, 327-328 (see also Signals) localization and, 153-154 noise sensitivity and, 219-220 nonsilent reference electrode and, 328-329 popping and, 118 reference montages and, 281-282 resolution and, 172 skull and, 172-176, 300, 336 source accuracy and, 156-157 spherical shell models and, 346-347 surface Laplacian method and, 179-181 Electroencephalograms (EEGs) aliasing and, 172

artifacts and, 331-333 (see also Artifacts) background variability and, 213-214 cerebrospinal fluid and, 167, 169-174 cortex segregation and, 169-170 dipole modeling and, 131-132, 167-168 dura suface potential and, 168 electrocorticography (ECoG) and, 325-339 electrode factors and, 172 EMG and. 242-243 functional units size and, 336-337 high-resolution methods for, 168-185 localized generators and, 169-170, 181-183 noise and, 20, 30-31, 41 (see also Signals) nonevents and, 52-54 Nyquist rule and, 171-172 oscillations and, 214, 229-259 (see also Oscillations) parallel sessions and, 363-365 regression methods and, 129-130 resolution of, 167 rhythmic activity and, 122 simultaneous sessions and, 363-365 skull effects and, 168, 336 slow drifts and, 122-125 spatial information and, 167-172 spline function and, 177-178 surface Laplacian method and, 168, 172-185 time series and. 172 Electromagnetic approaches, 3 closed fields and, 9-10 correlation of, 12-13 inferences from, 4-12 interdomain mapping and, 13-14 null results and, 10 scalp distribution and, 10-11 Electromagnetic interference. See Signals Electromyography (EMG), 49, 242-243 Electro-oculograms (EOGs), 49, 101, 126–132, 282 - 283Encephalitis, 305 Epilepsy, 323 Epoch length, 96–97 Epsilon indices, 64-65, 77

Equations convolution, 99-100 epsilon indices, 64 evoked oscillations, 240 frequency response function, 120 F-statistic, 58, 61-62 Gabor transform, 240 instantaneous phase difference, 248 moving-average filter, 120 multimode factor analysis, 204 phase locking, 240, 249, 252 regression methods, 123, 140 scalp potential, 152-153 score variance, 63-64 trend detection, 123 trilinear decomposition, 204 wavelets, 236-237, 240-241, 246-247 weighting matrix, 152 Equivalent current dipole, 346, 349-350 Error, 58 artifacts and, 115-132, 140-143, 331-333 (see also Artifacts) cortical magnification, 157-160 forward solution and, 149-153, 345 inverse solution and, 346 negativity and, 302-304, 309-310 overlap and, 133-139 sum-of-squares, 153 Etomidate, 331 Event-related potential (ERP) components. See also Principal components analysis artifacts and, 115-132, 140-143 description of, 21-23 developmental populations and, 269-272 digital filters and, 102-103 (see also Digital filters) identification of, 7-9 independent analysis of, 132 interpretation ambiguities and, 23-26 isolation of, 24-25 latency and, 17-23 late positive components and, 302-304, 307-309

Event-related potential (ERP) components (cont.) measurement methodology and, 17-32 memory and, 270-271 misinterpretation avoidance and, 26-30 overlap and, 133-139 peaks and, 17-21 quantification of, 33-55 selection criteria and, 218-219 topographic mapping and, 34 Event-related potentials (ERPs) amplitude and, 6–7, 11–12 anesthetic effects and. 330-331 ANOVA and. 57-82 artifacts and, 115-132, 140-143 averaging of, 209-214 behavioral methods and, 263-265 cerebrospinal fluid and, 167, 169-174 classification and, 220-222 component identification and, 7-9 correlation/causation and, 12-13 description of, 3 developmental populations and, 263-290 digital filters and, 85-113 (see also Digital filters) electrode site and, 6-7 far-field, 329-330 future research and, 289-290 hemodynamic neuroimaging and, 351-372 (see also Neuroimaging) interdomain mapping and, 13-14 interpretation of, 3-16 intracranial recordings and, 323-343 latency and, 17-23 (see also Latency) local-field, 329-330 localization and, 22-23, 149-166 MRI co-registration and, 350-351 neuropsychology and, 299-314 noninvasive nature of, 263 null results and, 10 overlap and, 133-139 oxygenation levels and, 365-369 peak-picking and, 218

polarity and, 11 preprocessing and, 215-216, 219 principal components analysis and, 21-22, 79, 131-132, 179, 189-207 prior knowledge and, 5-9 purposes of, 4 quantification of, 33-55 scalp distribution and, 5-14 signal recapture and, 367–368 single-trial measurement and, 214-222 special populations and, 288-289 SSCP matrix and, 192 structural MRIs and, 345-351 template shape and, 217 theoretical relationships and, 354-355 time course and, 12 wave analysis and, 10 (see also Wave analysis) Event series, 94 Exclusion criteria, 42-44 Experimental design amplitude averaging and, 27-29 ANOVA and, 57-82 components and, 17-26 interpretation and, 3-16, 23-30 methodology for, 17-32 neuroimaging and, 352-355 peaks and, 17-21 quantification and, 33-55 reference frame and, 352-354 signal-to-noise ratio and, 30-31 trial number and, 30-31

Factor loading matrix, 195–196, 203 Factor score matrix, 195–196 Fan, S., 155 Fast Fourier transform (FFT), 236 Fein, G., 220 Fernandez, G., 300 Filter shaping, 105 Finite element model (FEM), 348 Finite impulse response (FIR) filters, 100–103 Fisch, B. J., 117 Forward solution, 149–153, 345–346

Index

Fourier transforms, 95–98 EEGs and, 335 exact gain values and, 109-110 Gabor, 240 wavelets and, 235-241, 246-253 Frank, E., 151-152 Freeman, Walter, 337 FreeSurfer, 86 Freeware, 104 Frequency, 101-102. See also Digital filters attenuation and, 98-100 bin, 96 center. 105 corner, 91 cross-variance and, 218 cutoff, 91, 93, 95, 104-105 decibels and, 95 EMG and, 242-243 epoch length and, 96-97 exact gain values and, 109-110 filter implementation and, 98-103 FWHM value and, 92 Gaussian distribution and, 237-238 half-amplitude, 91, 104-105 half-power, 104-105 moving-average filter and, 120–121 oscillations and, 229-254 phase distortion and, 106-107 preprocessing and, 215-216, 219 regression methods and, 130 resolution and, 96 roll-off and, 91-92 slow drifts and, 122-125 time analysis and, 335-336 wave analysis and, 235-241, 246-248 (see also Wave analysis) Frishkoff, Gwen A., 189-207, 381 FSL, 85 F-statistic, 58, 61-62, 67, 72-73 Functional approaches, 8 Functional magnetic resonance imaging (fMRI), 204, 307, 337-338 advancements in, 365-366

ANOVA and, 356-361 artifacts and, 136 blood flow and, 351-352 developmental populations and, 263 experimental design and, 352-355 impedance and, 370-371 initial dip and, 366-367 localization and, 365-366 magnetic field strength and, 369-370 oxygenation levels and, 365-367 parallel sessions and, 363-365 signal recapture and, 367-368 simultaneous sessions and, 363-365 theoretical relationships and, 354-355 FWHM (full-width/half-maximum) value, 92 FWTGEN, 86

Gabor transform, 240 Gain function, 90, 95, 103 convolution and, 99-100 exact values by frequency, 109-110 FIR filters and, 101 high/low settings and, 104-106 phase shift and, 99-100 ripple and, 102 weight series and, 98-102 Gamma oscillations, 234-235, 242-245 Gasser. T., 219 Gaussian distribution, 209-211, 237-238 Geisser, S., 285 Gender, 58-59 Geodesic Sensor Net (GSN), 274-275 Giese-Davis, J., 102 Glaser, E. M., 97 Gomez Gonzalez, C. M., 155 Gordon, E., 71, 221 Gotman, J., 156 Gratton, G., 216 Greenhouse, S. W., 285 Greenhouse-Geisser epsilon estimate, 65 Grigutsch, Maren, 229-259, 381 Gruzelier, J. H., 281 Gyrus, 300, 361-363

Habituation paradigms, 264 Haig, A. R., 71, 221 Half-amplitude frequency, 91 Halgren, E., 324 Halogenated inhalational agents, 330-331 Hamalainen, M. S., 347 Handy, Todd C., 33-55, 381 Hat-on-the-head methods, 351 Head movements, 117 Hemodynamic approaches. See Neuroimaging Henkelman, M., 371 Herrmann, Christoph S., 229-259, 381 Hierarchical linear modeling (HLM), 286 High-density montage, 272–273 High-pass filters, 86, 90, 93, 104-106 Hillyard, S. A., 155 Hippocampus, 300-301, 304, 335-336 Hook, S., 71 Hopfinger, Joseph B., 345-379, 381 Hotelling-Lawley Trace, 67, 77 Huynh-Feldt epsilon estimate, 65

Impedance, 328 Independence, 65 Independent components analysis (ICA), 21-22, 132, 285, 287 Individual Moveable Electrodes, 325-326 Infants, 264-265, 269-270 artifacts and, 278 developmental populations and, 279-280 electrode factors and, 268 facial recognition and, 271-272 fixation time and, 267 inattentiveness and, 280 low-density amplifiers and, 277-278 Inferences amplitude and, 11-12 classification of, 4-5 degree of engagement and, 5 interpretation ambiguities and, 23-26 intracerebral sources and, 11 misinterpretation avoidance and, 26-30 (see also Error)

null results and, 10 polarity and, 11 prior knowledge and, 5–9 scalp distribution and, 5–7, 10–11 timing and, 5–7, 12 Infinite impulse response (IIR) filters, 100 Instep, 104 Interdomain mapping, 13–14 Interference, 120–122, 327–328 Intravoxel incoherent motion (IVIM), 368–369 Inverse Fourier transform, 95–96, 98 Inverse solution, 346

James Long Company, 85, 104 Jasper, Herbert, 323 Jitter, 11, 134–135 ERP averaging and, 209–214 reaction time and, 212–213 single-trial measurement and, 214–222 Woody method and, 217–218 Johnson, M. H., 287 Joy, M., 371

Kaiser, J., 281 Kajola, Matti, 105 Kenemans, J. L., 219 Ketamine, 331 Khoe, Wayne, 345–379, 382 Knight, Robert T., 102, 323–343, 382 Knowledge, 5–9 Köhler, W., 219 Kok, A., 219 Kramer, A. F., 216 Kurtosis, 62, 76 Kutas, M., 217

Lachaux, J.-P., 247, 252 Language, 303, 309, 311–314, 323 Latency, 29 amplitude measure and, 38–40 developmental populations and, 269 exclusion criteria and, 42–44 jitter and, 11, 209–222

Index

localization and, 22-23 LRP, 41-42 multiple waveforms and, 44-45 onset, 41-42 overlap and, 133-134 peaks and, 17-21, 38-41 principal components analysis (PCA) and, 189-191, 198 quantification and, 40-42 reaction time and, 221 single-trial, 211-222 temporal lag and, 40-41 wavelets and, 246-253 weight cross-product and, 101 Woody method and, 217-218 Late positive components, 302-304, 307-309 Lateralized readiness potential (LRP), 41-42 Least-squares method, 346 Lesions, 299 error-related negativity and, 309-310 late positive components and, 307-309 localization and, 302-310 medial temporal lobes and, 300 mismatch negativity and, 302-304 modalities and, 305 P300 waves and, 304-306 prefrontal cortex and, 301 syndrome-based approach and, 310-314 Levenberg-Marquardt algorithm, 160 Lindsley, D. B., 213 Lobaugh, N. J., 203 Localization, 22-23, 162-166 advancements in, 365-366 apparent diffusion coefficient and, 368-369 BEM method and, 156 cortical magnification and, 157-160 developmental populations and, 286-288 dipole modeling and, 151-161 dynamic water diffusion imaging and, 368-369 empirical examples of, 157-161 far vs. local potentials and, 329-330 forward solution and, 149-153

head modeling and, 151-156 hemodynamic contrast mechanism and, 365-366 inverse solution and, 153-157 mismatch negativity and, 302-304 neuropsychology and, 299-310 oxygenation levels and, 365-369 P300 waves and, 304-306 signal recapture and, 367-368 source accuracy and, 156-157, 286-288 spatial distribution and, 160-161 stereoelectroencephalography and, 324 sum-of-squares error and, 153 Logic of subtraction, 204 Lorentz effect imaging (LEI), 371 Low-density montage, 272-273 Low-pass filters, 86, 90, 93, 94, 104-106, 215-216 Low-resolution brain electromagnetic tomography (LORETA), 350 Luck, Steven J., 17-32, 382

Magnetic resonance imaging (MRI), 273, 299. See also Functional magnetic resonance imaging advancements in. 365-372 direct neural measurement and, 371-372 ERP co-registration and, 350-351 gyrus and, 361-363 head models and, 347-348 impedance and, 370-371 initial dip and, 366-367 localization and, 365-366 magnetic field strength and, 369-370 Quiet period of, 364 Makeig, Scott, 86, 202, 245 Maltreatment, 288 MANOVA (multivariate analysis of variance). See also ANOVA assumptions for, 69 degrees of freedom and, 72-73 developmental populations and, 285-286 electrode factors and, 70-73

MANOVA (multivariate analysis of variance) (cont.) Hotelling-Lawley Trace and, 67 outliers and, 69-70 Pillai-Bartlett Trace and, 67 profile analysis and, 67-68 reference sites and, 72 regional averaging and, 75 Roy's Greatest Root and, 67 score matrices of, 65-66 Wilks' Lambda and, 67 within-groups factors and, 67-68 MATLAB, 109, 191 Matrices. See also ANOVA (analysis of variance) correlation, 192-193 covariance, 192-194 data, 191 eigenvalue decomposition and, 193-195 factor loading, 195-196, 203 factor score, 195-196 null, 194 relationship, 191-193 SSCP, 192 Maximum-likelihood method, 219 McCarthy, G., 70-71, 217 McIntosh, A. R., 203 Mean amplitude measure, 38-40 Medial temporal lobes (MTLs), 300 MEDx, 85 MEG sensors, 170, 221 Memory, 230, 270-271 cardiac arrest and, 300 error-related negativity and, 309-310 hippocampus and, 300 late positive components and, 307-309 mismatch negativity and, 302-304 Menninghaus, E., 347 Menon, V., 337 Merlet, I., 156 Miller, Gregory A., 85-113, 215, 382 Misinterpretations, 26-30 Mismatch negativity, 302-304, 335 Mixed model. 62

Möcks, J., 219 Modality, 305, 353 Monte Carlo approach, 252 Morlet wavelets, 237-238, 240, 248 Morphology, 209-214 Motor functions, 3, 28, 263. See also Stimuli anesthetic effects and, 330-331 ANOVA and, 355-361 beta oscillations and, 234 electrocorticography (ECoG) and, 325-339 homunculus and, 323 siliastic sheets and, 326-327 Moving-average filters, 100-101, 103 frequency response and, 120-121 interference and, 120-122 Multimode factor analysis and, 204-205 Multisample sphericity, 63, 65 Multivariate normality, 62-63 N1 waves, 21-22, 26, 30 N2 waves, 212 N400 waves, 23-26, 33 aphasia and, 312-314 localization and, 302-304 Narcotics, 331 Negative slow wave, 271 Negativity factor, 79 Nelson, Charles A., 263-297, 382 Neuroimaging, ix-x. See also Event-related potentials; Recordings advancements in, 365-372 amplitude and, 11–12 (see also Amplitude) ANOVA and, 355-361 connectivity definition and, 371 constrained modeling and, 361-363 co-registration and, 350-351 covariance identification and, 355-361 CT, 299 developmental populations and, 263 diffusion-tensor, 299 distributed source models and, 349-350 dynamic water diffusion imaging and, 368-369

echo-planar, 366 EIT, 370-371 electromagnetic approaches and, 3-14 ESM, 323, 325-326, 338 experimental design and, 352-355 fMRI, 136, 204, 263, 307, 337, 351-352 (see also Functional magnetic resonance imaging) forward solution and, 345 gyrus and, 361-363 head models and, 347-348 hemodynamic methods for, 351-372 interdomain mapping and, 13-14 intracerebral sources and. 11 inverse solution and. 346 LEI. 371 lesion-symptom mapping, 299 magnetic field strength and, 369-370 mapping relationships and, 354–355 MRI, 273, 299, 347-348 (see also Magnetic resonance imaging) no-stim events and, 135-139 optimal scanning sequences and, 366 oxygenation levels and, 365-369 parallel sessions and, 363-365 perfusion imaging and, 369 PET, 307, 351-352, 354-361 signal recapture and, 367-368 simultaneous sessions and, 363-365 spherical shell models and, 346-347 spin-echo phase, 371 three-dimensional reconstruction and, 299 Neuromag, 86, 104-105 Neuromuscular blockers, 331 Neuropsychology aphasia and, 312-314 error-related negativity and, 309-310 hippocampus and, 300-301, 304 historical research in, 299 late positive components and, 307-309 lesions and, 301-302 localization and, 299-310 medial temporal lobes and, 300 memory and, 300

mismatch negativity and, 302-304 P300 waves and, 300, 304-306 session length and, 302 skull removal and, 300 syndrome-based, 310-314 tissue loss and, 300-301 NeuroScan, 85, 104, 106-108 Neuroscience amplitude and, 6-7 aphasia and, 312-314 artifacts and, 115-132, 140-143 description of, 4 developmental populations and, 263-290 (see also Developmental populations) dipole modeling and, 131-132, 151-161 EMG and, 242-243 head modeling and, 151-156 hippocampus and, 300-301, 304, 335-336 interdomain mapping and, 13-14 mismatch negativity and, 302-304 noninvasive methods for, 3 oscillations and, 229-254 scalp distribution and, 5-14 skull current density and, 168 surface Laplacian method and, 168, 172-185 topographic mapping and, 34 Newborns, 279 Nitrous oxide. 330-331 Noise. See Signals Nonevents, 52–54 Nonrecursive filters, 100-102 No-stim trials, 135-139 Notch filters, 86, 104-106 Novelty response, 303 Null matrix, 194 Null results, 10, 78 Nyquist rule, 88-90, 96 EEG and, 171-172 scalp distribution and, 179-181 surface Laplacian method and, 178 Oddball tasks, 264, 300, 305

Ogawa, S., 352

Ohm's Law, 174-175 Ojemann, G. A., 323, 325-326 Old/new effect, 307-309 Onset latency, 41-42 Oscillations, 214, 254-259 alpha, 232-234 artifact rejection and, 242-243 beta, 234 delta, 230-232 eccentricity and, 244 EMG and, 242-243 evoked, 229-230 frequency analysis methods and, 235-236 gamma, 234-235, 242-245 hardware for, 241-242 induced, 229-230 instantaneous phase difference and, 248-249 phase synchronization and, 248-253 recording conditions for, 241-245 stimulus duration and, 243-244 subject age and, 244-245 theta, 230-232 wavelet analysis and, 235-241, 246-253 Otten, Leun J., 3-16, 382 Outliers, 69-70, 76 Overlap ADJAR and, 135, 138-139 estimation approaches for, 133-134 interval jittering and, 134–135 latency and, 133-134 no-stim trials and, 135-138 randomness and, 134 smear out and, 134-135 spikes and, 118-120 Oxford Image Analysis Group, 85 Oxygenation levels, 365-369 P1 waves, 33, 43-44

ANOVA and, 355–361 P2 waves, 212 P3 waves, 33, 38 ANOVA and, 61, 66, 73 ERP components and, 21–23

MANOVA and, 66 misinterpretations and, 26-31 P4 waves, 73 P300 waves, 33, 36-37, 43 ANOVA and, 57, 66 data matrix and, 191 jitter and, 211-212 lesions and, 301 localization and, 302-306 neuropsychology and, 300 principal components analysis (PCA) and, 199 single-trial measurement and, 215-216, 220 P600 waves, 41 Parametric analysis, 203, 359 Parenchyma, 369 Partial least squares (PLS) method, 203-204 Pass band, 86 Passive viewing, 265-267, 279 Pattern recognition, 264 Peaks, 17-21, 102-103, 196 aliasing and, 88-90 artifacts and, 115-132, 140-143 jitter and, 209-214 latency and, 38-40 multiple waveforms and, 44-45 peak-picking and, 41, 218 peak-to-peak amplitude and, 40 quantification and, 36-41 spikes and, 117–120, 141–142 Penfield, Wilder, 323 Perfusion imaging, 369 Petsche, Helmuth, 337 Pham, D. T., 219 Pharmacological manipulation, 4 Phase, 87, 93–94 frequency-dependent distortion and, 106-107 gain function and, 99-100 instantaneous difference and, 248-249 locking statistics and, 229-230, 240, 249-253 Monte Carlo approach and, 252 resetting and, 233-234

spin-echo imaging and, 371 synchronization and, 248 wavelets and, 248 zero shift and, 104, 106-109 Physiological approaches, 8 Picton, T. W., 285 Pillai-Bartlett Trace, 67, 77 Polarity, 11, 21 Positive slow wave, 271 Positron emission tomography (PET), 307, 351-352 ANOVA and, 355-361 theoretical relationships and, 354-355 Power estimates, 78 Power lines, 138 Prefrontal cortex, 301, 303-304, 307 Preprocessing, 215-216, 219 Principal axis factors, 191 Principal components analysis (PCA), 21–22, 79, 131-132, 206-207 alternatives to, 201-205 data analysis and, 189-191 description of, 189-190 developmental populations and, 285, 287 eigenvalue decomposition and, 193-195 factor extraction and, 193-196 factor retention and, 196-198 factor rotation and, 190, 198-200 filtering and, 189 fMRI and, 204 latency and, 189-191, 198 logic of subtraction and, 204 matrices for, 191-195, 203 memory and, 270-271 methodology of, 191-202 misallocation of variance and, 190, 198-200 multimode factor analysis and, 204-205 parametric, 203 partial least squares method and, 203-204 principal axis factors and, 191 randomness and, 196-197 resolution and, 189-190 spatial vs. temporal, 189-190, 200-203

Varimax and, 194, 198-201 Profile analysis, 67-68 Promax, 200-201 Propofol, 331 Psychophysiological approach. See Digital filters Pulse-wave artifacts, 117–118 Ouantification \pm reference and, 50, 52 amplitude and, 38-39 entire waveforms and, 45-48 ERP components and, 36-45 exclusion criteria and, 42-44 hypothesis testing and, 34-36, 48 latency and, 40-42 noise and, 49-54 nonevents and, 52-54 peaks and, 36-41 spatial analysis and, 33-34 split-epoch averages and, 50-52 temporal analysis and, 33

Radians, 87 Randomness. See also ANOVA interval jittering and, 134-135 overlap and, 134 principal components analysis (PCA) and, 196-197 Raz, J., 220 RC circuits, 93-94, 103 Reaction time, 212-213, 221 Recordings, 340-343. See also Neuroimaging anesthetic effects and, 330-331, 333 applications and, 336-337 artifact rejection and, 331-333 ECoG, 323-339 electromagnetic interference and, 327-328 far vs. local potentials and, 329-330 functional units size and, 336-337 grounding and, 328 Individual Moveable Electrodes, 325-326 methodology for, 327-336

Recordings (cont.) nonsilent reference electrode and, 328-329 oscillation and, 241-245 shielding and, 328 signal averaging and, 333-335 siliastic sheets, 326-327 skull effects and, 336 spherical shell models and, 346-347 stereoelectroencephalography, 323-324 time-frequency analysis and, 335-336 Recursive filters, 100 Reference montages, 281–282 Regional averaging, 75 Registration methods, 350-351 Regression methods, 139 artifact removal and, 123, 140 dipole source modeling and, 131-132 EOG artifacts and, 129-132 equations for, 123, 140 frequency domain, 130 multiple-lag, 130 slow drifts and, 123-125 time domain, 130 Relationship matrix, 191–193 Repetition effects, 12 Resistors. See RC circuits Rhythmic activity, 122, 214 Ripple, 102 Roberts, L., 323 Rogers, G., 221 Roll-off, 91-92, 107-109 Roy's Greatest Root, 67, 77 Ruchkin, D. S., 97 Rugg, Michael D., 3-16, 382 R-wave, 117

Sampling, 94. *See also* Data analysis developmental populations and, 276–277 FIR filters and, 100–102 Nyquist rule and, 87–89 time series and, 94 Santuzzi, Alecia M., 57–82, 382 Sarvas, J., 347 Scalp distribution, 5-6, 11 artifacts and, 115-132, 140-143 cerebrospinal fluid and, 167, 169-174 dipole modeling and, 151-153, 346 ECoG and, 325-339 EEG and, 169-185 ERP components and, 7-9, 17-32 far vs. local potentials and, 329-330 hat-on-the-head methods and, 351 high-density montage and, 272-273 impedance and, 328, 370-371 Individual Moveable Electrodes and, 325-326 (see also Recordings) interdomain mapping and, 13-14 localization and, 149-166, 286-287 low-density montage and, 272 modeled potentials and, 151-153 MRI head models and, 347-348 null results and, 10 Nyquist rule and, 179–181 Ohm's law and, 174-175 oscillations and, 229-254 PCA and, 200-201 (see also Principal components analysis) reference electrodes and, 328-329 signal averaging and, 333-335 SMA/cingulate region, 361 spatial analysis and, 33-34 spherical shell models and, 346-347 surface Laplacian method and, 168, 172-185 timing and, 12 tissue loss and, 299-300 topographic mapping and, 34 SCAN, 85 Scherg, Michael, 85, 105, 131 Score variance, 63-64 Scott, G., 371 Scott, Lisa S., 263-297, 382 Seniors, 127 Sensor Systems, 85 Signals, 30–31. See also Wave analysis \pm reference and, 50 ADC values and. 368-369

aliasing and, 88-90 amplifier saturations and, 122-125 amplitude and, 40 (see also Amplitude) anesthetic effects and, 330-331, 333 artifacts and, 115-132, 140-143, 331-333 averaging and, 209-214, 333-335 BOLD, 365-367 decibels and, 95 digital filters and, 85-113 (see also Digital filters) discriminant analysis and, 220-221 distribution of, 209-214 EEGs and, 20, 167, 167-185 (see also Electroencephalograms) equivalent current dipoles and, 346, 349-350 error-related negativity and, 309-310 far vs. local potentials and, 329-330 gain and, 90, 95, 98-106, 109-110 Geodesic Sensor Net and, 274-275 grounding and, 328 impedance and, 328 interference and, 120-122, 327-328 jitter and, 209–222 late positive components and, 307-309 lesions and, 299-314 localized generators and, 169-170, 181-183 magnetic field strength and, 369-370 (see also Neuroimaging) MRI head models and, 347-348 noise sensitivity and, 219-220 nonevents and, 52-54 nonsilent reference electrode and, 328-329 Nyquist rule and, 88-90 oscillations and, 229-254 overlap and, 133-139 oxygenation levels and, 365-369 periodic noise and, 120-122 phase and, 87, 93-94, 248 (see also Phase) principal components analysis (PCA) and, 196-198 quantification and, 38-45, 49-54 recapture of, 367-368 regression methods and, 129-132

rhythmic activity and, 122 shielding and, 328 single-trial measurement and, 214-222 slow drifts and, 122-125 spherical shell models and, 346-347 split-epoch averages and, 50-52 stationary, 215 surface Laplacian method and, 168, 172-185 wavelet transform and, 236-241 Silastic sheets, 326-327 Sine waves, 87, 101, 120-122 Skew, 62, 76, 135 Skull conductivity and, 168, 300, 336 electrode factors and, 172-176, 300, 336 (see also Scalp distribution) removal of, 300 surface Laplacian method and, 172-176, 184-185 Sleep, 213, 230 Sloan, T. B., 330–331 Slotnick, Scott D., 149-166, 382 Slow drift, 122-125, 138 Smulders, F. T. Y., 219 Software, 103–104 digital filters and, 85-86 roll-off and, 107-109 spike detection and, 141-143 Soltani, Maryam, 323-343, 382 Song, Allen, 345-379, 382 Spatial domain filters, 216 Special populations, 288–289 Spectroscopy, 366 Spencer, Kevin M., 202, 209-227, 382 Spherical shell models, 346–347 Spikes, 138 artifacts and, 115-132, 140-143 body movement and, 117 detection of, 118-120, 141-143 ECG activity and, 117 electrode popping and, 118 muscle activity and, 117

Spikes (cont.) overlap and, 118-120 Woody method and, 217-218 Spin-echo phase imaging, 371 Spline function, 177–178 Split-plot analysis, 50-52, 62 SPM, 85 Squires, K. C., 220-221 Srinivasan, Ramesh, 167-188, 382 Stationarity, 96-97 Statistical analysis, 285, 288. See also ANOVA hierarchical linear modeling and, 286 PCA and, 287 (see also Principal components analysis) standard deviation, 196 Stereoelectroencephalography, 323-324 Stewart, Jennifer L., 85-113, 215, 382 Stimuli, 3 ADHD and, 127, 288 ADJAR and, 135, 138-139 adolescents and, 281 anesthetic effects and, 330-331, 333 artifacts and, 115-132, 140-143 attentional load and, 359 auditory, 21-22 autism and, 288-289 children and, 280-281 cortical magnification and, 157-160 developmental populations and, 263-290 dipole modeling and, 151–153, 155, 160 drift and, 123-125 duration and, 243-244 eccentricity and, 244 EEGs and, 167 (see also Electroencephalograms) EOG artifacts and, 49, 126-132, 282-283 equivalent current dipoles and, 346, 349-350 error-related negativity and, 309-310 facial processing and, 271-272 infants and, 264-265, 269-270, 277-281 jitter and, 134-135, 209-214 latency and, 17-23, 29 (see also Latency) late positive components and, 307-309

lesions and, 299-314 localization and, 149-166 memory and, 270-271 mismatch negativity and, 302-304 MTL damage and, 305 negative slow wave, 271 neuroimaging and, 352-355 (see also Neuroimaging) no-stim trials and. 135-138 oddball tasks and, 264, 300, 305 oscillations and, 214, 229-254 overlap and, 133-139 passive viewing and, 265-267, 279 positive slow wave and, 271 prefrontal cortex and, 301 quiet period and, 364 randomness and, 134 regression methods and, 129-132 rhythmic activity and, 214 sleep and, 213, 230 solution constraining and, 154-155 spatial distribution of, 160-161 special populations and, 288-289 spikes and, 117-120, 141-142 target letters and, 26-27 visual, 22 (see also Vision) Stop band, 86 Stroke, 299 Subject factors, 60 Sum-of-squares cross-products (SSCP) matrix, 192 Sum-of-squares error (SSE), 153 Surface Laplacian method, 168 algorithms for, 176–178 cerebrospinal fluid and, 167, 172 electrode factors and, 179-181 localized generators and, 181-185 nearest-neighbor method and, 176-177 Nyquist rule and, 178 physical basis of, 172-176 potential data and, 179-183 signal factors and, 179-183 simulation studies for, 178-179

skull factors and, 172-176, 184-185 spline function and, 177-178 vision and, 182-183 Swick, Diane, 299-321, 382 Symmetric weights, 98-101 Syndrome-based neuropsychology, 310-314 T2 contrast method, 366-367 Talsma, Durk, 115-148, 383 Taylor, M. J., 271 Template matching, 101, 217, 219, 303 Temporal analysis, 33-34 Temporal lag, 40-41 Theta oscillations, 230-232 Time. 354 artifact removal and, 140 attenuation and, 98-100 computation of variance, 98-99 developmental populations and, 264 discriminant analysis and, 220-221 EEGs and, 172 epoch length and, 96-97 filter implementation and, 98-103 frequency analysis and, 95-98, 335-336 (see also Frequency) infant fixation and, 267 multimode factor analysis and, 204-205 Nyquist rule and, 88-90 phase delay and, 93-94 phase locking and, 249-253 RC circuits and, 93-94 reaction time and, 212-213, 221 regression methods and, 123, 130, 140 rhythmic activity and, 122 signal averaging and, 333-335 spikes and, 118-120 surface Laplacian method and, 179-183 trend detection and, 123-125 wavelets and, 236-241, 246-248 weight series and, 98-102 Topographic mapping, 34 Transition band, 86, 90-91 Turetsky, B., 220

Unsupervised learning, 221 van Boxtel, G., 285 Variance. See ANOVA Varimax, 194, 198-201 Vector scaling, 70-71 Verleger, R., 127 Vision, 5, 22, 355-356, 363. See also Stimuli artifact removal and, 49, 101, 126-132, 140, 282 - 283autism and, 288-289 blinks and, 125-126, 302 dipole source modeling and, 131-132 EMG and, 242 facial processing and, 271-272 localization and, 149-166 mismatch negativity and, 302-304 MTL damage and, 305 oscillations and, 233-234 passive viewing and, 265-267, 279 PCA/ICA techniques and, 131-132 prefrontal cortex and, 301 regression methods and, 129-132 saccades and, 125-126 spatial distribution of, 160-161 surface Laplacian method and, 182-183 Voltage. See Conductivity

Wastell, D. G., 217 Wave analysis \pm reference and, 50, 52 aliasing and, 88–90 ambiguities in, 23–26 amplitude and, 6–7, 11–12 ANOVA and, 355–361 (see also ANOVA) a posteriori methods and, 215–216 artifacts and, 115–132, 140–143 averaging and, 283–284 classification and, 4–5 constant morphology and, 209 developmental populations and, 265, 269 digital filters and, 85–94 (see also Digital filters) Wave analysis (cont.) electrode site and, 6-7 ERP components and, 7-9, 17-32 exclusion criteria and, 42-44 frequency analysis methods and, 235-236 interpretation ambiguities and, 23-26 jittering and, 134-135 latency and, 17-23 measurement methodology and, 17-32, 44-45 memory and, 270-271 negative slow wave, 271 nonevents and, 52-54 null results and, 10 Nyquist rule and, 88-90 oscillations and, 229-254 (see also Oscillations) overlap and, 133-139 PCA and, 189-205 (see also Principal components analysis) peaks and, 17-21 phase and, 87, 93-94, 106-107 PLS and, 203-204 positive slow wave, 271 prior knowledge and, 5-9 quantification and, 33-55 reference points and, 40 scalp distribution and, 5-14 signal noise and, 20, 30-31, 38-45 slow drifts and, 122-125 split-epoch averages and, 50-52 surface Laplacian method and, 168, 172-185 temporal lag and, 40-41 vision and, 5 Wavelets coherence and, 246-248 Gaussian distribution and, 237-238 instantaneous phase difference and, 248-249 Morlet, 237-238, 240, 248 phase-locking and, 248-253 power spectrum and, 238, 240 transforms for, 236-241 zooming property and, 237

Weighting, 98-103 a posteriori methods and, 215-216 apparent diffusion coefficient and, 368-369 connectivity definition and, 371 dynamic water diffusion imaging and, 368-369 IVIM and, 368-369 low/high settings for, 104-106 Welch-James test, 74 Wellcome Department of Cognitive Neurology, 85 West, R., 203 Wilks' Lambda, 67, 77 Wilson, F. N., 151 Woldorff, Marty G., 115-148, 383 Woods, C. C., 70-71 Woody filter, 41, 101, 217-218 Yee, C. M., 103 Zero phase shift, 104, 106-109