

# Index

- 1-point crossover operator, 26, 41, 44, 64, 73, 101, 143, 146, 147, 150, 155, 162, 190, 193, 194, 201, 208
- 2-point crossover operator, 41, 64, 73, 87, 101, 143–146, 159
- ADAPT-EA, 112
- adaptive mutation operator, 26, 38, 166, 177, 211
- adaptive representation, 211
- adaptive reproductive operator, 211
- adaptive search, 27, 37, 49, 71, 72, 86, 113, 211
- adaptive system, 23, 24, 111, 112, 230–232
- agent, 77, 109, 221–223, 227, 229
- allele, 3, 143–150, 155, 162, 163, 165, 171, 172
- artificial intelligence, 24, 109
- artificial life, 1, 2, 19, 20, 230
- artificial neural network, 72, 73, 76, 100, 107–110, 157, 222
- assembly language, 109
- average fixed-point fitness, 123, 132, 138, 140, 165
- average population fitness, 8, 38, 41, 131, 160, 167, 169, 171, 173, 175, 177, 178, 181, 183, 184, 194
- binary encoding, 26–28, 62, 63, 65, 68, 84, 85, 89, 94, 97, 99, 187
- binary-tournament selection, 129, 131, 134, 136, 137, 140, 165, 179, 184, 185
- bit-flip mutation operator, 26, 44, 62, 63, 65, 87, 94, 148, 173, 184, 187, 189, 190, 193, 194, 201, 208
- blending recombination, 85, 94, 156, 157, 160, 171, 177, 179
- bloat, 111, 158
- broadcast language, 109
- brood size, 125, 133, 180
- building-block hypothesis, 198
- canonical EA, 27–29, 55, 69, 189
- canonical ES, 86, 89, 92
- canonical GA, 64, 67, 83, 87, 89, 92
- cellular automata, 221, 228
- CHC, 29, 212
- CoEC, 227, 228
- coevolution, 40, 226–228
- competitive fitness, 103, 227
- crossover, 41, 43, 45, 56, 61, 64, 66, 67, 98, 100, 110
- crossover operator, 41, 63–65, 68, 74, 76, 86, 94, 101, 102, 177, 178
- crossover rate, 179
- deceptive fitness landscape, 188, 199
- delta mutation operator, 6, 10–12, 94, 96
- dominance-based fitness, 103, 224
- dynamic fitness landscapes, 213–219
- EA, 24, 25, 27–30, 47, 49–56, 58–61, 63, 67–69, 71–73, 75–81, 83, 84, 86, 93, 95, 98, 100, 101, 103–113, 115–120, 122–124, 128–130, 132–141, 143–145, 147, 148, 150–154, 157–163, 165–167, 172, 173, 177–179, 181, 183–186, 188, 189, 192, 199–203, 205–209, 211–217, 219–230
- EC, 29, 115, 116, 141, 152, 158, 185, 205, 209, 211–213, 221–226, 229, 230
- ECHO system, 229
- EP, 25, 26, 29, 35–37, 40, 47, 50, 54, 59, 137, 162, 175, 179, 215, 221, 222

- ES, 25–27, 29, 36–38, 40, 41, 47, 50, 54, 59, 61, 62, 68, 137, 153, 166, 175, 177, 179, 183, 206, 207, 211, 213–216
- EV, 3–16, 18–21, 33–38, 40, 50–54, 56
- EV-OPT, 19
- evolution strategies, 1, 24, 25, 33, 36
- evolutionary algorithm, 2, 24, 25, 27, 30, 33, 34, 36, 47, 49, 71, 112, 219, 229, 230
- evolutionary biology, 2, 20
- evolutionary computation, 1, 5, 20, 23, 24, 29–31, 33, 47, 71, 109, 111, 116, 225
- evolutionary game theory, 118, 228
- evolutionary programming, 1, 24, 25, 33–35, 109, 223
- evolutionary robotics, 113, 223, 229
- evolutionary system, 1–5, 14, 16, 19, 20, 23, 28, 40, 49, 71, 83, 227, 230
- finite population, 25, 118, 119, 125, 127, 133, 135, 144–146, 148, 151–154, 158, 180, 181, 191, 199, 200, 202
- finite-state machine, 74, 109, 157, 222
- fitness, 5, 23, 25, 26, 33–38, 40, 45, 50, 55, 56, 58, 59, 61, 68, 71, 72, 74–76, 85, 90, 94, 98, 99, 103, 104, 106, 108–113, 115, 120, 121, 123–125, 128, 153, 158, 160, 162, 163, 166, 167, 171, 172, 180, 185, 186, 188, 189, 191, 192, 214–216, 220, 224, 226–229
- fitness correlation, 68, 69, 75, 76, 100, 110, 160, 161, 189
- fitness distribution, 180, 203
- fitness evaluation, 85, 112, 113
- fitness function, 27, 50, 76, 106, 108, 112, 158, 186, 194, 196, 226, 229
- fitness landscape, 5, 23–25, 27, 34, 40, 49, 50, 56, 60, 68, 106, 112, 131, 132, 141, 158, 169, 171, 173, 178, 181, 183–185, 188, 189, 191, 192, 194, 198, 205, 207–209, 211–214, 225, 228
- fitness sharing, 104
- fitness-proportional probability distribution, 54
- fitness-proportional selection, 27, 58, 61, 67, 89, 130–132, 137, 139, 189–191, 193, 201, 213, 215, 220
- fixed point, 9, 118, 121–123, 125, 129, 131–133, 137, 138, 143, 144, 148, 152, 153, 160, 163, 165, 178, 191, 200, 202, 205, 206, 208
- GA, 26–29, 40, 41, 43, 45, 47, 50, 54, 59, 61, 65, 78, 137, 143, 145, 173, 179, 189–203, 208, 211, 212, 215, 216, 223
- Gaussian mutation operator, 12, 50, 61, 62, 68, 84–86, 89, 94, 96, 153, 154, 156, 157, 177, 179, 206, 213
- Gaussian probability distribution, 38
- gene, 5, 26, 33, 41, 43, 45, 61, 62, 64–67, 84, 85, 90, 94, 117, 143, 144, 146, 148, 152, 154, 156, 161, 162, 172, 177, 189, 190, 192, 193, 195, 213
- gene pool, 44
- generation, 7, 8, 25–27, 34, 35, 37, 38, 40, 41, 44, 45, 49, 50, 52, 56, 58, 59, 78, 79, 81–83, 103, 104, 112, 117, 120–125, 127, 128, 130, 131, 133, 134, 136, 137, 145–147, 161, 178, 181, 183, 186, 193, 195, 197–200, 202, 203, 206
- genetic algorithm, 1, 24–26, 33, 40
- genetic diversity, 121, 152, 163
- genetic drift, 58, 121, 123, 146, 149–151, 181, 200
- genetic programming, 24, 29, 110
- genetic variation, 67
- Genitor, 29
- geno/phenospace, 3, 5, 6, 10, 68, 117
- Genocoop, 29
- genome, 33, 43, 61–65, 74, 111, 118, 135, 142–144, 146, 148, 149, 151–155, 157, 158, 160, 162, 163, 169, 171, 175, 177
- genospace, 63, 68, 118, 189, 192
- genotype, 3, 26, 30, 58, 68, 117–125, 127, 128, 132, 142–145, 148, 150, 153, 160, 177, 186, 189–193, 199–202, 228
- genotypic representation, 73, 75, 84, 85, 94, 96, 97, 99, 117, 187, 222, 225, 228
- GP, 29, 110

- graph structures, 74–76, 100, 102, 157, 187, 188
- Gray code, 86, 187
- hybrid EA, 222, 224
- hypermuation, 215, 218
- hyperplane, 192–199
- infinite population, 24, 118, 119, 121, 125, 128, 135, 143, 144, 146, 148, 150, 153, 154, 158, 189, 191, 199, 201, 202, 209
- island models, 220, 226
- Lamarckian EA, 229
- Lisp code, 28, 109, 110, 223
- Markov chain, 120, 144, 148, 199, 200, 209
- Markov model, 29, 121, 122, 199, 200, 202, 203, 209
- Markov process, 116
- messy GA, 29, 211
- meta-EA, 212
- ML-EA, 108, 109
- morphogenesis, 228
- multi-objective problems, 223, 224
- mutation, 5, 6, 9, 18, 25–27, 36, 38, 40, 41, 43, 45, 56, 61, 64–67, 84, 148–155, 157, 158, 166, 172, 173, 175, 177–179, 186, 187, 190, 193, 194, 205, 207–209, 211, 228
- mutation operator, 9, 14, 25, 26, 33, 37, 38, 61, 67, 74, 84, 85, 89, 94, 96, 97, 100, 110, 148, 150, 156, 171, 172, 175, 177–179, 187, 191, 200, 215, 222
- mutation rate, 148–151, 160, 172, 173, 175, 177, 179, 200, 202, 205, 206
- mutation step size, 13, 14, 38, 85, 94, 207, 218
- n-point crossover operator, 41, 143, 163
- neutral selection, 123, 131–133, 135, 142, 143, 148, 150, 153, 154, 158, 208, 220
- non-overlapping generation, 59, 83, 89, 93, 117, 120, 122, 125, 128, 129, 132, 134–137, 141, 148, 158, 159, 161, 173, 177, 178, 181, 183, 200, 203, 206–208
- objective fitness, 5–9, 15, 17, 20, 33, 40, 54, 76, 77, 79, 80, 94, 105, 106
- objective function, 97, 100, 103, 105, 223
- offspring population, 36, 37, 77, 86, 121, 125, 133, 135, 136, 147, 177, 179, 190, 201, 203
- offspring population size, 34, 35, 50, 52, 53, 59, 77, 93, 120, 132–134, 137, 158, 163, 180, 183, 207, 208
- OPT-EA, 81–83, 86, 90–98, 106, 112
- overlapping generation, 59, 120, 135–138, 140
- PAC analysis, 29
- parallel EA, 219–221
- parent population, 77, 86, 121, 133, 136, 137, 147, 161, 166
- parent population size, 34, 35, 37, 50, 53, 59, 77, 93, 120, 132, 137, 138, 180, 181, 183, 207, 208
- Pareto optimality, 103, 104, 224
- phenospace, 63, 68
- phenotype, 3, 26, 30, 43, 68, 117, 153, 160, 162, 177, 186, 228
- phenotypic representation, 73, 84–86, 89, 94, 96, 100–102, 117, 153, 157, 158, 222, 225
- population, 4–11, 13–18, 24–28, 33, 34, 37, 40, 41, 44, 72, 75, 77–82, 84, 86, 98, 100, 102–104, 108, 112, 132, 141, 143–151, 153–156, 160, 162, 163, 165, 211, 212, 214, 215, 217, 218, 220–222, 224–227, 229
- population diversity, 123, 140, 146, 152, 160, 163, 165, 172, 173, 178, 218, 219
- population dynamics, 116, 118, 120, 141, 145, 146, 148, 150, 155, 158–160, 181, 185, 191, 192, 199, 201–203, 205
- population homogeneity, 78, 82, 131
- population size, 18, 33, 50, 71, 72, 77, 78, 81, 87, 94, 115, 119, 123, 128, 131, 132, 135, 138, 140, 141, 144, 149, 180, 194–196, 200–202, 211, 212

- PROG-EA, 109, 110
- random mating, 24, 211, 225
- random number seed, 17, 51, 86
- recombination, 25, 26, 29, 63, 64, 73, 75, 84, 99, 143, 148, 155, 156, 171, 186, 187, 208, 211, 222
- recombination operator, 25, 61, 63, 67, 73, 76, 84, 94, 155, 157, 158, 160, 187, 189, 207, 228
- reproductive operator, 26, 60, 61, 64, 67–69, 74–76, 83, 84, 86, 95, 98–100, 102, 106, 110, 112, 115, 141, 179, 180, 185–190, 192, 193, 201, 203
- reproductive variation, 118, 120–122, 128, 137, 138, 141–143, 146, 153, 160, 161, 171, 173, 185, 188, 193, 194, 203
- restricted mating, 225, 227
- Robbins equilibrium, 143–152, 155, 159, 160, 208
- roulette wheel sampling, 139, 140
- rule-based system, 28, 109, 110
- Samuel, 29
- SAT problem, 106, 188
- schema, 26, 162, 163, 169, 172, 192–198
- schemata, 162, 163, 172, 192–195, 197, 198
- SEARCH-EA, 105, 107
- self-adaptive EA, 211, 213
- simplex, 118, 119, 123, 141, 143, 144, 146, 148–153, 191, 199, 205, 206, 208, 209
- species, 218, 225–227
- steady-state EA, 135
- success rate, 166, 167, 175, 177, 207, 208
- successful mutation, 14, 38
- SUS, 139, 140
- tag bits, 218
- tournament selection, 27, 58, 220
- trait, 6
- truncation selection, 124, 125, 127, 134, 137, 140, 165, 178, 220
- uniform crossover, 74, 84, 94, 101, 163, 167, 169, 183
- uniform crossover operator, 84, 143, 173, 184
- uniform probability distribution, 96