

Index

Page numbers followed by “f” refer to figures.

- A1 (first auditory area), 349
- A2 (second auditory area), 349, 351
- A layers of the lateral geniculate nucleus, 50, 81f, 103f, 109, 130, 346, 395
- abnormal crossing, 336
- abnormal maps, 335, 336
- abnormal visual response, 340
- accommodation, 370
- acetylcholine, 180–184, 191f, 192, 203, 204, 242, 301
- action, 7, 25, 357, 360, 374, 381, 382
- action potential, 68, 69, 137, 147, 149, 150f, 151f, 154, 158, 165, 173, 195
 - back propagation, 153, 219
- activation curve, 162f, 163, 170f, 175f
- activation gate, 149, 150f, 151f, 157f
- afferents
 - auditory, 372
 - cerebellar, 3f, 83, 292, 392
 - cholinergic, 79, 109
 - corticothalamic, 16, 20f, 96, 99, 104, 127f, 249, 296, 308f, 330, 344f, 396
 - driver, 18, 77, 79, 91, 111, 192, 261, 295, 302, 344f, 362, 393, 399
 - functional characteristics, 403
 - GABA immunoreactive, 107
 - GABAergic, 17, 79, 117, 123, 199
 - GABAergic inhibitory, 400
 - glutamatergic, 71, 400
 - gustatory, 392
 - histaminergic, 79, 123, 248
- layer 5 driver, 392
- lemniscal, 86, 319
- mamillary, 392
- modulator, 79, 111, 293, 399
- noradrenergic, 79, 109, 123
- RL, 113, 114, 117
- RS, 111, 115, 116
- serotonergic, 79, 110, 204, 216, 243
- somatosensory, 85, 302, 392
- tectal, 255, 293
- visual, 392
- afterhyperpolarization, 151f, 152, 176
- albino monkey, 340
- albinos, 336
- alignment of maps, 326
- all-or-none recruitment, 296
- “all-or-none” response, 164
- amacrine cells, 67
- AMPA, 181f, 185, 192
- AMPA receptor, 185, 187f, 192, 195, 207
- amygdala, 13, 27, 294
- anesthesia, 346
- anesthetics, 311
- anesthetized animals, 100, 361
- anterior dorsal nucleus. *See* thalamic nuclei, anterior dorsal nucleus
- anterior medial nucleus, 3f, 290f
- anterior pretectal nucleus, 107, 301
- anterior thalamic nuclei. *See* thalamic nuclei, anterior thalamic nuclei
- anterior ventral nucleus. *See* thalamic nuclei, anterior ventral nucleus

- anterolateral pathway, 363, 364, 365f, 371
 antidromic action potentials, 364
 area. *See* cortical areas
 arrhythmic bursting, 168, 224, 233
 “association nuclei,” 292
 astrocytes, 121, 205–208
 astrocytic cytoplasm, 87, 88f, 89f, 118, 120, 122
 astrocytic ensheathment, 120
 astrocytic profiles, 89f
 attention, 40, 61, 101, 232, 242, 248, 261, 310, 313
 attentional focus, 40
 attentional mechanisms, 12, 310
 attentive state, 12
 auditory afferents, 372
 auditory area, 315, 376, 383
 auditory cortex, 32, 83, 297
 auditory inputs, 382
 auditory nuclei, 105, 296
 auditory pathways, 43, 320, 328, 331, 351, 364, 372
 auditory relays, 292
 auditory stimuli, 233, 363
 auditory thalamic relays, 203
 auditory thalamus, 83
 autonomic centers, 366
 awake animals, 176, 222, 303, 361, 401
 axo-axonal contacts, 123
 axon diameter, 33, 48, 50, 53, 75, 262
 axon hillock, 68, 137, 141, 144, 148, 153, 176, 260
 axonal branches, 19, 32, 59, 358f
 axonal fills, 375
 axoniform dendrites, 66, 68, 71
 axoniform dendritic appendages, 74, 106
 axoniform dendritic terminals, 65f, 125
 axons
 basket cell, 85
 brainstem, 131f
 branched/branching, 28, 31f, 32, 54, 55, 59, 60, 107, 273, 351, 362, 365f, 370, 375
 cholinergic, 109, 126, 264
 corticothalamic, 16, 71, 82f, 87, 91, 92–98, 122, 127f, 200, 292, 296, 298, 333, 334f, 353, 362, 375, 392, 396
 corticothalamic type I/type II, 300
 GABAergic, 108, 117, 123, 145, 255, 279f
 histaminergic, 110, 204, 243, 255
 inhibitory, 6, 11, 72
 of interneuron, 66, 75, 104, 106, 117, 125, 131f, 197
 layer 5 corticothalamic, 292, 296, 362, 363, 394
 layer 6 corticothalamic, 94–96, 99, 110
 noradrenergic, 110, 204, 216, 243, 255
 reticulothalamic, 102
 retinogeniculate, 78f, 91, 94, 96, 121, 155, 262, 273, 369
 serotonergic, 110, 204, 216, 243, 255
 thalamocortical, 125, 137, 226, 238, 285, 319, 353, 399
 type I, 81f, 82f, 93, 127f, 295, 300, 314
 type II, 78f, 295, 297, 300
 back propagation, 153
 barrel cortex, 184f, 187f
 barrelloid, 45
 basal forebrain, 123, 133, 215, 352
 basal ganglia, 278, 279f, 280
 behaving rabbit preparation, 237
 behavioral state, 12, 23, 61, 101, 233, 250, 261
 binocular matching, 328, 329, 336
 binocular vision, 321f, 322
 binocular visual field, 323
 biocytin, 43, 44f, 86, 297, 371
 blobs, 57
 blood vessels, 95, 111
 BNOS, 125, 126, 132
 bodily movement, 381
 body surface, 17, 317
 Boston cats, 338, 339f
 brainstem, 18, 311, 352, 362, 365, 369, 372, 376, 385, 392
 brainstem axon, 116, 131f, 243, 245
 brainstem branches, 307, 362, 375, 385, 394
 brainstem cholinergic afferents, 109
 brainstem cholinergic pathways, 399

- brainstem connections, 354, 372
 brainstem control, 242
 brainstem modulatory inputs, 202
 brainstem reticular nuclei, 376
 branched/branching axons, 28, 31f, 32, 54, 55, 59, 60, 107, 273, 351, 362, 365f, 370, 375
 branched reticular axons, 105
 branching corticothalamic axons, 375
 branching driver afferents, 362
 branching patterns, 41, 363, 366f, 371–373
 broken arrow, 322, 326, 336, 338, 340
 burst firing, 72, 155, 165, 167f, 168, 175, 185, 221, 224, 225f, 228f, 233, 236f, 237, 239, 243, 250
 burst mode, 25, 155, 158, 160f, 168, 174, 194, 223, 225f, 227, 230f, 239, 241f, 274, 299, 301, 313, 400
 burst response, 161f, 223, 239
 bursting, 163, 167f, 174, 221, 232, 248, 275, 276, 301, 314
 bursts, synchronous, 215
 bushy cells, 41, 42f, 44f, 45
- Ca^{2+}
 conductance, 222
 channels, 153, 159, 171, 175, 188
 dependent K^+ conductances, 165, 166, 172, 176
 entry, 68, 165, 172, 185, 188, 210
 spike, 156, 157f, 164–169, 173, 188, 221, 231, 274
 cable modeling, 139, 142f, 141–148, 177
 cable properties, 140, 143, 147, 177
 calbindin, 61, 398
 calcium binding proteins, 23, 34, 61
 Carnivora, 22
 carnivores, 24, 48, 50, 51, 57, 63, 200, 326, 328, 353, 354
 caudate nucleus, 3f, 73f, 290f
 cell body size, 34, 50, 70
 cell classification, 33, 38, 48
 cell death, 333
 cell size, 33, 39, 46, 70
 center median nucleus. *See* thalamic nuclei, center median nucleus
 center/surround receptive field, 254, 258
 central gray, 373
 cerebellar afferents, 3, 83, 292
 cerebellar mechanisms, 366
 cerebellothalamic relay, 302, 363
 cerebellum, 9, 14f, 15, 45, 85, 279f, 280, 292, 303, 323, 363, 372, 392
 cerebral cortex, 1, 6, 10, 10f, 15, 21, 30, 48, 52, 77, 79, 120, 285, 295, 330, 355, 358f, 384f, 391, 397, 403
 cerebral maps, 323
 channels
 Ca^{2+} , 153, 159, 171, 172, 175, 188
 Cl^- , 197
 high threshold Ca^{2+} , 172, 188
 K^+ , 153, 155, 157f, 176, 183, 203, 210
 L type Ca^{2+} , 171
 N type Ca^{2+} , 171
 Na^+ , 149, 150f, 151f, 152, 156, 157f, 158, 164, 172, 177
 T , 155–158, 161, 163, 164, 172, 175, 188, 194, 196, 239, 283
 T type Ca^{2+} , 159, 175, 176
 voltage sensitive, 139, 153, 155
 cholinergic axons, 108, 109, 126, 264
 cholinergic effects, 213, 301
 cholinergic inputs, 213, 284
 chronological sequence of development, 386f
 cingulate cortical areas, 376
 cingulate cortex, 18, 21, 100, 349
 Cl^- reversal potential, 197, 199
 class V cells, 70
 classical neuron, 137
 classical physiology, 367
 classical view of the thalamus, 1, 2f, 289
 climbing fibers, 85
 clinical evidence, 254, 324
 cochlea, 17
 collicular lamina, 380
 colliculopulvinar pathway, 370
 color, 282, 331, 347, 401
 color opponent response properties, 57
 comparative studies, 53
 concept of a nucleus, 5, 398

- conductance, 139, 147, 150f, 151f, 154, 170f
 Ca^{2+} dependent, 176
 Ca^{2+} dependent K^+ , 165, 166, 172, 176
 high threshold Ca^{2+} , 154, 171, 210
 hyperpolarization activated cation, 166
 K^+ , 147, 149, 150, 151f, 153, 157f, 166, 167f, 169, 172, 176, 194, 222
 K^+ “leak”, 148, 149, 163, 198, 201, 203, 204, 210, 212, 213, 216
 low threshold Ca^{2+} , 154, 155, 166, 174, 194, 242, 243
 membrane, 12, 40, 139, 140, 147–150, 154, 161, 177, 198
 Na^+ conductance, 149, 155
 persistent Na^+ , 172
 synaptic, 241, 245, 246, 284
 voltage dependent, 149, 154, 167f, 177, 179, 201, 217
 voltage dependent Ca^{2+} , 179
 voltage dependent K^+ , 167f, 169, 194
 voltage dependent Na^+ , 194
 conduction velocity, 33, 38, 98, 153, 262
 contrast gain control, 211
 control of eye movements, 369
 convergence, 39, 92, 99, 195, 256, 261, 267, 272, 273, 296, 335
 copies of instructions, 365, 367, 387
 copies of outputs, 292, 391
 core, 61
 corpus callosum, 331
 correlated firing, 255, 276
 cortex. *See also* cortical areas; cortical layers
 primary visual, 8, 59, 83, 96f, 318, 357
 newly innervated, 83
 cortical areas
 area 17, 8, 54, 56, 60, 93, 98, 99, 101, 128, 200, 266f, 300, 305, 307, 324, 331, 334f, 339f, 345, 361, 372, 378, 387
 area 18, 54, 60, 93, 95, 97, 100, 308f, 309, 339f, 343, 344f, 345, 362, 375, 378
 area 19, 97, 100, 308, 343, 344f, 345, 378
 area 20, 378
 area 21, 378
 area A1, 349
 area A2, 349, 351
 area MT, 60, 306, 359f, 401, 402
 area PLLS, 378
 area PMLS, 378
 area S1, 349
 area S2, 349, 351
 area V1, 8, 59, 60, 306, 311, 323, 324, 339f, 349, 359f, 379, 401, 402
 area V2, 60, 349, 351, 359f, 379
 area V6, 360
 auditory area, 315, 376, 383
 cingulate area, 18, 21, 100, 349, 376
 extrastriate area, 54, 307, 335
 higher cortical area, 7, 83, 271, 282, 289, 304–306, 312f, 313, 329, 342, 351, 367, 378, 380, 387, 391
 motor area, 8, 34, 84, 96, 100, 123, 235, 279f, 280, 357, 359, 372, 375, 383, 387
 occipital area, 324, 325f
 parietal area, 360, 382, 383
 primary sensory area, 299, 361, 375, 383, 391, 394
 primary visual area, 8, 59, 81, 96f, 305, 315, 318, 357
 retrosplenial area, 84, 303, 368f, 369
 sensory area, 312f, 372, 383
 somatosensory area, 54, 88, 193, 235, 237, 271, 297, 299, 300, 306, 348, 385
 striate area, 8, 254, 266f, 270, 272, 304, 324
 suprasylvian area, 54, 55, 95, 309, 343, 345, 378
 visual area, 8, 38, 59, 83, 94, 100, 242f, 293, 297, 318, 327, 329, 333, 335, 357
 cortical circuitry, 376, 383, 401
 cortical column, 247, 283
 cortical connections, 15, 55, 339f, 343, 347, 351, 357, 358f
 cortical control, 245
 cortical distribution of synaptic terminals, 52
 cortical inactivation, 300

- cortical layers, 52, 57, 58, 61, 134, 399
 layer 1, 52–55, 61, 62, 304, 309
 layer 3, 52, 55, 57, 62
 layer 4, 52, 54–57, 59, 235, 237, 247,
 254, 266f, 270, 272, 273, 281,
 284–286
 layer 5, 10f, 16, 77, 86, 90, 93, 94, 96,
 97, 98, 100, 133, 187f, 191, 193,
 218, 234, 255, 256, 261, 271, 279f,
 280, 283, 286, 289, 294, 296–298,
 304, 307–309, 342–347, 362, 367,
 375, 376, 378, 380, 381, 384, 387,
 392–395, 402
 layer 6, 11f, 16, 19, 52, 54, 56, 57, 79,
 90, 92–102, 104, 110, 126, 128,
 183, 184f, 192, 200, 206, 212, 219,
 234, 238, 239, 241f, 245–249, 253,
 256, 263–271, 284, 295–297,
 307–309, 344f, 345, 347, 376, 396
 cortical lesions, 28, 29f, 30, 300, 324,
 325f, 338, 370
 cortical maps, 19, 318–320, 331, 345, 355
 cortical processing, 58, 281, 310, 331, 360,
 361, 376, 379, 399
 corticocortical communication, 12, 25, 251,
 286, 289, 292, 305, 314, 331, 359
 corticocortical interconnections, 12
 corticocortical link, 358f, 402
 corticocortical pathway, 9, 282, 285,
 303–306, 312f, 331, 359f, 378, 380,
 381, 385, 395, 401
 corticocortical processing, 311, 378
 corticofugal cells, 307
 corticogeniculate afferents, 255, 267, 268
 corticogeniculate axon, 96–98, 132, 200,
 241f, 243, 246, 255, 260, 264, 327,
 333, 354
 corticogeniculate input, 203, 245, 261,
 262, 263, 283
 corticogeniculate projections, 97
 corticogeniculate synapse, 273
 corticoreticular axons, 349
 corticoreticular circuits, 352
 corticoreticular pathway, 72
 corticoretulothalamic connections, 128
 corticotectal axons, 297, 307, 376, 377f
 corticotectal descending branches, 380
 corticothalamic afferents, 16, 20f, 96, 99,
 100, 101, 104, 127f, 133, 249, 296,
 298, 306, 308f, 313, 330, 344f, 396
 side branches, 99
 corticothalamic axons, 16, 19, 71, 82f, 86,
 87, 91, 92–98, 101, 122, 126, 200,
 292, 296, 298, 300, 333, 334f, 348,
 350f, 362, 367, 375, 379, 392, 394,
 396
 heterogeneity, 98, 200
 origin, 93, 296
 corticothalamic connections, 19, 291f, 328
 corticothalamic drivers, 86, 90, 98, 299,
 315, 347, 375, 399
 corticothalamic EPSP, 184f, 187f
 corticothalamic inputs, 95, 202, 206, 241,
 304, 352
 corticothalamic modulators, 94, 97, 99, 347
 corticothalamic pathways, 19, 22, 90, 97,
 126, 317, 319, 328, 332, 335, 341,
 353, 362, 363
 corticothalamic synapses, 93, 200–202
 corticothalamicocortical link, 402
 corticothalamicocortical processing, 302
 corticothalamicocortical route, 313
 cross correlograms, 264, 265, 266f, 267,
 272, 274, 276, 282
 cuneate nucleus, 292, 299, 364
 current clamp, 161, 164
 current flow, 138, 144
 currents
 I_A , 169, 170f, 173, 259
 I_{CAN} , 176
 I_h , 166, 168, 183, 185, 222, 259, 276
 $I_{K[Ca]}$, 176
 I_{Na} , 149, 150f, 151f, 152, 156
 I_T , 222, 259
 K^+ , 151f, 152, 222
 Na^+ , 149, 151f
 curve, activation/ inactivation, 161, 162f,
 163, 170f, 175
 cytochrome oxidase, 57
 cytoplasm, 139, 140, 141, 143, 183
 astrocytic, 87, 88f, 89f, 118, 119, 120,
 122
 electrical properties, 141
 glial, 87

- D-serine, 193, 207, 208
 deactivation, 156
 decision making, 360
 deep cerebellar nuclei, 77, 90, 278, 302, 373
 degeneration
 retrograde, 28, 29f, 30, 31f, 32, 59, 324, 325f, 326, 338, 343
 transneuronal, 30, 325f
 de-inactivation, 153, 156, 162f, 165, 166, 169, 171, 194, 199, 217, 231, 301
 dendrites, 68, 143, 153
 distal, 124, 130, 131f, 138, 143, 145, 256
 integrative properties, 130
 presynaptic, 66, 69, 74, 115, 133
 proximal, 45, 114, 119, 122, 124, 126, 131f, 137, 145, 146f, 208, 256, 373
 reticular, 349
 dendritic arbor, 27, 33, 34, 35f, 37f, 39, 41, 43, 45, 48, 63, 68, 70, 98, 130, 138, 140, 142f, 143, 144, 147, 156, 159, 172, 176, 200, 334, 354
 electronically compact, 141, 143, 147
 electronically extensive, 143, 177
 dendritic architecture, 39, 144
 dendritic geometry, 141
 dendritic terminals, 65f, 66, 125, 173, 197, 206, 281
 dendrodendritic contacts, 144
 dendrodendritic junctions, 123
 dendrodendritic synapses, 123, 215
 descending branches, 292, 297–299, 379, 380
 desynchronized sleep, 222, 274
 detectability, 228f, 229, 231, 247, 313
 development of an individual, 383
 developmental hierarchy, 383
 developmental history, 58, 294
 developmental origin, 11, 22, 72, 354
 developmental program, 335
 developmental timing, 51
 diencephalon, 13, 14f, 15, 72, 353
 direct corticocortical connections, 9, 281, 285, 332, 347, 378, 379, 392
 direct corticocortical pathway, 286, 303, 305, 306, 378, 381, 395, 401
 disrupted maps, 323, 336
 disrupted representation, 323, 338
 disrupting action, 276
 distorting lenses, 360
 divergence, 39, 99, 335
 DNQX, 184f, 187f
 dorsal raphé nucleus, 110, 191f, 192, 204, 216, 243, 244, 255
 dorsal root axons, 364, 365f
 dorsal root ganglion cell, 67
 dorsal tegmental nucleus, 368f, 369
 dorsal thalamus, 13, 14f, 15, 17, 20, 22, 27, 71, 72, 74, 108, 117, 123, 214f, 216, 257, 349
 drifting grating, 225f, 227, 228f, 231
 driver, 6, 9, 16, 18, 25, 77, 81, 85, 95, 112, 125, 121, 122, 190, 193, 200, 208, 223, 234, 253, 255, 263, 266f, 268, 269, 271, 277, 279, 281, 283, 289, 294, 299, 302, 304, 310, 331, 346, 363, 376, 379, 381, 393, 395, 401, 403
 driver/modulator distinction, 262, 268, 270, 273
 driver output, 282, 283, 401, 402
 driver pathway, 6, 7, 23, 92, 125, 279f, 281, 304, 363, 395
 driver terminal, 86, 106, 345, 370
 driving synapse, 190
 drowsiness, 168, 223, 275, 313
 dynamic polarization, law of, 66
 dynamic range, 163, 171, 211
 EEG recording, 274
 electrical coupling, 74
 electron microscopic appearance, 41, 80, 85, 294, 295
 electron microscopic counts, 130
 electron microscopy, 297
 epicritic pathways, 53
 epilepsy, 74, 168
 epileptic discharge, 12
 epithalamus, 3f, 13, 14f, 15, 30
 EPSP, 126, 137, 153, 154, 156, 158, 163, 168, 171, 175, 176, 179, 183, 184f, 185, 187f, 189, 192–195, 197, 198, 201–206, 210, 212, 214f, 217, 218,

- 235, 237, 243, 256, 259, 260, 265, 267, 270, 273, 274, 278, 280, 283
 error signal, 302
 evaluations of perception, 374
 evolution of thalamocortical pathways, 314
 evolutionary history, 8, 53
 extracellular space, 118, 120, 138, 205, 206
 extraglomerular synapses, 70, 92, 206
 extrastriate cortical areas, 54, 307, 335
 extrathalamic branches, 376
 eye movements. *See* movement, of eye
- F profiles, 104, 111
 F terminals, 114, 117, 124, 125, 132
 F1 profiles, 104, 112, 119, 126
 F1 terminals, 104, 106, 117, 118, 125, 126, 145, 208, 215
 F2 profiles, 104, 112, 117, 119, 126
 F2 terminals, 65f, 106–108, 113–117, 125, 131f, 145, 147, 208–213, 215, 216
 facial nerve nucleus, 372
 fear, 386
 feedback, 128, 129, 163, 164, 167, 238, 239, 246, 247, 249, 253, 291f, 347, 379
 feedforward, 127, 128, 210, 241, 291f, 379
 filamentous junctions, 114, 115
 finger movements, 360, 374, 380
 firing mode. *See* burst firing; tonic firing
 first order circuits, 291f, 294, 314, 315, 316, 351, 352
 first order nuclei, 3f, 4f, 15, 16, 55, 78, 93, 96, 104, 105, 133, 290f, 293, 298, 300, 302–304, 310, 317, 373
 first order pathways, 282, 384
 first order relays, 9, 10f, 63, 77, 84, 90, 125, 131–133, 190, 203, 234, 269, 271, 280, 292, 293–295, 301, 304, 311, 313, 315, 342, 346, 362, 363, 375, 381, 393–395, 397
 Fourier techniques, 226, 227
 fractured representations, 323
 Franco-Prussian war, 324
 frontal cortex, 55, 88, 310, 315, 342, 349
 frontal eye fields, 378
 functional analysis, 401
 functional circuitry, 179, 240f
 functional losses, 83, 85
 functional organization, 58, 302, 310
 functional polarity, law of, 67
 functional role, 302, 303, 307, 310, 311, 331, 346, 367, 375, 397
 functional separation, 320, 329
- G protein, 181f, 182
- GABA, 17, 28, 33, 63, 69, 72, 79, 102, 104, 106–108, 111, 112, 117, 123–125, 132, 145, 174, 180, 181f, 182, 183, 191f, 192, 196–200, 205, 206, 209f, 210, 211f, 213, 215, 216, 218, 244, 245, 253, 256, 262–264, 267, 277–280, 283, 292, 301, 348
 GABA_A IPSP, 198, 199
 GABA_B receptors, 182, 197–199, 218, 244
 GABAergic afferents, 17, 79, 102, 108, 112, 117, 123, 125, 199
 GABAergic axons, 17, 108, 117, 123, 145, 255, 279f
 GABAergic circuits, 245, 264
 GAD, 33, 63, 70, 107
 gain control, 40, 127, 211, 246
 gap junctions, 123, 207
 gateway to the cortex, 1, 391
 gating actions/functions, 38, 39, 304, 310, 313, 400
 geniculate. *See* lateral geniculate nucleus; thalamic nuclei, medial geniculate nucleus
 geniculate cells, 8, 50, 54, 57, 60, 97, 105, 128, 130, 195, 196, 224, 227, 231, 233, 239, 243, 245–247, 249, 254, 255, 272, 326, 338, 401
 geniculate column, 343, 346
 geniculate layers, 29f, 50, 51, 57, 58, 96f, 97, 100, 105, 114, 246, 319, 325f, 326–330, 334, 336, 338, 339f, 340, 346, 398
 geniculocortical pathways, 8, 56, 59, 60, 62, 272, 318, 324, 333, 339f, 372
 glia, 33, 87, 111, 120, 121, 180, 193, 205–207
 gliosis, 28

- global pattern, 243
 globus pallidus, 17, 107, 108, 123, 216, 292, 397, 399
 glomeruli
 cerebellar, 121
 thalamic, 45, 87f, 88f, 89, 94, 104, 106, 110–112, 114, 115, 118–122, 126, 131f, 146f, 207, 211f, 306
 glucose metabolism, 315
 glutamate, 105, 121, 128, 180, 182, 183, 191f, 192–196, 200, 203, 204, 206, 207, 210, 238, 266f, 296
 glutamate receptors, 182, 185, 192, 194–196, 200–202, 204, 207, 208, 210, 212, 218, 239, 245
 glutamatergic driver afferents, 400
 glutamatergic neurons, 33
 glutamic acid decarboxylase, 33
 glycine, 193, 207
 Golgi method, 42f, 44f, 63, 64, 81f
 Golgi preparations, 33, 41, 43, 44f, 52, 69, 72, 86, 322
 gracile nucleus, 292, 299, 364
 granule cells
 of cerebellum, 120
 of olfactory bulb, 67
 grape-like appendages, 45, 46, 113, 119
 growth associated protein (GAP43), 315, 384
 gustatory afferents, 392

 habenular nucleus, 3f, 290f
 half wave rectification, 229
 head
 direction, 302, 303, 368, 369, 392
 movements, 360, 369, 370, 375, 378, 380, 387
 orientation, 84, 303, 369, 375, 380
 position, 369, 370
 hearing, 268, 393
 heterogeneity
 of corticothalamic axons, 98, 99, 200
 of drivers, 90
 of receptors, 182
 of reticular cells, 75
 hierarchical series, of corticocortical connections, 357, 358f, 359f
 hierarchy, cortical, 315, 378, 379, 381, 384f, 385, 394
 high release probability, 260
 high speed bullets, 324
 high threshold Ca^{2+} channels, 172, 188
 high threshold Ca^{2+} conductance, 154, 171, 210
 higher cortical areas, 7, 83, 282, 304, 305, 312f, 329, 351, 352, 367, 376, 378, 380, 383, 387, 391
 higher order circuits, 9, 16, 17, 25, 291f, 294, 295, 298, 299, 303, 313–316, 350, 352
 higher order connections, 351
 higher order cortical areas, 305, 314, 395
 higher order nuclei, 10f, 93, 101, 293, 298, 300, 302, 304
 higher order pathways, 59, 282, 306, 317, 384, 397
 higher order relays, 9, 10, 16, 63, 77, 85, 87, 90, 91, 97, 132, 133, 191, 203, 234, 255, 256, 271, 285, 289, 293, 294, 300, 301, 303–307, 309–311, 315, 317, 318, 342, 344, 346, 351, 362, 375, 381, 387, 393, 395, 397, 398, 403
 “High-p” synapses, 189
 hippocampal cortex, 1
 hippocampal neurons, 203
 hippocampus, 100, 185, 261, 292, 303, 369
 histamine, 168, 180, 182, 183, 192, 204, 205, 217
 histaminergic axons, 110, 204, 205, 243, 255
 histaminergic inputs, 110, 217, 243, 248
 histaminergic systems, 399
 histaminergic terminals, 118, 260
 homocysteic acid, 207
 homologies, of cortical areas, 332
 homonymous visual field loss, 326
 horizontal meridian, 333, 334f, 349, 350f
 horseradish peroxidase, 33, 37f, 43, 65f, 71, 78f, 79f, 80f, 86, 103f, 294, 297, 371
 human cerebral cortex, 384f
 hydraulic analogue, 138, 139

- hyperpolarization, 138, 149, 150f, 151f, 156, 157f, 158, 162f, 164, 166, 171, 176, 197, 199, 213, 235
 hyperpolarization activated cation conductance, 166
 hypothalamic branch, 386
 hypothalamus, 14f, 16, 110, 118, 123, 204, 205, 352, 364, 366f

 I_A , 169, 170f, 173, 259
 I_{CAN} , 176
 I_h , 166, 168, 183, 185, 222, 259, 276, 222
 I_{Na} , 149, 150f, 151f, 152, 156
 impulse frequencies, 38
 impulse to movement, 382
 inactivation, 16, 128, 149, 150f, 151f, 152, 153, 155, 156, 157f, 158, 159, 161, 162f, 163, 165, 166, 169, 170f, 171, 173, 174, 175f, 176, 178, 194, 199, 217, 218, 231, 239, 242, 243, 293, 300, 301
 inactivation curve, 161, 162f, 163, 170f, 175f
 inactivation gate, 149, 150f, 151f, 152, 157f
 indirect inhibition, 241
 inferior colliculus, 17, 79, 107, 216, 294, 299, 364, 372
 inferior olive, 25, 364, 366f, 373, 376
 inhibition of action, 380
 inhibitory axons, 6, 11, 72
 inhibitory innervation, 72, 348
 inhibitory inputs, 16, 17, 104, 168, 214f, 277, 278, 280, 281, 284
 inhibitory interactions, 351
 inhibitory terminals, 104, 107
 inhibitory transmitters, 111
 initiation of action, 153, 380
 input/output operations, 145
 input/output relationships, 147, 165, 171, 258
 inputs
 corticogeniculate, 245, 261, 263
 to distal dendrites, 131f
 driver, 3, 9, 38, 83, 92, 132, 192, 200, 201, 204, 219, 254, 256, 262, 263, 264, 266f, 268, 269, 275, 276, 281, 282, 284, 310, 346, 347, 363, 381, 392, 401
 GABAergic, 79, 198, 199, 215, 216, 263, 277–279, 283, 301
 layer 5, 93, 94, 97, 191, 271, 280, 343, 345, 347
 modulator, 137, 218, 240f, 255, 259, 260, 263, 268, 270, 285
 to proximal dendrites, 131f, 145, 208
 reticular, 131, 198, 206, 260, 263, 276, 277
 instructions for movement, 385
 integrative functions, 38, 39, 91, 92, 394, 395, 402
 integrative interaction, 294, 403
 integrator, 13, 155, 299, 304
 intermediate filaments, 114
 internal projection screen, 320
 interneurons, 6, 15–17, 22, 24, 27, 30, 33, 45–47, 49, 63, 64f, 65f, 66, 68–72, 74, 75, 79, 85, 104–107, 108, 111, 112, 114, 115, 117–119, 122, 124–126, 131–133, 137, 142f, 143–147, 170, 173, 174, 177, 178, 180, 192, 196, 197, 204, 206, 208, 209f, 212–217, 243–246, 253, 256, 261, 264, 280, 281, 283, 291f, 354, 400, 401
 afferents to, 125
 axons, 67, 68, 75, 104, 106, 117, 118, 125, 197
 axonless, 69, 147, 173
 dendrites, 46, 47, 64, 66, 74, 75, 104, 106, 114, 115, 117, 119, 126, 131f, 144
 dendritic shafts/stems, 110, 114, 115, 212
 in guinea pigs, 106, 196, 202
 in hamsters, 106
 interlaminar, 70, 71
 numbers of, 63, 66, 106
 in rodents, 22, 106
 interspike interval, 186, 235, 236f, 237, 238, 265, 267
 interstitial nucleus of Cajal, 373
 intralaminar nuclei, 3f, 15, 28, 30, 32, 52, 55, 61, 84, 107, 258, 290f, 294, 319

- intrathalamic connections, 304
 intrinsic cell properties, 137
 invertebrate neurons, 67
 involuntary movement, 382
 ion channels. *See* channels
 ion transport, 120
 ionotropic receptors, 180, 181f, 185, 186, 192, 194, 196, 200, 210, 212, 217, 218, 243, 256, 259, 260, 265, 267, 272, 273, 284
 glutamate, 183, 192, 194, 195, 196, 201, 208, 210, 218
 nicotinic, 181f, 202, 213, 242
 IPSP, 129, 138, 156, 179, 182, 183, 195–199, 210, 212, 214f, 218, 222, 243, 256, 260, 262, 277, 280
 isocortical column, 343, 345, 346
 I_T , 156, 159, 160f, 161, 162f, 167f, 169, 170f, 173, 174, 175, 176, 195, 198, 202, 222, 231, 235, 259
 K^+ channels, 151f, 152, 153, 155–157, 157f, 176, 183, 203, 210
 K^+ ions, 121, 206
 K^+ “leak” conductance, 148, 149, 163, 167f, 169, 197, 201, 202, 204, 209, 212, 213, 216
 K^+ reversal potential, 198, 199
 kainate, 182
 kainate receptors, 192, 206, 207
 kinesthesia, 9, 268
 kinesthetic receptors, 375
 kinetics, 149, 169, 171, 174, 176, 194
 konio cells, 48, 50, 56, 62, 398
 koniocellular layers/components/groups, 48–51, 54, 56, 57, 62, 78f, 91, 114, 345, 371, 372, 398
 L type Ca^{2+} channels, 171
 labeled lines, 283, 284
 laminar origin, in cortex, 296, 297, 379, 395
 laminar segregation of relay cells, 48, 49f, 51
 laminar termination, in cortex, 53, 56f, 379
 lateral dorsal nucleus. *See* thalamic nuclei, lateral dorsal nucleus
 lateral geniculate nucleus. *See also* thalamic nuclei, lateral geniculate nucleus
 abnormal maps, 335, 336
 C layers, 47, 50, 60, 91, 97, 100, 110, 345, 346
 geniculocortical afferents, 56f, 273, 281
 geniculocortical axons, 56f, 60, 245, 335
 geniculocortical pathways, 56, 59, 60, 62, 272, 318, 339
 geniculocortical synapses, 235, 272, 273
 geniculocortical terminations, 57
 layers, 29f, 49f, 50, 51, 58, 96f, 97, 100, 105, 114, 246, 319, 325f, 326–330, 334, 336, 338, 339f, 340, 346
 relay, 50, 92, 97, 242f, 271, 386, 395
 relay cell, 49, 50, 71, 92, 97, 107, 128, 129, 141, 165, 223, 224, 226, 239, 241f, 242, 245, 247, 249, 254, 255, 258, 262, 264, 267, 270, 271, 273, 283, 284, 286, 395
 lateral mamillary nucleus, 84, 303, 368f, 369
 lateral posterior nucleus. *See* thalamic nuclei, lateral posterior nucleus
 law of dynamic polarization, 66
 law of functional polarity, 67
 layer 4, 52, 54–57, 61, 235, 237, 238, 247, 254, 266, 270, 272, 273, 281, 284, 285
 layer 5, 10f, 16, 77, 86, 90, 91, 93, 94, 96–98, 100, 133, 187f, 191–193, 218, 234, 255, 256, 261, 271, 279f, 280, 282, 283, 286, 292, 294, 296–298, 300, 304, 306–309, 313, 315, 342–345, 347, 362, 367, 375, 376, 378, 380, 381, 384, 387, 392–395, 402
 afferents, 192, 271, 308f, 375
 axons, 93, 94, 97, 362, 375, 376
 cells, 100, 261, 282, 283, 297, 304, 306, 313, 347, 362, 375, 387
 corticofugal axons, 380
 corticothalamic axons, 292, 296, 362, 363, 392, 394

- corticothalamic cells, 283, 309, 315
 corticothalamic pathway, 90, 363
 corticothalamic terminals, 91, 345
 driver afferents, 392
 driver inputs, 347
 layer 6, 11f, 16, 19, 52, 54, 56, 57, 79, 90, 92–101, 104, 110, 125, 126, 128, 133, 183, 184f, 192, 200, 206, 212, 218, 234, 235, 238, 239, 241f, 245–247, 249, 253, 256, 261, 263, 264, 266f, 267, 268, 270, 271, 284, 295, 296, 297, 300, 307–309, 313, 344f, 345, 347, 376, 396, 397, 401
 afferents, 99, 212, 308f, 309
 axons, 93, 94, 96, 98, 200, 261, 296, 309, 376
 cells, 92, 100, 101, 238, 246, 247, 249, 297, 396, 401
 corticothalamic axons, 94–96
 corticothalamic terminals, 110, 308
 feedback, 239, 247, 249
 thalamocortical synapses, 235
 “Leak” K⁺ conductance. *See* conductance, K⁺ “leak”
 learned skills, 385
 learning, 185, 383, 385, 393
 lemniscal axon, 385
 lemniscal inputs, 192, 253, 394
 lemniscal pathway, 53, 363, 366f
 limbic cortex, 303
 linearity, 165, 226, 227, 228f, 235, 239, 285
 local sign, 7, 17, 18, 53, 55, 61, 62, 79, 105, 129, 242, 243, 246, 248, 331, 351, 352, 395
 localization of function, 322
 localized lesions, 32, 324, 325f
 locus coeruleus, 110
 low pass tuning, 232
 low threshold Ca²⁺ conductance. *See* conductance, low threshold Ca²⁺
 low threshold Ca²⁺ spike, 157f, 165–167, 169, 173, 174, 176, 188, 221, 231, 239
 lower motor centers, 311, 380
 LT terminals. *See* terminals, LT
 M1 receptor, 214f, 301
 M2 receptor, 203, 214f, 301
 magnocellular layers/components/groups, 29f, 49f, 50, 56, 62, 63, 78f, 91, 114, 319, 345
 magnocellular part of the medial geniculate nucleus, 45, 294, 297
 magnocellular projections, 56
 mamillary afferents, 292
 mamillary bodies, 9, 15, 18, 85, 90, 292, 363, 368, 369
 mamillotegmental tract, 368f, 369, 375
 mamillothalamic pathways, 328, 363, 367
 mamillothalamic tract, 9, 77, 368f, 369, 375
 mapped connections, 318, 353
 maps
 in the brain, 317 et seq
 of cortical areas, 343
 multiple, 330, 332
 of sensory surfaces, 59
 in thalamocortical pathways, 330
 topographic, 17, 19, 25, 72, 319, 320
 Marchi method, 1
 matrix, 61
 medial dorsal nucleus. *See* thalamic nuclei, medial dorsal nucleus
 medial geniculate cells, 233
 medial geniculate nucleus. *See* thalamic nuclei, medial geniculate nucleus
 medial lemniscus, 191–193, 253, 296, 364, 385
 melanin, 336
 membrane conductance. *See* conductance, membrane
 membrane potential, 147, 148, 159, 167f, 168, 170f, 241, 260
 membrane properties, 6, 24, 40, 68, 138, 143, 147, 149, 155, 169, 173, 221, 223, 398
 memory, 185, 311, 312f, 357, 358f, 374
 memory storage, 312f, 357, 358f, 374
 metabotropic receptor. *See* receptor, metabotropic
 metabotropic responses, 259, 267
 Meynert cells, 306
 Mg²⁺ block, 190, 193, 203

- mGluR1, 181f, 184f
 mGluR5, 184f, 211f
 microtubule-associated protein, 68
 microtubules, 68, 113
 midbrain, 39, 49, 202, 264, 273, 303, 307, 363, 369–372, 378, 382, 385, 394
 midline nuclei. *See* thalamic nuclei, midline nuclei
 Midwestern cats, 338, 339f
 mind, 361
 mirror reversal, 19, 20, 317, 332, 333, 335, 338, 340–342
 mitochondria, 87, 113, 115–117
 “mixed nuclei,” 293
 MK-801, 184f, 187f
 modulation, 38, 75, 205, 206, 260, 261, 264, 276, 284, 285, 309, 329, 330, 352, 396, 397
 modulator, 6, 9, 16, 20, 24, 25, 32, 39, 53, 77, 79, 84, 85, 92–95, 97–99, 108, 112, 125, 133, 137, 186, 192, 218, 240f, 253, 255, 256, 258–264, 266–274, 277–280, 283–286, 293, 294, 296, 298–300, 304–306, 309, 315, 331, 348, 355, 370, 376, 379, 381, 392, 395, 396, 399–401, 403
 modulatory axons, 95, 330, 347
 modulatory control, 302
 modulatory gate, 298
 modulatory inputs, 17, 40, 100, 132, 192, 195, 196, 202, 218, 240f, 242, 259, 267, 268, 280, 285, 330
 modulatory pathways, 19, 101, 341, 342, 355, 397
 monocular enucleation, 335, 341
 mossy fiber synapses, 121
 motion sensitivity, 401
 motor
 action, 376, 383, 387, 402
 assembly, 361, 362
 branches, 373, 382, 392, 393
 brainstem centers, 367
 centers, 7, 10f, 291f, 292, 295, 303, 307, 311, 312f, 357f, 358f, 359–364, 370, 376, 379, 380, 382, 383
 commands, 25, 381
 components, 374, 382
 coordinates, 383
 cortex, 34, 84, 96, 100, 123, 235, 279f, 280, 372
 innervation, 375
 instructions, 7, 264, 282, 292, 306, 367, 369, 380, 383, 387, 393, 394, 402
 output, 292, 310, 312f, 323, 358f, 360, 361, 363, 369, 370, 374, 378, 380, 386f
 pathways, 14, 25, 122, 328, 363, 367, 375
 relays, 233
 response, 374, 383
 systems, 385
 task, 361
 movement
 control, 9, 77, 302
 of eye, 21, 222, 275, 360, 366f, 369, 370, 374, 380, 382, 387, 394
 of finger, 360, 374, 380
 of head, 369, 375, 378, 380, 387
 pinnal, 372
 of wrist, 302
 MPEP, 183, 184f
 multiplex, 145, 177, 283
 mutations, 335
 myelin, 1, 68, 89f, 315, 383
 myelinated axon, 111, 153
 myelinization, 383, 384f
 N type Ca^{2+} channels. *See* channels, N type Ca^{2+}
 Na^+ channels. *See* channels, Na^+
 Na^+ conductance, 149
 Na^+ currents, 151f. *See also* currents, Na^+
 neocortex, 1, 2, 8, 15, 20, 21, 27, 28, 30, 63, 90, 183, 185, 261, 305, 314, 315
 nerve cells, 8, 24, 27, 30, 54, 66, 67, 71, 75, 83, 112, 119, 121, 177, 302, 307, 320, 321, 361, 401
 neuroanatomy, 361
 neuromodulation, 261
 neuron doctrine, 66
 neuronal input resistance, 197, 198, 201, 284

- neuronal degeneration. *See* degeneration
Nissl method/Nissl stain, 1, 29, 32
nitric oxide, 109, 125, 191f
nitric oxide synthase, 70, 126
NMDA, 182, 193, 200, 208
nociceptive pathway, 40
node of Ranvier, 153
noradrenalin, 168, 180, 182, 183, 191f, 192, 204, 205, 216
noradrenergic afferents/axons/inputs, 79, 109, 118, 123, 204, 205, 216, 217, 243, 248, 255, 399
nucleus. *See also* thalamic nuclei
 brainstem reticular nuclei, 376
 concept of a nucleus, 398
 cuneate, 292, 299, 364
 deep cerebellar nuclei, 77, 90, 278, 302, 373
 dorsal raphe nucleus, 110, 191f, 192, 204, 216, 243, 244, 246, 255
 first order, 3f, 4f, 15, 16, 55, 78, 93, 96, 101, 104, 105, 133, 290f, 292, 293, 298, 300, 302, 303, 304, 310, 317, 373
 gracile, 292, 299, 364
 higher order, 10, 54, 78, 93, 101, 105, 285, 293, 294, 297, 298, 300, 302, 304
 lateral mammillary, 84, 303, 368f, 369, 392
 perigeniculate, 22, 70, 71, 103f, 106, 123, 126, 270, 334, 353, 354
 pontine tegmental reticular, 375
 posterior column, 312f, 363–366, 366f
 reticular nuclei, of brain stem, 25, 364, 366, 372, 376
 tegmental reticular, 369, 373
 vestibular, 84, 369
numbers of
 connections, 6, 305
 nerve cells, 8, 66, 106
 synapses, 132, 270, 300
numerical strengths of inputs, 253

occipital cortex, 324
occipital lobe, 324, 325f, 360
ocular dominance, 57, 319

ocular movements, 372
ocular separation of inputs, 51
off-center pathways, 57, 395
off-center system, 50
olfactory afferent, 1, 269
olfactory cortex, 1, 294
olfactory pathways, 323
on-center pathways, 58, 395
on-center system, 50
optic chiasm, 14f, 320, 321f, 322, 325f
optic tract, 49, 50, 193, 255, 261, 321f, 363
orientation selectivity, 319
owl, 322

pacemaker frequency, 224
pain, 9, 363
paired-pulse depression, 186, 187f, 189, 190, 193, 201, 235, 237, 238, 256, 260, 262, 263, 273, 296
paired-pulse effects, 186, 189, 190, 234, 235, 262, 263
paired-pulse facilitation, 184f, 186, 189, 190, 237, 262, 296
parabrachial axons, 213, 214f, 215, 243, 244, 263, 264
parabrachial innervation, 240f
parabrachial input, 202, 203, 215, 218, 241, 242, 244, 245, 247, 248, 250, 275, 277, 283
parabrachial neurons, 301
parabrachial region, 109f, 110, 118, 191f, 192, 213, 242, 256, 263, 264, 330
parabrachial terminals, 204, 213
parallel fibers, of cerebellum, 85
parallel pathways, 5, 7, 66, 294
parietal cortex, 360, 382, 383
partial decussation, 320, 322, 323
parvalbumin, 61, 398
parvocellular component/layers/groups, 29, 49f, 50, 56, 60, 62, 114, 345, 371
parvocellular projections, 56, 78f, 91, 319, 345, 371, 372
passive cables, 139, 141, 143
passive leakage, 148

- pathways
- anterolateral, 363, 364, 365, 366f, 371
 - brainstem cholinergic, 399
 - cerebellothalamic, 363, 394
 - colliculopulvinar, 370
 - corticocortical, 7, 9, 10, 12, 281, 282, 283, 285, 286, 291f, 303–306, 311, 312f, 313, 331, 332, 347, 357, 359f, 362, 378, 379, 381, 383, 384, 392, 395, 401, 403
 - corticoreticular, 72, 249, 328, 349, 352, 397
 - corticothalamic, 19, 22, 90, 97, 126, 317, 319, 328, 332, 333, 335, 341, 352, 354, 362, 363
 - diffuse global, 19
 - epicritic, 53
 - first order, 317, 382, 384
 - geniculocortical, 8, 56, 59, 60, 62, 272, 298, 318, 324, 333, 339f, 372
 - higher order, 59, 282, 306, 317, 384, 397
 - koniocellular, 49f, 51, 54, 91
 - layer 5, 90, 193, 363
 - lemniscal pathway, 53, 363, 366f
 - magnocellular, 56, 91, 319
 - mamillothalamic, 328, 363, 367
 - motor, 14, 25, 122, 323, 328, 363, 367, 375
 - off-center, 50, 57, 58, 395
 - olfactory, 323
 - on-center, 50, 57, 58, 395
 - parallel, 5, 7, 66, 294
 - parvocellular, 56, 91, 319, 372
 - posterior column, 363
 - protopathic, 53
 - retinogeniculate, 50, 91, 299, 337f, 342, 346
 - retinogeniculocortical, 298, 318
 - reticulothalamic, 72, 102, 129
 - second messenger, 182, 183, 185, 193, 198, 203, 210
 - sensory, 9, 12, 15, 24, 52, 53, 77, 83, 86, 90, 268, 284, 302, 318, 329, 367
 - somatosensory, 17, 38, 43, 59, 60, 96, 203, 299, 300, 311, 328, 331, 351, 364, 375
 - spinothalamic, 53
 - thalamocortical, 11, 17, 20, 22, 28, 32, 40, 52, 53, 54, 56, 59, 60, 62, 74, 79, 80, 98, 271, 282, 305, 306, 314, 317, 319, 323, 330, 332, 333, 335, 336, 338, 340, 341, 342, 343, 355, 381, 393, 394, 396
 - transthalamic corticocortical, 7, 9, 234, 312f, 347, 378–380, 384f, 395, 401
 - vestibular, 372, 373
 - visual pathways, 19, 51, 52, 56, 59, 96, 271, 300, 320, 321f, 329, 330, 333, 335, 336, 349, 355, 363, 369, 372, 382, 398, 400, 401
 - X, 38, 46, 47, 91, 92, 119, 294, 395
 - Y, 38, 46, 50, 58, 91, 92, 119, 294, 370, 395
 - W, 49f, 51, 91
 - “What,” 311
 - “Where,” 311
- pathways for action, 361
- pattern recognition, 323
- perception, 7, 12, 25, 26, 55, 248, 322, 357, 360, 361, 362, 367, 372, 374, 381, 382, 385, 387, 393, 402
- perceptual process/processing, 7, 292, 312f, 357, 359, 360–362, 367, 374, 376, 382, 385, 387, 393, 401, 402
- perceptual skills, 385
- perceptual task, 361
- periaqueductal gray, 368, 369, 372
- perigeniculate cells, 22, 71
- perigeniculate nucleus, 22, 70, 71, 103f, 105, 123, 126, 270, 334f, 353, 354
- perikaryal size, 27, 41, 46, 61
- peripheral receptors, 367, 381, 385
- perireticular nucleus, 333, 353
- persistent Na^+ conductance. *See* conductance, persistent Na^+
- photoreceptor, 284
- pinnal movements, 372
- plasticity, 23, 186, 384
- pons, 361, 368f, 369, 373, 375, 376
- pontine tegmental reticular nucleus, 375
- population histogram, 34
- positive feedback, 163, 164

- posterior column nuclei, 311f, 364, 365, 366f
 posterior column pathway, 363
 posterior nucleus. *See* thalamic nuclei, posterior nucleus
 posterior medial nucleus. *See* thalamic nuclei, posterior medial nucleus
 posterior parietal cortex, 382
 postnatal development, 315
 postsynaptic potential amplitude, 260
 postsynaptic receptor. *See* receptor, postsynaptic potentials
 postsynaptic, 66, 86, 137, 138, 139, 141, 143, 144, 148, 154, 171, 177, 179, 182, 185, 186, 188–190, 199, 201, 217, 248, 259, 260
 synaptic, 137
 prefrontal cortex, 55, 282, 293
 premotor innervation, 375
 premotor branches, 373
 presynaptic dendrites, 66, 69, 74, 115, 133
 presynaptic GABAergic modulation, 206
 presynaptic receptors, 205, 206
 pretectal region, 216
 pretectal X axons, 47
 pretectum, 17, 47, 107, 118, 123, 190, 366f, 369, 370, 371, 385, 397, 399
 prethalamic branches, 373, 374
 primary driver, 305
 primary sensory cortex. *See* cortical areas, sensory
 primary visual cortex. *See* cortical areas, visual
 primates, 9, 22, 24, 48, 50, 56, 57, 59, 61–63, 98, 110, 114, 289, 290f, 296, 311, 326–328, 335, 342
 principal mammillary tract, 368
 probability of transmitter release, 188, 262
 projection
 cholinergic, 109
 corticogeniculate, 97
 corticothalamic, 97, 238, 248, 376
 diffuse, 18, 104
 GABAergic, 216
 mapped, 17, 19, 319, 323, 342, 348
 proprioceptive inputs, 382
 protopathic pathways, 53
 pseudotriad, 116, 131f
 psychophysical parallelism, 361
 pulvinar nucleus. *See* thalamic nuclei, pulvinar nucleus
 pupillary control, 370
 “Pure sensation,” 367
 “Pure sensory” message/system, 369, 371, 383
 “pure vision,” 367, 371
 pyramidal cells, 45, 79, 90, 100, 153, 234, 295
 quantitative analyses/studies, 43, 45, 46, 124, 130
 radiate cells, 41, 42f, 42–47
 receiver operating characteristic analysis, 230f
 receptive field properties, 9, 16, 33, 34, 37f, 38, 39, 48, 85, 93, 98, 101, 226, 254, 255, 258, 271, 282, 285, 293, 296, 299, 300, 305, 370, 393, 401, 402
 receptive fields, 15, 18, 37, 39, 62, 97, 98, 128, 238, 239, 241f, 254, 255, 258, 264, 268, 270, 271, 282, 285, 300, 305, 321, 331, 340, 352, 354
 receptor
 AMPA, 182, 185, 187f, 192, 193, 195, 201, 207, 208, 210, 212, 218, 239, 245
 GABA_A, 181f, 182, 196, 197–199
 GABA_B, 182, 197, 198, 199, 218, 244
 glutamate, 182, 183, 185, 192, 194–196, 200, 201, 204, 207
 ionotropic, 180–186, 191f, 192, 194, 196, 200, 210, 212, 217–219, 243, 256, 259, 260, 265, 267, 272, 273, 284
 glutamate, 182, 183, 185, 192, 194–196, 201, 208, 210, 218
 nicotinic, 202
 kainate, 192, 206, 207
 M1, 214f, 301
 M2, 203, 214f, 301

- receptor (cont.)
 metabotropic, 166, 180, 181f, 182, 183, 185, 191f, 192, 193, 195, 196, 198, 200, 203, 205, 210, 216–218, 243, 248, 256, 259, 260, 265, 267, 272, 284, 296, 400
 glutamate, 182, 183, 185, 194, 196, 200, 201, 202, 204, 207, 210, 212, 218, 239, 245
 mGluR1, 181f, 183, 184f
 mGluR5, 184f, 211f
 muscarinic, 181f, 183, 203, 204, 213, 214f, 217, 243
 NMDA, 185, 187f, 189, 190, 192, 193, 195, 203, 207, 208
 postsynaptic, 40, 121, 122, 141, 179, 180, 190, 191f, 197, 208, 209f, 211f, 212, 217, 259, 272, 292
 presynaptic, 205, 206
 type 1 metabotropic glutamate, 183, 201, 210
 receptor organ, 374
 receptor protein complexes, 181f
 reciprocal mapping, 101
 reciprocity, 97, 98
 red nucleus, 373
 reduplication of cortical areas, 314
 refractory period, 152, 153, 165, 174, 231
 reiteration of thalamocortical circuitry, 314
 relay cells, 6, 9, 15, 17, 24, 25, 27, 28, 32, 33, 36f, 38–41, 43, 46, 48–51, 59, 61–64, 66, 71, 72, 77, 84, 85, 91, 92, 98–100, 104–107, 110, 111, 114, 115, 119, 122, 124–130, 132, 133, 137, 140–146, 148, 149, 154, 159, 160f, 163–165, 167–177, 179, 180, 185, 190–194, 196–206, 208, 210, 211, 213–218, 221–224, 226, 228f, 232, 233–235, 239–249, 253–255, 258–260, 262, 264, 267, 269–271, 274–278, 280, 286, 294, 300–302, 304, 309, 311, 313, 342, 392, 395, 400, 401, 403
 classification of, 28, 40
 collaterals of, 126
 identification of, 28
 number of, 395
 output of, 165
 response mode of, 155, 168, 180, 194, 196, 198, 201, 202, 218, 274
 reticular inputs to, 198
 relay nucleus, 28, 66, 129, 285, 293, 303, 309, 351
 release probability, 186, 260
 REM sleep, 275, 277, 314
 repolarization, 152, 156, 167f, 199, 222, 283
 representations of the visual field, 331, 332, 343, 350f
 response mode, 25, 154, 155, 168, 174, 176, 180, 194, 196, 198, 202, 203, 218, 221–223, 226, 227, 229, 231, 232, 234, 235, 237, 239, 240, 242, 243, 244–249, 274
 response properties, 57, 83, 223, 224, 283, 293, 307, 310, 345, 346, 369, 401
 response saturation, 171, 211, 212
 resting membrane potential, 148, 151f, 157f
 reticular cells, 21, 22, 24, 27, 70–72, 74, 75, 104, 105, 107, 123, 124–129, 137, 143, 144, 167, 174–178, 180, 196, 197, 199, 204, 208, 212–217, 222, 223, 241, 243, 245–247, 253, 261, 264, 270, 275, 276, 280, 348, 349, 351, 352, 396
 displaced, 70
 reticular circuitry, 242f
 reticular connections, 12, 85, 349, 352, 397
 reticular dendrites. *See* dendrites
 reticular inputs, 131f, 198, 206, 263, 276, 277
 reticular maps, 353
 reticular nuclei, of brain stem, 25, 364, 366, 372, 376
 reticular nucleus, of thalamus. *See* thalamic nuclei, reticular nucleus
 reticular slabs, 349, 351, 352
 reticulogeniculate axons, 106, 326, 327, 330

- reticulothalamic axon, 102, 104
 reticulothalamic pathway, 72, 102, 129
 retina, 8, 17, 23, 34, 35f, 46, 83, 130, 166, 191f, 192, 196, 209f, 232, 273, 296, 321f, 325f, 325–327, 330, 335–340, 359f, 386
 retinal afferents, 37f, 45, 49, 78f, 97, 130, 158, 192, 195, 203, 210, 253, 254, 255, 258, 264, 267, 274, 280, 283, 325f, 354, 370
 retinal axon, 70, 131f, 191, 193, 211, 218, 258, 260, 261, 264, 273, 336, 370
 retinal ganglion cells, 34, 35f, 50, 231, 235f, 327, 346, 370, 371
 retinal image, 372
 retinal input, 41, 51, 70, 71, 146f, 192, 195, 208, 210, 215, 218, 253–255, 260, 262–264, 266, 267, 271, 279, 281, 283, 284, 345, 375
 retinal maps, 324, 330
 retinogeniculate axons, 49, 78f, 91, 94, 96, 121, 155, 262, 273, 369
 retinogeniculate circuitry, 211
 retinogeniculate inputs, 51, 92, 245, 273, 328
 retinogeniculate pathway, 50, 91, 291, 299, 337f, 341, 346
 retinogeniculate synapse, 121, 130, 205, 208, 272
 retinogeniculocortical, 298, 318
 retrograde cell losses, 324
 retrograde degeneration. *See* degeneration
 retrograde labeling, 47, 347, 349, 370
 retrograde markers, 341
 retrosplenial cortex. *See* cortical areas, retrosplenial area
 reversal potential, 148, 161, 197–199
 revulsion, 386
 rhythmic bursting, 166, 167f, 168, 176, 221, 222, 223, 250, 275, 276, 314
 synchronized, 222, 275, 277
 rhythmic discharge patterns, 74
 ribosomes, 68, 106
 RL afferents, 117
 RL axons, 108, 300
 RL terminals. *See* terminals, RL
 ROC analysis, 228f
 ROC curves, 231f
 role of action in perception, 361, 387
 RS afferents, 112
 RS axons, 300
 RS terminals. *See* terminals, RS
 sag current, 166
 schizophrenia, 310
 scotoma, 324, 326
 “Searchlight hypothesis,” 232
 second messenger, 181–183, 185, 193, 198, 201, 203, 210, 217
 sensation, 360, 367, 381, 382
 sense of touch, 360
 sensorimotor contingencies, 362, 367, 393, 394
 sensorimotor continuum, 378
 sensory coordinates, 383
 sensory cortex. *See* cortical areas, sensory area
 sensory inputs, 312f, 313, 318, 319, 323, 335, 374, 383, 385, 393
 sensory maps, 341
 sensory pathways, 9, 15, 24, 52, 53, 86, 90, 268, 284, 328, 329, 367
 sensory physiology, 361
 sensory relays, 6, 23, 61, 85, 28
 sensory signals, 361, 362
 sensory surfaces, 10, 17, 22, 59, 105, 318, 320, 323, 341, 395
 maps of, 59, 105, 320
 serotonergic axons, 110, 204, 216, 243, 244, 255
 serotonergic inputs, 216, 243, 248
 serotonergic terminals, 118, 206
 serotonin, 168, 180, 182, 183, 191f, 192, 204, 205, 216, 217–218
 Sholl circles, 34, 45
 Sholl ring analysis, 36f
 Siamese cats, 336–342
 signal transmission, 265
 signal-to-noise ratio, 25, 285
 silent cells, 101
 silent period, 155, 165, 190, 233, 237, 238
 sine wave grating, 224f, 225f, 229, 307
 skin receptors, 386
 slabs. *See* reticular slabs

- sleep, 12, 17, 74, 167, 168, 199, 215, 222–224, 233, 249, 258, 274–276, 277, 299, 314
 desynchronized, 221, 274
 REM, 222, 275, 277, 314
 slow wave, 17, 168, 222, 223, 233, 274, 275, 276, 277, 314
 sleep states, 199, 222, 299
 slice preparations, 71, 91, 102, 121, 140, 160f, 221, 351
 smell, 268, 269, 329
 soma, 34, 36f, 137–139, 141, 142–147, 146f, 153, 159, 162f, 172, 175, 177, 178, 208, 212, 260
 somatosensory afferents, 85, 292, 295, 302, 392
 somatosensory cortex. *See* cortical areas, somatosensory area
 somatosensory nuclei, 296
 somatosensory pathways, 17, 38, 43, 59, 60, 96, 203, 235, 237, 299, 300, 311, 328, 331, 351, 364, 375
 somatosensory relays, 81, 131, 233, 249, 342, 400
 somatosensory stimuli, 363
 spatial orientation, 303
 spinal branches, 385
 spinal cord, 7, 282, 285, 311, 364, 365f, 366f, 373, 376, 392, 399
 spinal neurons, 365f
 spinothalamic pathways. *See* pathways, spinothalamic
 spontaneous activity, 140, 224, 225f, 229, 230f, 232, 233, 266f, 277, 278, 284, 285
 ST terminals. *See* terminals, ST
 startle response, 372
 static images, 232
 stellate cells, 43, 45
 stimulus detectability. *See* detectability
 striate cortex. *See* cortical areas, striate area
 striatum, 13, 15, 20, 27, 28, 32, 55, 361, 399
 subplate, 333
 substantia nigra, 17, 107, 108, 123, 216, 292, 397
 subthalamus, 14
 superior colliculus, 25, 47, 83, 110, 190, 273, 292, 306, 308f, 338, 361, 363, 364, 366, 369, 370–372, 375, 376
 suprasylvian cortex. *See* cortical areas, suprasylvian area
 sustaining projections, 32
 synapses, 11, 45, 65f, 67, 70, 89, 92, 93, 108, 113, 115, 117–123, 130–133, 139–142, 145, 175, 178, 179, 186, 188–190, 193, 195–197, 200–202, 204–208, 211f, 215, 234, 235, 237, 238, 256, 260, 261, 270, 272, 273, 277, 296, 301, 306, 348, 381
 driving, 190
 extraglomerular, 70, 92, 206
 glomerular, 92, 121
 mossy fiber, 121
 nonglomerular, 120
 numbers of. *See* numbers of, synapses
 synaptic conductance, 246, 284. *See also* conductance, synaptic
 synaptic connections, 6, 45, 77, 86, 91, 111, 126, 134, 208, 209f, 253
 synaptic development, 383
 synaptic inputs, 25, 119, 124, 129, 131f, 137, 139, 144, 147, 148, 176, 177–179, 190, 194, 200, 205, 208, 209, 253
 synaptic integration, 130, 144, 145, 154
 synaptic junctions, 74, 77, 86, 88f, 89f, 113, 114, 118, 120, 121–123, 133, 302
 asymmetrical, 113, 123
 symmetrical, 113, 123
 synaptic organization, 12, 295
 synaptic plasticity, 186
 synaptic properties, 17, 77, 91, 125, 130, 179, 193, 205, 238, 296
 synaptic sites, 66, 92, 139, 141
 synaptic symmetry, 104
 synaptic terminals, 52, 106, 111, 112, 119, 145, 171, 172, 188, 205–207, 215, 270, 279, 306, 345
 synaptic vesicles, 66, 94, 104, 106, 111, 112, 114, 122
 synchronized, rhythmic bursting. *See* rhythmic bursting
 synchrony, 68, 221, 222, 249, 272

- T channels. *See* channels, T
- T type Ca^{2+} channels. *See* channels, T type Ca^{2+}
- tactile inputs, 393
- tactile perception, 360
- target acquisition, 232
- taste, 15, 268, 269, 320, 329, 372, 373, 393, 400
- afferents, 372
- tectal afferents. *See* afferents, tectal
- tectal branch, 380, 387
- tectal inactivation, 107, 293
- tectal inputs, 254, 343
- tectopulvinar driver, 370
- tectothalamic cells, 370
- tectum, 366f, 385
- tegmental reticular nucleus, 369, 373, 375
- telencephalon, 14f, 15, 20, 21, 27, 353
- temperature, 9, 363
- temporal retina, 325f, 335, 338, 339f, 340
- temporal summation, 188, 189, 195, 199, 218, 237, 259, 265, 278
- terminal arbor, 18, 47, 52, 57, 66, 72, 80f, 85, 86, 94, 102f, 109f, 129, 244, 257, 263
- terminal types, 111, 113, 116f, 118
- terminals
- cholinergic, 94, 110
 - F terminals, 114, 117, 124, 125, 132, 331, 346
 - F1 terminals, 104, 106, 117, 118, 125, 126, 145, 208, 215
 - F2 terminals, 65f, 106–108, 113–115, 117, 125, 131f, 145, 147, 208–213, 215, 216, 219
 - histaminergic, 118, 260
 - layer 5 corticothalamic. *See* layer 5
 - layer 6 corticothalamic. *See* layer 6
 - lemniscal, 92
 - LT, 124
 - noradrenergic, 118
 - RL, 87, 88, 90, 91, 100, 112–115, 119, 121, 122, 125, 131–133, 269, 293–296, 298, 301
 - RS, 94, 100, 110, 112–118, 124–126, 132, 133, 145, 295, 296, 298
 - cholinergic, 115
- serotonergic, 118, 206
- spinothalamic, 92
- ST, 124
- tetrodotoxin, 161, 164, 127
- thalamic circuitry, 5, 6, 58, 85, 133, 137, 158, 180, 221, 248, 249, 315
- thalamic gate, 303, 313, 380
- thalamic maps, 19, 318, 331, 332
- thalamic nuclei, 2–5, 8–11, 13, 15–17, 19, 21, 23, 28, 30, 34, 43, 47, 51, 55, 56, 58, 59, 61, 63, 66, 72, 75, 81, 84, 90–92, 94, 95, 98–100, 104, 105–106, 109–112, 118, 119, 121, 122, 133, 141, 144, 154, 163, 190–192, 196, 202, 203, 216, 233, 234, 244, 245, 258, 269, 277, 280, 285, 290f, 295, 303, 311, 312, 315, 329, 335, 348, 349, 355, 361, 362, 367, 372, 396–400
- anterior dorsal nucleus, 3f, 84, 290f, 303, 368f
- anterior medial nucleus, 3f, 290f
- anterior thalamic nuclei, 9, 84, 100, 292, 303, 311, 319, 349, 367
- anterior ventral nucleus, 3f, 290f
- “association nuclei,” 292
- center median nucleus, 3f, 17, 100, 107, 290f, 294
- habenular nucleus, 3f, 290f
- intralaminar nuclei, 3f, 15, 28, 30, 32, 52, 55, 61, 84, 107, 258, 290f, 294, 319, 351
- lateral dorsal nucleus, 3f, 319, 290f
- lateral geniculate nucleus, 3f, 8, 17, 23, 29, 38, 47, 49, 54, 68, 79f, 96f, 116f, 128, 141, 146f, 160f, 170f, 192, 223, 242, 244, 253, 264, 271, 290f, 292, 301, 308f, 325f, 326, 329, 334f, 335, 336, 337f, 344f, 350f, 354, 402
- lateral posterior nucleus, 3f, 15, 54, 82f, 88, 90, 91, 94, 99, 100, 106, 175, 290f, 293, 297, 306, 307, 308f, 309, 318, 342, 343, 344f, 345, 347

- thalamic nuclei (cont.)
- medial dorsal nucleus, 3f, 55, 68, 88, 100, 258, 269, 293, 296, 297, 310, 342, 349
 - medial geniculate nucleus, 3f, 8, 17, 29, 38, 45, 47, 68, 216, 223, 258, 290f, 292, 298, 319, 372
 - magnocellular part, 294
 - midline nuclei, 3f, 28, 30, 55, 258, 290f
 - perigeniculate nucleus, 22, 70, 71, 103f, 105, 123, 126, 270, 334f, 353, 354
 - perireticular nucleus, 333, 353
 - posterior medial nucleus, 184f, 187f, 191, 192, 196, 218, 233, 271
 - posterior nucleus, 3f, 90, 290f, 297, 298, 300
 - pulvinar nucleus, 3f, 39, 46, 54, 60, 84, 86–88, 88f, 90, 94, 96, 100, 126, 131, 132, 159, 191, 244, 258, 270, 271, 285, 286, 290f, 293, 296, 297, 300, 301, 305–310, 318, 335, 342–345, 352, 357, 359f, 370, 394, 395, 402
 - reticular nucleus, 3f, 11f, 12, 14–17, 19, 20–22, 25, 27, 30, 70–75, 79, 85, 95, 101, 102, 104, 105, 107, 108, 112, 117, 122–126, 129, 144, 167, 174, 175, 191f, 192, 196, 199, 206, 207, 209f, 213–216, 221, 222, 232, 239, 240f, 244, 247, 257, 258, 263, 264, 269, 274–277, 290f, 291f, 295, 297, 298, 308f, 313, 314, 315, 317–319, 327–330, 333, 334f, 335, 348–355, 369, 396, 397, 400
 - sectors, 11f, 74, 122, 123, 348, 351, 354
 - ventral anterior nucleus, 3f, 9, 15, 17, 88, 159, 216, 279f, 290f
 - ventral lateral nucleus, 3f, 9, 15, 87, 119, 235, 279f, 290f, 292
 - ventral lateral geniculate nucleus, 14, 21
 - ventral posterior medial nucleus, 3f, 190f, 233
 - ventral posterior nucleus, 3f, 9, 11, 43, 45, 46, 52, 54, 63, 64f, 68, 86, 87, 92, 97, 102f, 104, 105, 119, 131, 162f, 179f, 191–193, 195, 235, 237, 253, 258, 269, 271, 279, 290f, 292, 298, 300, 319, 328, 333, 364
- thalamic radiation, 319
- thalamic relays, 10f, 13, 16, 17, 24, 25, 39, 60, 79, 81, 83, 84, 86, 92, 101, 107, 119, 125, 130, 134, 177, 192, 196, 203, 216, 218, 233, 234, 242, 247, 254, 258, 260, 264, 268, 269, 271, 273, 275, 282, 285, 289, 300–302, 311, 312f, 314, 315, 318, 332, 347, 349, 351, 357, 358f, 362, 373, 374, 376, 381, 385, 392, 394, 397–400
- thalamic reticular cells. *See* reticular cells
- thalamocortical axons, 11, 39, 52–55, 59, 60, 62, 84, 122, 125, 137, 226, 238, 285, 304, 319, 353, 395, 399
- thalamocortical connections, 23, 28, 291f, 312f, 348, 380
- thalamocortical input, 2, 61, 238, 309, 381
- thalamocortical pathways, 11, 17, 20, 22, 28, 32, 40, 52, 53, 54, 56, 59, 60, 62, 64, 79, 80, 98, 271, 282, 305, 306, 314, 317, 319, 323, 330, 332, 333, 335, 336, 338, 340, 341–343, 355, 393, 396
- thalamocortical synapses, 190, 234, 235, 237, 281
- thalamocortical transmission, 153, 223
- “Theory of pure vision,” 360
- tight junctions, 120
- tonic firing, 158, 161, 165–168, 171, 172, 176, 194, 195, 203–205, 223, 225–229, 231, 233–235, 237–239, 242–244, 246–249, 274, 275, 304, 313
- tonic mode, 25, 155, 158, 160f, 161, 168, 169, 171, 202, 203, 222, 224, 225f, 227, 229–235, 239, 241–244, 248–250, 274, 277, 299, 302, 309, 310, 313, 314, 380
- tonic response, 165, 174, 221, 223, 226, 247, 274
- topographic fidelity, 246
- topographic maps. *See* maps, topographic
- topographic matching, 328
- topographic order, 7, 18, 20f, 321, 327, 335, 351

- topographically organized connection, 319
 topography, 17, 18, 101, 105, 238, 241,
 269, 329, 336, 348
 touch, 212, 268, 332, 360, 363, 372, 374,
 376, 393
 transfer function, 281, 282, 283, 401
 transmitter, 6, 12, 18, 23, 24, 27, 40, 68,
 95, 109–111, 118, 120, 121, 172,
 179–183, 185, 186, 188–192, 195,
 197, 200, 203, 205, 206, 210,
 211f, 215, 258, 260, 262, 302, 354,
 398
 acetylcholine. *See* acetylcholine
 diffusion, 121
 GABA. *See* GABA
 glutamate. *See* glutamate
 glycine. *See* glycine
 histamine. *See* histamine
 inhibitory, 111
 noradrenalin. *See* noradrenalin
 release, 95, 172, 180, 181f, 186, 188,
 189, 205, 206, 210, 215, 260, 261,
 262
 probability of, 188, 189, 261, 262
 serotonin. *See* serotonin
 uptake, 120
 transneuronal degeneration. *See*
 degeneration
 triad, 45–47, 65f, 74, 106, 108, 114, 116,
 118, 119, 122, 131f, 145, 206, 210,
 211f, 212, 215, 281
 triadic circuitry, 206, 211f
 triadic junctions, 46, 74, 108, 114
 triadic synaptic arrangement, 145, 210
 transthalamic connections, 305, 379, 380
 transthalamic corticocortical pathways, 7,
 302, 312f, 378, 379, 380, 384, 395,
 401
 trophic interactions, 30
 tuberomamillary nucleus, 110, 118, 191f,
 192, 204, 205, 243, 255
 tubular clusters, 119
 type 1 metabotropic glutamate receptor. *See*
 receptor, type 1 metabotropic
 glutamate
 type I axons. *See* axons, type I
 type II axons. *See* axons, type II
 V1. *See* cortical areas, area V1
 V2. *See* cortical areas, area V2
 V6. *See* cortical areas, area V6
 ventral anterior nucleus. *See* thalamic
 nuclei, ventral anterior nucleus
 ventral lateral geniculate nucleus. *See*
 thalamic nuclei, ventral lateral
 geniculate nucleus
 ventral lateral nucleus. *See* thalamic nuclei,
 ventral lateral nucleus
 ventral posterior medial nucleus. *See*
 thalamic nuclei, ventral posterior
 medial nucleus
 ventral posterior nucleus. *See* thalamic
 nuclei, ventral posterior nucleus
 ventral thalamus, 13–15, 20, 21, 72
 vertical meridian, 331, 333, 338, 340, 349,
 350f
 vesicle shape, 104, 113
 vestibular afferents, 372
 vestibular inputs, 303, 382
 vestibular nuclei, 84, 269
 vestibular pathways, 373
 vestibular signals, 370
 vestibulothalamic axons, 373
 vibrissae, 45
 vision, 51, 233, 247, 254, 268, 311, 321f,
 322, 332, 354, 360, 361, 367, 371,
 393
 visual afferents, 292, 392
 visual cortex. *See* cortical areas, visual area
 visual experience, 374
 visual field, 47, 51, 62, 105, 239, 241f,
 246, 249, 321–327, 329–332, 336,
 338, 339f, 340, 343, 349, 350f, 386
 visual field losses, 324, 325f
 visual field maps, 326, 327, 341, 343
 visual field representation, 338, 343
 visual information, 218, 232, 239, 249,
 257, 359f, 360
 visual pathways, 19, 51, 52, 56, 59, 96,
 271, 300, 320, 321f, 329, 330, 333,
 335, 336, 349, 355, 363, 369, 372,
 375, 382, 398, 400
 visual perception, 360, 372
 visual pulvinar, 96. *See also* thalamic nuclei,
 pulvinar nucleus

- visual relays, 39, 100, 301, 318, 352, 357
visual stimulus, 224f, 226, 227, 229,
 231–233, 247, 284, 363
voltage activated gate, 149, 151f, 156
voltage clamp, 159, 162f, 163, 170f, 175
voltage dependent conductance, 149, 154,
 167f, 179, 201, 217
voltage dependent membrane properties, 221
voltage sensitive ion channels, 139, 153
voltage spike, 155
voltage threshold, 152, 164, 277
“voluntary” exploration, 382
- W axons, 57, 91, 262
W cells, 48, 50, 60, 62, 371
W component, 345
W ganglion cells, 346
W pathway. *See* pathways, W
“Wake up” call, 232, 234, 237, 313
wakeful state, 223
wakefulness, 199, 223, 224, 232, 274, 275,
 301
“What” pathway, 311
“where” pathway, 311
whisker deflections, 176
whisking, 233
- X arbors, in cortex, 57, 60
X axons, 47, 57, 80f, 262
X cells, 34, 37f, 41, 45, 47, 48, 50, 60, 71,
 74, 92, 107, 119, 131f, 236f, 246,
 281, 330, 371
X ganglion cells, 346, 400
X pathways. *See* pathways, X
- Y arbors, 57, 60
Y axons, 47, 57, 262
Y cells, 34, 35f, 36f, 37f, 41, 45–50, 60,
 62, 71, 75, 92, 107, 119, 131f, 155,
 236f, 246, 281, 330, 398, 400
Y ganglion cells, 346
Y pathways. *See* pathways, Y
- zona incerta, 17, 107, 108, 216, 301, 397,
 399