

Index

- Abbott, L. F., 126
Aboitiz, F., 76
Acalculia, 120
Actins, 79
Action coding
 hidden sequences and, 195–197
 modulation and, 191–193
 premotor cortex and, 197–198
 temporal associations in, 193–200
Adams, M. D., 78
Adaptation, 25–26
Adenoleukodystrophy, 78
Adhesion molecules, 79
Adolphs, R., 200
Adrenoceptors, 51
Africa, 253
Aiello, L. C., 58, 61
Akhavain, R., 139
Akiguchi, I., 137
Albright, T. D., 190, 339
Alexia, 142–143
Algorithms, 133
Allison, T., 142, 191, 339, 346
Allman, J. M., 190
Allometric scale, 41–42, 73–74
Altmann, C. F., 29
Altruism. *See* Reciprocity
Amaral, D. G., 316
Amiez, Céline, xvi, 315–336, 371
Amino acids, 84
Ammon's horn, 48
AMPA receptors, 51
Amunts, K., 51
Amyotrophic lateral sclerosis, 78
An, X., 6
Andersen, R. A., 243, 308
Anderson, S. W., 170, 172, 191, 349
Anterior cingulate cortex
 anatomy of, 315–319
 attentional deficits and, 323–324
 auditory system and, 319
 cingulate motor areas and, 316, 322–323, 325, 329
 conflict monitoring and, 323–324
 congruency tasks and, 323
 dopaminergic afferents and, 318, 328
 electrophysiological studies and, 319–322
 error detection and, 320–322, 324, 326–328
 fMRI and, 324
 functional models for, 325–328
 lesions studies and, 319–322
 noradrenergic afferents and, 318
 Norman-Shallice theory and, 325–326
 serial reaction time and, 323
 serotonergic afferents and, 318
 sulcus and, 316
 supplementary motor area (SMA) and, 316
 thalamus and, 318
 theories of, 325–328
Anterograde tracers, 35
Aotus, 83
Apes, 76, 172, 200, 216, 264

- Arabic symbols, 133, 139–141, 147, 172, 201
- Arabidopsis thaliana*, 77, 79
- Arbib, M. A., 220–222
- Arcuate sulcus, 297
- Area
- Broca's, 68, 76, 218–220, 226–227
 - Brodman, 59 (*see also* Brodman areas)
 - cingulate motor, 216, 322–323, 325, 329
 - fusiform face, 346–351
 - lateral intraparietal, 274–275, 279–286
 - number processing and, 117–129
 - supplementary motor, 308, 316–362, 367
 - TE neurons and, 357
 - visual word form, 141–147
 - Wernicke's, 76
- Arendt, D., 80
- Arezzo, J., 23
- Arikuni, T., 318
- Arithmetic, 117
- activation degree and, 135, 137
 - animals and, 102–108, 137–141
 - cerebral bases of, 135–137
 - domain-general view and, 135, 137
 - intraparietal sulcus and, 135–138, 141
 - “Neuronal Recycling” hypothesis and, 135–141
- Armony, J. L., 217
- Armstrong, E., 42–43, 220
- Asanuma, C., 243
- Asgari, M., 142
- Ashbridge, E., 190, 282
- Assmuss, A., 55
- Association cortex, 41, 273
- Asymbolia, 264–265
- Asymmetry, 9–10
- hemispheres and, 81
 - inferior temporal cortex and, 365
 - language and, 76
 - symmetry breaking and, 81
- Atkinson, A. P., 341
- Auditory system
- anterior cingulate cortex and, 319
 - brain size and, 76
 - MEPs and, 227–228
 - mirror neuron system and, 226–229
 - neocortex and, 51–55
 - second-order action representation and, 228–229
 - superior temporal sulcus (STS) and, 246
- Augath, M., 21, 26, 29
- Australopithecus*, 58–59, 61–62, 64–67, 73
- Autocatalytic nonlinear switch, 81
- Autoradiography, 51
- Avidan, G., 146
- Awazu, S., 172
- Axelrod, R., 161, 174
- Axons, 79, 83, 85–89
- Baars, B., 84
- Bachevalier, J., 300, 329
- Bailey, P., 235
- Baillargeon, R., 98
- Baker, F., 174, 190–191, 193, 195–196, 200, 216
- Bande, Fanny, xvii
- Barbas, H., 293, 316
- Baron, G., 41
- Baron-Cohen, S., 200
- Barracough, Nick, 189–210
- Barth, J. A., 139
- Bartlett, J. C., 341
- Barton, J. J., 350
- Basal insectivores, 41–42
- Bates, J. F., 316
- Bats, 162–163
- Baxter, D. A., 82
- Baylis, G. C., 190, 367
- Beadle, 76–77
- Beauchamp, M. S., 194
- Beddington, R. S., 80–81
- Behavior, xv–xvii
- action coding and, 191–200
 - adaptation of, 320
 - anterior cingulate cortex and, 315–329
 - body cues and, 191–195
 - coalitions, 175
 - discounting, 165, 173–175

- face processing and, 339–351
- grooming and, 176–177
- hand-object interactions and, 192
- hunting, 61, 159, 176
- inhibitory control and, 171–173
- intention studies and, 200–205
- lateral frontal cortex and, 293–309
- mirror neuron system and, 213–229
- number and, 118–120, 175–177 (*see also* Number processing)
- primate anterior cingulate cortex and, 315–329
- reciprocity and, 159–182
- reward and, 319–320, 324
- saliency and, 279
- Sally-Anne test, 201–205
- scavenging, 61
- selective attention and, 273–286
- temporal discounting and, 173–174
- tool use and, 165–170, 253–269
- Turner's syndrome, 141
- understanding and, 189–205
- walking, 62, 68, 253
- Behrmann, M., 142, 339–340, 350
- Bench, C. J., 323
- Ben Hamed, Suliann, xvi, 273–289, 371
- Benoit, P., 87
- Benson, K. E., 170
- Bentin, S., 346–347, 349
- Benzodiazepine sites, 51
- Bercovitch, F., 170
- Berger, M. L., 165
- Berntson, G. G., 151, 201
- Betz cells, 46
- Bicuculline, 303–304
- Biederman, I., 357
- Biosynthesis, 78
- Biotinylated dextran amine (BDA), 263
- Birds
 - arithmetic and, 137
 - blue jays, 163–165, 173–174
 - discounting, 173
 - number and, 175
 - pigeons, 173, 175
 - reciprocity and, 173–174
- Birth canal, 43
- Bisley, J. W., 279
- Bixby, J. L., 9
- Blakemore, S. J., 323
- Blamire, A. M., 323
- Blood, 23
 - radiator theory and, 65–66
 - vampire bats and, 162–163
 - vascularization and, 64–66
- Blood-oxygenation-level dependent (BOLD) signal
 - anesthesia and, 23
 - electrical microstimulation and, 35–36
 - LFPs and, 23–24
 - LOC responses and, 31–35
 - MUAs and, 23–24
 - neural correlates of, 22–24
 - selective attention and, 274–275
 - spike output and, 21–26
- Blue jays, 163–165, 173–174
- Boesch, C., 65–66
- Boldrey, E., 294
- Bonhoeffer, T., 23
- Bonin, G., 235
- Bonnet, M., 324
- Bonobos, 43
- Bookheimer, S., 227
- Botvinick, M. M., 325–326, 328
- Bourgeois, J. P., 83, 87–88
- Boussaoud, D., 10, 242
- Bowles, S., 159
- Boyd, R., 159
- Boyerzeller, N., 242
- Boynton, G. M., 26
- Boysen, Sally, 117, 151, 171–173, 175, 201
- Braga, J., 64–67
- Brain. *See also* Specific structure
 - altruism and, 159–187
 - birth canal and, 43
 - brainstem, 318
 - BOLD signals and, 21–26, 31–36, 274–275

- Brain (cont.)
- comparative paleoanthropology and, 57–71
 - cortical areas and, 73–74, 76
 - electrical microstimulation and, 35–36
 - “expensive tissue” of, 61
 - large-scale network studies and, 21–40
 - macaque/human comparison and, 3–19
 - measurement of, xiii–xiv
 - memory and, 294–304, 339–351
 - mirror neuron system and, 213–229
 - number and, 97–113 (*see also* Number processing)
 - reciprocity and, 159–182
 - shape and, 42–46, 58–60
 - six-layer architecture and, 42–48
 - size and, 58–60
 - synaptogenesis and, 83, 85–89
 - Tenrecinae* and, 41–42
 - transcription factors and, 80–85
 - vascularization and, 64–66
- Brain, human
- allometric measurement and, 41–2
 - Brodman areas of, 3
 - cerebellum and, 14–15
 - cingulate cortex and, 322–325
 - comparative paleoanthropology, 57–71
 - conflict monitoring and, 323–324
 - conscious workspace and, 84
 - cortical folding of, 42–46
 - face processing and, 340–346
 - functional heterogeneity and, 325
 - gyrification of, 42–46
 - hemispheric shape and, 42–46
 - hippocampus and, 48–51
 - intraparietal sulcus and, 135–138, 141
 - language and, 76
 - large-scale neuronal networks and, 21–40
 - macaque cortex comparison and, 3–19
 - mirror neuron system and, 217
 - neocortex and, 41, 51–55
 - morphogenesis of, 43–46, 80–85
 - “Neuronal Recycling” hypothesis and, 133–157
 - number and, 97–113
 - posterior parietal cortex (PPC) and, 235–236
 - primate cerebral cortex and, 46–48
 - selective attention and, 273–286
 - shape and, 42–46
 - size of, 58–60, 73–74, 76
 - superiority of, 73–74
 - surface-based registration and, 11–14
 - synaptogenesis and, 83
 - tool use and, 253–254, 264–268
 - visual word form area and, 141–147
 - voluntary selection and, 322–323
 - white matter of forebrain and, 41
- Brain, monkey
- action coding in, 191–200
 - arithmetic and, 138–141
 - brain morphogenesis and, 80–85
 - cingulate cortex and, 319–322
 - conscious workspace and, 84
 - dorso-dorsal stream and, 239–242
 - electrophysiological studies and, 319–322
 - intention studies and, 200–205
 - large-scale neuronal networks and, 21–40
 - lateral frontal cortex studies and, 294–304
 - lateral intraparietal area and, 274–275
 - macaque/human comparison and, 3–19
 - mirror neuron system and, 216–217
 - morphogenesis of, 80–85
 - number and, 101–109, 112, 117–129, 137–141, 176
 - posterior parietal cortex (PPC) and, 235–250
 - Sally-Anne test and, 201–205
 - selective attention and, 273–286
 - size and, 73–74, 76
 - superior temporal sulcus (STS) and, 190–200
 - understanding and, 189–205, 216–217
 - ventrodorsal stream and, 242–250
 - video games and, 258–260
 - visual word form area and, 143–146
 - voluntary selection and, 319–320
- Brainstem, 318
- Brake, S., 341

- Brannon, Elizabeth M., xiv–xv, 97–117, 121, 137, 141, 371
- Brent, H. P., 341
- Brewer, A. A., 9–10, 25
- Broadfield, D. C., 76
- Broca's area, 68
- auditory system and, 226–227
- imitation and, 218–220
- mirror neuron system and, 218, 226–227
- monkeys and, 76
- pars opercularis* of, 218–220
- speech and, 76
- Brodmann, K., 76, 293
- Brodmann areas, 59
- anterior cingulate cortex and, 315–319
- architecture of, 3
- BOLD signals and, 21–26, 31–36
- comparative paleoanthropology and, 58–60, 73–74, 76
- cooperation and, 179
- humans and, 3
- lateral frontal cortex and, 294, 308
- macaque/human comparisons and, 3–19
- mirror neuron system and, 213–216
- neocortex and, 51–55
- partitioning schemes and, 3, 8
- posterior parietal cortex (PPC) and, 235–236, 240–246
- primate cerebral cortex and, 46–48
- rebound and, 26
- Brooks, V. B., 321, 324
- Brown, J. W., 76, 225, 321–322
- Bruce, C. J., 190, 339, 341, 350
- Bruner, J. S., 264
- Buccino, Giovanni, xv, 213–233, 371
- Buchwald, J. S., 23
- Buckner, R. L., 33
- Bullier, J., 11
- Bulthoff, H. H., 29, 357–358
- Burchfield, J., 308
- Burgess, P., 293
- Burton, H., 309
- Bush, G., 318, 324–325, 329
- Bushnell, M. C., 274
- Bussey, T. J., 304
- Bustamante, C. D., 84
- Byrne, J. H., 82, 200, 216
- Caan, W., 190
- Cabanac, M., 65
- Cabelli, R. J., 88
- Cacioppo, J. T., 201
- Cadoret, G., 319
- Caenorhabditis elegans*, 77–79
- Calculation. *See also* Arithmetic; Number processing
- Arabic symbols and, 139
- counting and, 176
- human intraparietal sulcus and, 135–137
- lesions and, 134
- PPC neurons and, 120
- timing and, 176
- visual word form area and, 142
- Call, J., 200, 216, 222, 254–255, 258, 265
- Calzavara, R., 316
- Camarda, R., 309, 316
- Cantalupo, C., 59, 76
- Capaldi, E. J., 117, 175
- Capuchin monkeys, 165–167
- Caret software, 4, 16
- Carey, S., 345
- number processing and, 100–101, 107–108, 112, 117, 137, 141, 151n1
- object recognition and, 339–342
- Carlson, S. M., 201
- Carmel, D., 347, 349
- Carmena, A., 82
- Carmichael, S. T., 6, 316
- Carmignoto, G., 88
- Carr, L., 221
- Carroll, S. B., 73, 84, 89
- Carter, C. S., 323
- Cartesian mapping, 11–13, 80
- Cats, 88–89, 145
- Cavada, C., 243
- Cavanagh, P., 9

- Central nervous system, 82–86
- Cerebellum, 14–15, 23, 87
- Chafee, M. V., 118
- Chammah, A. N., 161
- Changeux, Jean-Pierre, xiv, 325, 327
 monkey/human comparisons and, 73–94
 number and, 111, 126, 138, 151
- Charcot-Marie-Tooth disease, 79
- Chelazzi, L., 26
- Chen, F., 167, 319
- Chen, M. K., 167
- Cheney, D. L., 162
- Cheng, Y. D., 359
- Chervitz, S. A., 82
- Chimpanzees, 172
 brain size and, 76
 intention studies and, 200
 tool use and, 264
- Chinese, 224
- Chitty, A. J., 216
- Chochon, F., 135
- Cholinergic muscarinic receptors, 51
- Chou, H. H., 66
- Chuang, E., 167
- Chun, M. M., 31, 339, 346
- Church, R. M., 101, 111
- Cingulate motor areas (CMA), 316, 322–323, 325, 329
- Cipolloni, P. B., 316
- Clearfield, M. W., 100
- Clements, K. C., 163, 165, 174, 201, 204
- Clever Hans, 98
- Clones, 84–86
- Cluster analysis, 53
- Codons, 77
- Cognition, xiii, xvii
 dorso-dorsal stream and, 239–242
 face processing and, xvi, 150, 339–351
 imitation and, 218–220
 inhibitory control and, 171–173
 LOC response and, 31–34
 macaque/human cortical organization and, 3–19
 memory and, 294–304
 mirror neuron system and, 213–229
 number and, 97–113, 117–130 (*see also* Number processing)
 pointers and, 100–101
 rebound and, 25–26
 reciprocity and, 159–182
 Sally-Anne test and, 201–205
 selective attention and, 273–286
 shape recognition and, 29–34
 superior temporal sulcus (STS) and, 189–200
 temporal discounting and, 173–174
 thought and, 97–116 (*see also* thought)
 tool use and, 253–269
 ventrodorsal stream and, 242–250
- Cohen, J. D., 111, 118, 121, 135, 137, 142, 323
- Colby, C. L., 10, 237, 242, 273–286
- Coles, M. G., 324–325, 328
- Collard, M., 68
- Collins, D., 150
- Comparative paleoanthropology, 57, 67–71
 brain size/shape and, 58–60
 growth and development, 62–64
 physiological cost and, 60–62
 vascularization and, 64–66
- Composite effect, 341, 344
- Computers, 82, 179–180
- Configural processing, 340–342
- Connectionism, 133
- Conroy, G., 58–59, 64–65
- Consciousness, 73. *See also* Thought
- Conscious neuronal workspace, 84, 151
- Constantinidis, C., 279
- Cooper, R. G. J., 99, 105
- Cooperation, xv–xvi. *See also* Reciprocity
 brain and, 180–181
 neural correlates for, 177–181
 neuroeconomics and, 177–181
- Corballis, M. C., 220
- Corbetta, M., 273–286
- Cordes, S., 110, 112, 139

- Cortex, xiv–xv
anterior cingulate, 315–329 (*see also* Anterior cingulate cortex)
association, 41, 273
asymbolia and, 264–265
brain size and, 73–74
comparative paleoanthropology and, 58–60
cooperation and, 179–180
functional organization studies of, 3–19
gyrification and, 42–46
imitation and, 218–220
inferior temporal, 141–147, 357–369
jumping genes and, 4
lateral frontal, 293–325
lateral prefrontal parietal, 118–129, 274–275, 279–286
macaque/human surface comparisons and, 3–19
neural complexity and, 83–84
“Neuronal Recycling” hypothesis and, 133–157
number and, 117–130, 127–129
occipital visual, 4–19
orbital and medial prefrontal, 4–19
paleocortex, 73–74, 76
perception v. action and, 189–200
posterior parietal cortex (PPC) and, 118–129, 235–250
primate cytoarchitecture of, 46–48
Purkinje neurons and, 23
pyramidal cells and, 23
reading and, 141–147
selective attention and, 273–286
single-unit recordings and, 120–127
superior temporal sulcus (STS) and, 197–198
tool use and, 264–265
- Cortical folding, 42–46
Cosmides, L., 160
Courrege, P., 86–87
Courtney, S. M., 323
Cowey, A., 11, 240
Cramon, D. Y., 327
Crepel, F., 87
Creutzfeldt-Jacob disease, 79
Crino, P. B., 318
Critchley, M., 223
Crivello, F., 43
Cross, D., 173
Culture, 88–89
impregnation of, 142–143
“Neuronal Recycling” hypothesis and, 147–150
preemption principles and, 147–150
reading and, 141–147
visual word form area and, 141–146
- Curby, K. M., 150
Curran, T., 150, 347–349
Curtis, M., 43
Cytoarchitecture, 6. *See also* Neuroimaging
brain size and, 73–74, 76
comparative paleoanthropology and, 57–71
hippocampus and, 48–51
“Neuronal Recycling” hypothesis and, 133–152
primate cerebral cortex and, 46–48
six-layer model and, 42–48
- Dabholkar, A. S., 87
Dale, A. M., 9
Damasio, H., 179
Danchin, A., 86–87
Daphnia magna, 85
Darwin, C., 97, 148
Davidson, E. H., 82, 276
Davies, N. B., 171
Dayan, P., 126
Deacon, T., 76
Dead genes, 77
Dean, C., 63, 68
Dehaene, Stanislas, xv–xvii, 84, 88, 371
anterior cingulate cortex and, 324–325, 327
large-scale neuronal networks and, 33
“Neuronal Recycling” hypothesis and, 133–157
number processing and, 117, 120, 121, 126
Dehaene-Lambertz, G., 111, 121, 137

- Deiber, M. P., 323
 de Kerchove d'Exaerde, A., 88
 Delayed-match tasks, 118
 Delhay-Bouchard, N., 87
 Denault, L. K., 163
 Dendrites, 79
 Dentate gyrus, 48, 51
 Denys, K., 9
 Deoxyribonucleic acid (DNA), 73, 77–79, 81
 de Renzi, E., 339
 Descartes, R., 97
 Desimone, R., 26, 33, 35, 190, 242, 279, 339, 357–358, 367
 Deuel, R. K., 280
 Developmental genes, 80–85
 Devinsky, O., 322
 De Volder, A., 135
 de Waal, F. B. M., 165–167
 de Wit, H., 173
 DeYoe, E. A., 10
 Diamond, R., 64, 339–342, 345
 Dickson, J., 6
 DiGirolamo, G. J., 323
 di Pellegrino, G., 197
 Discounting, 165, 173–174
 Dobbins, A. C., 190
 Dogs, 345
 Dolan, R., 33
 Dolphins, 175
 Domain-general view, 135, 137
 Donner, T. H., 283
 Dopaminergic receptors, 51, 318, 328
 Dorsal-dorsal stream, 239–242
 Dougherty, R. F., 9
 Downing, P. E., 345
 Driever, W., 80
 Driver, J., 349
Drosophila melanogaster, 78–80, 82
 Dubois, Eugene, 57
 Duchenne muscular dystrophy, 78
 Duclert, N., 88
 Duffy, F., 308
 Dugatkin, L. A., 161–162, 170, 181
 Duhamel, Jean-René, xvi–xvii, 273–289, 371
 Dum, R. P., 294, 316
 Duncan, J., 279, 282, 323
 Dupont, P., 135
 Dupoux, E., 139
 Dye, P., 316
 Dyscalculia, 141. *See also* Number processing
 Echo-Planar Image (EPI), 26
 Eckert, M. A., 85
 Edelman, G. M., 357–358
 Edmonds, C. J., 141
 Edwards, R., 190
 Eger, E., 117
 Eglin, M., 282
 Eichenbaum, H., 303
 Eidelberg, D., 235
 Elastic transformation, 43
 Electrical microstimulation, 35–36
 Electroencephalography (EEG), 23, 217
 Electrophysiological studies, 319–322
 Elliott, T., 86, 88
 Ellmore, T., 33
 Elston, G. N., 83
 Elton, S., 67
 Embryos, 80
 Emery, N. J., 191, 193, 200
 Enard, W., 66, 84
 Encephalization, 57
 Endocast, 43
 Engel, S. A., 25–26, 28
 Enzymes, 66, 77
 Ephrins, 79
 Epilepsy, 294
 Error detection, 320–322, 324, 326–328
 Error-related negativity (ERN), 324
 Essick, G., 243
 Evans, A. C., 323
 Evolution, xiv, xvi–xvii
 comparative paleoanthropology and, 57–71
 culture origin and, 88–89
 fossils and, 57
 genetics and, 76–89

- human brain and, 41–74
macaque/human cortical organization and, 3–19
nervous systems and, 78–79
“Neuronal Recycling” hypothesis and, 133–157
number and, 112–113
speech and, 223–225
tool use and, 254–269
- Exaptation, 148
- F5 cells, 197–198
mirror neuron system and, 213–216
- Face processing, xvi, 150, 352–356
behavioral evidence and, 340–346
composite effect and, 341, 344
configural processing and, 340–342
domain specificity and, 339, 350–351
ERP markers and, 346–348
fusiform face area and, 346–351
inversion effect and, 341–346
M170 response and, 346–349
N170 response and, 346–349
neural evidence and, 346–349
neuroimaging and, 346–349
part-whole paradigm and, 341–344
reaction time and, 342–344
second-order deviations and, 339–340
whole-vs-configurally-transformed-whole and, 341
- Fadiga, L., 197, 214, 216–217, 222, 227, 309
- Falk, D., 59, 65–67
- Farah, M. J., 142, 339, 341
- Farrar, C. A., 280
- Fechner’s law, 126
- Fehr, E., 159–160
- Feigenson, L., 100–101, 107–108, 141, 151n1
- Feistner, A. T. C., 167
- Felleman, D. J., 6, 8, 11, 35
- Felleman partitioning scheme, 6
- Ferchal, Nadia, xvii
- Ferrari, P. F., 222
- Ferrell, R. E., 177
- Ferry, A. T., 6, 8
- Fias, W., 135
- Fiducial surface, 6–15
- Field, D. J., 29
- Fiez, J. A., 141
- Fischbacher, U., 159
- Fiser, J., 190
- Fize, D., 9–10
- Flombaum, J., 108
- Flood, M. M., 161
- Flory, J. D., 177
- Fogassi, V., 197, 214, 216–217, 237, 309
- Földiák, P., 190
- Food, 159. *See also* Reciprocity
action coding and, 192
blue jays and, 163–165
capuchins and, 165–167
coalitions and, 175
energy economy and, 176
number and, 175–177
tamarins and, 167–170
vampire bats and, 162–163
- Fossils. *See* Comparative paleoanthropology and
- FOX P2 gene, 84
- Frackowiak, R. S. J., 142, 323
- Fragaszy, D., 216
- Frahm, H., 41
- Frankenstein, U. N., 324
- Frederick, S., 174
- Freedman, D. J., 118, 120, 129, 138, 177
- Friedman-Hill, S. R., 280, 283
- Friston, K. J., 323
- Frith, C. D., 323
- Frontal eye field (FEF), 11, 275, 316
- Fruit flies, 78–82
- Fugu fish, 78
- Fujita, I., 145, 172, 359, 361
- Fukado, Y., 357
- Funahashi, S., 319
- Functional magnetic resonance imaging (fMRI), xiv, 6, 9–10

- Functional magnetic resonance imaging (fMRI) (cont.)
 adaptation of, 27–35
 anterior cingulate cortex and, 324, 326–327
 BOLD signal and, 21–26
 cooperation studies and, 177–179
 face processing and, 346–349
 large-scale neuronal network studies and, 21–40
 mirror neuron system and, 218, 220
 number and, 117, 138–141 (*see also* Number processing)
 physiological findings and, 24–26
 resolution and, 26–35
 retinotopic stimuli and, 24–26
 selective attention and, 274–278, 282–283, 285–286
 shape recognition and, 29–33
 tracers and, 22
 visual word form area and, 141–146
- Furmanski, C. S., 28
- Fusiform face area (FFA), 346–351
- Fuster, J. M., 118
- Fyssen Foundation, xvii
- GABAergic receptors, 51, 54, 280, 303–304
- Gadian, D. G., 141
- Gaffan, D., 303, 320
- Galaburda, A. M., 235
- Galef, B. G., 216
- Gallese, V., 190, 197–198, 200, 214, 216, 237, 309
- Galletti, C., 240, 242
- Gallistel, C. R., 102, 109–111, 113, 139, 149
- Game theory. *See also* Reciprocity
 Prisoner's Dilemma, 161, 163–165, 174, 177–180
- Gandhi, S. P., 26
- Gamberini, M., 240
- Gangitano, M., 217
- Gannon, P. J., 76
- Garcia, R., 76
- Gattass, R., 9–10, 240, 242
- Gauss functions, 126, 138–139
- Gauthier, I., 142, 150, 339, 342–348, 350
- Gehring, W. J., 324, 329
- Gelade, G., 282
- Gelman, R., 102, 109–113, 139, 149
- Genetics, xiii
 Beadle and, 76–77
 brain morphogenesis and, 80–85
 brain size and, 73–74, 76
 Brodmann areas and, 3–4
 codons and, 77
 dead genes and, 77
 developmental genes and, 80–85
 disease and, 78–79
 duplications and, 84
 evolution and, 76–89
 functionality and, 77
 gene definition and, 76–77
 information and, 77–78
 intracellular regulation network and, 81
 jumping genes and, 4
 language and, 84
 limiting mechanisms and, 73
 Mendel and, 76
 neocortical surface expansion and, 84–85
 nervous systems and, 78–79
 neuronal network epigenesis and, 85–89
 nonlinearity and, 81
 number of genes and, 77–78
 olfactory system and, 84
 parsimony and, 77, 80
 protein coding and, 78–79
 sequencing and, 77–79
 spatiotemporal patterns and, 80–81
 symmetry and, 80–81
 synaptogenesis and, 83, 85–89
 tool use and, 261–263
 transcription factors and, 81–82
- Geula, C., 316
- Gennari line, 26, 46
- Gentilucci, M., 197, 224–225
- George, M. S., 323
- Gerstein, M., 77

- Gerstman, L. J., 225
- Gestation, 88–89
- Gesture, 192
- imitation and, 218–220
 - lateral frontal cortex and, 293–304
 - MEPs and, 217, 227–228
 - mirror neuron system and, 213–229
 - sign language and, 223–225
 - tool use and, 165–170, 253–269
- Geyer, S., 294
- Giacomini, E., 151n1
- Gibbs, B. J., 100
- Gierer, A., 81
- Gilad, Y., 84
- Gintis, H., 159
- Girard, P., 11
- Giraud, A. L., 117
- Glimcher, P. W., 181
- Glover, G. H., 135
- Gnadt, J. W., 308
- Gochin, P. M., 33
- Goffeau, A., 77–78
- Goldberg, M. E., 279, 308
- Goldenberg, G., 267
- Goldman-Rakic, P. S., 118, 197–198, 200, 243, 316
- Gómez, Juan-Carlos, 189–210, 371
- Goodale, M. A., 189–190, 193, 236
- Gore, J. C., 142, 339, 346, 349
- Gorilla gorilla*, 59
- Gottlieb, J. P., 277, 279
- Gould, S. J., 64, 148
- Gouze, J. L., 88
- Govoni, P., 242
- Grafman, J., 141
- Grafton, S. T., 294, 323
- Grapperon, J., 324
- Grasping, 192, 213–216
- Greebles, 341–344
- Green, D. M., 123
- Green, L., 173–174
- Greenfield, P. M., 264
- Grèzes, J., 217–218, 222
- Grill-Spector, K., 31, 348
- Grimaud-Hervé, D., 60
- Grine, F. E., 61
- Grinvald, A., 23, 359
- Grooming, 176–177
- Gross, C. G., 9–10, 33, 190, 242, 339
- Grover, F. S., 23
- Gruber, O., 135
- Gyrification, xiv, 42–46
- Gyrus, 179, 294
- dentate, 48, 51
 - lesions to, 319–320
 - mirror neuron system and, 218
- Haber, S. N., 318
- Hadjikhani, N., 6, 9–11, 14
- Hadland, K. A., 319–320
- Hagmann, S., 267
- Halfon, M. S., 82
- Halsband, U., 203, 301, 308
- Ham, 216
- Hamburger, M. E., 174
- Hamilton, W. D., 161, 174
- Hammerstein, P., 170
- Hand movements. *See* Gesture
- Hanlon, D., 6, 225
- Hannan, M. B., 201
- Harbraugh, W. T., 160
- Hare, B., 200
- Hari, R., 197, 218, 294
- Harries, M. H., 216
- Harris, A., 174
- Hart, B. L., 162
- Hart, L. A., 162
- Harwell, J., 6
- Hasbroucq, T., 324
- Hashikawa, T., 35
- Hasson, U., 142, 143–146
- Hauser, Marc D., xv–xvii, 76, 267, 371
- mirror neuron system and, 221
 - number processing and, 117, 137–138, 141, 151n1
 - reciprocity and, 159–187

- Hauser, Marc D. (cont.)
 thought and, 101, 108
 understanding and, 202, 205
- Haxby, J. V., 146, 194, 323, 347
- Hazeltine, E., 323
- He, S. Q., 294, 316
- Head, A. S., 255
- Hebbian learning, 142
- Heeger, D. J., 26, 28
- Heiser, M., 218
- Hemispheres
 genetics and, 81
 human brain and, 42–46
 reading and, 146–147
- Hemodynamic response, 23
- Hendler, T., 142, 146
- Henrich, J., 159
- Henson, R., 33
- Henze, D. A., 23
- Heredity. *See* Genetics
- Hess, A., 23, 29
- Heterogeneity, 325
- Hetero-oligomers, 81
- Hietanen, J. K., 197–198
- Higuchi, M., 347
- Hihara, S., 255, 261, 263, 267
- Hillyard, S. A., 26
- Hiorns, R. W., 83
- Hippocampus, 41, 48–51
- Hoch, M., 82
- Hof, P. R., 318
- Hohn, A., 88
- Holistic processing, 340–342
- Holliday, T. W., 58
- Holloway, R. L., 59, 67, 76
- Holmes, G., 255
- Holroyd, C. B., 324–325, 328
- Homo erectus*, 58, 60, 64, 68, 73
- Homo ergaster*, 58, 60–62
- Homo faber*, 253
- Homo habilis*, 58–59, 73
- Homology, 11, 80
 color processing and, 11
 facial processing and, 351
 human/macaque cortex comparisons and,
 3–19 (*see also* Humans)
 LIP and, 284
 posterior parietal cortex and, 235–236
- Homo neanderthalensis*, 60, 64, 68
- Homo rhodesiensis*, 68
- Homo sapiens*, 58. *See also* Humans
 brain size and, 73
 sign language and, 225
- Hopkins, W. D., 59, 76
- Horses, 98
- Housekeeping proteins, 78
- Hox genes, 80
- Hubel, D. H., 87
- Hublin, Jean-Jacques, xiv, 57–71, 371
- Huchet-Dymanus, M., 88
- Huerta, M. F., 316
- Huk, A. C., 28
- Humans, xiv–xv. *See also* Brain, human
 altruism and, 159
 comparative paleoanthropology and, 57–
 71
 face processing and, 340–346
 gestation and, 88–89
 growth period of, 62–64
 hemispheric shape and, 42–46
 hippocampus and, 48–51
 intraparietal sulcus and, 135–138, 141
 language and, 76
 large-scale neuronal networks and, 21–40
 macaque cortex comparison and, 3–19
 mirror neuron system and, 217
 number and, 97–100, 105–113
 phylogeny of, 75
 probabilistic tasks and, 179–180
 Sally-Anne test and, 201–205
 sialic acid and, 66
 surface-based registration and, 11–14
 synaptogenesis and, 83
 tool use and, 253–254, 264–268
 transcription factors and, 82
 visuotopic subdivisions and, 8–11

- voluntary selection and, 322–323
- white matter of forebrain and, 41
- Humphreys, G. W., 282
- Hunting, 61, 159, 176
- Huntley-Fenner, G., 100
- Huttenlocher, P. R., 87, 100
- Hyder, F., 323
- Hypothalamus, 318
- Hyvarinen, J., 216, 243, 308–309

- Iacoboni, M., 197, 217–218
- Ichinose, S., 263
- Imitation, 218–220
- Immunocytochemistry, 6
- Indefrey, P., 135
- Infants
 - number and, 97–100, 105–108, 111, 141
 - subitizing and, 99–100
- Inferior temporal cortex
 - area TE neurons and, 357–362, 367
 - asymmetry and, 365
 - color and, 365
 - critical feature and, 358–361
 - individual spots and, 363–364, 366–369
 - intrinsic signal imaging and, 359–361
 - neural evidence and, 358–360
 - number and, 141–147
 - spatial arrangement and, 365
 - ventral pathway and, 357
 - view-based object representation and, 357–358
- Inhibitory control, 171–173
- Insausti, R., 316
- Insects, 73
- Intelligence. *See* Thought
- Intention studies, 200–205
- Intraparietal sulcus, 135–138, 141
- Inui, T., 219
- Ip, N. Y., 88
- Iriki, Atsushi, xv, 253–271, 273, 371
- Isaacs, E. B., 141
- Ishai, A., 146
- Ishibashi, H., 255, 261

- Ito, S., 145, 322, 359
- Ivry, R. B., 323
- Iwamura, Y., 255
- Izard, V., 138

- Jackle, H., 82
- Jacob, François, 148
- James, T. W., 33
- Janer, K. W., 323
- Java man, 57
- Jeannerod, M., 216
- Jeffreys, D. A., 346
- Jellema, Tjeerd, 189–210, 216, 371
- Jenkins, M. A., 323
- Jeo, R. M., 190
- Johnson, D. M., 99, 110
- Jones, E. G., 35
- Joseph, Jean-Paul, xvi, 315–336, 371
- Jueptner, M., 323, 327
- Julesz, B., 29
- Jumping genes, 4
- Junge, J. A., 108
- Jurgens, U., 220, 268

- Kaas, J. H., 316
- Kacelnik, A., 173
- Kahneman, D., 100
- Kainate receptors, 48, 51–55
- Kano, M., 87
- Kanwisher, Nancy, xvi, 31, 33, 371
 - number and, 139
 - object representation and, 339–356
 - understanding and, 191
- Kaseda, M., 190
- Kastner, S., 26
- Katz, L. C., 87–88
- Kaufman, E., 99
- Kawarasaki, A., 308
- Kazuo, F., 172
- Kerszberg, M., 82–84, 88, 151, 325, 327
- Keysers, C., 190
- Kilts, C. D., 324
- Kimura, J., 137

- Klatt, L., 100
 Kleiner-Fisman, G., 217, 222
 Kleinschmidt, A., 117, 135
 Klingberg, T., 84
 Knouf, N., 348
 Kobatake, E., 357–358
 Koechlin, E., 100
 Kohler, E., 198, 214, 226, 254
 Koobi Fora site, 59–60
 Korkel, J., 345
 Koskinas, G., 293
 Kourtzi, Zoe, xiv, 21–40, 372
 Kovacs, I., 29, 191
 Koyama, T., 190
 Krakow, K., 23
 Kralik, J. D., 172
 Krause, K., 160
 Krauskopf, J., 27
 Krebs, J. R., 171
 Kretschmann, H.-J., 45
 Krolak-Salmon, P., 221
 Krubitzer, L. A., 316
 Kruskal-Wallis test, 127
 Kubota, K., 318
 Kunishio, K., 318
 Kutz, D. F., 242
- Lacoste-Lareymondie, M. C., 59
 Lacquaniti, F., 308
 Lai, C. S. L., 84
 Lammertyn, J., 135
 Lancet, D., 84
 Landauer, T. K., 108, 121
 Language, xv
 Broca's area and, 76
 genetics and, 84
 MEPs and, 227–228
 mirror neuron system and, 213–229
 “Neuronal Recycling” hypothesis and, 133–157
 number and, 98–113
 reading and, 141–147
 sign, 221–222
 speech and, 223–225
 verbal symbol mapping and, 139–141
 visual word form area and, 141–146
 warning cries and, 221
 Wernicke's area and, 76
- Lasry, J. M., 88
 Late Pleistocene period, 58
 Lateral frontal cortex
 arcuate sulcus and, 297
 bicuculline injections and, 303–304
 Brodmann areas and, 294, 308, 315–319
 cues and, 309
 distinct areas of, 293
 dorsal/ventral distinction and, 294
 dorso/mid-dorso comparisons and, 294–304
 epilepsy and, 294
 functional heterogeneity and, 325
 lesion studies and, 293–304, 322–325
 memory and, 293–304
 neuroimaging of, 304–306
 rats and, 303
 rostral-caudal axis and, 296–298, 305–309
 somatocentric responses and, 309
 supplementary motor area (SMA) and, 308
- Lateral geniculate nucleus, 25
 Lateral intraparietal (LIP) area
 spatial specificity and, 274–275
 visual competition and, 279–286
- Lateral Occipital Complex (LOC), 31–35
 Lateral prefrontal parietal cortex
 number and, 118–129
 selective attention and, 274–275, 279–286
- Lazarus, J., 170
 Learning
 arithmetic and, 135–141
 cortical space and, 150
 dorso-dorsal stream and, 239–242
 Hebbian, 142
 imitation and, 218–220
 mirror neuron system and, 213–229
 “Neuronal Recycling” hypothesis and, 133–152

- number and, 117–130 (*see also* Number processing)
- reading and, 141–147
- tool use and, 165–170, 253–269
- ventrodorsal stream and, 242–250
- visual word form area and, 141–147
- Lebel, S., 303
- LeBihan, D., 35, 135, 138, 142, 151n1
- Le Clec'H, G., 142
- Ledden, P. J., 31
- Leder, H., 341, 350
- Lee, A. T., 135, 137, 194
- Lee-Thorp, J. A., 61
- Legatt, A. D., 23
- Le Grand, R., 340–341
- Leinonen, L., 309
- LeMay, M., 59
- Lennie, P., 27
- Leonard, C. M., 367
- Leonards, U., 283
- Lepilemur ruficaudatus*, 48
- Lesions, xvi
 - acalculia and, 120
 - alexia and, 142–143
 - arcuate sulcus and, 297
 - associative cortex and, 273
 - asymbolia and, 264–265
 - cingulate cortex and, 319–322
 - gyrus and, 319–320
 - lateral frontal cortex and, 293–304
 - number and, 135
 - orbitofrontal cortex and, 324
 - reward and, 324
 - selective attention and, 277–282
- Levine, M., 81, 100
- Levinthal, F., 85
- Levy, I., 146
- Levy, L. M., 141–142
- Lewis, J. W., 6, 8
- LFPs, 23–24
- Li, B.-M., 33
- Lieberman, A. M., 228
- Lichtman, J. W., 87
- Liday, S. G., 160
- Liddle, P. F., 323
- Linnankoski, I., 309
- Lions, 175
- Lipton, J. S., 100, 111
- Lisberger, S. G., 27
- Lissencephaly, 78
- Liu, A. K., 9, 347, 349
- Lobar configuration, 6–15
- Locke, J., 97
- Loewenstein, G., 174
- Logothetis, Nikos K., xiv, 9, 21–40, 145, 190, 372
- Lohof, A. M., 88
- Lomber, S. G., 11
- Lord, M., 99
- Lorincz, Erica N., 189–210, 372
- Lu, M., 316, 329
- Lucas, A., 141
- Luciano, D., 322
- Luck, S. J., 26
- Lueck, C. J., 10
- Luminancekey effects, 259–260
- Luppino, Giuseppe, xv, 372
 - lateral frontal cortex and, 294, 308, 316
 - posterior parietal lobe and, 235–252
 - selective attention and, 273
- Luria, A. R., 293
- Luu, P., 318
- Lux, S., 55
- M170 response, 346–349
- Maasai warriors, 159
- Macaca mulatta*, 117–118
- McAdams, C. J., 26
- Macagno, E., 85
- Macaque monkeys, 172, 200
 - brain size and, 76
 - Brodman areas of, 3
 - cerebellum of, 14–15
 - direction selectivity and, 9
 - hippocampus and, 51
 - human cortex comparison and, 3–19

- Macaque monkeys (cont.)
 inferotemporal cortex and, 357–369
 lateral frontal cortex studies and, 294–304
 neocortex and, 51–55
 number and, 137–138
 pyramidal cells and, 83
 surface-based registration and, 11–14
 tool use and, 255–258, 261–263
 visuotopic subdivisions and, 8–11
- McCabe, K. A., 159, 179–180
- McCarthy, G., 142, 191, 339, 346
- McComb, K., 137, 175
- McDermott, J., 31, 339, 346
- McFarlane, D. A., 163
- McGuire, P. K., 316
- McHenry, H. M., 58, 61
- McIntyre, M. C., 324
- McKeefry, D. J., 10–11, 14
- McKinney, M. L., 64
- McKone, Elinor, xvi, 339–356, 372
- McLinn, C. M., 163, 165, 173–174
- McNamara, K. J., 64
- McNeil, J. E., 339
- MacNeilage, P., 117, 222
- Madden, G. J., 174
- Maeda, F., 217, 222
- Maffei, L., 88
- Magnetic resonance imaging (MRI).
See also functional magnetic resonance
 imaging (fMRI).
 electrical microstimulation and, 35–36
 paramagnetic tracers and, 35
- Magnetoencephalography (MEG), 217
- Malach, Rafi, 31, 142, 146
- Manganese tracers, 35
- Mangin, J. F., 135
- Mannervik, M., 81–82
- Manuck, S. B., 177
- Mapping. *See also* Neuroimaging
 BOLD signal and, 21–26
 brain size and, 73–74, 76
 Brodmann areas and, 3–16 (*see also*
 Brodmann areas)
- Caret software, 4
- Cartesian, 11–13, 80
- EPI and, 26
- Felleman/Van Essen partitioning scheme
 and, 6
- macaque/human comparisons and, 3–19
- number/verbal symbols and, 139–141
- saliency and, 279–282
- spherical modeling and, 4
- SureFit segmentation and, 4
- surface-based registration and, 3–19
- Talairach stereotaxic coordinates and, 10–11
- Marantz, A., 347
- Marconi, B., 242, 316
- Mareschal, D., 98
- Mariani, J., 87
- Marmoset, 83
- Marr, D., 357
- Marrocco, R. T., 276
- Martin, A., 33, 58, 61, 146, 194
- Matelli, M., 237, 240, 242, 294, 316
- Maternal investment hypothesis, 61–62
- Mathematics, 81
 Gauss functions, 126, 138–139
 number processing and, 98–113 (*see also*
 Number processing)
- Matsuzawa, T., 151, 258, 265, 268
- Mattingley, J. B., 228
- Maunsell, J. H. R., 9, 26, 190
- Maurer, D., 340–341
- Mazur, J. E., 173
- Mechner, F., 121
- Meck, Warren, 101, 111
- Mehler, Jacques, 100, 139
- Meinhardt, H., 81
- Meister, I. G., 224
- Memory
 face processing and, 339–351
 lateral frontal cortex and, 294–304
 lesions studies and, 294–304
- Mendel, 76
- Menon, V., 23, 135
- Mental retardation, 78

- Merkle, H., 26
- Mesulam, M. M., 316
- Metcalf, N. B., 170
- Metha, A. B., 27
- Methodology. *See also* Neuroimaging
- allometric scales, 41–42
 - autoradiography, 51
 - BDA tracers, 263
 - BOLD signals, 21–26
 - Caret software, 4
 - comparative paleoanthropology, 57–71
 - conflict monitoring, 323–324
 - cytoarchitecture, 6
 - delayed-match task, 118
 - Echo-Planar Image, 26
 - electrophysiological studies, 319–322
 - EPI, 26
 - fMRI adaptation, 27–35
 - Greeble identification, 342–344
 - hierarchical cluster analysis, 53
 - immunocytochemistry, 6
 - intention studies, 200–205
 - Kruskal-Wallis test, 127
 - lesions studies, 294–304, 319–325
 - myeloarchitecture, 6
 - number studies, 100–108
 - paramagnetic tracers, 35
 - Posner task, 276–277
 - probabilistic tasks, 179–180
 - reciprocity tasks, 163–170, 172
 - retinotopy, 24–25
 - Sally-Anne test, 201–205
 - Stroop test, xvi
 - SureFit segmentation, 4
 - TMS experiments, 224, 228
 - Tower of London task, 323
 - transcranial magnetic stimulation (TMS), 217, 224, 228
 - video games, 258–260
 - Wisconsin card sorting task, 323
- Meunier, M., 329
- Meyer, E., 323
- Mice, 78–80
- Mikami, A., 190
- Mikoshiba, K., 87
- Milinski, M., 170
- Miller, Earl K., xv, 33, 112, 372
- number and, 117–131, 138
 - reciprocity and, 177
- Milner, A. D., 189–190, 193, 236, 297
- Mine, S., 249
- Mirror neuron system
- action observation and, 216
 - action understanding and, 216–217
 - auditory system and, 226–229
 - Broca's area and, 218
 - cortical representation and, 216
 - cues and, 218
 - F5 cells and, 213–216
 - imitation and, 218–220
 - language and, 220–222
 - mechanism for, 217
 - MEPs and, 217, 227–228
 - mimed actions and, 217
 - motor properties and, 213–216
 - neuroimaging and, 217
 - speech and, 223–225
 - superior temporal sulcus (STS) and, 216, 218
- Mischel, W., 173
- Mishkin, M., 189, 236, 242, 257, 300
- Mistlin, A. J., 191, 198, 216
- Mitchell, S. H., 173
- Mitochondrial RNA (mRNA), 77
- Mix, K. S., 100
- Miyashita, Y., 145
- Modulation, 191–193
- Mohlberg, H., 43
- Mondloch, C. J., 340–341
- Monkeys. *See also* Brain, monkey
- altruism and, 165–170
 - arithmetic and, 138–141
 - capuchin, 165–167
 - electrophysiological studies and, 319–322
 - intention studies and, 200–205
 - macaques and, 3–19, 100, 172 (*see also* Macaque monkeys)

- Monkeys (cont.)
 number and, 101–109, 112, 117–129,
 137–141, 176
 reciprocity and, 172, 176
 reward and, 319–320
 Sally-Anne test and, 201–205
 speech and, 76
 squirrel, 172
 tamarin, 167–170, 172, 202–205
 understanding and, 189–205, 216–217
 video games and, 258–260
 vocal production and, 267–268
 voluntary selection and, 319–320
- Montant, M., 191
- Morecraft, R. J., 316
- Morgan, 76
- Moriya, M., 357
- Morphogenesis, 80–85, 146
- Morrison, J. H., 318
- Mort, D. J., 278
- Moscovitch, M., 339–340, 350
- Moser, K. H., 45
- Mossy fibers, 48, 51
- Motor cortex, 46–48
- Motor evoked potentials (MEPs), 217,
 227–228
- Motor properties
 cingulate motor areas and, 316, 322–323,
 325, 329
 F5 cells and, 213–216
 lateral frontal cortex and, 293–309
 mirror neuron system and, 213–216
 rostral-caudal axis and, 305–309
 supplementary motor area (SMA) and, 308,
 316
- Motor theory, 228
- Mottaghy, F. M., 217
- Mountcastle, V. B., 76, 83, 273–274, 308
- Movshon, J. A., 27
- Moyer, R. S., 108, 121
- MUAs, 23–24
- Mukobi, K. L., 201
- Muldoon, M. F., 177
- Muller, J. R., 27, 64
- Murata, A., 190, 249, 309
- Muroyama, Y., 162
- Murray, E. A., 303–304
- Muscimol, 280
- Mushiake, H., 118
- Mutualism game, 163–165
- Myelin sheet, 79
- Myeloarchitecture, 6
- Myerson, J., 173
- N170 response, 346–349
- Naccache, L., 33, 135, 141, 151
- N-acetylneura-minic acid, 66
- Nagy, Z., 84
- Nakayama, K., 346–347
- Naming, 267–268
- Nash equilibrium, 161
- Natural theory, 223
- Neandertals, 60
- Neoconstructivism, 133
- Neocortex, 41–42
 brain size and, 73–74, 76
 macaque/human comparison and, 51–55
 number and, 117–130
 receptor distributions and, 51–55
- Nerve growth factor (NGF), 79
- Neural tubes, 82–83
- Neuroeconomics, 177–181
- Neuroimaging, xiii, xvi
 anterior cingulate cortex and, 324, 326–
 327
 BOLD signals and, 21–26
 cooperation studies and, 177–179
 electrical microstimulation and, 35–36
 EPI and, 26
 face processing and, 346–349
 fMRI, xiv, 27–35 (*see also* functional
 magnetic resonance imaging (fMRI))
 lateral frontal cortex and, 304–306
 macaque/human surface comparisons and,
 3–19
 mirror neuron system and, 217–218, 220

- number and, 117, 137–138 (*see also* Number processing)
- paramagnetic tracers and, 35
- PET scans and, 9
- selective attention and, 274–278, 282–283, 285–286
- voxel resolution and, 26–30
- “Neuronal Recycling” hypothesis, 151–157
- arithmetic and, 135–141
- cultural preemption and, 147–150
- description of, 133–134, 147–148
- reading and, 141–147
- syntax and, 133
- Neurons
- anterior cingulate cortex and, 315–329
- area TE, 357–362, 367
- baseline modulation and, 275–276
- BOLD signals and, 21–26
- F5 cells, 197–198
- face processing and, 346–349
- inferior temporal cortex and, 357, 361–362
- LFPs and, 23–24
- LIP, 274–275, 279–286
- LOC response and, 31–34
- M170 response and, 346–349
- mirror neuron system and, 213–229
- morphogenesis and, 80–85
- MUAs and, 23–24
- N170 response and, 346–349
- network complexity and, 83–84
- network epigenesis and, 85–89
- “Neuronal Recycling” hypothesis and, 133–157
- number and, 117–130
- Purkinje, 23, 87
- selective attention and, 273–286
- synaptogenesis and, 83, 85–89
- tool use and, 257–260
- transcription factors and, 80–85
- transmitter receptors and, 48–51
- video games and, 258–260
- visual word form area and, 141–146
- Neuroscience, xiii
- large-scale network studies and, 21–40
- “Neuronal Recycling” hypothesis and, 133–157
- number processing and, 98–113
- reading and, 133
- rebound and, 25–26
- Neurotransmission. *See* Stimuli
- Neurotrophins, 88
- Newsome, W. T. N., 9
- N-glycylheauraminic acid, 66
- Nguyen, Q. T., 88
- Nibu, Y., 81
- Nicotinic receptors, 51
- Nieder, Andreas, xv, 117–131, 138, 177, 372
- Niki, H., 321
- Ninokura, Y., 118
- Nishihara, H. K., 357
- Nishizaki, M., 359
- Nishitani, N., 197, 218
- NMDA receptors, 51
- Nobre, A. C., 283
- Noë, R., 170
- Nonlinearity, 81
- Noradrenergic receptors, 318
- Norman, 325–326
- Nubler-Jung, K., 80
- Number processing, xv, 172
- acalculia and, 120
- activation degree and, 135, 137
- arithmetic and, 102–108, 133–141
- brain areas for, 117–129
- candidate structures for, 118–120
- cortical single-unit recordings and, 120–127
- delayed-match task and, 118
- distance effect and, 121–123
- domain-general view and, 135, 137
- Fechner’s law and, 126
- fMRI and, 117, 138–141
- Gauss functions and, 126, 138–139
- habituation and, 139
- infants and, 97–98, 102–108, 111, 141
- intraparietal sulcus and, 135–138, 141

- Number processing (cont.)
 language and, 98–113
 magnitude effect and, 123, 125
 mental scaling and, 126–127
 monkeys and, 101–109, 112, 117–129,
 137–141, 176
 neural correlates of, 117–130
 “Neuronal Recycling” hypothesis and,
 133–157
 as nonverbal mental magnitudes, 100–113
 parietofrontal network for, 127–129
 pointers and, 100–101
 primates and, 137–141
 reciprocity and, 175–177
 related categorization and, 121
 subitizing and, 99–100
 symbol mapping and, 139–141
 Weber’s law and, 100, 125–126, 141
- Number sense, 139, 141
- Nüsslein-Volhard, C., 80
- Nyman, G., 309
- Obayashi, S., 258, 260, 265, 267
- Object representation, 151n1. *See also* Vision
 area TE neurons and, 357, 361–362
 asymmetry and, 365
 critical feature and, 358–361
 individual spots and, 363–369
 intrinsic signal imaging and, 359–361
 IT neurons and, 358
 ventral stream and, 357
 view-based representation and, 357–358
- Occipital visual cortex
 macaques/human surface studies and, 4–19
 surface-based registration and, 11–14
- Octopus*, 82
- O’Donoghue, T., 174
- O’Donovan, C., 77
- Oeltermann, A., 21
- Okanoya, K., 267
- Oldowan stone, 59
- Olesen, P. J., 84
- Olfactory system, 84
- Olson, C. R., 10, 149, 242
- Olver, R. R., 264
- Omran, H., 45
- Ongur, D., 6, 8
- Oram, M. W., 189–191, 194, 216
- Orban, G. A., 135, 145
- Orbital and medial prefrontal cortex
 (OMPFC)
 macaques/human surface studies and, 4–19
 surface-based registration and, 11–14
- Orolaryngeal system, 224
- Ostaszewski, P., 173
- OtX₂ gene, 80
- Owen, A. M., 323
- Paabo, S., 84
- Packer, C., 137, 170, 175
- Paget, Richard, 220–224, 226
- Paillard, J., 253
- Paleocortex, 73–74, 76
- Palomero-Gallagher, N., 51
- Pandya, D. N., 8, 35, 243, 293, 309, 316, 318
- Pan Paniscus*, 59
- Pan troglodytes*, 59
- Paramagnetic tracers, 35
- Paranthropus*, 43, 58–59, 64–65, 67–68
- Pardo, J. V., 323
- Parietofrontal cortex
 mirror neuron system and, 213–229
 number and, 127–129
 selective attention and, 273–286
 tool use and, 253–269
- Parsimony, 77, 80
- Part-whole paradigm, 341–350
- Pascual-Leone, A., 217, 222
- Passingham, R. E., 217, 301, 308, 319
- Patalano, A. L., 137
- Pauls, J., 21, 190
- Paus, T., 319, 323, 325, 329
- Pavesi, G., 217
- Pavillon Henry IV, xiii
- Penfield, W., 294
- Perenin, M.-T., 236

- Perner, J., 201, 204
- Perrett, David I., xv, 189–210, 216, 367, 372
- Presenti, M., 135
- Petalia, 59–60
- Petersen, D., 141, 323
- Petit, L., 323
- Petrides, Michael, xvi, 8, 293–314, 323, 372
- Peyron, R., 325
- Phelps, E. A., 323
- Physiology
- BOLD signals and, 24–26
 - comparative paleoanthropology and, 60–62
- Piaget, J., 98
- Piazza, M., 135, 138, 151n1
- Picard, N., 294, 319, 325
- Pigeons, 173, 175
- Pinel, P., 117, 135, 138–139
- PIT complex, 10, 14
- Pithecanthropus erectus*, 57
- Plasticity, 73
- “Neuronal Recycling” hypothesis and, 133–157
- Platt, J. R., 99, 109–110
- Poecilia formosa*, 85
- Poggio, T., 120, 129, 190, 357–358, 369
- Pointers, 100–101
- Poline, J. B., 142
- Polk, T. A., 142
- Poo, M. M., 88
- Portmann, A., 62
- Positron emission tomography (PET) scans, 9, 265
- number and, 117
 - Talairach stereotaxic coordinates and, 10–11
- Posner, M. I., 276–278, 318, 323–324
- Posner task, 276–277
- Posterior parietal cortex (PPC)
- Brodman areas and, 235–236, 240–246
 - dorso-dorsal stream and, 239–242
 - humans and, 235–236
 - inferior lobe, 235–237, 239, 243–246, 249–250
 - information processing model for, 239–246
 - monkeys and, 235–250
 - neglect and, 236
 - number and, 118–129
 - superior lobe, 235–237, 239
 - superior temporal sulcus (STS) and, 244, 246
 - ventrodorsal stream and, 242–250
- Povinelli, D., 265
- Powell, T. P., 35, 83
- Premotor cortex, 197–198
- Press, W. A., 9–10, 25
- Preston, J. B., 316
- Price, J. L., 6, 142, 167, 174, 316
- Primates, nonhuman, xiii–xv
- altruism and, 165–170
 - BOLD signals and, 21–26, 31–36
 - brain morphogenesis and, 73–74, 76, 80–85
 - comparative paleoanthropology, 57–71
 - cortex cytoarchitecture of, 46–48
 - cortical folding and, 42–46
 - growth period of, 62–64
 - hemispheric shape and, 42–46
 - hippocampus and, 48–51
 - language and, 76
 - lateral frontal cortex and, 293–304
 - mirror neuron system and, 213–229
 - number and, 101–109, 112, 117–130, 137–141
 - reciprocity and, 165–170
 - tool use and, 165–170, 254–269
 - understanding and, 189–205
- Prisoner’s Dilemma, 161, 163–165, 174, 177–180
- Probabilistic tasks, 179–180
- Procyk, Emmanuel, xvi, 315–336, 372
- Proteins, 77
- coding genes and, 78–79
 - protein-protein interaction domains, 82
 - regulatory, 81
- Proteoglycans, 79
- Proteomics, 77
- Pseudogenes, 77
- Pseudo-letters. *See* Reading

- Psychology
 inhibitory control and, 171–173
 “Neuronal Recycling” hypothesis and, 133–157
 number and, 98–113
 reciprocity and, 159–182
 tool use and, 165–170, 253–269
- Puce, A., 142, 191, 339, 346, 348
- Pulvermueller, F., 228
- Purkinje neurons, 23, 87
- Purves, D., 87
- Pusey, A., 137, 175
- Pylyshyn, Z. W., 100, 113
- Pyramidal cells, 23, 48, 51, 83–84
- Quartz, S. R., 133
- Quinn, C. K., 98
- Quintana, J., 118
- Rachlin, H., 173–174
- Radiator theory, 65–66
- Raichle, M. E., 323
- Raineri, A., 173
- Rakic, P., 83
- Ramon y Cajal, 83
- Rapoport, A., 161
- Rats, 83, 88, 175
 arithmetic and, 137
 discounting and, 173
 lateral frontal cortex and, 303
 number and, 99, 137
- Rauschecker, J. P., 76
- Reaction time, 323, 342–344
- Reading, xvi
 alexia and, 142–143
 functional specialization and, 142–143
 hemispheres and, 146–147
 inferotemporal cortex and, 146–147
 “Neuronal Recycling” hypothesis and, 133, 141–147
 pseudo-letters and, 142
 visual word form area and, 141–147
- Rebound, 25–26
- Reciprocity, 182–187
 blue jays and, 163–165, 173–174
 capuchin monkeys and, 165–167
 cheaters and, 160
 cognitive constraints on, 171–177
 concept of, 159–160
 cooperation and, 159–160
 discounting and, 165, 173–174
 “feel good” explanation and, 169
 frequency of, 170–171
 gender and, 167
 human society and, 159–160
 inhibitory control and, 171–173
 kin relationship and, 165, 167
 neural correlates for, 177–181
 neuroeconomics and, 177–181
 number and, 175–177
 punishment and, 160
 reverse contingency task and, 172
 tamarins and, 167–170
 temporal discounting and, 173–174
 tit-for-tat strategy and, 161, 163–165
 tool use and, 165–170
 vampire bats and, 162–163
- Reed, 345
- Rees, G., 323
- Reese, T., 99
- Rehkämper, G., 41
- Reicher, G. M., 342–344
- Reis, I. L., 141
- Reiss, A. L., 135
- Remy, F., 324
- Retinotopy, 24–25
- Retrograde tracers, 35
- Reversible deactivations, 319
- Reynvoet, B., 135
- Rhesus monkeys, 176
- Rhodes, G., 340–341, 348
- Richards, J. B., 173
- Richmond, B. J., 320
- Richter, W., 324
- Rickard, T. C., 135
- Rieger, J. W., 9

- Riesenhuber, M., 120, 129, 357–358, 369
- Rilling, J., 177–178
- Rivera, S. M., 135
- Riviere, D., 135
- Rizzolatti, Giacomo, xv, xvii, 372
- anterior cingulate cortex and, 316
 - lateral frontal cortex and, 294, 308–309
 - mirror neuron system and, 213–233
 - posterior parietal lobe and, 237, 249
 - selective attention and, 273–286
 - understanding and, 197
- RNA polymerase II transcription complex, 81
- Robbins, T. W., 293
- Roberts, A. C., 177
- Robertson, L. C., 80–81
- Robinson, D. L., 276, 309
- Rockel, A. J., 83
- Rodriguez, M. L., 173
- Roitman, J., 98, 112
- Rollenhagen, J. E., 149
- Rolls, E. T., 179, 190, 367
- Rorden, C., 280
- Rosen, A. C., 277, 318
- Rossion, B., 347, 350
- Rostral-caudal axis, 305–309
- Rouiller, E. M., 242
- Roush, R. S., 167
- Rovee-Collier, C., 98
- Rowe, J., 217
- Rozzi, S., 316
- Rubin, G. M., 78
- Rubin, Julie, xvii
- Ruff, C. B., 58
- Rumbaugh, D. M., 151
- Rupniak, N. M. J., 303
- Rushworth, M. F., 320
- Russ, M. O., 117
- Saccadic eye movement, 274, 279–282
- Saccharomyces cerevisiae*, 77
- Saint-Cyr, J. A., 35
- Saint-Hilaire, Geoffroy, 80
- Saito, H., 357
- Sakai, M., 318
- Sakata, H., 190, 249, 308
- Saleem, K. S., 35
- Saliency, 279–282
- Sally-Anne test, 201–205
- Sanes, J. R., 87
- Sanfey, A. G., 180
- Santos, L. R., 202
- Sary, G., 145
- Sathian, K., 151n1
- Sawamura, H., 118, 120, 138, 177, 316
- Saxe, R., 191, 200
- Scapinello, K. F., 341
- Scavenging, 61
- Schacter, D., 33
- Schaeffer, L., 88
- Schall, J. D., 321–322
- Schein, S. J., 26
- Schleicher, A., 43, 45, 51
- Schmitt, D., 191
- Schneider, W. X., 345
- Scholl, B. J., 100
- Schormann, T., 43
- Schouten, J. L., 146
- Searching, 282–285
- Searcy, J., 341
- Segraves, M. A., 308
- Seiden, L. S., 173
- Seifert, E., 82
- Sejnowski, T. J., 133
- Selective attention, 273
- baseline modulations and, 275–276
 - BOLD signal and, 274–275
 - cues and, 276–279
 - double targets and, 280–282
 - exogenous shifts and, 276–279
 - lateral intraparietal area and, 274–275, 279–286
 - lesions and, 277–278, 280–282
 - muscimol and, 280
 - Posner task and, 276–277
 - reaction times and, 276
 - saccades and, 274, 279–282

- Selective attention (cont.)
 saliency and, 279, 279–282
 searching and, 282–285
 spatial allocation and, 274
 spatially specific modulations and, 274–275
 target luminosity and, 274
 visual competition and, 279–282
- Selemon, L. D., 316
- Selenius, S., 294
- Seltzer, B., 35, 243
- Semendeferi, K., 57, 73, 76
- Sengco, J. A., 340–344
- Sereno, M. I., 10, 190
- Sergent, C., 84, 151, 339, 350
- Serial reaction time (SRT), 323
- Seron, X., 135
- Serotonergic receptors, 51, 318
- Seyal, M., 224
- Seyfarth, R. M., 162, 267
- Shadbolt, N. R., 86, 88
- Shallice, T., 33, 293, 325–326
- Shape recognition, 29–34
- Shatz, C. J., 87–88
- Shelepin, Y., 308–309
- Sherwood, C. C., 59
- Shibutani, H., 308
- Shidara, M., 320
- Shima, K., 118, 120, 138, 177, 316, 319, 323, 329
- Shoda, Y., 173
- Shulman, G. L., 323
- Sialic acid, 66
- Siegel, R. M., 243
- Sign language, 221–222
- Signoret, J. L., 339, 350
- Silberberg, A., 172
- Simon, T. J., 100, 135
- Siwek, D. F., 318
- Skudlarski, P., 349
- Smith, A. M., 319
- Smith, A. T., 10
- Smith, V. L., 179
- Smolen, P., 82
- Snowdon, C. T., 167
- Snyder, M., 77
- Somatosensory receptive field, 257–260, 263, 309
- Sousa, A. P. B., 9, 240
- Spectrins, 79
- Speech, 220–221. *See also* Language
 Broca's area and, 76
 MEPs and, 227–228
 mirror neuron system and, 223–225
 natural theory and, 223
 Wernicke's area and, 76
- Spelke, E. S., 100, 107–108, 111, 117, 135, 139, 141, 176
- Sponheimer, M., 61
- Squirrel monkeys, 172
- Sretavan, D., 87
- Stanescu, R., 117, 135
- Stanescu-Cosson, R., 135
- Starkey, P., 99
- Steinmetz, H., 85, 135, 274, 279
- Stephan, K. M., 41, 45, 55
- Stephens, D. W., 163, 165, 170, 173–174
- Stern, C. E., 319
- Sterzer, P., 117
- Stevens, Jeffrey, R., xv–xvi, 159–187, 372
- St-Germain-en Laye, xiii
- Stimuli
 BOLD signals and, 21–26
 brain size and, 73–74, 76
 delayed-match tasks and, 118
 electrical microstimulation and, 35–36
 face processing and, xv, 150, 339–351
 fMRI adaptation and, 27–35
 hippocampus and, 48–51
 inferior temporal cortex and, 357–369
 lateral frontal cortex and, 294–304
 LFPs and, 23–24
 mirror neuron system and, 213–229
 MUAs and, 23–24
 neocortex and, 51–55
 number and, 97–113, 118, 135 (*see also* Number processing)

- premotor cortex and, 197–198
- retinotopic, 24–26
- saliency and, 279–282
- selective attention and, 273–286
- superior temporal sulcus (STS) and, 189–200
- thalamo-cortical input and, 42–48
- tool use and, 253–269
- transmitter receptors and, 48–51
- understanding and, 189–205
- vision and, 189–190 (*see also* Vision)
- Stokoe, W. C., 220
- Strauss, M. S., 105
- Striatum, 318
- Strick, P. L., 294, 308, 316, 319, 325
- Stroop test, xvi
- Stuphorn, V., 321–322
- Stuss, D. T., 293
- Subitizing, 99–100
- Suddendorf, T., 197
- Sugishita, M., 137
- Sulcus, 59, 316
- Sumerian, 224
- SuMS database, 16
- Superior temporal sulcus (STS), 189
 - action coding in, 191–200
 - body cues and, 191–195
 - F5 systems and, 197–198
 - gaze direction and, 191
 - hand-object interactions and, 192
 - hidden action and, 195–197
 - mirror neuron system and, 216, 218
 - modulation by attention and, 191–192
 - modulation by goals and, 192
 - modulation by location and, 193
 - monkeys and, 190–200
 - motion/posture implication and, 193–195
 - posterior parietal cortex (PPC) and, 244, 246
 - temporal associations and, 193–200
- Supplementary motor area (SMA), 308, 316
- SureFit segmentation method, 4
- Suzuki, W., 35
- Swets, J. A., 123
- Swick, D., 322, 324
- Symmetry breaking, 81
- Synapses, 77
 - elimination model, 67
 - gestation and, 88–89
 - mean density of, 87
 - models for, 88
 - synaptogenesis, 83, 85–89
- Syntax, 133
- Sziklas, V., 303
- Taira, M., 249, 309
- Takahashi, M., 261
- Takaoka, Y., 308
- Takayama, Y., 137
- Talairach stereotaxic coordinates, 10–11
- Tamarin monkeys, 172
 - altruism and, 167–170
 - Sally-Anne test and, 202–205
- Tamura, H., 145
- Tanaka, K., 320, 357–359
 - large-scale neural networks and, 35
 - mirror neuron system and, 219
 - number processing and, 145
 - object recognition and, 339–349
 - tool use and, 255, 260, 263
 - understanding and, 190
- Tanifuji, Manabu, xvi, 145–146, 357–370, 372
- Tanji, J., 118, 120, 138, 177, 316, 319
- Tanka, Keiji, 145–146
- Tanné, J., 242
- Tarr, M. J., 339, 343–344, 347, 357–358
- Tarsius*, 46–48
- Taung site, 59
- Tay-Sach disease, 78
- Temporal discounting, 173–174
- Temporoparietal junction (TPJ), 263
- Tenrecinae*, 41–42
- Terrace, H. S., 102, 104, 109, 117, 121, 137
- Thackeray, J. F., 61
- Thalamus, 179, 318
- Thaler, D., 319
- Theory of Mind, 202

- Thioux, M., 135
- Thoenen, H., 88
- Thought
- arithmetic and, 102–108
 - dorso-dorsal stream and, 239–242
 - early development and, 97–98
 - functional specialization and, 142–143
 - intraparietal sulcus and, 135–137
 - introspective, 260–261
 - language and, 97
 - memory and, 294–304
 - mirror neuron system and, 213–229
 - “Neuronal Recycling” hypothesis and, 133–157
 - number and, 97–113, 117–130
 - reciprocity and, 159–182
 - Sally-Anne test and, 201–205
 - subitizing and, 99–100
 - tool use and, 165–170, 253–269
 - understanding and, 189–205
 - ventrodorsal stream and, 242–250
 - visual word form area and, 141–146
- Tian, B., 76
- Tinkering, 148
- Tit-for-tat strategy, 161, 163–165
- Tobias, P. V., 59, 61
- Tokimura, H., 224
- Tokimura, Y., 224
- Tolias, A. S., 25, 28–29
- Tomasello, M., 200, 216, 222, 254–255, 258, 265
- Tong, F., 26, 346–347
- Tooby, J., 160
- Tool use
- chimpanzees and, 264
 - cortex and, 264–265
 - gene expression and, 261–263
 - Homo faber* and, 253
 - humans and, 253–254, 264–268
 - induced functions and, 263
 - internal representations and, 264–265
 - luminancekey effects and, 259–260
 - monkeys and, 165–170, 255–269
 - naming and, 267–268
 - neural circuitry development and, 263
 - neural correlates for, 257–260
 - PET scans and, 265
 - skill acquisition and, 261–263
 - somatosensory receptive field and, 257–260, 263
 - technology and, 265–267
 - temporoparietal junction (TPJ) and, 263
 - video games and, 258–260
 - vocal production and, 267–268
- Tootell, R. B. H., 9–10, 14, 28, 145
- Toth, N., 59
- Tower of London task, 323
- Tracers, 22, 35, 263
- Transcranial magnetic stimulation (TMS), 217, 224, 228
- Transcription factors, 81–85
- Transmitter receptors
- hippocampus and, 48–51
 - neocortex and, 51–55
- Treisman, A., 100, 282
- Trinath, T., 21, 26
- Trinkaus, E., 58
- Trivers, R. L., 159, 161
- Trophic factors, 79
- Tsao, D. Y., 9, 145, 345, 351
- Tsivkin, S., 117, 135
- Tsunoda, Kazushige, xvi, 357–370, 372
- Tucker, D. M., 324
- Turing, Alan, 81, 146
- Turken, A. U., 322, 324
- Turner’s syndrome, 141
- Twins, 84–86
- Ugurbil, K., 26
- Uller, C., 100
- Ullman, S., 357
- Ullsperger, M., 324, 327, 329
- Ultimatum Game, 180
- Understanding, xv–xvi
- action coding and, 191–200
 - body cues and, 191–195

- dorso-dorsal stream and, 239–242
gaze direction and, 191
hand-object interactions and, 192
hidden action and, 195–197
imitation and, 218–220
mirror neuron system and, 213–229
modulation by attention and, 191–192
modulation by goals and, 192
modulation by location and, 193
monkeys and, 216–217
motion/posture implication and, 193–195
Sally-Anne test and, 201–205
temporal associations and, 193–200
tool use and, 165–170, 253–269
ventrodorsal stream and, 242–250
- Ungar, P., 61
- Ungerleider, L. G., 26, 35, 146, 189, 236, 242, 257, 323, 329
- Vallar, G., 236
- Vampire bats, 162–163
- van de Moortele, P. F., 135
- van der Merwe, N. J., 61
- Vanduffel, W., 145
- Van Essen, David C., xiii, xvi, 3–19, 35, 372
- Van Hoesen, G. W., 316, 318
- Van Hoof, J., 222
- Van Oeffelen, M. P., 121, 126
- Van Oostende, S., 10
- van Turenout, M., 33
- Vascularization, xiv, 64–66
- Vaughan, H. G., 23
- Venter, J. C., 77, 79–80
- Ventrodorsal stream, 242–250, 357
- Vesterlund, L., 160
- Vidal, F., 324
- Video games, 258–260
- Vighetto, A., 236
- Vignolo, L. A., 316
- Visalberghi, E., 216
- Visceral endoderm, 80
- Vision, xvi
body cues and, 191–195
brain size and, 76
competition and, 279–282
face processing and, xv, 150, 339–351
frontal eye field and, 11, 275, 316
gaze direction and, 191–192, 199
hand-object interactions and, 192, 197–198
hemispheric shape and, 42–46
hidden action and, 195–197
LOC response and, 31–34
macaque/human comparison and, 8–11
macaque inferotemporal cortex and, 357–369
mirror neuron system and, 213–229
neocortex and, 51–55
number and, 98–113, 118, 135 (*see also* Number processing)
object tracking and, 151n1
perception v. action and, 189–200
posterior parietal cortex (PPC) and, 235–250
primate cerebral cortex and, 46–48
processing streams for, 189–190, 193
reading and, 141–147
retinotopic stimuli and, 24–26
saccades and, 274, 279–282
saliency and, 279–282
Sally-Anne test and, 201–205
selective attention and, 273–286
shape recognition and, 29–34
subitizing and, 99–100
superior temporal sulcus (STS) and, 191–200, 246
surface-based registration and, 11–14
understanding and, 189–205
visual word form area and, 141–147
visuotopic subdivisions and, 8–11
Visual word form area, 141–147
Vocalization, 267–268
Vogels, R., 145
Vogt, B. A., 318
Vogt, C., 243
Vogt, O., 243
Volkmann, J., 99
von Cramon, D. Y., 324, 329

- von Economo, C., 216, 235, 293
Vos, P. G., 121, 126
Voxel resolution, 26
Vrba, E. S., 148
Vygotsky, L. S., 222
- Wachsmuth, E., 191, 194
Wada, Y., 339, 350
Wade, A. R., 9, 11, 14
Walker, A. E., 8, 293
Walking, 62, 68, 253
Wallis, J. D., 177
Walsh, V., 111, 113
Wandell, B. A., 9, 25
Wang, M., 303, 316, 359, 361
Wardak, Claire, xvi, 273–289, 372
Ware, M., 117
Warping, 43
Warrington, E. K., 339
Washburn, D. A., 151
Watanabe, M., 321
Water flea, 85
Watkins, K. E., 228
Watson, J. D. G., 9
Weber fraction, 151n1
Weber's law, xv, 100, 125–126, 141
Weinert, F., 345
Wernicke's area, 76
Westerberg, H., 84
WGA-HRP tracers, 35
Whalen, J., 139, 228
Wheeler, D. D., 58, 61, 342–344
“Where-where” dichotomy, 189
White, C. D., 135
White matter, 84
Whiten, A., 197, 200, 216
Wicker, B., 190, 216, 221
Wiesel, T. N., 87
Wiggs, C. L., 33
Wilcox, S. E., 220
Wilkinson, H., 162–163
Williams, P., 197, 343–344
Willoughby, A. R., 324, 329
- Wilson, H. W., 175
Winocur, G., 339–340, 350
Wisconsin card sorting task, 323
Wise, R. J. S., 142, 303–304
Wojciulik, E., 349
Wolpert, L., 265, 267
Wood, B., 68
Worms, 77–79, 82
Wrangham, R. W., 175
Wynn, T., 107, 117, 253
- Xenopus*, 80
Xiao, Dengke, 189–210, 372
Xu, F., 100, 101, 111, 141, 345, 348–349
- Yamada, H., 267
Yamamoto, T., 339, 350
Yamane, Yukako, xvi, 357–370, 372
Yantis, S., 278
Yarmey, A. D., 341
Yeast, 77–78
Yin, R. K., 339, 341
Young, M. P., 367
- Zago, L., 135
Zeki, S., 10–11, 14
Zhang, H., 81
Zilles, Karl, xiv, 41–56, 73, 372
Zimlicki, R., 172