

Index

(References to figures and tables appear in italics.)

- Abstract-mode assumption, 140
- Abstract-mode model, 118–119, 142
- Acceleration/deceleration times, in vehicle cycle, 221, 222
- Acceptability of a course of action, in evaluation method, 353–354. *See also* Community, agreement
- Access, and choice, 108, 108
- Accessibility. *See* Potential
- Access time, 65–67, 67. *See also* Out-of-vehicle time
- Actions, 341
- Activity pattern, 61
- Activity shifts, 13, 17–18, 20, 27–30, 312, 323
 - highway example, 35–38
 - land-use models, 33, 324
 - models of, in UTMS-1, 431–432
 - relation to transportation demand function, 63
 - representation of, 28–29, 31
- Activity system, 12
 - evolution of, 14
 - interrelationship of transportation system and, 12–14, 58–60, 324
- Activity-system equilibration, 29, 322–325. *See also* Activity shifts
- Activity-system options, 17–18
 - in highway link example, 24
 - in network case study, 511, 520
- Actors, 14–17, 186
 - and affected interests, 346
 - example of organizations in Los Angeles, 347
 - formal definitions, 336, 346
 - varying perspectives of, 352, 355
- Actual volume using a system, 176
- Adaptive planning. *See* Multiyear program plan; Periodic review and reassessment
- Adverse effects, minimization of, 545, 563. *See also* Compensation
- Advisor, role of analyst as
 - to community interests, 570
 - to decision makers, 571
- Advisory committees, 565
- Aesthetic impacts, as resources consumed, 172, 172
- Affected interests, 346. *See also* Actors
- Aggregate behavior, derived from individual behavior, 76–78, 80–82, 114, 147–155. *See also* Aggregation
- Aggregate demand functions, 114, 120
 - examples, 116–121
- Aggregate deterministic demand functions, 120–121
- Aggregate prediction of behavior, 114–157. *See also* Aggregation
- Aggregate sequential demand functions. *See* Sequential choice structures, aggregate
- Aggregate simultaneous demand functions. *See* Simultaneous choice structures, aggregate
- Aggregate stochastic demand functions. 120–121
- Aggregation
 - approaches to, 147–150
 - classification, 149–150, 153–154
 - distributions, 150
 - example, 150–155
 - geographic, 108, 108, 115–116, 154–155, 427, 437
 - naive, 149, 154
 - procedure, defined, 148, 149
 - sampling, 150

- Aggregation (continued)
 - See also* Aggregate behavior;
 - Aggregate demand functions
- Agreement on actions, as process objective, 561–564
- Airborne revenue hours, 252
- Aircraft routing over a network, 170, 170. *See also* Operating plan; Vehicle trajectories
- Aircraft utilization, effect on relative costs, 252–254, 253
- Airfreight, example of an operating plan, 305–308, 306
- Airline network, 302
- Air pollution, 11, 19, 171, 172, 542
- Airport, link representation of, 167
- Airport access
 - and congestion, 501
 - as example of market segmentation, 115
- Airport planning
 - choice issues in, 540
 - and equity issues, 549
 - evaluation issues in, 333–334
- Air quality standards, 542
- Air-rights construction, 562
- Air transportation, example of analysis, 183–198
- Allocation of costs, in network case study, 529–534
- All-or-nothing assignment, 495–498, 502
- Alternative actions, need for, 545–546
- Alternative models, importance of, 585
- Alternative technologies, for a penetration road, 237–241
- Analysis
 - as a continuing activity, 40–45
 - and implementation, 40–47, 586
 - cycles of, 38, 394
 - in network case study, 522–529, 535–539
 - in operations planning case study, 407–414
 - and study design, 585–586
 - ethics of, 589–594
 - iterative nature of, 38–40
 - levels of, 586
 - objectives of, 330, 560–564
 - and the political process, 47, 589
 - (*See also* Choice; Role of the professional)
 - power of, 589
 - product of, 41–47 (*See also* Choice; Evaluation report)
 - value judgments in, 586–587
- Analysis of Alternatives Report, 554
- Analysis summary form, 394, 395. *See also* Evaluation report
- Analyst, judgments of
 - about applications of theory, 34
 - about choice dimensions in demand models, 415
 - in constructing economic goal variables, 371–372
 - about demand functions, 121
 - in demand-model calibration, 406–408
 - in demand-model development for carrier operations planning, 405–407, 408–409
 - about demand variation over time, 321, 403
 - in evaluation, 355
 - about magnitudes of changes, 34
 - about management issues, 583, 585–586
 - in model development, 586–587
 - about operator equilibration, 326
 - about performance functions, 198–203
 - as prediction procedures, 350
 - about scenarios and models, 325–326
 - about the scope of analysis, 12
 - and simple demand prediction methods, 142–147
 - about technical issues, 583–585
 - about travel-market equilibration, 316–319, 465–466, 501
 - values and, 583, 586–587
 - and worksheet design, 398, 399
- Annual cycle, 221, 222, 224–225, 305
- Annual net operating revenue, 371
- Annual net revenue, 371
- Approximate impact prediction, in process strategy, 350, 567
- Approximation methods, 34. *See also* Incremental analysis; Simplified prediction methods
- Arc elasticity, 127

- Arrival rate, 268
- Assignment models, for
 - developing operating plan, 308
- Attributes of choices, in demand models, 86–87. *See also* Service variables
- Automated-guideway transit, 10, 196–198, 197
 - use of disaggregate models for analysis of, 454
- Automobile
 - attractiveness, mode-specific attributes, 140
 - availability, in linked demand models, 441, 451, 456
 - links, in network case study, 509, 517–519
 - in mode-choice model, 91–93, 98
 - in MTC model system, 457
 - in network case study, 509
 - occupancy
 - in MTC model system, 457
 - in network case study, 536
 - in UTMS-1, 431
 - ownership
 - disaggregate model of, 441, 444, 450, 456
 - in network case study, 536
 - in UTMS-1, 432
 - in work mode-choice and shopping joint-choice models, 440, 441, 450
 - typical speeds, 100
- Auto-restricted zones, 10, 453
- Available ton-miles, 234
- Average cost, 231, 236
 - per loaded ton-mile, truck, 218
 - truck versus rail, 243–248
- Average daily volume, 403
- Average hourly volume, 403
- Average product, 231
 - vs. marginal product, 231–233, 233
- Average rail rate, 247
- Average service time, 272, 272
- Average total cost. *See* Average cost
- Backhaul, effect on costs, 243–248
- Balancing of interests, 19, 542
- Balancing procedures, for gravity models, 430
- Barriers to change, 550, 555, 577
- Basic concepts, in systematic analysis, 231–235
- Basic framework for analysis, 11–48
- Basic premises of analysis approach, 11–14
- Baumol-Quandt model, 118–119, 142
- Behavior
 - of groups of consumers (*See* Aggregate behavior)
 - of individuals, 64–86, 467–470
- Behavioral theory
 - and choice hierarchies, 439–443
 - and model formulation, 437
 - and path choice, 467–486
- Benefit/cost analysis, 361, 382–383, 548
- Benefits, distribution of. *See* Differential incidence; Incidence
- Binary mode-choice model, 110, 110
- Block-conditional structures, of choice dimensions, 441
- Boston (Massachusetts)
 - highway moratorium, 541
 - Transportation Planning Review, 434, 541
- Bottlenecks, in network case study, 526
- Budget constraints, in demand models, 87
- Bundles of choices. *See* Choice dimensions
- Burlington Northern railroad, case study, 256–261
- Bus
 - demand for, in MTC model system, 457
 - typical speeds, 100
 - vehicle cycle for, 225–226
- Buslanes, 10
- Bus-route planning, 390–414, 453
- Calculators, used for analysis, 407, 584. *See also* Manual methods; Simplified prediction methods
- Calibrating a demand model, by judgment, 406–408
- Calibration of models. *See* Model development

- Capacity, 268–272, 269
 - alternative definitions, 271
 - excess, 286, 292, 300
 - highway, 271, 296–298, 298
 - railcar, 262 (*See also* Railcar utilization)
 - rail line, 271
 - relation to congestion, 268–273
 - of a system component, 268
- Capacity constraint, effect on performance functions, 187, 189
- Capacity restraint, in traffic assignment, 33, 430, 432
- Capacity volume, 176
- Capital recovery factor, 368–369, 369, 388
 - in network case study, 529–534, 530
- Captive transit users, 429
- Careers, in transportation systems analysis, 6–9, 7, 580
- Carpooling, 10, 450, 453
 - demand for, in MTC model system, 444, 445, 457
- Case studies
 - air transportation route performance, 183–198
 - carrier operations planning, 390–414
 - disaggregate prediction of behavior, 91–111
 - network planning, 505–539
 - owner-operator trucking, 243–248
 - penetration road, 237–241
 - railcar utilization, 256–261
- Challenge of transportation systems analysis, 5, 10–49, 580
- Change
 - barriers to, 550, 555, 577
 - dimensions of, 10–11
 - implementation of, 576–581
 - in socioeconomic characteristics, effect on consumer behavior, 79–80
 - strategies for, 577
- Changing values, 10–11, 357–360
- Choice, process of, 540–557
 - in airport planning, 540
 - in carrier operations planning, 393
 - defined, 39, 331
 - as a phase of the planning and design process, 565, 569–570
 - principles for, 545–555
 - See also* Evaluation; Role of the professional
- Choice-abstract model, 141
- Choice dimensions
 - of consumer behavior, 61–63, 415–417
 - linkages between, 421–425, 439–443
 - and path-choice behavior, 467–470, 493, 494
 - structure of, 441
 - in urban transportation, 439
- Choice hierarchies, 61–63
 - and derived demand, 62–63
 - defined, 440
 - for a firm, 62
 - general concepts, for an individual, 61, 67
 - specific structures, 438–443, 440, 441
- Choice-independent attributes, 138–142
 - in aggregate models, 141
- Choice-independent utilities, 139
- Choice probability, 83
- Choice-specific attributes, 138–142
- Choice transit users, 429
- Clarification of issues
 - as process objective, 560
 - role of evaluation in, 332–335, 554
 - and transportation decision making, 357–360
- Classification
 - as aggregation procedure, 149–150, 153–154, 453
 - into market segments, 114–116
- Clean Air Act of 1970, 542
- Collection link, 167, 168
- Comfort and convenience, as service attributes, 65–66, 66
- Community agreement
 - in evaluation method, 353–354
 - as a process objective, 561–564
- concerns of, in evaluation, 353–354
- definition of, 336, 563
- disruption, 11
- facilities, 562

- Community (continued)
 - organizations, 565
 - role of analyst as advisor to, 570-571
 - values (*See* Societal values)
- Community interaction, 546-549, 564-570
 - catalog of techniques, 565
- Compensation
 - for adverse effects, 546, 549-551, 568
 - in evaluation method, 352-355
 - for residential displacements, 562-563
 - in United Kingdom, 541
- Compensation principle, and Pareto criterion, 550
- Competition for services, in a network, 466
- Components, of transportation systems, 164-166, 164
- Composite activity variables, 136-138, 418
- Composite service level, 134-136, 418
 - as measure of user impact, in network case study, 516, 525
 - for path, 486, 487
 - See also* Generalized cost; User impacts
- Composite variables
 - and the consistency of sequential forms, 418, 423-424, 441, 457
 - in demand functions, 134-138
- Computer models, 584. *See also specific names*
- Confidence of the public
 - in the decision process, 553
 - in transportation professionals, 358-359, 542, 544-545
- Conflicting values, 589
- Conflict resolution, 565-566, 571
- Conflicts
 - in evaluation, 353-355
 - among interests, 552
 - between users and operators, 178, 178
 - See also* Trade-offs
- Congestion, 268-281, 295-300
 - and diminishing marginal productivity, 241
 - effects of, 218-220, 272-273, 272, 278-281, 279, 281, 297-300, 299, 314-316, 315
 - load-dependent, 277-281
 - load-independent, 276-281, 295-300
 - load-schedule, 277
 - load-vehicle, 277-281
 - models of, 273-276, 278-281, 295-300
 - transient conditions, 273
 - and vehicle cycle, 218-222, 222
 - vehicle-facility, 169, 276, 286-287, 295-300
 - vehicle-schedule, 276-278, 286-287, 305-307
- Congestion toll, 273
- Connecting services, 303
- Consensus. *See* Agreement on actions
- Consistency
 - of block-conditional model systems, 442-443
 - of demand functions, 421-425
 - internal, 425
 - of UTMS-1, 436-437
 - See also* Choice dimensions
- Constant-volume assumption, in equilibration, 23
- Constraints on frequency, effects of, 290-292, 290
- Consumer, definition, 64
- Consumer behavior
 - classical theory, 86-87
 - in MTC model system, 457
 - in path choice, 466-470
- Consumer behavior model I, 64-82, 120
 - appraisal, 82-83
 - and path choice, 491
- Consumer behavior model II, 82-86, 120. *See also* Disaggregate demand models
- Consumer choices, represented as demand functions, 73-74, 79-81
- Consumer decision process, 70-71
- Consumer surplus, in evaluation, 376, 377
- Containerization, 10
 - and equity issues, 549-550
- Continuing analysis process, 38-48, 40, 42. *See also* Operations

- Continuing analysis (continued)
 - planning process; Periodic review and reassessment
- Corridor network, 500
- Cost. *See specific types*
- Cost-effectiveness analysis, 385
- Cost functions, 234–266
 - definition, 234
 - effect of option characteristics on, 290–292, 291
 - general form of, 235–241, 235
 - limits of analysis using, 248–250
 - linear form, 237–238
 - long-run, 284
 - nonlinear, 235, 241
 - and output dimension, 234–235
 - penetration road example, 237–241
 - pipeline, 241, 242
 - short-run, 284
 - truck, 218
- Course of action, 562
 - agreement on, as process objective, 568
- Crisis of confidence, 358–359, 542, 544–545
- Criteria for model development, 584
- Criterion of selfishness, in path choice, 469
- Cross-elasticity, 128
- Cruise speed, in vehicle cycle, 221, 222
- Crush loading, 177
- Cycles
 - of analysis (*See Analysis*)
 - vehicle (*See Vehicle cycles*)
- Cycle time, 262. *See also* Utilization; Vehicle cycles
- Data collection, in operations
 - planning, 391–392, 400–401
- Decision authority, locus of, 579
- Decision issues, in transportation
 - planning, 357–360
- Decision makers
 - definition, 336
 - role of analyst as advisor to, 571
- Decision process
 - at consumer level, 70–71
 - at system level, 552–555
- Decision rule, and operator
 - equilibration, 202, 211–212, 326. *See also* Operator equilibration
- Decision variables. *See* Options
- Demand
 - conditions, in equilibration, 176–177
 - congestion effects on (*See Congestion*)
 - derived, 62
 - generated vs. induced, 27
 - for a new mode, 141–142
 - nonuniformity of, effect on costs, 242–249
 - for transportation, 58–156, 319–322, 415–461
 - variations over space and time, 319–322, 394, 404, 404
 - effect on costs, 242–249
 - volume, 176
- Demand functions, 20, 61
 - aggregate vs. disaggregate, 114
 - algebraic forms, 123
 - as behavioral representations, 61, 123–129
 - classification of, 121
 - common forms of, 146
 - derivatives of, 125–129, 125
 - elasticities of, 125–133, 125, 129, 146
 - in evaluation, 373–381, 373, 374, 375
 - grouped by choice structures, 426
 - and path choice, 303–304
 - properties of, 121–142
 - variables included in, 122–123
- Demand models, 30
 - for air travel, 185–186
 - consumer behavior model I, 64–82
 - consumer behavior model II, 82–86
 - with explicit choice hierarchies, 443–458
 - generations of, 156
 - methods from psychology and market research, 156, 157–158
 - in network case study, 510–511, 520
 - in UTMS-1, 437–438
 - See also specific types*
- Demand-responsive transit, 10, 454

- Demurrage charges, 258
- Department of Transportation Act of 1966, Section 4(f), 541
- Design of an analysis, 5, 583–587.
See also Study design
- Design capacity, 200
- Design logic, in model system, 325
- Desired service policy. *See* Service-oriented analysis
- Destination choice, disaggregate models of, 444, 446
- Detailed analysis phase, 565, 568–569, 570
- Deterministic demand functions, 120–121. *See also* Aggregate demand functions; Consumer behavior model I
- Developing countries, transportation in, 4, 33, 60, 198, 237–241
- Development. *See* Economic development
- Dial-a-ride. *See* Demand-responsive transit
- Differential incidence, of transportation impacts, 19, 542
and equity issues, 549–551
in network case study, 516, 538–539
and potential for political conflicts, 541
See also Equity; Incidence
- Dimensionality of options, 281–294
- Dimensions of change, 10–11
- Dimensions of consumer choice, 415–461. *See also* Choice dimensions; Choice hierarchies
- Diminishing marginal productivity, 240, 241
- Direct demand models, 118–119, 156, 426. *See also* Choice dimensions
- Direct elasticity, 128
- Directionality, 403
- Directionality factor, 404
- Direct network, 500
- Direct services, 303
- Disaggregate demand functions, 114
- Disaggregate demand models (stochastic), 84–86, 91–111, 120–121, 138–141, 147–156
applications of, 452–458
efficiency in estimation of, 437
freight, 458
in regional model system, 454–458
of simultaneous choices, 419, 420–421, 426, 444, 446, 448
See also Aggregation; Consumer behavior model II; Multinomial logit model
- Disaggregate deterministic demand functions, 121. *See also* Consumer behavior model I
- Discount rate, 369–370
- Discrete choice, aspect of demand models, 86
- Diseconomies of scale, 236, 241
- Disincentives for automobile use, 10, 453
- Distribution
of characteristics, in aggregation, 150
of effects (*See* Compensation; Differential incidence; Equity)
of empty vehicles, and vehicle cycle, 229
of income, and evaluation methods, 364
of trips, 119, 428, 432 (*See also* Destination choice)
- Distribution link, 167, 168
- Distrust of analysts, 358–359, 542, 544–545
- Disutility, 69
- Diversion curves, 87, 142
- Diversity of styles, for applying theory, 584
- Diversity of values, in society, 358–359
- DODOTRANS, 499
- Domestic capital, in trade-off analysis, 198
- Dominant direction of flow, 404
- Do-nothing alternative. *See* Null alternative
- Dual-mode transit, 10
example of analysis to set R&D priorities, 196–198, 197
See also Automated-guideway transit

- Duties of the analyst, 570–571.
 See also Role of the professional
- Ecological impacts, 11
 as resources consumed, 172, 172
- Economic analysis in evaluation, 360–361, 365–384, 589
 limitations of, 360–365
- Economic capacity, 271
- Economic concepts as goal variables, 366–384
 in network case study, 516
 in operations planning case study, 408
 role in evaluation, 383–384
- Economic development, role of transport in, 14, 58–60. *See also* Activity system; Penetration road
- Economic interests, perspective of, 172
- Economies of scale, 236
- Effective agreement, 564
- Effects of transportation, on social and economic activity, 58–60.
 See also Impacts
- Elastic behavior, 126
- Elasticities, 125–133
 and composite variables, 137
 and prediction, 129–133, 142–147
 of prices, effect on revenues of, 194–195
 properties of, 128–129, 129
 in transit analysis, 399
 types of, 127–128
 for urban passenger demand functions, 131, 131
 See also Demand functions
- Empty backhaul, 244
- Energy, as resource consumed, 172, 172
- Energy conservation measures, 454, 458
- Engineers, role in transportation organizations, 554
- Entropy models, 120n
- Environmental effects of transportation, 11
 as resources consumed, 172, 172
 See also Impacts
- Environmental impact statements, 541, 554, 569
 and evaluation, 355–356
- Environmental interests, perspective of, 172
- Environment of a system, in performance functions, 174, 176
- Equilibration, 28–30, 312–327. *See also* Activity-system equilibration; Operator equilibration; Travel-market equilibration
- Equilibrium analysis, 176–177
- Equilibrium conditions, 314
- Equilibrium flow pattern. *See* Travel-market equilibration
- Equilibrium models
 in network case study, 515
 simplified, 327
 in travel-market equilibration, 30–31
- Equilibrium volume, 21, 176
 and capacity, differences between, 177
 estimation using load factor, 199
 as measure of user impact, 182
- Equity, 541, 542, 549–551
 barriers to, 550
 considerations in developing alternatives, 545–546
 of a course of action, 562–563
 in evaluation method, 353–354
- Equivalent annual cost, 368, 371
- Equivalent-day volume factor, 403
- Equivalent-hour volume factor, 403
- Equivalent-service approach, 248
- Estimation of model parameters. *See* Model development
- Ethics of analysis, 574, 589–590
- Evaluation, 39, 330–387
 aggregation versus disaggregation, 381
 basic method of, 335–336, 348–356, 348
 and choice, 331
 classical approaches, 360–365
 and decision process, 553
 definition, 331
 economic analysis in, 360–384
 and environmental impact statements, 355–356
 extension of basic method to large-scale problems, 366–385
 and goal formulation, 331
 government viewpoints, 381–383

- Evaluation (continued)
 - issues to be clarified, 332–335
 - judgment, 360
 - as a management tool, 335, 355, 553
 - in network case study, 515–516, 536
 - operator perspective, 372
 - performance model use in, 182–183
 - product of, 331–332
 - purpose of, 330–335
 - reasons for proposed method, 356–365
 - role in the process of analysis, 330–331
 - role of prediction models, 350
 - scoring functions, 361–362
 - as a technical problem, 346–349, 347
 - user perspectives, 372–381
 - value judgments in, 331, 333–335, 358–360
- Evaluation report, 332, 335, 348, 354–355, 408, 554
 - in decision process, 553
 - in network case study, 536
 - in operations planning case study, 393, 394, 396, 399
 - in process strategy, 567, 569
- Exogenous events, 18, 28, 322, 325
- Expertise, limits to, 590
- Expert judgment, in evaluation, 350
- Explicit equilibrium analysis, 198
- Exploration of issues, as a phase in the planning and design process, 565, 567–568
- Exponential demand model, 123, 125
- Exponentials, values of, 595
- Expressway links, in network case study, 509, 519
- Facilities
 - effect of costs, 295
 - interaction with vehicles, 170
 - networks of, 169, 169
 - as options, 285, 287
- Fair market value, and relocation compensation, 562
- Family life cycle, as a basis of market segmentation, 115
- Feasibility, of a course of action, 562
- Federal-Aid Highway Act of 1962, 541
- Field offices, 565
- Fieldwork, 565
- Financing and subsidies, as options, 16
- Fixed costs, 236
- Fixed facilities. *See* Facilities
- Flexibility of plans, 551. *See also* Multiyear program plan
- Flight hours, as a measure of utilization, 251
- Flow distribution rule
 - behavioral perspective, 490–492
 - definition, 478
 - empirical evidence for, 491
 - major types, 486–492
 - system-optimizing, 489–492
 - user-optimizing deterministic, 486–488
 - user-optimizing stochastic, 488–492, 500
- Flow patterns, 12–13, 19, 21
 - in network case study, 520–525
- Flow prediction
 - basic concepts, 19–27
 - basic hypothesis, 19–21, 31–32
 - simple example, 23–27, 35–38
- Foreign exchange, in trade-off analysis, 198
- Freight demand
 - disaggregate models of, 458
 - effect of incentive rate on shipper behavior, 258
 - example of shipper behavior, 72–78
 - market segmentation and, 115
- Freight transportation, and aggregation, 150
- Frequency of trips, disaggregate models of, 444, 446, 450
- Friction factor, 135
- Functional impacts, 19. *See also* Activity shifts
- Generalized cost, 135, 430
- Generalized extreme value model, 85
- Generalized price, 135
- General share model, 425
- Generated demand, 27

- Generation of alternatives, 39. *See also* Search procedures
- Geographic aggregation. *See* Aggregation
- Goal formulation and revision, 41, 330, 331
- Goals
 - changes in societal, 10
 - of different groups, 333–335
 - latent vs. manifest, 345
 - service level, and performance functions, 199–200
- Goal statements, 345
 - and value information file, 346, 350
- Goal variables
 - definition, 341
 - using economic concepts, 366–384
 - in network case study, 516, 538–539
- Government, viewpoint of, in evaluation, 381–383
- Governmental impacts, 19
- Gravity models, 32, 116–118, 430
 - as examples of sequential choice structures, 419
- Gross-benefit view, in evaluation, 375, 377
- Gross revenue, 182
- Gross user benefit, 374
- Guideway, 165

- Harvard-Brookings model system, 33, 277n, 324–325
 - path choice in, 487–488
 - and UTMS-1, 433
- Hierarchical structure of analysis. *See* Levels of analysis
- Highways, 10
 - alignment of, systematic analysis, 198
 - capacity of, 271, 296–298, 296
 - cost function example, 237–241
 - and equity, 549
 - and flow prediction, 23–27, 35–38
 - projects for, systematic analysis, 198
- Historical sites, 562
- Home-based trips, 429, 457
- Home-to-work travel, 510
- Hypothesis of choice-independent utilities, 139

- Identification of effects, 546–547
- Identification of problems and opportunities, 392
- Idle time, in vehicle cycle, 222, 224
- Impact prediction
 - approximate methods of, 547
 - and community involvement, 546–549
- Impacts
 - definition, 18, 336
 - major types, 18–19
 - not reflected in profit, 573
 - resources consumed, 171–172, 172
 - of urban transportation actions, 340
- Impact tableau
 - definition, 344
 - in evaluation, 346, 350–351
 - example, 342
 - in network case study, 516, 526, 527, 536, 537
- Impedance, 135
- Implementation
 - of change, 555–557, 576–581
 - of technical decisions, 542
- Implementation phase, of analysis, 41
- Implementation strategy, for carrier operations planning, 390–391
- Incentive rates, 258
- Incidence, of adverse and beneficial impacts, 332–335, 347, 365, 563
 - in network case study, 516, 538–539
 - See also* Differential incidence
- Income distribution, effect on aggregate mode choice, 78–82
- Incremental analysis, 34, 108–109, 142–147, 394, 584
 - to approximate equilibrium, 199
 - with assumed model structure, 144–146
 - with elasticities, 132, 142–144, 146
 - using a judgmentally estimated model, 146–147, 146
 - using a performance model, 198
- Incremental assignment, 499
- Incremental logit, 108–109, 144–146, 453

- Incremental logit (continued)
 - in operations planning case study, 405–406
- Incremental prediction, 34. *See also* Incremental analysis
- Independence of irrelevant alternatives property, 85, 468, 489
- Indifference curves, 68, 68
- Indivisibilities of transportation
 - options, 285–295
 - consequences of, 286, 291–295, 294, 295
 - effect on cost function, 294–295, 295
- Induced demand, 27
- Industrial logistics system, and network equilibrium, 491
- Inelastic behavior, 126
- Inequities, 542
 - elimination of, 568 (*See also* Compensation)
- See also* Differential incidence
- In-service time, 222, 224
- Interactions
 - between vehicles, 169–170, 169
 - between vehicles and facilities, 169, 170
 - between technical analysis and community interaction activities, 567–568
- Intercity passenger demand models, 118–119
- Intercity passenger transportation studies, 4, 12, 33. *See also* Northeast Corridor Study
- Interdisciplinary approach, 554
- Interest rate, 367–370
- Intermediate-run cost functions, 284
- Intermediate-run options, 282
- Internal consistency, of demand functions, 421, 425
- Interregional input-output model, 33
- Intervening-opportunities model, 120n
- Interzonal level of service, 493
- Interzonal volume, 493
- Intraorganizational elements, in the decision process, 574–575
- Intuitive search procedures, 39
- In-vehicle time, 65–67, 67
 - in estimated models, 445, 446, 447
 - in network case study, 509, 514
 - in performance model, 179–180
- Issues, clarification of. *See* Clarification of issues
- Jitney mode, in MTC model system, 457
- Job training, 562
- Judgment, as evaluation method, 360
- Judgmental-model approach, in incremental analysis, 146–147
- Known-service-level assumption, 316–317, 318
- Known-volume assumption, 317–319, 318
- Kraft-SARC model, 118
- Labor
 - impacts on, in choice process, 573
 - and operating plan, 308
 - as a resource, 172, 172
 - in trade-off analysis, 198
- Lancaster's approach to demand, 87. *See also* Choice-independent attributes
- Land, as resource consumed, 172, 172
- Land-use models, 33
 - PLUM, 455
- See also* Activity shifts
- Latent goals, 346
- Laws and regulations affecting transportation planning and decision making, 541–542. *See also* Environmental impact statements: Process guidelines; *specific names*
- Levels of analysis, 585, 586
- Levels of choice, 61–63
 - for an individual, 61, 61
 - for a firm, 62, 62
- See also* Choice dimensions; Choice hierarchies
- Levels of service. *See* Service levels
- Life, of vehicle, 262
- Light rail transit, typical speeds, 100

- Limited information, making predictions with, 142–147
- Linear cost functions, 236–238
- Linear demand models, 123, 125, 143, 146
 - and network equilibration, 490–491, 495
- Linear scoring functions, 361–362
- Line-haul links, 12, 167, 168
- Line-haul time, 65–67, 67
- Linkage
 - of activity-shift and transport models, 323–325, 323, 324, 325
 - of purposes, in demand models, 451
- Link level of service, 493
- Links, 303, 464, 492
 - characteristics of, as options, 16
 - in network case study, 509, 513, 517–519
 - in simple networks, 479–484
 - types of, 167, 168
- Link volumes, 493
- Load-carrying system, 165
- Load-dependent congestion, 277–281
- Load factor, 177
 - assumption of, to estimate equilibrium volume, 199
 - in performance model 1, 181–182
 - as profitability surrogate, 213–214
- Load-independent congestion, 276–281, 295–300
- Load-schedule congestion, 277
- Load/unload time, in vehicle cycle, 221, 222
- Load-vehicle congestion, 277–281
- Locational decisions. *See* Activity shifts
- Locus of decision authority, 579
- Logistic demand model, 123, 125, 145, 146
- Logit model. *See* Multinomial logit model
- Logsum variable, 423. *See also* Composite variables; Potential
- Long Island Expressway, 36–38
- Long-range plan, 43
 - uncertainty in, 551
- See also* Multiyear program plan; Periodic review and reassessment
- Long-run cost functions, 284
- Long-run equilibrium, 29, 322–325
- Long-run options, 282
- Low-capital options, 453
 - and relevance of demand models, 435–436
- McLynn model, 118–119, 134
- Maintenance, and operating plan, 306
- Maintenance base, and vehicle cycle, 220, 221, 224
- Maintenance strategies
 - effect on vehicle cycle, 224
 - and trade-off analysis, 198
- Maintenance system, 166
- Maintenance time, 224, 245
- Management, of analysis process, 554
- Management judgments, in analysis, 583, 585–586
- Management system, 166
- Manifest goals, 345
- Manual methods, for prediction, 91–111, 394, 453, 454, 584. *See also* Simplified prediction methods; Worksheets
- Marginal cost, 232, 236
 - vs. average cost, 273
- Marginal product, 231
- Marginal productivity, diminishing, 240, 241
- Marginal service time, 272, 272
- Marine shipping services, evaluation issues, 334
- Market
 - in a network, 303
 - for transportation, 19–20
- Market prices, in evaluation, 364
- Market segments, 114–116, 149–150
 - as basis for classification, 453
 - and composite service levels, 136
 - in disaggregate demand models, 451
 - examples of, 115–116
 - representation in demand functions, 122, 133–134
 - sampling of, 150
 - in UTMS-1, 428
- Market structure, influence of, 319–322
- Mass media, monitoring of, 565

- Master plans, 551. *See also*
 - Periodic review and reassessment
- Materials, as resources consumed, 172, 172
- Maximum net revenue, frequency-price combinations for, 194–195, 195
- Mediation and arbitration, 565
- Merging of vehicle flows, 169
- Methodological challenge of transportation systems analysis, 5, 35, 48
- Metropolitan Transportation Commission. *See* MTCFCST; MTC model system
- Midrange plan, 43
- Mileage, total annual, and vehicle cycle, 218–220
- Milwaukee (Wisconsin), case study of, 196
- Minimizing adverse effects, 545, 563
- Minimum paths, 432, 470, 497
- Mission definition of an organization, 577–578
- Mobility bundle, 442
- Mobility choices, 440
- Mode choice
 - disaggregate model of, 91–111, 444
 - example of calculations using worksheets, 92–98, 103–105
 - in network case study, 510–511
 - by urban passengers, 444, 445
 - in UTMS-1, 119, 428, 430, 432
- Model development, 155, 584–587
 - criteria in, 584–585
 - of demand models, 142–147, 155, 406–408, 451
 - estimation methods for, 437–439
 - in UTMS-1, 434
 - value judgments in, 586–587
- Models
 - physical, as community interaction techniques, 565
 - vs. scenarios, 325–326
- Model systems. *See* Systems of models; *specific names*
- Mode-split models. *See* Mode choice
- Mode-specific constant, 92. *See also* Choice-specific attributes
- Moratorium on highway construction, 541
- Movement links, 167
- Movement processing time, 222, 223
- MTCFCST, 455
- MTC model system, 454–458, 456
- Multidimensional utility, 364
- Multidisciplinary approach, 586
- Multilink chains, 429
- Multimodal networks
 - as a premise of analysis, 11–12
 - in network case study, 517
- Multinomial logit model, 85–86
 - for automobile ownership, 448
 - conditions for consistency, 423–424
 - in incremental analysis, 144–146
 - in network case study, 510–511
 - path choice, 468, 470, 484–486, 489
 - relation to Dial's stochastic assignment, 470, 489
 - for shopping, 446
 - and simplified prediction methods, 143–147, 146
 - urban mode split, 91–93, 110
 - See also* Mode choice; MTC model system
- Multinomial probit, 85, 468, 489
- Multiobjective analysis, 385
- Multipath assignment models. *See* Stochastic assignment models
- Multipath stochastic assignment. *See* Stochastic assignment models
- Multiple service attributes, in path choice, 486–488
- Multiple uses, of rights-of-way, 562
- Multistop services, 303
- Multiyear program plan, 43–45, 44, 46
 - as focus for periodic review, 551–552
 - See also* Periodic review and reassessment
- Naive approach to aggregation, 149
 - example, 154–156
- National Environmental Policy Act of 1969, 541, 554

- National freight transportation policies, model for analysis of, 458
- National transportation policy analysis, 453
- Negotiation to resolve conflicts, 565–566, 571
- Negotiator, role of analyst as, 571
- Net present value, 369, 371
- Net revenue, 177, 183
 - frequency for maximum, 187, 188
 - in network case study (*See* Revenue to operator)
- Network analysis case study, 505–539
- Network characteristics, reflecting spatial structures, 166, 169, 464
- Network definitions, 470–472, 471
- Network equilibrium, 464–502
 - behavioral basis of, 466–470, 478–492
 - case study, 505–539
 - examples for simple networks, 479–484
 - flow distribution rules and, 478, 486–492, 499
 - general formulation of, 492–495, 494
 - issues in, 464–467, 472–476, 507–508
 - with multiple choice dimensions, 486, 498
 - network representation influence on, 500–501
 - network structure influence on, 464–466, 472–476, 479–484
 - relationships, 476–486, 478
 - and simultaneous choice structures, 486, 498
 - in UTMS-1, 32, 119, 428, 430, 432, 495
 - See also* Stochastic assignment models
- Network options, 16
- Network of services, 300–308
- Network representation, 500–501
- Network size, 465
- Network topology, 492
- Newsletters and newspapers, in community interaction, 565
- New transportation systems, and R&D priorities, 196–198, 197
- Nodes, 492
- Noise and Property Value Compensation Act, 541
- Noise pollution, 11, 19, 171, 172
- Non-home-based trips, 429
 - in MTC model system, 457
 - for people-mover system, 454
- Nonlinear cost functions, 235, 241
- Nonstop services, 303
- Nonuniformity of demand, effect on costs, 242–248
- Nonvehicle links, 167
- Normative model of professional role, 559–580
- Northeast Corridor Study, 4, 33, 118
- Null alternative, 331, 344, 355, 545
 - barriers against choice of, 578
- Objectives of analysis, 330, 560–564
- Objectivity
 - in analysis, 544–545, 587, 589
 - of analyst, consequences of supposed, 542
 - in balancing interests, 542
 - in model development, 586
 - See also* Value judgments
- Off-peak demand, 404
- Off-road vehicles, 237
- Ombudsmen, 565, 571
- On-board survey, 413
- Openness of the decision-making process, 550
- Operating cycle, 220, 221–224, 222
- Operating plan, 305–308, 306
- Operating policies, 16–17
 - in air transportation example, 173–195
 - interrelation with other options, 281–295
 - in network case study, 513, 519–520
 - in operations planning case study, 390–414
 - railroad, and reliability and utilization, 264–265
 - and relevance of demand models, 435–436
 - systematic analysis of, 187, 188, 191–195
- Operational base, 220, 221
- Operational cycles, 305

- Operationally stable capacity, 271
- Operational servicing time, 221, 222
- Operations planning case study, 390–414
- Operations planning process, 42, 391–393
 - continuing analysis process, 38–48
 - periodic review and reassessment, 43–45, 551–552
- Operator equilibration, 13, 29–30
 - conditions for usefulness, 325, 326
 - in integrated model system, 313, 325
 - and supply function, 200–205
- Operators
 - cost to, in network case study, 251–254
 - definition, 14
 - impacts on, 18
 - in network case study, 516, 525, 526, 528, 535, 536, 538, 538
 - objectives of, in deriving supply function, 202, 327
 - perspective of
 - reflected in economic goal variables, 372
 - in system performance, 171
 - on system of services, 302, 304–305
 - revenues of, 177
- Operator-user trade-offs. *See* Trade-offs
- Opportunity cost of capital, 370
- Optimal frequency
 - for different technologies, 191
 - for a given price, 194
- Optimization methods, as search procedures, 39, 326, 585
- Options, 14–18
 - dimensionality of, 281–294
 - explicit variation of, 30
 - for facilities, 285, 287
 - indivisibilities of, 285–295
 - interrelated, effects of variations in, 291, 291
 - operating policy, 16, 282, 285, 287
 - in performance model, 179
 - time frames of, 282–285, 291–292
 - and time lags, 285
 - variations over time, 321, 403–404, 404
 - for vehicles, 285, 287
- Organizational barriers to change, 555
- Organizational policies, as options, 17
- Organizational structures, 552
- Origin-destination matrix, 494
- Origin-destination pair, 492
- Origin-destination patterns, in operations planning case study, 413, 414
- Out-of-pocket travel cost, 65–67, 67, 72, 78, 91
 - in estimated models, 445, 446, 448
 - in network case study, 509, 514
 - in performance model I, 179–180
- Out-of-vehicle time, 65–67, 67, 72, 78, 91
 - in estimated models, 445, 446, 448
 - in network case study, 509, 514
 - in performance models (*See* Performance models I, II, III)
- Output dimension, in cost functions, 234–235
- Owner-operator truckers
 - cost function for, 218
 - effect of backhaul on, 243–248
 - example of vehicle cycle, 218–220
 - and rail competition, 243–248
- Parameter estimation. *See* Model development
- Parameter variations, analysis of, 195–198
- Parametric analysis. *See* Systematic analysis
- Pareto criterion, 550
- Park-and-ride, in network case study, 509
- Parking facilities, in network case study, 509, 519
- Parking restrictions, 453
- Participation of public. *See* Community interaction; Public involvement
- Passenger behavior. *See* Consumer behavior models I, II

- Path
 - of a user, 303, 464
 - of a vehicle, 170, 170, 220, 220, 303, 464
- Path choice, 491
- Path level of service, 473–474, 478, 493
- Paths, in network case study, 513
- Path volumes, 493
- Pattern of flows. *See* Flow patterns
- Peak and off-peak services, 407
- Peaking factors, 403, 404
- Peaking problem, 320–322, 403, 404
- Peak period, in network case study, 510
- Peak-period demand, 404
- Peak-period demand functions, 410
- Pencil-and-paper methods. *See* Manual methods; Simplified prediction methods
- Penetration road, 237–241
- People-mover systems. *See* Automated-guideway transit
- Performance of a transportation system, 163–309
- Performance functions
 - definition, 174
 - highway, 296
 - and supply function, 200–203
 - surface, 175, 175
 - use in analysis, 176–178
- Performance model I, 178–182, 182, 281
 - and more detailed analyses, 205–206
- Performance model II, 278–281, 280
- Performance model III, 286–291, 289
 - implications of, 291–300
- Performance prediction, in operations planning case study, 412
- Periodic review and reassessment, of transportation decisions, 43–45, 551–552, 579. *See also* Multiyear program plan
- Personal flexibility, need for, 9
- Personal values, 590
- Perspectives of various interests,
 - as complement to technical expertise, 587. *See also* Community interaction
- Physical capacity, 271
- Physical impacts, 18
- Pipelines, cost functions for, 241, 242
- Pivot-point methods, for incremental prediction, 132, 142–146
 - with an assumed model structure, 144–146, 146
 - with elasticities, 142–144
 - in operations planning case study, 399
- Plan, 322. *See also* Long-range plan; Multiyear program plan; Options
- PLUM, 455
- Pocket calculator. *See* Calculators
- Point elasticity, 127
- Policy, 322
- Political nature of transportation decisions, 47–48, 559
 - balancing of interests, 19, 542
 - conflicts among interests, 552
- Political role of analyst. *See* Role of the professional
- Pollution, 11
 - as resource consumed, 172
- Port, link representation of, 167–169, 168
- Positioning, 243
 - time, 221, 222, 224
- Posters, as community-interaction technique, 565
- Potential, in demand models, 117–118, 420. *See also* Composite variables
- Power of analysis, 589
- Practical capacity, 271
- Prediction, 38, 330
 - of aggregate behavior, 121 (*See also* Aggregation)
 - context of, 38–49, 39
 - with demand elasticities, 129–133, 142–147
 - with disaggregate demand functions, 147–155
 - of effects, 546–547
 - in network case study, 513–515
 - of operator response (*See* Operators)

- Prediction (continued)
 - of service levels, 99–108
 - See also* Incremental analysis; Simplified prediction methods
- Preferences of consumers, represented by utility functions, 68–71
- Presentation of information to the public. *See* Community interaction
- Price
 - effect of incentive rate on shipper behavior, 258
 - elasticity, 194–195
 - as an option, 16
 - in performance model, 179–180
 - variations, and performance functions, 191–195, 193
- Pricing policies
 - analysis using disaggregate demand models, 453
 - and performance functions, 191–195, 193
 - See also* Operating policies
- Principles for choice process, 545–555
 - application to airport planning, 556
 - application to highway planning, 555
 - application to transit, 556
- Private-sector decision-making process, 571–576
- Probabilistic choice, example, 84–86
- Probability formulas, 597
- Process guidelines, 555
- Process objectives, 560–564
- Process strategy, 564–570
- Product, average vs. marginal, 231
- Product-form demand model, 123, 125, 143, 146
- Productivity, of a vehicle, 178–179. *See also* Utilization
- Product of analysis, 41–47. *See also* Choice; Evaluation report
- Professionals
 - career trajectories of, 6–9, 7, 580
 - style of, 578–579
 - See also* Analyst; Distrust of analysts; Public views of transportation professionals;
 - Role of the professional; Technical team
- Profit maximization, as objective of firm, 572
- Program, 322. *See also* Multiyear program plan
- Programming, 552
- Public hearing, 565
 - in process strategy, 569
- Public information centers, 565
- Public involvement, 547–549. *See also* Community interaction
- Public views of transportation professionals, 358–359, 542, 544–545
- Qualifications, for project manager, 554
- Queuing models, 273–275, 274, 275
 - of load-schedule congestion, 278–281
 - in performance model II, 278
 - of vehicle-facility congestion, 295–300
- Radio and television, in community interaction, 565
- Railcar cycle, 226–229. *See also* Vehicle cycle
- Railcar utilization, and costs, 53–54, 207–209, 226–229, 251–252, 252, 256–261
- Rail commuter service
 - demand for, in MTC model system, 457
 - links, in network case study, 509, 519
- Rail rapid transit, typical speeds, 100
- Railroads
 - costs of, compared with truck costs, 243–248, 247
 - demand for, 72–78
 - network of, 302
 - randomness in consumer choice, 83–86
 - system policy, and vehicle cycle, 261–265
 - truck as competition to, 243–248
- Ranking of actions, 345
- Rate of return, 361

- Recreational and community facilities programs, 344
- Referenda, 565
- Regional model system, 454–458
- Regional passenger transportation studies. *See* Intercity passenger transportation studies
- Regulation, as option, 16
- Relationship of individual to group choices, 76–78, 80–82. *See also* Aggregation
- Relevance
 - as criterion in model development, 584
 - of UTMS-1, 435–436
- Reliability
 - of rail service, 264–265
 - and utilization. 264–265
- Replacement housing program, 344, 562
- Research and development
 - evaluation issues, 334
 - priorities for, 196–198, 197
- Resource consumption, 29, 171–172, 172
 - in cost function analysis, 248
 - functional representation of, 174
 - in performance model I, 180–181
 - in performance model III, 288
 - and service level, in performance functions, 174–176, 175
- Resource models, 30
 - in network case study, 513–515
 - See also* Performance models I, II, III
- Revenue flight hours, 251
- Revenue ton-miles, 234
- Revenue to operator, in network case study, 516, 525, 526, 528
- Revision of prior decisions. *See* Periodic review and reassessment
- Reward structure, in an organization, 578
- Risk, as basis for discount rate, 370
- Role of engineers in transportation organizations, 554
- Role of the professional, 5, 559–581
 - classical model, 542–545
 - normative model, 559–580
 - personal style, 578–579
 - political role, 559
 - in private-sector decisions, 571–576
 - technical role, 559
 - See also* Analyst; Professionals
- Route, 303, 464
- Route choice, in MTC model system, 457
- Route planning, bus, 390–414, 453
- Safety, as a service variable, 66
- Sample size, for disaggregate models, 452
- Sampling
 - aggregation procedure, 149–150, 153–154, 453
 - applied to freight analysis, 458
 - in MTC model system, 458
- Satisficing behavior, 87
- Scenarios, 322, 325–326
- Scheduled maintenance, 224
- Schedule slack, 222, 223
- Scheduling
 - of facilities, 308
 - of labor, 307–308
 - of vehicles, 307–308
- Scope of an analysis, 12
- Scoring functions, 361–362, 548
- Search procedures, 39, 330, 585
 - in network case study, 516, 522–523, 526, 535–536
 - relation to performance functions. 199–200
- Selfishness criterion, in path choice, 469
- Sensitivity analysis
 - to alternative demand models, 409–410
 - need for, 551
 - performance function used for, 195–198
- Sequential choice structures, 417–426
 - aggregate, 418–420, 419, 426
 - disaggregate, 420–421, 419, 426
 - in UTMS-1, 427–433
- Sequential demand functions. *See* Sequential choice structures
- Sequential production process, 579. *See also* Periodic review and reassessment
- Serviceability, of a railcar, 262

- Service attributes. *See* Service variables
- Service characteristics, 20. *See also* Service variables
- Service conditions, in
 - equilibration, 176–177
- Service cycle, 220, 222, 224, 305
- Service function, 20, 174
 - highway example, 23
 - in network case study, 512–514
 - See also* Performance models I, II, III
- Service levels
 - effect on mode choice, 93–99
 - example of calculations, 99–108
 - goals, and use of performance functions, 199
 - importance in cost function analysis, 248–250
 - as measure of user impacts, 182
 - necessary to cause a shift in choice, 74–75
 - in performance model I, 174, 179–181, 181
 - in performance model III, 287
 - relation to highway capacity, 271
 - and resources, interrelation in performance functions, 174–176, 175, 180–181, 181
- Service models, 30
- Service-oriented analysis, 292–295, 300, 325
 - in network case study, 530–531
- Service rate, 270
- Services, and number of stops or transfers, 303
- Service times, marginal and average, 272, 272
- Service variables, 20, 65–67, 66, 67
 - in network case study, 509
- Setup phase, of analysis, 40–41
 - in carrier operations planning case study, 400–407
 - in network case study, 507–521
 - See also* Study design
- Shared-ride mode, disaggregate models of, 444, 445
- Share functions, in UTMS-1, 428
- Share models
 - and consistency of sequential forms, 425
 - in incremental analysis, 143–147, 146
- Shipper behavior
 - effect of rate on, 258, 258
 - as example of consumer behavior model I, 72–78
- Shipper services, as service variable. 66
- Shopping trips, disaggregate model, 444, 446
- Short-range plan, 43
- Short-run cost functions, 284
- Short-run equilibrium, 29. *See also* Travel-market equilibration
- Short-run options, 282
- Simplified prediction methods, 130–132, 142–147
 - with disaggregate models, 155, 453–454
 - in process strategy, 567, 585–586
 - See also* Calculators; Incremental analysis; Manual methods; Worksheets
- Simultaneous-choice demand models, and network equilibrium, 486
- Simultaneous choice structures, 417–426
- Simultaneous demand functions. *See* Simultaneous choice structures
- Sketch-planning methods. *See* Simplified prediction methods
- Social effects of transportation, 11, 18, 58–60. *See also* Differential incidence; Incidence
- Social impacts, as resources consumed. 172, 172
- Social interests, perspective of, 172
- Social-recreational trips, 444
- Social welfare function, 548. *See also* Scoring functions
- Societal values
 - changes in, 357–364
 - economic goal variables to reflect, 381–383
 - procedures for determining, 364–365
 - See also* Incidence; Evaluation
- Socioeconomic context, of transportation, 11–14

- Spatial structure, of transportation system, 166, 169, 300–308, 464.
See also Network equilibration
- Speeds, of various transportation modes, 100, 100
- “Spider” network, 500
- Spokesmen
 - for affected interests, 346
 - role of analysts as, 571
- Staged construction, and trade-off analysis, 198
- Staging of actions, 43, 322–325, 324, 325, 327
See also Multiyear program plan; Periodic review and reassessment
- Station stopped time, 221, 222
- Status hierarchy, in an organization, 578
- Stochastic aggregate demand functions, 120–121
- Stochastic assignment models, 120n, 468, 470, 484–486, 488–492
- Stochastic disaggregate demand models, 84. *See also* Disaggregate demand models (stochastic)
- Stochastic multipath assignment models. *See* Stochastic assignment models
- Stochastic user-optimizing flow distribution rules, 488–492, 500
- Strategies to preserve flexibility, 551
- Strategy, for achieving process objectives, 564–570
- Strategy for analysis, 45–47, 585.
See also Design of an analysis; Study design
- Stratification, 133–136
in UTMS-1, 429
- Street links, in network case study, 509, 519
- Streetcar mode, in MTC model system, 457
- Study design, 5, 583–587
flexibility in, 586
as phase in process strategy, 566–567 (*See also* Setup phase)
resource allocation in, 585
See also Analysis; Choice
- Styles, for applying theory, 584
- Styles of prediction, 34
- Substantial agreement, as a process objective, 563–564
- Subsystems, 164–166, 164, 167
- Supply functions, 29–30
derived from performance functions, 200–203, 203, 313
See also Operator equilibration
- Surveys, 565
- Synthetic prediction, 34
- Systematic analysis, 47
basic concepts in, 231–235
cost function in, 234–250
display of results, 234–235
of frequency and price, 191–195, 195, 407
general applicability of, 198
and model design, 585
of operating policy, 187, 188
of options, 212–213
air transportation example, 186–196
transit fare example, 93–99
using performance functions, 177–178, 178, 183, 184, 186–196, 188, 198–203
of pricing options, 191–195, 193, 195
and R&D priorities, 196–198, 197
- System effects, in evaluation of user benefits, 379–380
- System operating policies. *See* Operating policies
- System-optimizing flow distribution rules, 489–492
as search procedures, 499
- System performance
basic representation of, 173–175, 175
in space and time, 300–308 (*See also* Network equilibrium)
See also Performance functions
- Systems of models, for prediction, 30–34. *See also* Harvard-Brookings model system; MTC model system; Urban Transportation Model System
- Technical-analysis phase, 41, 564
- Technical judgments, in analysis, 583–585

- Technical team, 336, 562
 - responsibility of, 563–564
- Technology
 - alternative road-vehicle combinations, and cost functions, 237–241
 - as an option, 15–16
 - in network case study, 509, 517
 - in performance model, 179
- Temporal and directional variations in demand, 403, 404
- and travel-market equilibration, 472
- Temporal structure, of a transportation system, 166
- 3-C planning process, 542–543
- Time, value of, in evaluation, 378
- Time budget, in demand model, 87
- Time frames of options, 282–285, 283
 - consequences of, 291–292
- Time-of-day, in MTC model system, 457
- Time lags
 - in changing options, 285
 - in impacts on the activity system, 324
- Time-staged simulation model, 324
- Time value of money, 367–370
- Total cost incurred by operator, 183, 231
- Total transportation system, need to deal with, 11–12
- Total-user-and-operator-cost approach, in evaluation, 382
- Trade-offs, 47, 408
 - in choice phase, 569
 - demonstrated by alternatives developed, 545–546
 - among design elements of a highway, 198
 - in evaluation method, 355, 384–385
 - among frequency and price, 195, 195
 - among options, price and frequency, and net revenue, 195, 195
 - represented by curves, 178, 178
 - between resources consumed and levels of service, 204
 - role of evaluation report, 554
 - among service attributes in demand functions, 75–77, 80
 - between user and operator in alternative highway alignments, 198
 - in network case study, 516, 525, 528
 - using performance functions, 186–196, 188, 192
 - See also* Systematic analysis
- Trade-off ratio, in utility functions, 69–70
- Traditional approaches to decision making, failures of, 358–365, 542–545
- Traffic assignment, 32, 495. *See also* Network equilibrium
- Trajectory of a vehicle, 170, 170, 220, 220, 303
- Transferability, of disaggregate models, 452
- Transfer facilities, 166
 - alternative views of, 167–169, 168
- Transfer links, 167
- Transfers, number of, in path choice, 488
- Transfer services, 303
- Transit fare variations
 - effects of, 93–111, 96
 - in network case study, 529
- worksheet for, 98
- Transit finance, and equity issues, 550
- Transit mode split, disaggregate models of, 110, 444, 445
- Transit projects, and equity, 549
- Transit systems, simplified methods for analysis, 454
- Transportation
 - as political power, 589
 - socioeconomic context of, 11–14
- Transportation control plans, 542
- Transportation demand function, relation to activity-shift function, 63
- Transportation options, 15–17
 - in network case study, 512–513, 517–520
- Transportation plans, 341
- Transportation system
 - alternative perspectives on, 164–172

- Transportation system (continued)
 - components of, 165–166
 - definition of variable, 12
 - performance function for, 173–178
- Transportation systems analysis
 - applications of, 32–34
 - basic premises of, 11–14
 - characteristics of, 3
 - challenges of, 5–6, 10–49, 580
 - methodological, 35, 48
 - substantive, 14
 - hypotheses in, 31–32
 - as a political process, 542
- Transportation systems management. *See* Low-capital options; Multiyear program plan; Options; Operating policies; Systematic analysis; Trade-offs
- Transportation teaching package (TTP), 508
- Transport model, 323
- Trapezoidal approximations, to user benefits, 376–377, 377
- Travel choices, 440
- Travel-market equilibration, 24, 29, 30–31, 312–322
 - approximations to, 199, 247, 316–319
 - backhaul ratio and, 247
 - computational approaches to, 498–500
 - in deriving supply function, 202, 204
 - examples of congestion effects, 314
 - in networks, 464–502 (*See also* Network equilibrium)
 - with performance functions, 176–177
 - using performance model I, 181–182
 - using performance model II, 280–281
 - simplified, 327
 - solution methods, 25–27, 498–500
 - in UTMS-1, 430–433, 431
- Travel options, 17
- Travel time
 - prediction of, 412
 - as service variable, 65–67, 66, 67
- Travel time while loaded, 221, 222
- Travel time while unloaded, 221, 222
- Trip attraction, 429, 430, 432
- Trip definition, in UTMS-1, 429
- Trip distribution, 119, 428, 432 (*See also* Destination choice)
- Trip frequency, 444, 446, 450
- Trip generation, 428, 429, 432
 - aggregate model for, 159
 - in UTMS-1, 119
- Trip profiles, examples, 100–108, 101
- Truck costs
 - compared with rail costs, 243–248
 - example of backhaul, 243–248
 - example of vehicle cycle, 218–220
 - See also* Owner-operator truckers
- Truck mode, demand for, 72–78
- Type 1 relationship, 13, 20, 63, 312. *See also* Travel-market equilibration
- Type 2 relationship, 13, 20, 27–28. *See also* Activity shifts; Activity-system equilibration
- Type 3 relationship, 13, 20, 27, 29, 200–205, 313, 326
- Ultimate capacity, 271
- Uncertainty
 - and design of alternatives, 551–552
 - in evaluation, 355
 - about exogenous events, 325–326
 - ranges of, in estimates, 397, 398
- Unique equilibrium, existence of, 32
- Unscheduled major maintenance, 224
- Urban development, impact of transportation on, 58
- Urban highway, evaluation issues, 333, 337, 340, 342
- Urban passenger transportation market segmentation, 115
 - travel demand elasticities, 130–132, 131
- Urban redevelopment, 562

- Urban Transportation Model System (UTMS-1), 119–120, 156, 426–437, 494, 584
 - appraisal, 433–437
 - conceptual structure, 426–429, 435–437
 - dimensions of choice, 426–427, 435–437
 - directions for improvement, 437–438, 454–458
 - inconsistencies in, 32, 433–437
 - limitations of, 433–437
 - market segments in, 428
 - and network equilibrium, 494
 - sequential structure, 427–428
 - submodels, 32, 427–431
 - travel-market equilibration in, 419, 430–433
- Urban transportation planning, 3, 32
- Urban Transportation Planning System (UTPS), 455
- Urban travel models, new
 - directions, 443–458
- User benefit/cost analysis, 361, 382–383, 548
- User cost, 66
 - in evaluation, 376, 377
 - trapezoidal approximation, 376–377, 377
- See also* Composite service level
- User impacts, 18
 - differential incidence, 378–379, 380
 - economic goal variables and, 372–381, 373, 374, 375, 377
 - expressed by service level and equilibrium volume, 182
 - in network case study, 516, 525, 527, 528, 535, 537, 538, 538
 - options available, 14–15, 17
- User-operator total cost, in evaluation, 382
- User-operator trade-offs. *See* Trade-offs
- User-optimizing flow distribution
 - rules, 490, 499
- User perspectives
 - on alternative paths, 303–304
 - economic goal variables and, 372–381
 - on path choice, 473–474
 - on a transportation system, 171
- See also* Service variables; Trip profiles
- Utiles, 69
- Utility, 69
 - choice-independent, 139
- Utilization, 251, 262
 - effect on costs, 251–254
 - of a fleet of vehicles, 306–307, 307
 - and operating plan, 306–307
 - of railcars, 261–265
 - of vehicles, as a policy issue, 262 (*See also* Vehicle cycles)
- UTMS. *See* Urban Transportation Model System
- UTPS. *See* Urban Transportation Planning System
- Value information file, 346, 350
- Value judgments, in analysis, 583, 586–587. *See also* Analyst, judgments of
- Values, changes in, 10
- Van pools, 10
- Variable cost, 236
- Vehicle acquisition cost, 295
- Vehicle assignment to routes, 304–305
- Vehicle availability, relation to congestion, 277n
- Vehicle cost, effect of utilization on, 251–254
- Vehicle cycles, 218–230, 250–265, 305–307
 - changes in, and effect on costs, 219–220
 - components of, 220–225
 - economics of, 250–265, 257
 - in network context, 302, 305
 - opportunities to affect, 229–230
- Vehicle-facility congestion, 169, 276, 286–287, 295–300
- Vehicle-facility interactions, 169, 286–287
- Vehicle fleet
 - economics of, 254–255
 - management of, effect on vehicle cycle, 229
- Vehicle investments, 287
- Vehicle links, 167
- Vehicle operating-cycle time, 222, 224
- Vehicle options, 16, 186–191, 190

- Vehicle productivity, 178–179
- Vehicle-schedule congestion, 276–278, 286–287, 305–307
- Vehicle trajectories, 170, 170, 220, 220, 303
- Vehicle utilization. *See* Utilization; Vehicle cycles
- Vertical or short takeoff and landing (V/STOL) aircraft, 10, 12
- Volume
 - actual, 176
 - capacity, 176
 - constraint, 187, 189
 - demand, 176
 - equilibrium, 176
 - of flow, 20 (*See also* Flow patterns; Flow prediction)
- Volume-capacity ratio, 296
- Volume–travel time functions, 512

- Waiting time
 - as a function of headway, 100
 - in performance model, 179–180
 - See also* Out-of-vehicle time
- Walk distance, and path choice, 488
- Walking, typical speeds, 100
- Walk links, 167
 - in network case study, 509, 517
- Wardrop's first principle, 469–470, 479, 488
- Wardrop's second principle, 490–491
- Willingness to pay, 373–381, 373, 374, 375
- Working meetings, 565
- Work rules, 308
- Worksheets
 - for analysis summary, 395
 - in carrier operations planning, 395, 398, 407
 - for demand prediction, 91–98, 95, 98
 - for organizing calculations, 93
 - for parametric analysis, 98
 - for service-level prediction, 99–108, 103
 - for volume estimation, 95, 98
- Workshops, 565

- Zone centroids, 471, 492
- Zones, traffic, 427, 470–472