

# Index

*Italicized numbers refer to pages with definitions or explanations of terms. Some standard game-theoretic concepts such as “equilibrium point,” “best reply,” or “mixed strategies,” which are repeatedly used in the book, are only indexed for their definitions.*

- Admissible new choice sets, 52, 61, 119, 198  
Agent normal form, 26, 33, 34, 205, 344, 365  
Agent payoff decomposition, 48, 49, 56, 59  
Agents, 31–32, 33, 35–63, 67–68, 71–72, 75, 92–114, 118–119, 123, 127–128, 178–180, 195, 198–199, 202, 205, 211, 267, 269–270, 274, 286, 313–315, 328, 367  
Agent splitting. *See* Sequential agent splitting  
Agreement set, 213  
Almost all games, 133–134, 135–136, 142, 144, 175, 185  
Anticonflicts, 24–26  
Arrow pattern, 150, 154–156, 160  
Asymptotic solution, 265, 266, 267, 269–272  
Aumann, R. J., xiii, 8, 11, 40, 358–359, 368  
Auxiliary games, 147, 149–150, 153–161, 165, 167, 178, 180, 189, 212, 240  
Axiomatization, 67, 86, 203  
  
Backward-induction rationality, 345, 348, 352–353  
Backward-moving variable segment, 181, 187, 192, 295  
Bargaining, 9, 21–26, 89, 215, 219, 243–244, 266–272, 285, 299, 311, 326–327, 341–342, 362, 365–367  
Bargaining set, 8  
Basic games, 202, 203, 241  
Basic solution, 203  
Basic solution function, 202, 203  
Bayesian decision theory, 131, 204  
Bayesian rationality, 355  
Behavioral combination. *See* Behavior-strategy combinations  
Behavior strategies, 35, 36–40, 46, 54, 56–59, 63, 74, 102–103, 119, 131, 178–180, 198–199, 202, 207, 210–211, 227–228  
Behavior-strategy combinations, 36, 40, 52, 61–64, 73, 94, 102–113, 110, 202  
Best replies, 39, 365  
Best-reply correspondence, 75, 76, 246  
Best-reply invariance, 80, 82, 86  
Best-reply sequence, 210–211  
Best-reply structure, 75, 76–81, 83, 87–88, 211, 213, 234, 248–249  
Bicentric priors, 195–196, 204, 207–208, 209, 211–212, 215–216, 218–224, 227, 229, 248–259, 272, 276–280, 289–293, 298, 300–302, 330, 332–334, 359–360, 367  
Bicentric prior strategies, 196, 208, 214, 218, 220, 228, 253  
Binmore, K. G., 366  
Blackmailer’s fallacy, 24  
Bricks, 105  
Brouwer’s fixed-point theorem, 168  
  
Candidate elimination and substitution, 195–197, 203, 221, 222, 227, 229–230, 238, 241, 248  
Candidate sets, 195–197, 203, 224–228, 229–230, 232, 236–239, 241, 307–308, 338–339, 361  
Carrier (of a mixed strategy), 132, 134–135  
Cell consistency, 67–68, 100, 101, 103–106, 112–113, 117, 120, 122–126, 128  
Cells, 29, 67–68, 82, 90–91, 95, 96–106, 109, 114, 117, 124, 197, 202, 206, 217, 231–232, 246–247, 269. *See also* Elementary cells  
Central local best reply, 57, 58–59, 179–180, 196, 199, 207–211, 214, 220, 224, 228  
Central local best-reply stability region, 210  
Centroid, 57, 68, 95, 119, 165, 167, 177, 195, 197, 202, 210, 227–229, 237, 241  
Characteristic function, 23  
Choice sets, 31–32, 34, 50–54, 71, 95, 267  
Circular risk dominance, 347  
Class leaders, 305, 306–307, 330, 338, 362  
Closest neighbors. *See* Next neighbors  
Collective rationality, 356  
Commitments, 4, 18–23, 27–28, 89, 365  
Commonsense subjective-probability judgments, 282–283  
Complete class (of games), 100, 101–103, 121–123, 125, 202  
Complete information, 9, 10–11, 299, 328, 362  
Completely mixed strategies, 34, 46–47, 53–55, 61, 98, 132, 167, 198, 231  
Composition, 102, 103–104  
Conspicuous risk dominance, 219, 220, 221, 281–282, 292, 296, 330, 335

- Constant segments, 152, 157, 159, 161, 181, 183, 185, 187, 191–193  
 Continuity, 68–70  
 Cooperative games, 1–12, 21–23, 26, 341  
 Coordination property, 54, 57, 59  
 Core, 8  
 Critical points, 196, 214, 224, 336  
 Decentralization properties, 29, 50–51, 54  
 Decomposable games, 90, 101, 103–104, 117, 120–124, 126–127, 247, 269  
 Decomposition, 68, 103–104, 106, 117–118, 120, 125, 126–128, 197, 202, 206, 237–238, 241, 246, 268  
 Defining vector, 133, 134  
 Destabilization point, 150, 184–185, 186, 189, 191, 258–259, 294  
 Destabilization strategies, 186, 187  
 Deviation losses, 77, 87–89, 201, 213  
 Discrete games, 273–274, 285–286, 313  
 Distinguished path, 144, 147, 162–163, 174, 181–183, 187, 193  
 Dominance, 196, 221, 223, 225–227, 229, 232, 236–237, 248, 288, 297–300, 305–306, 308–309, 325, 330, 336, 338–339  
 Dominated strategies, 344, 351–352  
 Drees, M., 366  
 Duplicate classes, 68, 117, 119, 120–128, 202, 206, 232, 247  
 Elementary cells, 100, 102–104, 121, 124–128  
 Elimination of duplicate classes, 119–120, 121–122, 127  
 Elimination of inferior choices, 118, 120–122, 126–127, 237, 247  
 Elimination of semiduplicate classes, 119–120, 121–122, 127  
 Elimination step, 197, 222, 227, 229  
 Embedded (in a game), 52–53, 55  
 Endogenous expectations, 342–343  
 End point, 144, 163, 165, 171–173, 181  
 Enforceable agreements, 1–5, 8–9  
 $\varepsilon$ -Extreme local strategies, 60–61, 105, 107–108, 111, 220, 245, 247, 268–269  
 $\varepsilon$ -Perturbations, 60–61, 62–65, 91, 95, 98–99, 105–109, 111, 113, 214, 219–221, 231–238, 240–241, 245, 249, 268, 274  
 Equilibrium demands, 317, 318  
 Equilibrium points, 40, 137. *See also*  
     Perfect equilibrium point; Strong equilibrium point  
 Equilibrium point selection. *See*  
     Equilibrium selection theory  
 Equilibrium selection problem, 12, 13, 22, 341  
 Equilibrium selection theory, 64, 67, 70, 73, 75, 82, 105, 110, 178, 216, 267, 272  
 Equivalent games, 70, 87, 94, 103, 233–234, 237  
 Essential agents, 336  
 Essential net distance, 337, 338–339  
 Essential strategic distance, 336–337  
 Essential strategies, 212  
 Essential subintervals, 212, 214, 224  
 Existence problem, 65–66  
 Extension, of a solution function, 103, 104–105, 121, 123, 125, 128–129  
 Extensive form. *See* Extensive games  
 Extensive games, 4, 9, 12, 16, 21, 29–31, 41, 43, 46, 63, 67, 90–98, 105–110, 115–116, 240, 342, 345–350, 365  
 Feasible path, 143, 144, 161, 174, 176, 181–183, 192  
 Finite games, 3, 40, 65, 74, 243, 267, 273, 365  
 First candidate set, 197, 203, 224, 232, 235, 238, 241, 248, 307, 338  
 First-order information, 140, 164–165  
 Fixed threats, 24, 88, 209, 213, 215  
 Fixing agents, 50, 51, 53, 56, 59, 92, 95, 100–102, 127–128, 205, 249  
 Follower (of an agent), 41, 42–43, 45, 49  
 Formation consistency, 205, 206, 209, 212, 217  
 Formations, 195, 198, 199–201, 205–206, 212, 217, 241, 249–250  
 Formation spanned by two equilibrium points, 205, 206, 212, 214, 217, 249–250  
 Forward-moving variable segment, 181  
 Forward set (of an agent), 48, 49, 210  
 Free of payoff ties, 133, 135  
 Fully decomposable games, 101–102, 103–104, 121  
 Game-theoretic rationality, 345, 354–359  
 Gillies, D. B., 8  
 Global conspicuous risk dominance, 281, 282  
 Global dominance, 232, 233, 248, 261, 264  
 Global payoff efficiency, 105–106  
 GÜTH, W., 243  
 Harsanyi, J. C., 10–11, 15, 21–22, 24–25, 66, 169, 175, 368  
 Hybrid combinations, 38, 48, 57–59, 118–119, 198

- i*-Incomplete combinations, 35, 37–39, 77, 131–136, 143, 164, 167, 181–184, 200, 214, 231–232, 276, 366  
*ij*-Incomplete joint mixtures, 37, 38–39, 56–59, 198–199, 207, 210, 228  
*i*-Incomplete prior vector, 138, 139, 179, 334  
*ij*-Incomplete combinations, 37, 39, 59, 198  
 Imperfect equilibrium point, 13, 16–19, 27–28  
 Imperfect information, 9, 10–11, 23  
 Imperfectness problem, 13, 16–17, 22, 26, 65, 91  
 Imperfect recall, 30, 365  
 Implicit function theorem, 169  
 Improper mixed strategies, 132  
 Incomplete information, 9–10, 11–12, 21, 23, 285, 311, 326–327, 341  
 Incompletely mixed strategies, 132  
 Indecomposable games, 101, 103–105, 117, 120–122, 124, 126, 269  
 Individual rationality, 356  
 Inessential agents, 336, 337  
 Inferior choices, 68, 117, 118, 119–127, 202, 206, 232, 247  
 Infinite games, 243, 267  
 Information sets, 4–5, 29–31, 41–43, 67, 92, 313, 347, 350, 353–354, 365  
 Initial candidates, 198, 202, 203, 240, 248  
 Initial strategy, 186, 293–294  
 Instability problem, 12, 13–15, 22, 26  
 Interior substructure class, 65, 100, 108, 112, 224, 230  
 Interior substructures, 29, 50, 53, 55–61, 65, 74, 98, 100, 102, 119, 122, 125, 128, 199, 202, 207, 209–210, 212  
 Intransitivities, 216–217. *See also* Circular risk dominance  
 Invariance with respect to inferior choices, 68  
 Invariance with respect to isomorphisms, 67, 73, 74–75, 86, 106–109, 122–123, 125, 209, 212, 237  
 Invariance with respect to positive linear payoff transformations, 70, 73, 75, 104, 125  
 Invariance with respect to sequential agent splitting, 112, 113, 115, 270  
 Irrational strategies, 12–13, 17  
 Irreducible games, 68, 117, 121, 122–125, 128–129, 195, 197, 202, 237, 241  
 Isomorphisms, 67, 72, 73–76, 106–109, 120, 124, 212–213. *See also* Invariance with respect to isomorphisms  
 Joint mixtures, 37, 38, 54, 119, 132–133, 196, 199–200, 207, 210–211, 214, 223, 366  
 Jump segments, 152, 157, 159, 161, 181, 184, 186–187, 191–193, 259  
 Kalai, E., 215, 344, 355  
 Kohlberg, E., 344–355, 351–354  
 Kreps, D., 344  
 Kuhn, H. W., 30, 36  
 Kuhn's theorem, 36, 40, 46, 47, 54, 55–56, 64  
 Leopold-Wildburger, U., 243, 270  
 Limit curve, 171–172, 173–174  
 Limit equilibrium points, 63–64  
 Limit solution, 60, 65, 66–67, 91, 106–108, 111–113, 197, 214, 238, 240–241, 260–261, 263–270  
 Limit solution function, 29, 64, 65, 107, 230, 234  
 Limit truncation, 113–114  
 Linear tracing procedure, 141, 144, 145, 147, 151, 154, 159–162, 165, 167, 169, 173–177, 178, 180–187, 239, 248–249, 256, 258, 280  
 Line segments, 181, 183, 185, 367  
 Local best replies, 39, 54–59, 68, 102, 119, 195, 199–200, 210–211  
 Local best-reply property, 54, 56, 57–58, 74, 102, 119–120  
 Local best-reply set, 57, 118, 199  
 Local equilibrium points, 40, 41, 54, 74  
 Local payoff efficiency, 105–106  
 Local payoff function, 48, 59, 210  
 Local strategies, 35, 37, 41, 47, 50, 52–60, 73, 94–95, 98–99, 101–102, 178–180, 205, 220, 314, 345  
 Logarithmic tracing procedure, 141, 144, 162, 165, 171–172, 173–177, 178, 179–180, 202, 205–206, 212, 234, 236–237, 248–249  
 Luce, R. D., 1  
 Lutz, B., 243  
 Main truncation, 102, 103–104, 121, 124–125, 269  
 Maschler, M., 8, 11  
 Matching pennies, 202  
 Material implication, 18–19  
 Maximal stability, 196, 221–222, 226, 227–230  
 Maximin payoff demands, 315, 317, 325  
 Maximin payoffs, 315, 317

- Mertens, J. F., 344–345, 351–354  
 Minimum principle for risk dominance, 282  
 Mixed combinations. *See* Mixed-strategy combinations  
 Mixed strategies, 34  
 Mixed-strategy combinations, 34, 36, 77, 132–133, 195, 204, 207, 227  
 Modified  $\epsilon$ -perturbations, 233, 234, 238  
 Myerson, R. B., 344
- Naive Bayesian approach, 139, 140, 142, 147  
 Narrowing choice sets, 50, 51, 52–54, 56, 59–61, 118–120, 198, 200  
 Nash, J. F., 1, 3, 8, 11, 21–25, 40, 74, 143, 199  
 Nash bargaining solution, 11, 21–22, 83, 88, 209, 213, 215, 297, 300, 327–329, 365  
 Nash-products, 83–84, 88, 113, 203, 213, 214–217, 221, 230–232, 238, 268, 327  
 Nash-property, 209, 215, 232  
 Next neighbors, 196, 224–225, 307–308, 337  
 Noncooperative bargaining models. *See* Bargaining  
 Noncooperative games, 1–12, 21–23, 26, 67, 75, 131, 137, 341–342, 354  
 Nondegenerate unanimity games, 231, 232–233, 266, 268  
 Non-negative linear payoff transformations, 94–95, 100  
 Normal form, 6, 9, 12, 16, 19, 21, 26–27, 29, 31, 33, 34, 46, 68, 72, 74–75, 84, 99, 200–201, 213, 221, 234, 240, 244, 247, 342, 344–351  
 Normal-form dependence, 345  
 Notational unambiguity condition, 52, 61
- Outcome, selected by the tracing procedure, 144, 153, 159, 161–162, 172–173, 175–177, 183, 185, 187, 280, 361  
 Outcome-selection process, 137, 162–165
- Partial invariance properties, 117, 120–125  
 Partial invariance with respect to duplicates, 121, 123, 125–126  
 Partial invariance with respect to inferior choices, 121, 123, 125–126  
 Partial invariance with respect to semiduplicates, 121, 123, 125, 128  
 Partially decomposable games, 102, 103–104, 121  
 Payoff decomposition, 44, 45–48, 63
- Payoff dominance, 80, 81, 82–84, 88–90, 195–197, 223, 229, 233–238, 240–241, 248, 276, 282, 288, 298, 300, 305, 325, 330, 335, 347–351, 355–359, 361–363  
 Payoff efficiency, 81, 82, 105–106  
 Payoff equivalence, 36, 46, 55–56  
 Payoff functions, 32, 34, 94, 141–142, 165, 167–168, 178–180, 182–184  
 Payoff monotonicity, 67, 84, 85–87, 209, 217, 219  
 Payoff vector function, 44, 47  
 Perfect equilibrium point, 6–7, 13, 16–20, 27–30, 33, 63, 341, 343–344. *See also* Uniformly perfect equilibrium points  
 Perfect information, 9, 10, 23  
 Perfect recall, 29, 30, 36, 41–42, 44–45, 46–50, 54–58, 62–66, 74, 100, 102, 111–112, 119, 122, 125, 128, 199, 202, 207–212, 220–221, 224, 230, 240, 365  
 Perfect recall class, 65  
 Persistent equilibrium points, 345, 355  
 Personal vector, 133  
 Perturbed games, 29, 50, 63, 274–276, 317, 325, 368. *See also* Uniformly perturbed games  
 Player  $i$ 's  $z$ -line, 214, 215, 224  
 Player subcombinations, 38  
 Pooling equilibria, 321  
 Positive linear payoff transformations, 67, 70, 72, 79–80, 94–95, 99, 103–104, 233, 236  
 Postcombination, for an agent, 48  
 Postmistake payoff demand, 318, 320  
 Potential central local best replies, 210  
 Precombination, of an agent, 47, 55–56  
 Predecessor, of an agent, 41, 42, 45, 47  
 Prediction problem, 139  
 Preplay communication. *See* Preplay negotiation  
 Preplay negotiation, 9, 31, 89–90, 359  
 Primitive equilibria, 203, 275–276, 281–282, 305–308, 317, 325  
 Primitive formations, 195, 197, 200, 201–203, 222, 232, 241, 248, 354–355  
 Primitive games, 200, 201–202  
 Prior probability distributions, 137, 138, 171, 177, 195, 207, 239, 248, 277–278  
 Priors. *See* Prior probability distribution  
 Prior strategy, 138, 258–259, 278  
 Prior strategy combinations, 138  
 Prior vectors, 138, 139, 142–144, 147, 153, 155, 159, 164, 171, 175, 177, 182, 185, 189, 293, 298  
 Prisoner's Dilemma, 1, 357

- Probabilistic model, 10–11  
 Probability mixture, 132, 134, 136, 181, 184  
 Proper equilibrium points, 344  
 Proposed solution function, 90, 203, 230, 234, 236  
 Pure combination. *See* Pure-strategy combination  
 Pure payoffs, 133  
 Pure risk-dominance solution, 88, 89–90, 112, 357–359  
 Pure stability sets, 135  
 Pure strategies, 31–32, 33–34, 40, 131  
 Pure-strategy combination, 32, 33, 41, 77, 131, 168, 191–192, 213–214, 233  
 Quasi play, 43, 45, 47  
 Quasi-play combination, 43, 44, 48, 63  
 Raiffa, H., 1  
 Randomly fluctuating payoffs, 15–16, 26, 365  
 Realization probability, 34–35, 37–38, 47, 55–56, 62  
 Recursive local payoff relationship, 49, 58–59  
 Reducible games, 121, 124, 128  
 Reduction, 68, 117–118, 125, 126–128, 197, 202, 206, 237–238, 241, 246, 268  
 Renamings, of players, agents, and choices, 67, 71, 72–75, 87  
 Regular z-line, 220  
 Reply sequences, 59, 60  
 Restricted game, 195–196, 205, 206, 208, 212, 223–224, 248–250, 299, 328  
 Reversal point. *See* Destabilization point  
 Risk dominance, 67, 75, 82–89, 112, 116–117, 195–197, 203–206, 208, 209, 212–223, 227, 229, 233–236, 241, 248–250, 253, 256, 258–265, 276, 278, 281–282, 288–289, 293, 295–296, 300, 303–305, 325–330, 336, 339, 347–350, 355–359, 361–363  
 Risk-dominance diagram, 260, 261–265  
 Risk-dominance regions, 261, 262–264  
 Roth, A. E., 343  
 Rubinstein, A., 365–366  
 Samet, D., 344, 355  
 Sard, A., 175  
 Schelling, T. C., 343, 365  
 Second-order information, 140, 164–165  
 Selten, R., 13, 18, 30, 33, 64, 66, 243, 344, 365  
 Semicells, 91, 95, 96–100, 103, 113, 115  
 Semiduplicate classes, 68, 117, 119, 120–125, 127, 202, 206, 232, 247  
 Semipooling equilibria, 321  
 Separable games, 141, 143, 167, 178, 180, 185, 189  
 Separating equilibria, 321  
 Sequential agent splitting, 67, 109, 110–111, 112–116, 217, 347  
 Sequential equilibrium points, 344  
 Shapley value, 8, 283–284  
 Short  $\epsilon$ -perturbations, 234, 235–236, 249  
 Size, of a game, 202, 203  
 Size class, 134  
 Size vector, 134  
 Smorodinsky, M., 215  
 Solution agreement, 126, 127–128  
 Solution function, 29, 64, 65, 68, 75, 81, 84, 88, 90–91, 99–104, 107–108, 112, 115, 117, 121–125, 128–129, 197, 202–203, 230, 234  
 Solution of a game, 195, 202, 222, 237–239, 240–241, 248, 261, 263, 274, 281–282, 297, 305, 307–308, 338–339, 345, 348, 350, 354  
 Source set, 175  
 Stability diagram, 77, 78  
 Stability index, 196, 226, 227, 307, 337–338  
 Stability regions, 77, 83, 198, 209–210  
 Stability sets, 76, 118, 120, 135, 146–147, 153  
 Stable equilibrium points, 345, 354  
 Standard form, 26, 29–66, 33, 68, 70, 72–74, 90–100, 102, 104–119, 122, 125, 128, 178, 198–200, 202, 205, 207, 209–210, 212, 220–221, 224, 230, 240, 267, 273–274, 285–286, 343–344, 368  
 Starting point, 144, 163, 171–172, 177, 179, 181  
 Stearns, R. E., 11  
 Strategic distance, 196, 221, 223, 224, 225–226, 241, 248, 306–307, 336, 361  
 Strategic net distance, 196–197, 221, 225–226, 227, 241, 306, 307, 309, 361–362  
 Strategy part, 143, 163, 170, 173  
 Strategy plans, 162–163  
 Strategy space, 132, 143, 145, 159, 165, 170  
 Strong best reply, 39, 134, 183, 215, 280, 292, 295  
 Strong dominance, 150  
 Strong equilibrium point, 40, 67, 76–77, 84, 86–90, 112, 136–137, 142, 147, 152, 181–183, 185, 187, 189, 192, 198, 200–201, 213–216, 219–221, 224, 230–238,

- 246–249, 259–261, 275–276, 281, 287–288, 292, 299, 324–325
- Strong local best reply**, 40, 41
- Strong player**, 311, 313, 315–317, 321–322, 331–333, 335, 339
- Subclass leaders**, 330, 338
- Subcombinations**, 36, 37, 49, 51, 62, 96, 99
- Subfeasible path**, 182, 183–185
- Subformaion**, 199, 200
- Subgame consistency**, 90, 91, 106–107, 345, 348, 351, 368
- Subgames**, 29, 67, 90–98, 105–109, 113, 115, 345, 347–353
- Subgame truncation consistency**, 107, 108
- Subjective probability distribution**, 137
- Subjective-probability judgments**, 282–283
- Subjunctional conditionals**, 18–19
- Substitute of a candidate set**, 197, 221, 227, 228, 234, 236, 238–240
- Substitution step**, 197, 222, 227, 229, 230, 239–240
- Substructures**, 29, 36, 49–51, 53, 59, 61, 67, 91–96, 113, 195, 198, 201–202. *See also* Interior substructures
- Subtree**, 91–92
- Succession probability**, 43–44
- Symmetry**, 70, 107, 120, 355
- Symmetry-invariant equilibrium points**, 73, 74, 81–82, 198, 228, 237
- t*-Coordinate**, 143, 157, 159, 161
- Teams**, 30–31, 240
- Terminal choices**, 42, 49
- Test sequences**, 63
- Tracing map**, 175
- Tracing procedure**, 131, 137, 139–141, 162, 177–178, 181, 185, 187, 189, 193, 195–197, 200, 204, 215–216, 219, 227, 229, 253, 259, 293, 295, 354, 359–361, 366. *See also* Linear tracing procedure; Logarithmic tracing procedure
- Transaction costs**, 243, 266–272
- Tree of a game**, 90–91
- Tree of a player**, 41, 42–43, 45–47, 55, 58–59, 62–63, 210
- Truncation**, 100–101, 103–104, 107–109, 117, 120, 125, 128. *See also* Main truncation
- Truncation consistency**, 67–68, 100, 101, 103–107, 112–113, 117, 120, 122–125, 128, 345, 348, 351, 368
- Truncation game**, 345, 347–353
- t*-Values**, 149–165, 182–183, 186, 191–193, 293–295, 303
- Ultimatum games**, 24
- Unanimity games**, 25, 209, 213, 214–216, 221, 224, 230–233, 238, 243–244, 266, 268–269, 327
- Unbranching path**, 182, 183–185
- Uncertainty**, 131, 206, 208–209, 217, 360–361
- Uniformly perfect equilibrium points**, 63, 64, 65–66, 343–344, 354, 361
- Uniformly perturbed games**, 18, 26, 29, 60, 61, 95, 177, 197, 273–274, 285–287, 313–314, 365
- Uniform perfectness**, 63, 66, 343–344, 354, 356
- Van Damme, E.**, 368
- Variable segments**, 152, 159, 161, 181, 185, 187
- Vector best reply**, 39, 137, 139–140, 146–147, 256, 258, 280, 292–295, 303–304
- Von Neumann-Morgenstern stable sets**, 8
- Von Neumann-Morgenstern utilities**, 70
- Weak dominance**, 118–119, 365
- Weak equilibrium point**, 198, 201, 213, 275, 287
- Weak player**, 311, 313, 315–317, 321–323, 331–332, 334–335, 339
- Well-defined linear tracing procedure**, 144
- Wilson, R.**, 344
- z*-Line subinternal**, 211