

Index

- Action learning, 453
- Active inhibition, 25, 32–33, 35–36, 39, 85, 96, 116–117, 120–121, 123, 125–128, 179, 310, 413–416, 421–423, 426, 428–429, 437, 440
- Activity packet or bump, 178–180, 194, 310–312, 315, 413–414, 416–430
- Allocentric, 47, 65, 203, 280, 283, 288–289, 300, 302, 305–306, 387, 401–403, 429–430, 433, 436–438, 440–441, 444, 446–447, 451, 468. *See also* Reference frame
- Amnesia, 102, 275, 277–279, 282, 284, 286–288, 402. *See also* Memory
- Angular head velocity signal, 7–8, 12–14, 18, 23, 35, 37, 87–93, 96, 102, 113, 115–117, 125, 128, 139–140, 142, 178, 213, 239, 315, 348, 351, 355, 358–359, 361, 422–423, 426–430, 440–441
- Anterior cingulate cortex, 6, 37, 339
- Anterior dorsal thalamic nucleus (ADN), chapters 1, 2, 3; 71, 74, 78, 84–88, 92, 94, 97–104, 139–142, 147, 149, 151–156, 165, 172–174, 193, 203–206, 224, 227, 232, 235–236, 241, 268, 270, 281, 285, 288, 426, 439–440, 459–460, 465, 467
- Anticipatory time interval (ATI), 10–12, 14, 86, 389, 428–430
- Associative learning/memory, 226, 412
- Attention, 194, 204, 206, 208–209, 213, 216, 284, 354, 459, 467
- Attractor network models, 32, 87, 172, 178–181, 194, 196, 266, 299–300, 309–316, 411–430, 440, 460
- Auditory stimuli. *See* Cues, auditory
- Autoassociative network, 310
- Autonomous navigating systems, 434
- Ballistic stimulus-response associations, 76, 253, 433
- Basal ganglia, 213. *See also* Striatum
- Basis function, 443
- Beacons, 232, 249, 252, 373, 433. *See also* Cues
- Behavioral tasks. *See also* Mazes
- active allothetic place avoidance (AAPA), 384
 - alternation, 145, 231–232, 257, 283–285 (*see also* Maze, T-, Y-)
 - delayed (non)match-to-sample (DNMS/DMS), 225, 279, 281, 284–285
 - discrimination, 144, 254, 256, 259, 262, 279, 281, 283–284, 321, 411, 444
 - episodic memory, 275, 279, 288, 299, 308–309, 312, 316, 469
 - food-carrying, 227–229
 - place avoidance, 384
 - place preference, 333
 - place recognition, 437
 - random foraging/goal-directed, 57, 70–71, 74, 76, 138, 142, 155–156, 165, 169–170, 197, 256, 411, 465
 - reorientation, 62, 128, 151, 249, 251–253, 255, 260, 264, 386, 449
 - topographic memory, 102, 286
 - virtual reality, 287, 359, 385, 468
- Behavior-based robots, 148, 154, 354, 358, 372, 433–455
- CA1, 18, 142, 164–165, 169, 174, 187, 192–193, 195, 268, 284, 304–305, 308–309, 436–437, 443–447, 449–451, 453. *See also* Hippocampus
- CA3, 20, 187, 192–196, 268, 304–305, 308–309, 436–437, 443–447, 449–451, 453. *See also* Hippocampus
- Cache retrieval/behavior, 256
- Caudate nucleus, 157, 402, 462. *See also* Striatum
- Cognitive maps, 163, 174, 226, 232, 234, 309, 433. *See also* Maps
- Cingulate cortex. *See* Anterior cingulate cortex; Retrosplenial cortex
- Cingulum bundle, 268–269, 286–287
- Classical conditioning. *See* Learning
- Compass system, 163, 182, 304–305, 433, 464
- Configural association, 101, 253
- Context, contextual stimuli, 52, 100, 180, 197, 204–206, 208–209, 211–216, 238, 275, 280, 288, 331, 435
- Continuous attractor network. *See* Attractor network
- Continuous coarse coding, 443, 453
- Cornu ammonis. *See* CA1; CA3

- Cortex. *See individual cortical areas by name*
- Cues
- arena, 260, 262, 264
 - auditory, 46, 50–51, 137, 267
 - background, 74–76, 252, 362
 - beacon, 232, 249, 252, 373, 433
 - contextual, 52, 100, 180, 197, 204–206, 208–209, 211–216, 238, 275, 280, 288, 331, 435
 - distal, 70, 172, 174, 264, 270 (*see also* background)
 - efferent copy (*see* Efference copy)
 - extramaze, 206, 235, 260
 - foreground, 75
 - idiothetic, 17, 38, 45, 47–48, 50, 53–54, 65, 156, 158, 165, 169, 171, 178, 181, 206, 208–209, 214, 229, 298, 299, 306, 312–315, 402, 438–439, 441–442, 444, 446–447, 449, 460, 464
 - intramaze, 229, 260, 263
 - kinesthetic, 226, 254
 - local, 171–175, 231 (*see also* Cues, proximal)
 - motion, internal (*see* Cues, idiothetic)
 - olfactory, 47, 51, 74, 157, 257, 260, 264–265, 267
 - optic flow, 7, 69, 73, 76, 113, 115, 124, 147–149, 151–152, 154, 169, 178, 319–331, 337, 347, 361–368, 371, 373, 385, 463
 - panoramic, 252, 264, 436–437, 444
 - podokinetic, 150, 347, 355–356, 358, 363–364, 366, 371, 373, 375, 466
 - polarization, 152, 250
 - proprioceptive, 45, 94, 123, 129, 137, 139, 146, 148–152, 155, 254, 319, 347–350, 354, 357, 359, 365, 384–385, 388, 391, 399–400, 434, 439, 455, 459, 465–466
 - proximal, 70–71, 74, 175, 260, 262–265, 268, 430, 433, 439 (*see also* foreground)
 - room, 75, 157, 170, 176, 255, 260–261, 264–266, 465
 - tactile, 51, 57, 74, 139, 150, 157, 257, 308–309, 321
 - vestibular, 149, 156–157, 285, 322–324, 384
 - visual, 46–49, 51–53, 61, 63, 69–76, 80, 98, 101, 103, 140, 144, 146, 148, 152, 155–158, 171, 181, 205, 208–209, 211, 227, 239, 254, 259–260, 265–266, 303, 308, 323, 330, 401, 436, 441, 449–450, 460, 464
- Dead reckoning, 45, 156, 438, 448. *See also* Path integration
- Dentate gyrus, 20, 268, 283, 304–305, 308–309. *See also* Hippocampus
- Detours, 384. *See also* Obstacles
- Development, 247, 249, 252, 257, 259, 264, 270, 430
- Disorientation, 49, 51, 53–54, 65, 144, 159, 165–169, 180, 222, 237–241, 402, 449, 463–464
- Distance
- coding, 70, 194, 197, 247, 249, 305, 315, 366–368, 370, 373, 383, 392, 394–395, 397–399, 402, 407, 463, 465
 - contextual cue, 71–73, 75, 119, 250, 253–254, 256, 258, 264–266, 283, 361, 365, 367–368, 436–437, 439
- Distant landmarks, 429
- Distributed encoding/representations, 336
- Dorsal tegmental nucleus (DTN), 6–8, 11–14, 17–18, 27–28, 32–36, 38, 73, 84–85, 87–97, 104, 113, 151, 268, 428–429, 439–440, 460, 466–467, 469
- Drift
- correction of, 429, 438
 - eye position, 121
 - preferred firing direction, 86, 98, 101–102, 139, 152, 168–171, 178–181, 208, 303, 411–412, 417, 429–430, 463–464
- Earth's magnetic field, 47
- Electroencephalogram (EEG), 20, 35, 37, 146, 196, 270, 460, 467–468
- Efference copy (motor), 45, 123, 126–127, 129, 137, 146, 148–149, 152, 155, 178, 354, 385, 400
- Egocentric, 203–204, 210–211, 214, 216, 231, 283–284, 288–289, 306, 401–403, 430, 433, 436, 440–441, 468. *See also* Reference frame
- Ensemble patterns, coding, 139, 172, 176, 178, 181, 198, 440–441, 443, 446–447, 451–453
- Entorhinal cortex, 20, 84–86, 97, 192, 195, 436, 445–446
- Environmental geometry, 51, 175–177, 225–226, 242, 384, 465–466
- Episodic memory. *See* Memory, episodic
- Exploratory behavior, 447–449
- Extramaze cues. *See* Cues, extramaze
- Firing rate map, 189. *See also* Map
- Fornix, 268, 279–280, 286, 340, 453
- Functional magnetic resonance imaging (fMRI), 320, 401
- Gabor functions/filters, 443–444
- Gaussian tuning curve, 3, 7, 214–215, 310–311, 414, 416, 440–441, 444
- Geomagnetic field, 47
- Geometric module, 51–52, 225
- Global inhibition, 310
- Goal cells, 436–437
- Goal-oriented navigation, 433, 436–438, 451, 453. *See also* Navigation
- Gravity, 61–63, 119, 124, 347
- Gravitoinertial force, 358, 386, 389
- Habituation, 227, 356
- Head direction cells
- anticipatory (*see* Anticipatory time interval)

- auditory (*see* Cues, auditory)
- behavior (*see* chapters 10, 11)
- circuity (*see* chapters 1, 5)
- efferent copy (*see* Efference copy, motor)
- landmarks (*see* chapters 1, 3, 4)
- multimodality, 83, 260, 433–434, 437
- navigation, 5, 206, 227, 229, 231–232, 235, 283
- olfactory (*see* Cues, olfactory)
- optic flow (*see* Cues, optic flow)
- passive rotation, 140, 146–154, 170
- path integration, 7–8, 14, 100, 102, 146, 216, 228–229, 248
- postsubicular (postsubiculum), 4–5, 7, 11, 13, 47–48, 51, 55, 84–87, 92, 94, 97–99, 102, 104, 147, 151, 153–155, 163, 193, 204, 208–209, 213, 224, 422, 463, 467
- properties, peak rate, directional range, 3, 7, 11, 14, 20, 28, 37, 55, 86, 100, 102, 140, 142, 146–148, 157, 164–165, 204–205, 209–211, 213–214, 229, 232, 299, 304, 422, 434
- tactile (*see* Cues, tactile)
- turn-modulated 7–9, 12, 87, 90, 92, 102, 423, 428, 460
- velocity-modulated, angular, linear, 7–8, 12–14, 18, 20, 23, 35, 87, 92, 94, 102, 139–140, 211–216, 313, 315, 422–423, 426–429
- vestibular, 7, 12, 34, 38, 47, 73, 83–88, 92–97, 138–142, 155–158, 169
- visual (*see* Cues, visual)
- Heading, 4–5, 7, 10–11, 14, 49, 52–54, 57, 63, 80, 83, 87–88, 97, 165, 203, 206, 213–214, 216–217, 227–228, 230, 239, 241, 249, 254, 260, 264, 270, 283, 322, 331, 333, 347, 366–370, 384–386, 400, 402, 411, 422, 429–430, 440–443, 463, 469
- Hebbian learning rule, 178, 194, 436, 438, 441–442, 444, 446, 449, 464
- Hebbian synapses, 194, 197, 430
- Hippocampal formation, 18, 35, 163, 275, 277, 282, 289–290, 309, 433, 453, 455, 464,
- Hippocampus
- computational models, 172, 193–196, 268, 312, 436–437, 443–444, 453, 455
- connectivity 5, 18, 20, 70, 84–86, 97–98, 102, 211, 289, 308, 338–340, 412, 445, 460, 467
- context, 211, 462, 465
- development, 268
- EEG, theta, 34–35, 37, 146, 280, 467
- episodic memory, 275, 306, 311
- head direction cells, 6, 97, 176, 181, 203–204, 210–211, 213–214, 275, 304, 461, 463, 467
- lesions, 86, 100–102, 259, 270, 277, 280, 283, 340
- motion, 306, 314
- navigation, 148, 309, 319, 339, 402
- path integration, 101, 104, 145, 316
- place cells, 3, 52, 54, 70–71, 80, 86, 103–104, 142–144, 147–148, 152, 159, 163, 167, 169, 172, 175–176, 181, 187, 197, 205, 208, 211, 221–222, 225, 237, 242–242, 251, 270, 285, 312, 316, 331, 339–340, 392, 433, 436, 443, 455, 464–465, 467
- processing, function, 284, 300, 305–306, 309, 312, 464, 467, 469
- reference frame computation, 70, 167, 172
- spatial memory/representations, 97, 100, 148, 177, 181, 193, 198, 208, 210, 213, 275, 289, 300, 306, 308–309, 312, 319, 402, 437, 449, 451, 467, 469
- spatial view cells, 299, 304, 306
- vestibular processor, 142–144
- visual cues, 70, 148
- Holeboard arena, 227, 262. (*See also* Maze)
- Homing, 146, 249, 254–255, 259–264, 370–371, 400, 448
- Idiothetic cues, idiothesis. *See* Cues, idiothetic
- Information content, 11, 193
- Integration error, 429, 448
- Korsakoff's syndrome, 277–279, 282
- Labyrinthectomy. *See* Vestibular lesion
- Landmark, chapters 3, 4, 8. *See also* Cues
- configural vs. single, 251, (*see also* Cues, configural)
- distal vs. local, 138, 164, 171–178, 253, 262, 430, (*see also* Cues, distal, local)
- learning, 52–54, 145, 159, 165–166, 177, 209, 235–239
- modeling, 193, 422, 429–430, 433, 437, 440–442
- novel, 49, 52, 166, 464
- pursuit eye movements, 323, 328–332, 337
- recognition, 250, 286, 402, 459
- virtual, 402
- visual, 5, 14, 83, 86, 97, 103–104, 142, 148, 151, 155–156, 159, 163–166, 169–182, 222, 225–229, 232, 235–239, 242, 250, 265, 300, 306, 347, 363, 365, 368, 373–375, 462–464, 468
- Lateral dorsal thalamic nucleus (LD or LDN), 6, 17, 19, 22–28, 48, 84, 86, 104, 147, 153, 204–209, 213, 216, 222, 235, 281–285, 289–290, 340, 462
- Lateral intraparietal area (LIP), 320, 322
- Lateral mammillary nucleus (LMN), chapters 1, 2; 46, 74, 84–98, 104, 268, 277–281, 284, 288–289, 427–430, 439–441, 460–462, 467, 469
- Learning
- adaptive, 460
- associative, 53, 145, 222, 226, 249, 284, 290, 469
- autoassociative, 309, 311
- classical conditioning, 281
- configural, spatial relationships, 53, 145, 270
- discriminatory, 102, 279–281, 284
- motor, 125–126
- rate, 258
- reinforcement, 238, 438, 451–452
- remapping (*see* Remapping)

- Learning (cont.)
 rules, modeling, 193, 312–314, 434–438, 441–444, 446, 449–451, 453
 spatial, landmark representations, 145, 166, 178, 208, 225, 235–237, 250–254, 258–260, 266–267, 279, 281, 283, 285, 287–289, 308, 364
- Lesions
 anterior dorsal thalamic nucleus, 86–87, 98, 227, 282–285, 288–290, 465
 cerebellar, 34, 126
 dorsal tegmental nucleus, 87, 94
 fimbria-fornix, 279, 286
 hippocampal, 86, 100–102, 104, 192–193, 195, 259, 270, 283
 lateral dorsal thalamic nucleus, 26, 28, 86, 104, 208, 283–285
 mammillary nucleus, 86–87, 277–282, 284, 289–290
 nucleus of the optic tract, 124
 nucleus prepositus hypoglossi, 121–122
 parietal (cortex), 97–98, 101, 104
 pons, 35
 postsubiculum, 86–87, 98–99, 102, 104, 151, 275, 465
 retrosplenial (posterior cingulate cortex), 102–104, 208, 286–287, 289, 402
 septal area, 266
 vestibular, 87–88, 92–93, 113, 117, 121, 138, 140–146, 152–153, 158, 256, 399–400, 459–460
 visual cortex, 97, 320
- Limbic system, 36, 38, 84, 88, 95, 98, 102, 140, 146, 148
- Linear track, 187, 192–194, 197–198. *See also*
 Behavioral tasks
- Linear velocity, 35, 213, 216
- Local landmarks. *See* Cues, local
- Local navigation. *See* Navigation
- Local view, 181, 193, 251, 444, 446, 448
- Locomotion, 34, 38–39, 57, 59, 61, 63, 149, 213, 238, 249, 251, 300, 354, 369–370, 375, chapter 17
- Long-term depression (LTD), 180
- Long-term memory, 259
- Long-term potentiation (LTP), 441, 449,
- Magnetic fields, 47
- Mammillary nuclei. *See* Lateral mammillary nucleus (LMN); Medial mammillary nucleus (MMN)
- Maps
 cognitive, 3, 163, 174, 198, 226, 232, 234, 309, 433
 firing rate, 143, 188–191
 modeling, 446, 448, 451–454
 topographic, 123, 146, 248, 270, 321, 401, 437
- Mazes
 holeboard (Barnes, circular maze), 146, 227, 242, 260, 465
 plus, 192, 195, 222, 237
 radial-arm, 53–54, 103, 144–145, 157, 171, 173, 188, 192–193, 195, 197, 205–210, 213, 222–225, 237, 241–242, 254, 257, 275, 283–285, 287
 sunburst, 232–236
 T-, 222, 231–232, 242, 283–285
 Morris water, 53, 167, 174, 237, 247, 252–253, 255–256, 260–261, 275, 283, 285, 287, 434, 453, 455
 Y-, 173
- Medial mammillary nucleus (MMN), 18, 29–35, 94, 227, 279–280, 289, 467
- Medial superior temporal gyrus (cortex; MST), 125, 319–340, 468
- Medial temporal area (cortex; MT), 320–322
- Memory. *See also* Learning; Amnesia
 associative, 412
 attractor network, 417
 context, 211, 216
 episodic/episodic-like, 98, 249, 275, 279, 288, 299, 308–309, 311–312, 316, 469
 goal, 436
 landmark familiarity, 459, 463–464
 long-term, 259
 neuroimaging, 468
 nonspatial, 144, 241, 250, 278, 280, 287, 402, 468
 performance, 28, 286–290
 recognition, 278, 289
 reference, 53, 224, 241, 275, 280, 453
 relational spatial, 249, 284
 short-term, 312, 314, 411–412
 spatial, topographic, 3, 18, 28, 38, 100, 102, 137, 144–145, 187, 208, 216, 251–253, 259–260, 266–267, 275, 278–279, 282–284, 287–288, 305–306, 308, 310, 340, 348, 350, 383, 392, 402, chapter 19
 systems, 430
 temporal, sequence, 286, 401, 437
 trace, 314
 working, 157, 205, 209–210, 213, 225, 275, 280, 283, 287, 392
- Motion cues, 62, 137–162, 165, 174, 237, 365
- Motion sickness, 62, 238, 348
- Motor efference copy. *See* Efference copy
- Motor neuron, 116–117, 121, 124
- Multiplication by addition, 422
- Multisensory integration, 340
- Navigation
 inertial, 137–138, 144–146, 148, 372–373, 375, 384
 landmark-based (*see* Cues, landmark)
 large-scale, 287
 mechanisms, 187, 217, 226, 235, 237, 247–256, 270, 283, 306, 309, 319–320, 337–340, chapter 19, 460, 468–469
 panoramic contrast, 250, 252–253, 258–259, 264, 436–437, 444

- route-based (*see* Route)
short-range, 308
strategies, 45, 88, 97, 104, 137, 166, 400–401
Neocortex. *See individual cortical areas by name*
Neural networks, 76, 78, 123, 300, 309–310, 316, 348, 385, chapters 18, 19
Neuromimetic models, 434–437, 455
Neuromodulators, 466
Neurotransmitters
 acetylcholine, 19, 25
 dopamine, 238, 434, 453
 GABA, 25, 27, 32, 120, 123, 428, 429
 glutamate, 197
 glycine, 96
 octopamine, 238
Noise (signal), 399, 412, 417–418, 435
Nonlinear functions, 412–414
Nucleus. *See individual nuclei by name*
- Obstacles, 248, 391, 437, 439, 451, 453–454
Occipital cortex (visual cortex), 22, 78, 85, 97, 104, 312, 320, 443
Oculomotor (ocular motor) nucleus, 88, 93, 114–117, figures 6.2, 6.4, 120, 122–123, 126–128, 130, 336–337, 346–350, 358, 461–462, 465
Odometer, 439
Offset connections, 427
Olfaction, 45, 47, 50–51, 71, 74, 139, 157, 231, 238, 257, 260, 264–265, 267, 308–309
Ontogeny. *See Development*
Optic flow, 7, 69, 73, 76, 114–115, 124, 147–149, 151–152, 154, 169, 178, 254, chapter 15, 347, 361–364, 366–368, 371, 373, 385, 463
Orientation, spatial, 45–46, 52–54, 83, 97, 150, 158–159, 248, 256–267, 319–320, 339, 354, 359, 401–403, 462, 465, 468
Outlier rejection, 422, 424
- Papez circuit, 319, figure 15.2, 339–340, 467–468
Parahippocampal cortex, 18, 250, 304–305, figure 15.12, 339–340, 445
Parasubiculum, 18, 26
Parallax, 73–75, 80, 369, 463
Parietal (cortex), 97–98, 101, 104, 205, 286, 288, 314, 319–323, 338, 340, 350, 401–402, 411, 445, 463, 468–469. *See also Ventral inferior parietal*
Passive rotation, 94, 120, 122, 128–130, 138–140, 142, 348–350, 352–358, 364, 386, 399, 461–462, 466–467. *See also Head direction cells, passive rotation*
Passive transport, 145–146, 148, 155, 157, 366–368, 370–372
Path integration, 5–8, 14, 45, 98, 100–102, 137, 145–146, 148–149, 152, 158–159, 165–166, 174–175, 181, 216, 228–229, 248–249, 256, 284, 287, 299–300, 306, 312–313, 316, 347, 365–366, 370–371, 373–375, 384, 438, 443, 446–448. *See also Dead reckoning*
Perirhinal cortex (PER), 20, 445
Piloting, 45
Pitch (axis), 20, 35–37, 54, 57, 96, 114, 119, 142, 175, 177–178, 259, 347, 349, 359
Place cells, 3, 52–54, 70–71, 80, 86, 103–104, 142–159, chapters 8, 9; 210–211, 213, 222, 225, 237–238, 240, 242, 285–286, 299, 308–309, 312, 316, 339, chapter 19, 464–465, 467–468
Place fields (firing fields), 53–54, 104, 143–144, 147–8, 153–154, 157–158, chapters 8, 9; 208, 211, 237, 436, 443, 445–447
Place recognition, 437
Plasticity, 88, 187, 193–196, 359, 402, 435, 453, 461
Plus maze. *See Maze*
Podokinetic, 150, 347, 355–356, 358, 363–364, 366, 371, 373, 375, 466
Population vector 327, 331–332, 337, 446
Positron-emission tomography (PET), 320, 401
Postsubiculum (PoS.) 3–5, 7, 11, 13, chapter 2; 70, 78, 84, 147, 151, 154–155, 163, 193, 203–204, 208, 213, 224, 268, 270, 275, 300, 392, 422, 426–429, 439–440, 460, 462–463, 467
Prefrontal cortex, 30–32, 37–38, 102, 249, 350
Prepositus hypoglossi (NPH) 7, 34, 38, 84–85, 92–96, 114, 120–130, 151, 460–461, 469
Presubiculum, 3, 18–19, 25–26, 93, 163, 268, 290, 299–300, 303–306, 312, 316, 400
Primate, 98, 115, 125, 205, 210–211, 276, 286, chapters 14, 15, 16, 17; 463
Procedural memory, 249
Proprioception, 149, 347, 349–350, 353–354
- Radial-arm maze. *See Maze*
Reactive control, 435
Recognition memory. *See Memory*
Recurrent networks, 27, 194–196, 308, 310, 312, 315, 413–414, 416, 422, 427–429, 437
Reference frames, 55–58, 61, 63, 177, 203, 209, 217, 303, 322, 347, 363, 373, 386, 391, 447–448, 461–462, 464, 466
Reference memory. *See Memory*
Reinforcement learning, 435, 438, 451
Remapping, 103, 144, 164, 167, figure 8.3, 175–177, 181, 192, 449, 467
Reorientation, 62, 128, 151, 249, 251–253, 260, 264, 386, 449
Retinal slip, 126, 128, 365
Retrosplenial cortex, 5, 7–8, 10–11, 13–14, 17–23, 26, 34, 37, 47–48, 70, 78, 84–86, 94, 97, 102–105, 151, 154, 205, 208, 210, 213–214, 216, 275, 285–289, 338, 340, 402, 460, 463–464, 467–468
Robotic implementation, chapter 19
Roll (axis), 54, 114, 119, 175, 259, 347, 359, 362
Rotation dissociation, 349–354

- Route, 146, 196–197, 210, 232, 234, 249, 252–253, 256, 266, 270, 384, 401–402, 434–435, 463
- Self-localization, 443, 446
- Self-motion, 75, 115, chapters 6, 7; 165, 174, 194, 226, 232, 237, 299–300, 306, 312, 316, chapter 16, 385–386, 402, 438–441, 446–447, 466. *See also* Cues, idiothetic
- Sense of direction, 61, 165–167, 180, 222, 226, 231–232, 248, 383, 402, 439. *See also* Path integration; Dead reckoning; Idiothetic cues
- Sensory aliasing, 438, 445–446
- Septum, 35, 266
- Sequencing of movements, 148, 197–198, 252, 333, 339, 367, 401, 433, 436, 451
- Short-cuts. *See* Detours
- Simulation, 76, 78, 195, 314, 395–397, 403, 415, 422, 428
- Sinusoidal stimulation, 117–118, 140, 351, 353, 363, 367, 388
- Sleep, 123
- “Snapshots,” 252
- Spatial. *See also* Navigation; Orientation
behavior types, 53, 97–98, 144–146, 159, 167, chapters 10, 11; 250–267, 280, 284, 287, 402, 433, 462
context, 62, 204–205, 214, 275
learning rules, 225, 266
memory (*see* Memory, spatial)
representation, 52, 104, 144, 146, 163, 203, 209, 250, 312, 315, 402, 435, 443, 446, 465
view cell, 299–309, 311–312
vision, 70, 75, 151–152, 310, chapter 15; 350, 444
Speed coding, 91–92, 101, 147, 211, figure 10.4, 239, 320
- Spontaneous alternation, 145, 231, 257, 283–285
- Stable states, 180, 412–413
- Stimulus-response associations, 253, 433
- Striatum, 17, 22, 94, 157, 204–205, 210–214, 216, 453
- Subicular complex, 3, 5, 18–20, figures 2.2, 2.3, 2.8, 2.9; 30, 32, 36, 205, 213, 289
- Subiculum
connectivity, 436
place cells, 436
- Synaptic plasticity, 187, 195–196. *See also* Plasticity
- T-mazes. *See* Maze
- Tactile-kinesthetic stimuli. *See* Cues
- Tanh transfer function, 413–414
- Taxon navigation, 433
- Tegmental nucleus. *See* Dorsal tegmental nucleus (DTN); Ventral tegmental nucleus (VTN)
- Temporal difference learning, 451, 453
- Temporal lobe (cortex) damage, amnesia, 401–402
- Theta activity (EEG), rhythm, 18, 20, 23, 35–38, 146–147, 196, 270, 280, 289–290, 467, 469
- Topographical memory. *See* Memory tracking
- Topological graph, 437
- Trajectory planning, 384
- Transfer function, 388
- Tuning function, figure 1.1, 8, 12, 90
- Unsupervised learning, 444
- Vection, 151–152, 361–365, 367
- Velocity integration, 426, 469
- Velocity modulation, 90, 94, 104, 427–429, 466
- Ventral inferior parietal area (cortex; VIP), 320, 322–323
- Ventral tegmental nucleus (VTN), 27–29, 32, 33, 35, 38, 94, 467
- Vestibular
cortex (PIVC), 98, figure 15.1; 350, 463
cues, 149–150, 166, 168, 178, 226, 254, 285, 300, 312, 319, 322–326, 336–337, chapter 16, 384–6, 348, 391, 399–400, 439, 459–460, 462–463, 466, 469
dead reckoning, 7, 12, 61–62, 83, 88, 91, chapter 6; 138
labyrinth, 96, 384, 462
lesions, labyrinthectomy, 87–88, 92, 138, 140–146, 158, 256, 366, 389, 393, 399, 401, 459–460, 467
nuclei, 34, 38, 73, 84, figure 5.1, 83–84, 96, chapter 6, 348, 359, 460–461
ocular reflex (VOR), 36, 93, 101, 115, 389
system, 384–385, 392, 399, 461, 466
visual interactions, 47, 70, 98, 124, 151, 323, 336–339, 348, 350, 359, 363
- View-dependent representations, 48, 137, 181, 193–194, 206–209, 239, 264, 306–309, 436, 443–444
- Virtual reality, 287, 359, 385, 468
- Visual cortex. *See* Occipital cortex
- Water maze. *See* Maze
- Working memory. *See* Memory
- Y-maze. *See* Maze
- Yaw (axis), 84, 96, 114, 119, 138, 175–178, 259, 347, 349, 351, 353, 358–359, 361, 363, 386–388, 391, 461