

Index

- Accommodation and assimilation, 70–71
Action selection, 138–139
Active vision, 78, 121
Actroid, companion robot, 336, 341, 344–345
Adaptive Resonance Theory (ART), 70, 312
Agent, 7–8
 autonomous, 89–90
 complete, 89–90, 95–96
 design principles. *See* Design principle, agent
 properties of, 94–99
 situated. *See* Situated; Agent, properties
Agent-based economics, 75
AIBO, entertainment/pet robot, 101–102, 192, 328–330, 332, 335
AIST, 330
Android, 335
Ant algorithms, 50, 52, 239
Anthropomorphization, 36, 45, 74, 149, 174, 332, 340, 342, 345
ART. *See* Adaptive Resonance Theory
Artificial evolution. *See* Evolution, artificial
Artificial intelligence
 embodied, xix, 18
 Good Old Fashioned (*see* GOFAI)
 strong (*see* Strong AI)
 weak (*see* Weak AI)
Artificial life, 40, 49–53, 80, 82, 184, 217, 220
Artificial Mouse, 44, 116–117, 295–297, 311, 314, 321
Artificial muscles, 82, 125, 127–128, 138, 147, 174
Asada, Minoru, 144
Ashby, Ross, 298, 304–307, 309
Asimo, walking robot, 40, 69–70, 113, 149, 340–341
Asimov, Isaac, 69
Assimilation and Accommodation. *See* Accommodation and assimilation
Astroboy, 40
Attraction, basin of, 93–94, 99, 363, 368
Attractor
 chaotic, 93–94
 periodic, 93–94, 98
 point, 93–94
 states, 93–94
Autocatalytic process. *See* Self-reinforcing process
Autonomy, agent property, 46, 90, 251, 265, 274
Autotelic principle, 167, 325
Axtell, Bob, 217–219

Babybot, research robot, 121–122, 145
Baddeley, Alan, 303, 310
Bargh, John, 346
Bernstein's problem, 165, 174, 366
Biorobotics, 41–44, 47, 223
Blame assignment problem, 295
Block pushers, 181, 197–200, 359
 exaptation in, 201–202
 functional specialization of, 203
BN-7, entertainment robot, 336
Body image, 149, 153–159, 163, 176, 373–374
Body schema. *See* Body image
Boids, 81
Bounded rationality, 92, 356
Bovet, Simon, 116, 295–297, 311, 314, 320–321, 369
Braitenberg, Valentino, 78
Braitenberg vehicles, 80, 123, 154, 267
Breazeal, Cynthia, 135–136, 345
Brooks, Rodney, 29, 34–35, 44–45, 121, 134–135, 137, 314, 327, 352–353, 370

C3PO, fictional robot, 40
Cartesian thinking, 5, 137, 139, 362
Cataglyphis, 42, 84–85, 105, 183
Categorization, 2, 38, 70, 120
Category error, 75, 305

- Cebot, modular robot, 213
- Cellular automata, 49–50, 236
- Central pattern generator (CPG), 152, 269, 346, 362
- Cerebellum, 39
- Chaos theory, 64–65, 93, 316. *See also* Dynamical systems
- Cheap design. *See* Design principle, agent
- Chomsky, Noam, 39
- Clancey, Bill, 160, 300, 319
- Clark, Andy, 103, 265, 313
- Cog, humanoid robot, 45, 74, 121, 172, 340, 370
- Cogniron, companion robot, 46, 340–341
- Cognition, 3, 6–9, 22
 as computation, 17, 20, 300
 developmental approach to, 141–176
 embodied, 46, 308
 emergence of, 59, 94, 142, 258, 364
 from interaction, 213–244
 from locomotion to, 149–153
 from scratch, 177–212
 situated (*see* Situated cognition)
- Common sense, 30, 32–34, 369
- Compliance, 16, 67–71, 192, 206, 255, 262, 354–355. *See also* Diversity-compliance
- Compliance, passive, 127
- Computational neuroscience, 39
- Computer vision, 28, 30, 78, 104, 171
- Connectionism, 28–29, 318
- Consciousness, 6, 8–9, 351, 370
- Cooperation, 226–228
- CPG. *See* Central pattern generator
- Credit assignment problem, 295
- Cross-modal learning, 117, 119
- Cruse, Holk, 112
- Csikszentmihalyi, Mihalyi, 167–168
- Cybernetics, 264, 304–305
- Cyborgs, 103, 250, 260, 264–270, 343
- CYC, 32
- Damasio, Antonio, 12
- DARPA (Defense Advanced Research Project Agency), 32, 251
- Dartmouth conference, 27–28
- Darwin, Charles, 367
- Dawkins, Richard, 66, 123–124, 182, 184–185, 204
- Delayed reward learning, 295–297, 311, 318–319, 321, 369
- Denise, biped walking robot, 108–111, 126
- Dennett, Daniel, 74
- Descartes, Rene, 5–6
- Design principle
 agent
 cheap design, 107–113
 complete agent, 104–107
 ecological balance, 123–134
 parallel, loosely coupled processes, 134–137
 edundancy, 113–117
 sensory-motor coordination, 117–123
 three constituents, 100–104
 value, 137–140
 complete list, 357–358
 for collective systems
 from agent to group, 242
 homogeneity-heterogeneity, 243
 level of abstraction, 241
 for development
 development as an incremental process, 175
 discovery, 175–176
 motivated complexity, 176
 social interaction, 176
 time scale integration, 175
 for evolution
 brain-body coevolution, 210
 cumulative selection and self-organization, 210
 evolution as a fluid process, 211
 minimal designer bias, 211
 population, 208–209
 scalable complexity, 210
 Designer bias, 159, 181–182, 184, 195–196, 211
- Developmental robotics, 40, 44–47, 59, 142
- Dewey, John, 120
- Diversity-compliance, 16, 67–72, 192, 262, 339, 341, 354–355
- Dominance interactions, 218, 222
- Dravid, Raja, 132
- Dynamical systems, 49, 59, 64–65, 93–94, 139, 146, 317, 358, 363, 365
 complex, 95–96, 256, 277
 metaphor, 63, 120, 363
- Ecological balance. *See* Design principle, agent
- Ecological niche, 42, 67, 100–102, 108–109, 113, 124, 185, 202, 255, 262, 273, 278, 283, 286, 327, 337, 339, 368
- Economics, agent-based. *See* Agent-based economics
- Edelman, Gerald, 203, 312, 315, 319
- EEG. *See* Electroencephalogram
- Eggenberger, Peter, 129–130, 181, 197, 205
- Electroactive polymers, 233
- Electroencephalogram (EEG), 6, 315
- Electromyogram (EMG), 6, 259
- Eliza, virtual psychiatrist, 342
- Elmer and Elsie, 80
- Embedded systems, 249, 255, 261, 326
- Embodied turn, 34–37
- Embodied AI. *See* Artificial intelligence, embodied

- Emergence, 46, 52, 83–88, 102, 127, 198, 216, 224–225, 231, 239–242, 278–279, 282, 347, 355, 363–364
types of, 85–86
design for, 86–87, 102, 242, 356
of vocabulary, 53, 173
EMG. *See* Electromyogram
Emotion
basic, 344–345
facial expression and, 136, 264, 344–347
psychology of, 299
robot, 347
Emotional intelligence, 12
Entrepreneurship, 272–274, 277–279
Epstein, Josh, 217
Evolution strategies, 179, 189
Evolution, artificial, 177–212
automated design and, 184, 192, 206
designing intelligent agents using, 192–202
in the real world, 189–192
Evolutionary computation. *See* Evolution, artificial
Evolutionary robotics, 192–194
Expert systems, 27–29, 160, 168
Exploration-exploitation, 70–71, 279–280, 288
Eyebot, research robot, 113, 129–131

Face robot, research robot, 341, 344
Facial Action Coding System (FACS), 344
Feyerabend, Paul, 61–62, 270
FII-RII, toy robot, 336
Flatworm (*C. elegans*), 202, 367
Flocking, 220–223
Flow, experience, 168
Flow, optic. *See* Optic flow
fMRI (functional magnetic resonance imaging), 320
Foraging, 42, 105, 225
Foveation, 118–119, 135, 163
FPGA (Field Programmable Gate Array), 190
Fracta machine, modular robot, 232–233
Frame-of-reference issue, 21, 66, 72–77, 94, 138, 187, 226, 281, 298, 304–306, 314–315, 348, 355
Free will, 6, 8, 367
Freeman, Walter, 63, 315–316
Freud, Sigmund, 57, 61, 308, 367
Fukuda, Toshio, 213
Fungus Eaters, 89–90, 138
Furby, entertainment robot, 328

Gait, 153–159
Genetic Algorithm (GA), 179
Genetic Programming (GP), 179
Genetic regulatory networks, 196–203
Ghengis, walking robot, 34, 44
Glenberg, Arthur, 308, 310
GOFAI (Good Old Fashioned Artificial Intelligence), 27, 37
Grillner, Sten, 151–152, 362
GRNs. *See* Genetic regulatory networks
Grossberg, Steven, 70–71, 312

H-7, humanoid robot, 149, 335, 341
Hafen, Ernst, 200
Hafner, Verena, 84–85
HAL 9000, fictional robot, 40, 276
Haptic system, 113–114
Hara, Fumio, 228, 341, 344
Harnad, Stevan, 159, 365
Haugeland, John, 27
Head direction cells, 162–163, 320
Hebbian learning, 156, 167, 211, 296–298
Hemelrijk, Charlotte, 76, 218–219, 222
Hippocampus, 39, 162, 302, 320
Hirose, Shigeo, 43, 213, 335
Hoap-2, humanoid robot, 336
Hofstadter, Douglas, 8
Holland, John, 187
Hox genes, 203
HRP-2, humanoid robot, 336, 340–341
Human Genome Project, 202, 367
Humanoid Robotics Program (HRP), 46
Humanoid robots. *See* Robot, humanoid
Hydra, biological organism, 214, 217, 233
HYDRA, modular robot project, 213–214, 235
Hydron, robot module, 232–233
Hyperkinetic Humanoid H-2 Robot, 336

Iida, Fumiya, 75, 132, 146
Imitation, 146, 170–172
Indistinguishability test. *See* Turing test
Infanoid, baby humanoid robot, 145
Information, self-structuring, 360–361
Intelligence
artificial (*see* Artificial intelligence)
defining, 14–17
emotional (*see* Emotional intelligence)
quotient (*see* IQ)
swarm (*see* Swarm intelligence)
testing, 12, 15
theory of, 57–67
IQ, intelligence quotient, 12, 57
IR sensors. *See* Sensors, IR
iRobot, 327, 334, 336
Ishiguro, Akio, 231, 235
I-Swarm, multirobot system, 225

Joint attention, 172
Joy, Bill, 207

- Karakuri Ningyo, 325
 Kenta (Tendon Boy), humanoid robot, 97, 162
 Khepera, wheeled robot, 124, 162–163, 192, 266–267
 Kismet, social robot, 81, 135–136, 139, 345, 369–370
 Koriat, Asher, 308–309
 Kuniyoshi, Yasuo, 146, 151, 365
 Kunz, Hanspeter, 222–224
 Kurzweil, Ray, 21, 207
- Lakoff–Nuñez hypothesis, 2, 19, 182, 364
 Lamprey, 151–152, 266–267, 269, 346
 Langton, Chris, xix, 82
 Language. *See* Natural language systems;
 Speech systems
 Learning, 168–170
 cross-modal (*see* Cross-modal learning)
 delayed reward (*see* Delayed reward learning)
 Hebbian (*see* Hebbian learning)
 imitation (*see* Imitation)
 Lichtensteiger, Lukas, 129–130
 Lipson, Hod, 195, 207, 236
 Locomotion, 141–159
 biped (*see* Robot, humanoid)
 quadruped (*see* Puppy)
 Lund, Henrik, 214
 Lungarella, Max, 120, 164–165
- Machine learning, 29–30, 144, 369, 373
 Marilyn Monroe, animatronic robot, 336
 McCarthy, John, 17, 28
 McFarland, David, 35–36, 45, 227
 Memory, 295–322
 autobiographical, 303, 309, 320, 322
 constructive nature of, 317
 ecological approach to, 307, 309–310, 313
 episodic, 303, 311, 320
 explicit, 297–298, 304, 369
 implicit, 304, 308
 long-term (LTM), 166, 302–304, 311, 315
 reconstructive, 307, 317
 semantic, 303
 short-term (STM), 166, 302–304, 311, 315
 storehouse metaphor, 300–302
 various concepts, 303
 working, 154, 303, 320
 Metta, Giorgio, 121–122, 145
 Mimetic behavior, 281–282
 Mind-body problem, 3, 5–6, 74, 351, 370
 Minsky, Marvin, 17, 28, 57, 62, 158
 Mirror neurons, 170–171
 Modality, sensory, 113, 261
 Modular robots. *See* Robot, modular
 Moore’s Law, 20–21, 207, 374
- Moravec, Hans, 207
 Morphofunctional machines, 228, 230, 344
 Morphological computation, 95–97, 100, 111–112, 129–133, 201, 234, 256–257, 259, 261, 313, 329, 333, 338, 341, 344–345, 361–362
 Motivation, 106, 139, 165, 167–168, 176, 358
 M-TRAN module, 229–231, 236
 Multiagent systems, 213–244
 Mutual alignment, 345
 Murata, Satoshi, 51, 229–230, 232
 Mutual information, 114
 My Real Baby, doll robot, 336
- Nakamura, Yoshihiko, 365
 NASA (National Aeronautics and Space Administration), 89, 178, 190, 225, 264, 300
 Natural language, 28, 33, 172–173
 interfaces, 30
 knowledge representation and, 27
 memory and, 298
 processing, 27, 341
 production of, 30, 67
 programs, 32–33, 53 (*see also* Speech systems)
 redundancy in, 115
 scaffolding and, 103
 understanding, 32, 170
 Necoro, pet robot, 101
 Neisser, Ulrich, 307, 309–310
 Neural networks, artificial, 28–29, 37–38, 41, 112, 144, 154–158, 179–180, 192–194, 196, 210, 223, 267, 296, 298, 304, 316–318, 321
 Neuromodulators, 157, 167
 Newell, Allen, 17, 28, 57, 62
 Núñez, Rafael, 2–3, 19, 182, 364
- Olfactory bulb, 315, 317
 Omega Machine, 208
 Omnidirectional camera, 162, 223, 342
 Open source, 277
 Optic flow, 95, 130, 262
 Orientation behavior, 35, 42, 44
- PACE (Programmable Artificial Cell Evolution), 207–208
 Papero, companion robot, 101, 336
 Parallel, loosely coupled processes. *See* Design principle, agent
 Paro, therapeutic robot, 330–332
 Passive dynamic walking, 109–112, 117, 126, 147, 341, 346, 355, 362–363, 368
 Pheromones, 43, 51, 87, 215–216, 226, 242, 313, 369–370, 374
 Piaget, Jean, 57, 70–71, 120, 138

- Pinker, Steven, 57
 Place cells, 162
 Pneumatic actuator, 127–128, 344
 Popper, Karl, 61–62
 Positive feedback loop, 51
 Prigogine, Ilya, 50, 64
 Proprioception, 119, 163–164, 254, 360
 Prostheses, 259, 266, 270, 325, 333
 Psychoanalysis, 57, 61, 308, 367
 Puppy, quadruped robot, 63, 75–77, 93–94, 96–100, 125–128, 141–164, 183, 326, 328–329, 363, 368, 373
- Orio, humanoid robot, 113, 149, 335, 340–341
 Quadruped robot. *See* Puppy
- Rechenberg, Ingo, 177–180, 182, 187, 189, 206, 366, 370, 374
 Redundancy. *See* Design principle, agent meaning of, 114–116
 Reynolds, Craig, 81, 220–221, 223
 RFID (Radio Frequency Identification Tag), 251–252, 262–263, 342–343
 RoboCup, 46, 52, 226–228, 239–240
 Robot, 10–11, 325–326
 companion, 335–341
 entertainment, 328–333
 humanoid, 45–46, 111, 113, 146–149, 162, 173–174, 228, 335–341
 industrial, 31, 278, 325–326
 medical, 335–341
 modular, 228–238
 rescue, 334–335
 service, 325–326, 348
 therapeutic, 333
 RobotCub, European project, 46
 Robovie, companion robot, 336, 341–343
 Roomba, household robot, 327–328, 334
- Sahabot, research robot, 42
 Sakamura, Ken, 249–251, 253, 262–263, 324
 Samurai, research robot, 222
 Scaffolding, 103–104, 172, 251–253, 265, 313–314, 321, 343, 369
 Schelling, Thomas, C., 217–219
 Segmentation of behavior, 151–153
 Segregation, racial, 218–219, 242
 Self-organization, 50–51, 82, 173, 176, 204–206, 210, 216, 225, 232–234, 240, 242, 277
 Self-reinforcing process, 51
 Self-reproduction, 235–238
 Sense-think-act cycle, 134
 Sensors
 angle, 93–94, 112–113, 314, 368–369
 force, 117, 119, 135, 163–164, 167, 169
 IR, 72, 87, 156, 223, 255, 268, 328–330
 pressure, 48, 76–77, 94, 98, 147, 154–156, 160, 163, 167, 261–262, 328
 proprioceptive, 119, 163–164, 254, 360
 touch, 19, 47, 117–119, 163, 169, 328, 330, 360
 whisker (*see* Whiskers)
- Sensory-motor coordination. *See* Design principle, agent
 Servomotor, 128, 174
 Shakey, early research robot, 40
 Shannon, Claude, 28
 Simon, Herbert, 17, 28, 63, 72, 75, 92, 292, 356
 Sims, Karl, 180, 194–195, 197, 199–200, 206, 211, 365
- Simulation
 agent-based, 60, 217–219, 221
 physically realistic, 21, 194–195, 197, 365
 versus real robots, 90–94, 221–222
 Situated, 36, 90
 cognition, 160, 300, 308, 317
 nature of memory, 310–314
 perspective, 221
 Slimebot, modular robot, 231–232
 Sloman, Aaron, 39
 Smith, Linda, 316, 363
 Snapshot model, 42–43, 63, 84–86
 Social interaction, 170–173
 principle (*see* Design principle, for development)
 Sojourner, Mars rover, 40, 89
 Speech systems, 28–29, 33
 Sporns, Olaf, 120
 Stability-flexibility tradeoff, 70–71
 Steels, Luc, 53, 87, 165, 167, 173, 227
 STM. *See* Memory, short-term
 Stigmergy, 216, 242, 313, 374
 Støy, Kasper, 213–214, 217, 228–229, 235
 Strong AI, 17–18
 Stumpy, research robot, 132–134, 183
 Subsumption architecture, 135, 353
 Swarm intelligence, 50, 225, 239
 Swiss robots, research robots, 72–75, 77, 81, 87, 103, 108–109, 214, 226, 356, 368
 SWOT analysis, 277, 285
 Symbol grounding problem, 59, 144, 155, 159–161, 301, 342, 364–365
 Symbol processing approach, 17, 26–29, 37, 86
 Synthetic methodology, 21–22, 55, 57, 65, 67, 77–82, 88, 144, 159, 227, 320, 343, 355, 358
- Takanishi, Atsuo, 337, 339, 341
 Talking Heads experiment, 53, 165, 173
 Tama, pet robot, 330
 Tamagochi, 328, 336

- Tendon Boy. *See* Kenta
- Thelen, Ester, 139, 169, 316, 363
- Thinking, cognition, and intelligence, 7–11,
22. *See also* Cognition; Intelligence
- Thompson, Adrian, 190–191, 207, 365
- Three constituents. *See* Design principle,
agent
- Time scale perspectives, 82–85, 166
- Toda, Masanao, 89
- Touch sensors. *See* Sensors, touch
- Trilobite, household robot, 327–328
- TRON operating system, 249–250, 374
- Turing machine, xiv, 236
- Turing Test, 141
- Turing, Alan, xiv, 64, 141–143
- Ubiquitous technology, 47–49, 249–270
- UMTS. *See* Universal Mobile
Telecommunications System
- Unconscious memories, 304, 308
- Unconscious thought, 1, 6, 259
- Universal Mobile Telecommunications
System (UMTS), 277
- Value. *See* Design principle, agent
- Vestibular system, 254, 258, 266–267
- Vision, active. *See* Active vision
- Vision, computer. *See* Computer vision
- von Neumann, John, 235–236, 238
- Wabot-2, entertainment robot, 336–339
- WalkNet, control method, 112
- Walter, W. Grey, 80–81, 86
- Weak AI, 17
- Wearables, 48, 252, 256, 260, 266, 322
- Weiser, Mark, 249–251
- WF-4, entertainment robot, 147, 337–341
- Whiskers, 44, 116–117, 163, 295–296, 330
- Y2K problem, 45
- Yokoi, Hiroshi, 116, 259–260