

Index A

key words

a

- Absolute and relative humidities 10·79
- Absorber, countercurrent, design 3·297
- Absorption, acoustic 2·10
gas analysis, and titration 3·22
- Absorption factor relations 3·317, 3·318
- Acceleration, constant, cam design 13·92
- Acceleration time, locomotive 12·3
- Acetate buffers 3·1
- Acetic acid, percentage in solution 3·65, 3·66
- Acetone, estimation by microdiffusion 20·13
- Acetyl valuation 3·2, 3·3, 3·4
- Acid, acetic, percentage in solution 3·65, 3·66
colorimetric *pH* titrations for 3·338
organic, relations 3·324
- Acid density temperature correction 3·86–3·93
- Acid-mixing calculations 3·171–3·177
- Acids, fatty, solidification 3·268
volatile, by partition method 3·334
in mixture 3·326
mineral, specific volumes 3·54–3·60
- Acoustic absorption 2·10
- Activation energies of unimolecular reactions 3·12
- Activity, *see other key words*
- Adhesive, plywood phenol resin 3·320
- Adiabatic air flow 9·7, 9·8, 9·9
- Adsorbent bleaching, press cake oil, lost 7·63, 7·64
- Adsorption relations 3·308
- Aeronautics, nomography in 9·1
- Aggregates, void calculator for 13·121
- Agitation and circulation, propeller for 18·12
- Agitator, liquid, design 3·149
- Agitators, propeller type, relations 3·110, 3·111
- Air, and carbon dioxide in beer 3·337
compressed, transmission 17·22, 17·23
for combustion 1·31, 5·136
forced, systems 10·63
grains in 10·40
in cement and mortars 11·71
in cement mortars 11·75, 11·76
in combustion, excess 5·46
in pipes, pressure drop 5·107–5·110
specific volume and weight 5·96
total, relations 10·41, 10·43
warm, heating calculations 10·76, 10·77
weight proportions 10·45
- Air capacity relations 10·46
- Air circuit breakers, interrupting capacity 4·94, 4·95
- Air compression, isothermal, power for 5·95
- Air compressor cooling water 17·5
- Air conditioning calculations 10·47
- Air conditioning relations 10·32–10·46, 10·88, 10·105, 10·106
- Air consumption for reciprocating engines 17·10

[2]

Air cooling by water spray 10·24
 Air density derivation 2·28
 Air duct friction 10·50
 Air duct heat losses and gains 10·98
 Air ducts, friction loss 5·99
 Air-entraining cement feed 11·74
 Air flow, adiabatic 9·7, 9·8, 9·9
 duct 10·14
 in ducts 3·129
 orifice 13·43
 suction pipes 10·86
 Air flow conversions 10·47
 Air fuel dew point conversion 3·194
 Air lift and submergence 3·31
 Air mixture relations 10·87
 Air moisture 10·64
 Air pressure in small tubes 13·91
 Air supply outlet noise 10·30
 Air temperature loss in ducts 10·80
 Air velocity, and effective temperature 10·3
 and gas 3·35, 3·36, 3·37
 exhaust hood 10·99
 kata 10·13
 Aircraft engines, radio noise in 9·2
 Aircraft fusion welds 9·27, 9·28
 Aircraft nuts wrench torque 9·29
 Airfield pavement calculations 12·14
 Airplane center of gravity 9·22
 Airspeed, and altitude calculations 9·11, 9·12
 true, and fuel flow 9·20
 and Mach number 9·17, 9·18, 9·19
 Alcohol, furfural-furfuryl, calculations 3·341
 Alcohol mixtures, ternary, freezing points 3·32
 Alignment diagrams, *see also* Nomography
 from network charts 1·117
 Aliphatic hydrocarbons molal volume 3·250

air-angle

Alkali and chlorine electrolytic cell, efficiency 3·108
 Alkaline cleaner and conductivity 16·6
 Alkaline viscosity solutions 3·209–3·212
 Alkalinity, and carbon dioxide in water 6·4, 6·5, 6·6
 in boiler water 5·77
 Alkanes, liquid, molecular volumes 3·256
 Alkylated phenols, vapor pressure 3·285
 Allowances, fit 13·4
 for shaft fits 13·26
 from nominal size 13·114
 shrinkage 13·30
 Alloy, aluminum, bar strength 9·21
 Alloy steels, heat resisting 16·1
 Alloys, high temperature 16·23–16·26
 Alternating current power factor 5·70
 Altitude and airspeed calculations 9·11, 9·12
 Aluminum alloy bar strength 9·21
 Aluminum electrolysis furnaces 16·3
 Amines, primary, boiling point calculations 3·267
 Ammonia, liquid, solubilities of hydrogen and nitrogen in 3·246
 partial pressure and vapor composition 3·102
 solubility 3·28, 3·29
 Ammonia compressor, refrigeration capacity 10·110, 10·111
 Ammonia synthesis equilibrium 3·180
 Amplification, transconductance, resistance 4·202
 Amplification factor, derivation 4·116
 Amplifier range by shunt peaking 4·205
 Analysis, *see also other key words*
 ionic, for raw-water hardness 5·139
 Analysis conversions, proximate 3·68
 Angle, and arc of circle 1·6

angle-basin

[3]

Angle, optic, calculations 2·5–2·8

Angles, cutter, clearance and relief
14·49

Annuli, equivalent diameters 1·12,
1·42

Annulus areas 1·58

Antenna heights 4·208

Anthracite coal, heat value 3·235
thermal value 17·21

Apples, sulfur dip 21·14

Appliance operating costs 4·35

Approach cuts, milling and hobbing
14·15, 14·16, 14·17

Apron elevations, stilling basin 11·19

Aqueous solutions, saturated, vapor
pressure of 3·245

Arc and angle of circle 1·6

Arc length, circular 1·8, 1·92

Arc welding labor costs 15·22

Area, annulus 1·58

Areas, circular, moments of inertia
1·48

moment of inertia 1·50

of cylinders 1·13

total 1·23, 1·115

of regular polygons 1·86

of steel beams, necessary 11·4

ordinary 1·7

Armatures, insulation resistance for
5·90

Artificial and day lighting 8·29, 8·30

Ascorbic acid, photometric determina-
tion 3·346

Ash in sirups and molasses, conducto-
metric 3·322

Atkinson's formula, ventilating pres-
sure 17·17

Atmospheric pressure correction 2·25

Atmospheric pressure derivation 2·24

Attainment factor, cable temperature
4·88

Attenuation network design 4·109,
4·110

Attenuator, piston, relations 4·151

Audiofrequency power output 4·204

Aviation, *see* Aeronautics; Aircraft;
Nomography; *etc.*

Azimuth and hour angle relations
11·10

b

Backwater curve computations 5·157,
5·158

Baking, infra-red 5·5, 5·6

Balanced line transformer voltage drop
4·71

Balances, material 3·133

Balancing, static, of turbine wheels
5·24

Ball bearing loads 13·107

Ballast resistor design 4·157

Balmer spectrum formulas 2·4

Band, spectral, width 2·21, 2·22

Band-pass r-f circuits, calculations
4·186, 4·187, 4·188

Bands, *see* Brake; Clutch; Wrapping;
etc.

Banks, parallel transformer, load divi-
sion 4·69

Bar, trussed, bending 11·44

Bar rod weight, brass and steel 14·20,
14·21

Bar stock, cost, and flat 13·24, 13·25
weight 13·21, 13·22, 13·23, 13·67

Bar stock calculations 13·20

Bar strength of aluminum alloy 9·21

Bar weight, round 14·3
steel 14·55

Barometer correction, for temperature
2·19, 3·11

hydrogen electrode 3·340

Barometer reduction to zero 3·329

Barrel volumes 1·109

Barrels in cylinders 1·2

Basicity, limestone and lime 3·279

Basin, stilling, apron elevations 11·19

- Batch distillation 3·305, 3·306
 - steam 3·293
- Batch mixing, concentration in 7·82
- Batch quality 9·5, 9·6
- Bath, *see other key words*
- Beam, wooden, loads 11·1, 11·22
- Beam column calculations 9·10
- Beam properties 11·56
- Beam rupture modulus 11·28
- Beams, bond stress in 11·3
 - floor, design 11·57
 - pipes as 10·15
 - steel, necessary area 11·4
 - total external shear 11·2
 - with hydraulic loadings 11·14, 11·15
- Bearing, and shaft calculations 13·65, 13·66
 - meter, design 4·103, 4·104, 4·105
- Beer, air and carbon dioxide in 3·337
- Belleville springs design 13·106
- Belleville washer loading 14·14
- Belt calculations 5·20, 5·86, 5·87, 13·27, 19·13
- Belt conveyor output 17·6
- Belt lengths 13·2, 14·8
- Belt power transmission 13·28
- Belt slip, reducing, savings by 19·12
 - resistance 13·104, 13·105
- Belt speed, best 19·15
- Belt speed computations 5·111
- Bend, pipe, allowances 15·8
 - detail 7·69
- Bending, dies for 16·12
- Bends of pipe 7·10
- Binary distillation factor 7·68
- Binary mixture components, percentage conversions 3·46
- Binary mixture distillation 3·278
- Binary mixture reflux and plates 3·252, 3·253
- Binary system weight and mol percents 3·288
- Bit, rock-, efficiency 7·38
- Blackout lighting 8·20, 4·60
- Blanking pressures 14·19, 14·42
- Blanks, *see also other key words*
 - for circular shells 14·18
- Blast furnace gas volume 1·30
- Bleaching, press cake oil lost in 7·63, 7·64
- Blending, raw mix, problems 3·361, 3·362, 3·363
- Block and tackle calculations 2·2
- Blood volume by specific gravity 20·14, 20·15
- Blower horsepower 5·40
- Blowing, line, gas losses through 7·47
- B.O.D. determination 6·52
- Boiler efficiency 5·74, 5·151, 5·153, 7·11
- Boiler feedwater conversions 5·138
- Boiler fuel cost 3·18
- Boiler water, alkalinity in 5·77
- Boiler water impurities, steam quality and 5·134
- Boiling point, and vapor pressure 3·198
 - normal, critical temperature from 3·144
 - primary calculations 3·267
- Boiling point correction 3·146, 3·147
- Boiling point molecular weight for hydrocarbons 3·232
- Boiling points of ring, chain compounds 3·206, 3·207
- Bolt circle chords 1·105
- Bolt root, fiber stress 13·102
- Bolts, tensile strength 13·47
- Bond stress in beams 11·3
- Boring, turning horsepower 14·23
- Boring tool pressure 14·5
- Brake and clutch bands 13·44
- Brakes and clutches, wrapping band 13·117
- Brass and steel rod, bar weight 14·20, 14·21
- Bridge stiffener spacing 11·36

brines-carbonate

[5]

Brines, calcium chloride, specific heat and viscosity 3·315, 3·316
Bubble plate fractionators 7·76–7·80
Buffers, acetate 3·1
Buildings, heat losses in 10·70
Bulb, dry, wet, temperatures, *see other key words*
Bus, pipe, deflection 4·64
Bus expansion calculations 4·39
Bus stresses 4·160
Butt-up, of acid acid solutions 3·223
 of alkali cellulose 3·227
 of sodium sulfide solutions 3·224, 3·225
 of spin bath 3·226

C

CAA course alignment 4·15, 4·16
Cable, high frequency, design 4·152, 4·153
 underground, costs 4·38
 underwater, laying 4·54
 water cooled, calculations 5·152
Cable faults, location 4·90
Cable temperature attainment factor 4·88
Cable thermal storage 4·68
Cable vibrations and fatigue 4·37
Cables, three, sheath losses for 4·83
Cake, high sugar, calculations 21·17
Calcmeter relations 3·364
Calcium chloride brines, specific heat and viscosity 3·315, 3·316
Calcium chloride calculations 3·265, 3·266
Calculations, *see other key words*
Calorific values 17·7, 17·8, 17·9
Calorimeter, steam quality from 5·68
 throttling, calculations 5·63
Cam design, constant acceleration 13·92
Cane juice, sugar, solids in 3·336

Capacitance calculations, elementary 4·179
Capacitance-resistance filters 4·140
Capacitances, series 4·48, 4·193
Capacitor, vacuum 4·13
Capacitor improvement of power factor 4·49
Capacitors, and condensers, synchronous 4·172, 4·173
 gas filled and vacuum 4·138
 watt-second rating 4·19
Capacity, *see also* Pipe; Pipe line; Tanks; Volumes; *and other key words*
 distributed, inductance from 4·11
 frequency, inductance relations 4·199
 interrupting, air circuit breakers 4·94, 4·95
 refrigerating, measurement 10·4
 refrigerating machine 10·108, 10·109
 refrigeration 10·114
 ammonia compressor 10·110, 10·111
Carbide tips for single point tools 14·57
Carbide tool shank and tip sizes 14·1, 14·2
Carbide tools, optimum tip 14·37
 shank size 14·38
 shanks for 14·58
Carbon dioxide, and air in beer 3·337
 and alkalinity in water 6·4, 6·5, 6·6
 from combustion maximum 5·67
 solubility 3·30
Carbon gas volumetric calculations 3·342
Carbon-hydrogen, fuel oil, ratio 7·61
Carbon monoxide, heat loss from 5·106
Carbonate sulfate ratios 3·327

- Carbons, decolorizing, calculations 3·189
 - countercurrent use 3·193
- Cast iron pipe costs 10·2
- Cast iron pipe flow 5·156, 6·1
- Cast iron pit pipe thickness 6·2
- Casting, centrifugal, of steel 15·1
- Cathode follower gains 4·145
- Cathode follower impedance 4·147
- Cathode follower pentodes 4·146
- Cathode ray tubes, photography patterns on 4·130, 4·131
- Cathode tube electrostatic deflection 4·99, 4·100
- Cells, alkali and chlorine electrolytic, efficiency of 3·108
- Cellulose, viscosity, cupriethylenediamine 18·13
- Cellulose ester composition 3·351, 3·352
- Cellulose solutions fluidity 19·7, 19·8
- Cement, *see also* Concrete; Rock products; *etc.*
 - air-entraining, feed 11·74
 - dam, specifications 11·29, 11·30
 - Portland, composition 3·345
- Cement clinker design 11·61
- Cement components 11·62
- Cement grinding 11·69
- Cement mix blending 11·72
- Cement mix proportions 11·60
- Cement mortars, air in 11·71, 11·75, 11·76
- Cement slurry correction 11·70
- Cement slurry moisture control 11·73
- Cement water blend temperatures 11·63, 11·64
- Center of gravity, airplane 9·22
- Centerless grinding 14·26
- Centrifugal casting of steel 15·1
- Centrifugal force calculations 2·17
- Centrifugal pumps, basic calculations 17·24
 - specific speeds 5·49
- Centrifugal spray nozzle design 13·34–13·39, 13·40, 13·41
- Centrifugation, ultra-, calculations 20·3
- Cetane number, diesel 7·73
- Cetane number relations, diesel fuel 7·27, 7·28
- Chain, silent, power for 13·3
- Chain and ring compounds, boiling points 3·206, 3·207
- Chain and sprocket, maximum speed 18·8
- Channels, circular, flow in 6·60, 6·61
 - open, flow in 6·56, 6·59
 - trapezoidal, flow in 6·40
- Characteristic, *see other key words*
- Chart, *see other key words*
- Chemical engineering, *see* Nomography; *and other key words*
- Chemical engineering calculations, nomogram for 3·215, 3·216
- Chilling of condensate 5·45
- Chimney, *see also* Flue; *etc.*
 - forced draft, design 10·91
 - reinforced concrete, design 11·8
- Chimney draft 1·35, 1·36, 5·135
- Chimney draft static 5·119
- Chimney heat loss 1·33
- Chimney loss calculations 17·26
- Chimney loss measured by economizer 5·21
- Chimney losses 3·21
- Chimney sizes 10·68, 10·69
- Chip size 14·40
- Chip weight and cutting ratio 16·21
- Chlorine, for main disinfection 6·25
 - solubility, water 3·244
- Chlorine demand 6·41
- Chlorine dosage 6·19, 6·28
- Chlorine electrolytic cells, efficiency 3·108
- Chlorine monoxide solubility 3·254
- Chords, circle 1·105
- Chromium iron ratio 17·37

circle—combustion

[7]

- Circle, *see also* Circular
 arc and angle 1·6
 chords 1·105
Circles, inscribed and circumscribed,
 radii, of regular polygons 1·87
Circuit, parallel, calculations 4·14
Circuit breaker speed, tuning fork and
 4·36
Circuit breakers, air, interrupting ca-
 pacity 4·95
 interrupting capacity 4·94
Circuits, distribution, short circuit cur-
 rent 4·171
 distributive and transmission, volt-
 age drop 4·93
 electronic, reactance for 4·65
 thyrite, calculations 4·166, 4·167
 parallel, resistance 4·67
 r-f, band-pass calculations 4·186,
 4·187, 4·188
 series, time constant calculations
 4·2, 4·3
Circular, *see also* Circle
Circular arc length 1·8
Circular areas, moment of inertia
 1·48, 1·49
Circular channels, flow in 6·60, 6·61
Circular ducts, equivalent 5·100
Circular ring, inductance of 4·8
Circular segment area, arc length
 1·92, 1·93
Circular shells, blanks for 14·18
Circular wave guides 4·12
 cut-off frequencies 4·207
Circulation and agitation, propeller for
 18·12
Cleaned coal value 17·19
Cleaner, alkaline, and conductivity
 16·6
Clinker, cement, design 11·61
Cloth, cotton, analysis 19·17
Clutch and brake bands 13·44
Clutches and brakes, wrapping band
 13·117
Coal, anthracite, heat value 3·235
 thermal value 17·21
 bituminous, thermal value 3·61
 cleaned, value 17·19
 heat value conversions 3·69
 heat value of 7·1, 10·56
Coal analysis 11·68
Coal combustion calculations 3·158–
 3·170
Coal costs 5·126
 for homes, and gas 7·3
Coated sheet weight 18·9
Coefficient, *see other key words*
Coil, *see also* Roll
 concentric, mutual inductance
 4·142
 finned, capacity data 10·29
 in a transformer, final use 4·84
 link coupled, design 4·17
Coil calculations 4·112, 4·190
Coil heaters, or tubular, heat transfer
 in 5·97
Coil saturation temperature 10·44
Coil shorted turns 4·154
Coils, inductance 4·200
 single layer 4·126
 magnet, d-c 4·168, 4·169, 4·170
 solenoid, design 4·192
Collapse resistance of pipes 15·17
Color, volume, saturation indices 20·6
Colorimetric *pH* titrations for acids
 3·338
Column, beam calculations 9·10
 concrete, design 11·16
Columns, concrete, eccentric load
 11·11, 11·12
 pipes as 10·16
Combustibles, in fuel refuse, losses from
 5·73
 refuse, heat loss due to 5·103
Combustion, air for 5·136
 excess air in 5·46
 maximum carbon dioxide from 5·67
 of coal 3·158–3·170

Combustion air 1·31
 Combustion calculations 17·3
 Combustion heat losses 5·71
 Comparative, *see other key words*
 Component, *see also other key words*
 vector, conversion 1·19
 Composition, *see other key words*
 Compressed air flow pressure drop
 17·12
 Compressed air pipe friction 5·123
 Compressed air transmission 17·22,
 17·23
 Compression, gas, temperatures 7·58
 Compression calculations 5·78
 Compressor, air, cooling water 17·5
 ammonia, refrigeration capacity
 10·110, 10·111
 Computations, *see other key words*
 Concentration, *see also other key words*
 in batch mixing 7·82
 removal of water in 3·156
 Concrete, *see also* Cement; Rock prod-
 ucts; Reinforced concrete; *etc.*
 pumice-, slab design 11·24
 reinforced, slab design 11·9
 Concrete column design 11·16
 Concrete columns, eccentric load
 11·11, 11·12
 Concrete control 11·50
 Concrete costs 11·37
 Concrete pipes, flow in 6·44, 6·51
 Concrete proportions 11·48
 Concrete quantity estimation 11·59
 Condensate, chilling of 5·45
 Condenser calculations 5·129
 Condenser design 3·280, 3·281
 Condenser discharge 4·114
 Condenser discharge time 4·87
 Condenser efficiency 17·34
 Condenser flow calculations 3·153,
 3·154, 3·155
 Condenser tube heat transmission
 10·1

combustion-conveyor

Condensers and capacitors, synchro-
 nous 4·172, 4·173
 Conditions, *see other key words*
 Conductance derivation 10·33
 Conductances combined 10·34
 Conductivities, thermal, of gases and
 vapors 3·238–3·241
 Conductivity, *see also other key words*
 and alkaline cleaner 16·6
 Conductor, secondary, for lamp flicker
 4·73, 4·74, 4·75
 Conductor loading 4·96
 Conductor sleet, current to prevent
 4·33, 4·34
 Conductor voltage drop 4·76
 Conductors, copper, current to melt
 4·82
 direct current 5·69
 Conduits, circular, critical flow in
 5·31
 fluid friction in 3·77, 3·78
 Cone volume 1·110, 1·113
 Conical pile capacity 1·81
 Constant, *see other key words*
 Constriction flow in pipes 6·48, 6·49,
 6·50
 Consumer record, transformer load
 from 4·59
 Consumption, *see other key words*
 Contact arc, belt, of small pulley 18·5
 Contact conversion, sulfuric acid
 3·188
 Contact stress in rollers 13·75
 Contraction, enlargement losses 3·135
 Control, *see also other key words*
 capacity, for atmospheric cooling
 towers 3·127, 3·128
 Conversion, *see also other key words*
 units, calculations 2·26
 Conversions, illumination, for inclined
 planes 8·25
 proximate analysis 3·68
 Conveyor, belt, output 17·6
 Conveyor belt spout relations 13·119

conveyor-cutting

[9]

- Conveyor power requirements 3·132
- Convolute flat springs 13·89
- Cooling, home evaporation 10·49
- Cooling tower efficiency 3·19, 3·152, 7·13
- Cooling tower performance 3·14, 3·15
- Cooling towers, atmospheric, capacity control for 3·127, 3·128
- Cooling turbo alternators 5·59
- Cooling water, air compressor 17·5
 - optimum, in heat exchanges 3·243
- Copper winding temperature rise 4·163
- Copper wire fusing 4·40
- Copper wire temperature and resistance 4·178
- Core waste, newsprint 18·4
- Correction, *see* Thermometer; Temperature; Size; *and other key words*
- Corrosion calculations 6·29
- Corrosion rate 16·11
- Corrugated steel lengths 11·54
- Cosines, direct-, law 1·73
- Cost, *see* Economizer; Pipe; Production; Savings; *and other key words*
- Costs and production 13·16, 13·17, 13·18
- Cotton cloth analysis 19·17
- Cotton for regain, strength correction 19·42, 19·43, 19·44
- Cotton spindles per operative 19·46
- Cotton spinning production 19·57
- Cotton yarn, twist changes effect on 19·41
- Cotton yield and crop, forecast 19·16
- Countercurrent absorber design 3·297
- Countercurrent use of decolorizing carbons 3·193
- Course alignment, CAA 4·15, 4·16
- Coverage of a deposit 15·7
- Cream and milk calculations 21·3
- Crisscross method, flow network 11·17
- Critical point, gas relations below 2·15
- Critical pressures 3·150
- Critical temperature, from normal boiling point 3·144
 - molecular refraction 3·255
- Critical temperature relationship 3·130
- Crystals, quartz, temperature coefficients 4·128
- Cubic equation roots 1·20, 1·72, 1·96, 1·98, 1·99, 1·103
- Culvert design 11·20
- Current, alternating, power factor 5·70
 - and temperature rise 4·91
 - direct, magnet coils 4·168, 4·169, 4·170
 - for plating 4·180–4·185
 - line, power factor from 5·125
 - short circuit, of distribution circuits 4·171
 - to melt copper conductors 4·82
- Curve, vertical, calculations 12·6, 12·7, 12·16
- Curves of given degree, template 1·21
- Customers and transformer calculations 4·63
- Cut, *see also other key words*
 - and fill volumes 11·26
 - lathe, horsepower for 14·52, 14·53
- Cutoff frequencies, circular waveguides 4·207
- Cutter, milling, relationships 14·48
- Cutter clearance and relief angles 14·49
- Cutter feeds and speeds 14·7
- Cutting, metal, calculations 14·56, 14·66–14·78
- Cutting loads, plate shear 14·60, 14·61
- Cutting ratio, and chip weight 16·21
 - and shear angle 16·20
- Cutting time, standard 14·11

Cutting tool pressure 14·4
 Cyclone theories in nozzles 13·42
 Cylinder, thick, calculations 13·85
 Cylinder areas 1·13, 1·23, 1·115
 Cylinder volumes 1·15, 1·22, 1·74,
 1·75, 1·76, 1·82, 1·112
 partial 1·1, 1·38, 1·41
 Cylinder weights, steel 1·24
 Cylinders, barrels in 1·2
 fluid power, design 5·145, 5·146

d

Dam, cement, specifications 11·29,
 11·30
 Day and artificial lighting 8·29, 8·30
 Daylight illumination 8·28
 Db gain-loss calculator 4·143
 D-c magnet coils 4·168, 4·169, 4·170
 Decolorizing carbons, calculations
 3·189
 countercurrent use 3·193
 Deflection, *see also other key words*
 electrostatic and magnetic, cathode
 tube follower 4·99, 4·100
 of pipes between supports 10·26
 pipe bus 4·64
 pole 4·44
 Degree, fifth, equation, real roots 1·72
 second, equation 1·62–1·71, 1·98
 third, equation 1·20, 1·72, 1·96,
 1·98, 1·99, 1·103
 De-icing, windshield, heat for 9·23–
 9·26
 Demand, *see other key words*
 Densities of organic liquids 3·309
 Density, *see also other key words*
 acid, temperature correction 3·86–
 3·93
 of air, derivation 2·28
 Density correction, American oils
 7·65, 7·66

Density temperature relationship in
 heat transfer 3·101
 Deposit, coverage of 15·7
 Depth doses, percentage 20·21, 20·22
 Derivation, *see other key words*
 Design, *see also* Nomography and other
 key words
 elasticity in 13·74
 Detail, *see other key words*
 Determinants in nomography 1·37
 Determination, *see other key words*
 Developed surfaces, runoff 12·15
 Device, *see other key words*
 Dew point, *see other key words*
 Dew point calculations 2·29
 Dew point conversion, air fuels 3·194
 Dew point temperatures 10·78
 Diagram, *see other key words*
 Diameter, *see other key words*
 Diameters, equivalent, of annuli 1·12,
 1·42
 Diamond pyramid hardness 16·14
 Diaphragms, ruptured, safety head for
 3·120
 Dies for bending 16·12
 Diesel cetane number 7·73
 Diesel-electric locomotive calculations
 5·16
 Diesel fuel, cetane number calculations
 7·27, 7·28
 Diesel fuel economy 5·17
 Diesel jacket, water flow calculations
 5·122
 Difference, *see other key words*
 Diffusion, sensible heat flow 10·38
 Diffusional mean driving forces 3·262,
 3·263, 3·264
 Dilution, continuous, of sulfuric acid
 3·139
 Dimension, *see other key words*
 Direct cosines law 1·73
 Direct current conductors 5·69
 Direct current transmission loss 5·142
 Disc, rotating, stress 13·77

Discs, steel, weight of 11·5
 Discharge, condenser, calculations
 4·114
 of gear pumps 13·103
 pipe 6·27
 weir 17·29
 Discharge diameter, velocity, loss of
 head in pipes 6·31
 Discharge time, condenser 4·87
 Disinfection, main, by chlorine 6·25
 Dissolved oxygen, percent saturation
 6·42
 Distance, *see also other key words*
 velocity and 2·1
 vertical sight, in surveying 11·45,
 11·46
 Distance calculations 1·5
 Distillation, batch 3·305, 3·306
 steam 3·293
 binary mixture 3·278, 7·68
 Distribution, *see other key words*
 Distribution circuits, short circuit cur-
 rent 4·171
 Distribution faults 4·46
 Distribution systems, large, analysis
 6·3
 water 6·7, 6·8
 Distribution transformers, loads for
 4·89
 Distributive circuits, voltage drop
 4·93
 Ditch, open, design 6·15
 Dividends, stock market 7·2
 Divisions and multiplications, repeated
 1·57
 Dosage, chlorine 6·19, 6·28
 radium, for linear sources 20·1
 Doses, percentage, depth 20·21,
 20·22
 radium, for plane and point sources
 20·26, 20·27
 Draft, *see also Chimney; Flue*
 forced, chimney design 10·91
 stack 5·135

Draft, static chimney 5·119
 Drainage resistance of pulp 18·10
 Drawing pressure 14·25
 Drill and reamer dimensions 14·36
 Drill pipe, ton-miles for 7·43
 Drilling, rotary, line work 7·62
 Drilling horsepower 14·22
 Drive force calculations 13·72
 Drive shaft twist 13·12
 Drives, rope, horsepower 5·88
 V-belt 5·140
 Drop, *see other key words*
 Drum, rope, capacity 13·62
 Drum rope regulation 17·1
 Dry bulb, *see other key words*
 Dryer, tunnel, calculations 3·181-
 3·187
 Drying calculations 21·16
 Drying gases by absorption 3·41-
 3·45
 Duct, air, friction 10·50
 heat losses and gain 10·98
 and fan gain 10·42
 insulated, heat losses 10·95
 steel, area and weight 10·75
 Duct air flow 10·14
 Duct sizing 10·102
 Ducts, air, friction loss 5·99
 air flow in 3·129
 air temperature loss in 10·80
 circular, equivalent 5·100
 rectangular, equivalent 10·90
 Dyeing, rayon, to shade 19·1

e

Eccentric load concrete columns
 11·11, 11·12
 Economizer, chimney loss measured by
 5·21
 Economizer efficiency 17·25
 Economy, *see other key words*
 Effect, *see other key words*

[12]

Effective, *see also other key words*
 mean, pressure 5·55
 Efficiency, *see also other key words*
 machine time and 13·97
 power savings 5·4
 Efficiency economiser 17·25
 Effluent flow in sewers 1·34
 Egg production costs 21·4–21·8
 Elasticity in design 13·74, 13·75
 Elbow splitter design 10·31
 Electric heater capacity 4·176
 Electric poles and guying 4·53
 Electricity, *see also Nomography and other key words*
 elementary calculations 4·31, 4·32, 4·98, 4·191
 short circuit calculations 4·25–4·28
 Electrode, hydrogen, barometer correction 3·340
 Electrodeposit thickness on metals 16·5
 Electrometric hydrogen-ion determination 3·27
 Electronic device relays 4·111
 Electrostatic and magnetic deflection, cathode tube follower 4·99, 4·100
 Electrostatic precipitation 4·175
 Elevator cables, used, strength of 5·50
 Emittance and actual temperature 2·18
 Emulsification, temperatures and water percentage 3·40
 Emulsion and reagent related to cost 7·42
 Enamels, synthetic, solvent and thinner 3·359
 End of pipe, water flow 3·377
 Energies, activation, of unimolecular reactions 3·12
 Energy, shuttle 19·4
 Engine, diesel, fuel economy 5·17
 reciprocating, air consumption 17·10

effective–evaporator

Engine horsepower 5·141, 13·54, 13·69
 Engine test correction 7·39
 Engines, winding, power for 17·18
 English-metric conversion 2·23
 Enlargement contraction losses 3·135
 Enthalpies, hydrocarbon 3·294, 3·295, 3·296
 Enthalpy, water, nitric and sulfuric acids 3·257
 Entrance losses, hydraulic 6·47
 Entropy of steam 5·43
 Equation, *see also Degree; Cubic; Quadratic; etc.*
 orifice 3·97, 3·98
 Equilibria, hydrocarbon vapor liquid 3·289
 liquid vapor 3·134
 Equilibrium, high pressure vapor liquid 7·67
 ionic, in water 6·58
 vapor liquid 7·83
 zygraph for 3·178
 Equilibrium constant, vapor pressure and 3·286, 3·287
 Equilibrium constants, hydrocarbons 3·290
 Equilibrium flash calculations 7·85
 Equivalent, *see other key words*
 Erythrocyte volume thickness index 20·11
 Ester, cellulose, composition 3·351, 3·352
 Estimation, *see other key words*
 Ethanol, thermal conductivity 3·94
 Ethanol-water mix proportions 3·151
 Ethyl alcohol water mixture, surface tension of 3·312
 Evaporation, in liquors 3·313
 Meyer's formula 2·12
 Evaporation cooling, home 10·49
 Evaporation factor 5·65
 Evaporator performance 21·11, 21·12, 21·13

Excavations, circular 1·22
 Excess, *see other key words*
 Exchanger sizes, economic 3·274
 Exchangers, glass, heat transfer coefficients 3·100
 Exhaust, *see* Vent; Discharge; *etc.*
 Exhaust hood air velocity 10·99
 Exhaust hood design 10·92
 Exhaust system design 10·89
 Exhaust ventilating performance 10·101
 Expansion, bus, calculations 4·39
 in a square bend 5·131
 linear, of iron 6·36
 of metals 6·23, 14·65
 Exponents, fractional 1·45
 Exposures, photomicrograph, in textiles 19·49
 Extract from wine 21·15
 Extraction, for solute free solvents 3·258
 multiple-contact 3·302
 Eye, localization of foreign bodies in 20·19, 20·20

f

Fabrics, reed width, warp length 19·40
 wool, loss of weight 19·45
 Face miller relationships 14·39
 Facsimile design 4·122
 Factor, *see other key words*
 Factory heat losses 5·35
 Fastenings, external load on 13·5
 Fatigue and vibrations, cable 4·37
 Fatty acids, refractive index 3·273
 solidifications 3·268
 volatile, by partition method 3·334
 Faults, cable, location 4·90
 distribution 4·46
 Feed, *see other key words*
 Feedback, gain reduction by 4·101

Feedback gains 4·209
 Feeder layout 4·24
 Feeds, cutter, and speeds 14·7
 milling, and speeds 14·51
 Feedwater, boiler, conversions 5·138
 Feedwater heater savings 7·12
 Fiber stress in pipes 10·25
 Fifth degree equation, real roots 1·72
 Fill, volumes, and cut 11·26
 Film, paint, calculations 3·353, 3·354
 Film coefficients, heat transfer, for vapors 3·116
 Filter, power supply 4·123
 Filter design 4·118, 4·119, 4·120
 Filter sand grading 6·62
 Filters, insertion loss 4·121
 resistance-capacitance 4·140
 Filtration plant design 6·16
 Fineness test, molding sand 15·3
 Fit allowances 13·4
 Fits, shaft, allowances for 13·26
 shrink and press 13·61
 Fitting, pipe resistance 7·57
 Fittings, head loss from 6·26
 Flanges, curved, for metal parts 14·62
 Flash, equilibrium, calculations 7·85
 Flat stock, cost, and bar 13·24, 13·25
 Flicker, lamp, secondary conductor for 4·73, 4·74, 4·75
 motor start, specifications against 4·55, 4·56, 4·57
 Floc formation, silica in 6·54
 Flood routing 5·27
 Floor beam design 11·57
 Floor slabs, concrete, steel in 11·58
 Flow, *see also* Friction; Head loss; Pressure loss; *etc.*
 condenser calculations 3·153, 3·154, 3·155
 in channels, circular 6·60, 6·61
 open 6·56, 6·59
 trapezoidal 6·40
 in circular conduits, critical 5·31

- Flow, in ducts, air 3·129, 5·99, 10·14, 10·50
 in pipes 1·9, 1·43, 3·77, 3·78, 5·12, 5·33, 5·130, 5·148, 5·156, 6·1, 6·10, 6·11, 6·43, 6·46, 7·26, 7·51, 7·59, 7·93, 7·94, 10·7, 10·20–10·23, 10·84, 10·104, 15·18
 air 5·109, 5·110
 in suction 10·86
 compressed air 5·123, 17·12
 concrete 6·44, 6·51
 discharge 6·27
 friction 3·109, 5·14, 5·23, 5·26, 5·29, 6·32, 6·33, 17·14, 17·27, 17·28
 gas 7·53
 Hardy-Cross 6·45
 Hazen-Williams 6·53
 Manning 6·57
 oil 5·83
 partial 3·248, 5·160
 Scobey 6·31
 steam 5·37, 5·38, 5·39, 5·57, 5·107, 6·35, 7·9, 7·23, 10·6, 10·10, 10·58, 10·59, 10·66, 10·67
 water 5·25, 5·64, 5·84, 5·108, 6·21, 7·21, 17·2, 17·35, 18·2
 at pipe end 3·377
 in pumps, and power 6·39
 in sewers, effluent 1·34
 minimum velocities for 6·12
 velocity of 6·13
 volume of 6·14
 in V-notch weir 5·121
 liquid, horsepower for 3·222
 orifice 3·97, 3·98, 6·24, 6·48, 6·49, 6·50, 7·89, 9·3, 10·19
 gas pipe calculations 7·45
 of air 13·43
 of gas 3·72, 3·73, 3·75, 3·76, 7·19, 7·45
- Flow, of saturated and superheated steam 3·143
 of steam 5·85
 of viscous fluid 7·90, 7·91
 of water 3·236, 5·93
 thin plate 3·106
 thermoplastic, of polystyrene 3·276, 3·277
- Flow design for fluids 3·213, 3·214
 Flow network, crisscross 11·17
 Flowmeter, gas, discharge rates 3·228, 3·229
- Flue, *see* Chimney; Draft; *etc.*
 Flue gas, dry, heat losses in 5·101
 heat loss in 5·66
 Orsat analysis 3·378
 sensible heat loss in 5·79
 Flue gas characteristics 7·87
 Flue gas combustion air 11·65, 11·66, 11·67
 Flue gas moisture, losses from 5·72
 Flue gas moisture and volume 5·132, 5·133
 Flue gas water vapor 5·22
 Flue losses 5·48
- Fluid, *see* Flow; Liquid; *etc.*
 Fluid flow design 3·213, 3·214
 Fluid power cylinder design 5·145, 5·146
 Fluidity, cellulose solutions 19·7, 19·8
 Fluids, heat transfer of, in viscous flow 3·107
- Fluorescent lamp, reflectors for 8·23, 8·24
 Fluorescent vs. incandescent lighting costs 8·21, 8·22
- Fluoride, thorium nitrate titration of 3·348
 Fluoroscopic localization of foreign bodies 20·24, 20·25
- Flywheel effect 13·78
 Flywheel weight for internal combustion engine 5·51
- F-m transmission calculations 4·18

Food packaging losses 21·2
 Food production costs 21·9, 21·10
 Force, *see also other key words*
 run, per horsepower 5·2
 Forced air systems 10·63
 Forced draft chimney design 10·91
 Forecast of cotton yield and crop
 19·16
 Foreign bodies, fluoroscopic localiza-
 tion 20·24, 20·25
 localization of, in the eye 20·19,
 20·20
 Fork, tuning, and circuit breaker speed
 4·36
 Formula, *see other key words*
 Foundry sand control 15·2
 Fourfold point correlation coefficient
 1·108
 Fraction, petroleum viscosities 3·208
 weight to mol 3·84
 Fraction-mol weight conversion 3·131
 Fractionating, hexane in 3·199
 Fractionators, bubble plate 7·76-7·80
 Frame, rigid, design 11·33, 11·34,
 11·35
 Frames, rigid, stiffness factors 11·51
 Freeness tester, precision 18·3
 Freezing points of ternary alcohol mix-
 tures 3·32
 Frequencies, natural, torsional vibra-
 tions 13·82
 Frequency, capacity, inductance calcu-
 lations 4·199
 Friction, *see also* Flow; Head loss;
 Pipes; Pumping; *and other key*
 words
 and head loss in pipes 3·109
 angle and coefficients of 16·19
 coefficient and angle of 16·19
 fluid, in pipes 3·77, 3·78
 hydraulic, factors 5·29
 in pipe flow 5·14
 in steel pipe 5·26
 power for, in pipes 6·32, 6·33

Friction head, pipe flow 17·14
 Friction losses, in air ducts 5·99
 in pumping mains 17·27, 17·28
 Friction pressure loss in pipes 5·23
 Frogs, railroad, calculations 12·4
 Fuel, gas turbine, heat to vaporize
 7·29-7·36
 heating, requirements 10·51
 steam, cost of 5·54
 Fuel cost, boiler 3·18
 Fuel dew point, heat content at 7·29,
 7·30
 Fuel efficiency 10·52, 10·53
 Fuel flow and true airspeed 9·20
 Fuel increment, equivalent costs 5·19
 Fuel-oil capacities of sprayer plates
 13·127
 Fuel oil carbon hydrogen ratio 7·61
 Fuel refuse combustibles, losses from
 5·73
 Fuels, home, costs of 10·60, 10·61,
 10·62
 Furfural-furfuryl alcohol calculations
 3·341
 Furnace volume derivation 19·48
 Furnaces, aluminum electrolysis in
 16·3
 Fusing copper wire 4·40

g

Gain, *see other key words*
 Gain-loss, db, calculator 4·143
 Gain reduction by feedback 4·101
 Gas, critical point, relations below
 2·15
 producer, combustion 3·292
 Gas analysis by absorption and titra-
 tion 3·22
 Gas compression temperatures 7·58
 Gas costs for homes, and coal 7·3
 Gas delivery 7·96
 Gas efficiency in industry 7·16

- Gas filled capacitors, and vacuum** 4·138
- Gas flow, in mains** 7·22
- high pressure 7·20
- low pressure 7·18
- in pipes 7·53
- orifice 7·19
- measurement 3·75, 3·76
- pipe calculations 7·45
- orifice diameter for 3·72, 3·73
- service pipes 7·17
- Gas flowmeter discharge rates** 3·228, 3·229
- Gas heat, and oil, relative** 7·60
- Gas laws, volumes** 2·31
- Gas leakage losses** 7·4
- Gas losses, through line blowing** 7·47
- through line purge 7·52
- Gas measurement by orifice meter** 7·95
- Gas pressure volume calculations** 2·27
- Gas purification control** 7·7, 7·8
- Gas solubility and partial pressure** 3·282
- Gas turbine calculations** 5·32
- Gas turbine fuel, heat to vaporize** 7·29–7·36
- Gas velocity, air and** 3·35, 3·36, 3·37
- Gas viscosities** 3·201
- Gas volume corrections** 7·50
- Gas volume per pound** 5·127
- Gas volume standard correction** 7·55
- Gas volume-temperature calculations** 1·83
- Gas volumes, and temperature** 1·4
- at high pressures 3·79–3·83
- at standard conditions 3·53
- rotameter conversion, and weights 3·119
- reduced to standard 2·16
- Gas-volumetric calculations, carbon** 3·342
- Gases, drying, by absorption** 3·41–3·45
- Gases, hydrocarbon, elementary calculations** 3·283, 3·284
- ideal, approximate solutions 3·10
- non-luminous, heat transmission by radiation from 3·190
- perfect, volume correction 3·231
- thermal conductivities, and vapors 3·238–3·241
- viscosity, temperature and pressure 3·298
- Gasoline temperature corrections** 3·179
- Gear, elementary calculations** 13·71
- planetary, calculations 13·93
- spur, forces 13·52
- Gear pumps, discharge** 13·103
- Gear shaper production** 14·27
- Gear teeth proportions** 13·99
- Gearing, helical, worm** 13·79, 13·80
- Gears, horsepower for** 13·48, 13·49, 13·50
- inclosed, lubrication 14·32
- spur, horsepower for 13·29
- Gel content, plasticity, viscosity** 3·307
- Geometry of stereoscopic projection** 1·77
- Girders, plate, economic depth** 11·53
- Glass, sun gain through** 10·36
- Glass exchangers, heat transfer coefficients** 3·100
- Glass tubing, weight** 3·357
- Glued joint strength** 9·4
- Glycerol, thermal conductivity** 3·95
- Grade derivation** 12·18
- Grain size separation** 13·120
- Grains in air** 10·40
- Greenhouse heating** 10·54
- Grinding, centerless** 14·26
- Grinding speed** 14·24
- Groundwater-level well calculations** 11·21
- Guy lead problems** 4·51
- Guy wire size** 4·70

guying-heating

[17]

Guying and poles, electric 4·53

Gyratation, radius of 13·70

h

Hardenability, end quench, of steel
16·16

of steel 16·8

Hardness, *see also other key words*

raw-water, from ionic analysis
5·139

Rockwell, correction 16·13

Hardy-Cross, flow in pipes 6·35

Haulage, endless, set spacing 17·4
locomotive 17·30-17·33

Haulage horsepower 17·16

Hauling efficiency 12·10, 12·11

Haven's formula, cotton 19·42, 19·43,
19·44

Hazen-Williams flow calculations
6·53

Head loss, *see also* Flow; Friction; Pres-
sure drop; *etc.*

and friction in pipes 3·109

from fittings 6·26

in pipes 5·155, 6·34

balancing 5·30

discharge diameter and velocity
6·31

in pumps 5·91

Head thickness for unified pressure ves-
sels 13·112, 13·113

Heat, *see also* Heating; Temperature;
Thermal; *etc.*

and seasonal heat costs 10·83

latent, and temperature 3·141

oil and gas, relative 7·60

sensible, diffusion flow 10·38

to vaporize gas turbine fuel 7·29-
7·36

total, of steam 5·42

Heat conductivity, transverse, of wood
10·48

Heat exchanger calculations 3·365

Heat exchangers, optimum cooling wa-
ter in 3·243

Heat gains and removals 10·39

Heat load, occupancy 10·37

Heat loss, chimney 1·33

due to moisture and hydrogen
5·104, 5·105

due to refuse combustibles 5·103

from CO 5·106

in air ducts, and gains 10·98

in flue gas 5·66

sensible, in flue gas 5·79

Heat losses, factory 5·35

in buildings 10·70

in combustion 5·71

in dry flue gas 5·101

in insulated ducts 10·95

in uninsulated pipe 3·20

steel pipe 10·97

Heat resisting alloy steel 16·1

Heat transfer 1·28

for hydrocarbon vapors 3·304

in coil or tubular heaters 5·97

of fluids in viscous flow 3·107

Heat transfer calculations 3·24

Heat transfer coefficients 3·272, 3·303

for pipe and wire 3·137

in glass exchangers 3·100

Heat transfer density-temperature cal-
culations 3·101

Heat transfer film coefficients for va-
pors 3·116

Heat transfer rates, combined 5·115

Heat transmission, by radiation from
non-luminous gases 3·190

condenser tube 10·1

Heat treatment control, pressing time
in 16·7

Heat value, of anthracite coal 3·235
of coal 10·56, 7·1

Heater, electric, capacity 4·176

Heating, *see also* Heat; Temperature;
Thermal; *etc.*

- Heating, fuel, requirements 10·51
 greenhouse, calculations 10·54
 warm air, calculations 10·76, 10·77
 Heating oil requirements 10·73, 10·74
 Heating value, coal, conversions 3·69
 Helical and worm gearing 13·79,
 13·80
 Helical spring, round bar calculations
 14·50
 Helical spring calculations 13·73
 Helical spring design 13·1, 13·87,
 13·115
 Helical spring load 1·10
 Helical spring period 13·33
 Helical springs, compression, buckling
 load 13·83
 Hexane in fractionating 3·199
 High frequency cable design 4·152,
 4·153
 High-pressure vapor liquid equilibrium
 7·67
 High pressures, gas volumes at 3·79–
 3·83
 High-sugar cake calculations 21·17
 High temperature alloys 16·23–16·26
 Hobbing, approach cuts 14·15, 14·16,
 14·17
 Hollow shaft torsion deflection 13·94
 Home evaporation cooling 10·49
 Home fuels, costs 10·60, 10·61, 10·62
 Homes, cost of gas for 7·3
 Hood, exhaust, air velocity 10·99
 design 10·92
 suction, face velocity 10·85
 velocity 10·12
 Hopper, edge slopes 1·11
 Horizontal line illumination 8·16
 Horizontal tanks, *see* Cylinder vol-
 umes, partial
 Horsepower, *see also* Belt; Shaft; *and*
 other key words
 engine 5·141, 13·54, 13·69
 for blowers 5·40
 for gears 13·48, 13·49, 13·50
 heating—hydrocarbon
 Horsepower, for liquid flow 3·222
 haulage 17·16
 hydraulic 5·34
 lathe cut 14·52, 14·53
 of rope drives 5·88
 truck 5·18
 Hot spot rise for short time overloads
 4·86
 Hot spot temperatures, power trans-
 formers 4·66
 Hot water heating, pressure head
 10·17
 Hour angle and azimuth calculations
 11·10
 Human thermometric calculations
 10·57
 Humidities, relative and absolute
 10·79
 Humidity, *see* Psychrometric calcula-
 tions; Relative humidity; *and*
 other key words
 and operative efficiency 19·14
 Humidity calculations 7·5, 10·55
 Humidity derivation 3·200
 Hydraulic computations, elementary
 5·61
 Hydraulic entrance losses 6·47
 Hydraulic friction factors 5·29
 Hydraulic horsepower 5·34
 Hydraulic loadings, beams with 11·14,
 11·15
 Hydraulic oils viscosity calculations
 5·7, 5·8, 5·9
 Hydraulic power lift 6·37
 Hydraulic turbine penstocks, pressure
 fall 5·53
 Hydraulic turbines, specific speeds
 5·62, 5·92
 Hydrocarbon enthalpies 3·294, 3·295,
 3·296
 Hydrocarbon equilibrium constants
 3·290
 Hydrocarbon gases, elementary calcu-
 lations 3·283, 3·284

- Hydrocarbon mixture densities 3·205
 - Hydrocarbon oil analysis 3·343, 3·344
 - Hydrocarbon processing 7·84
 - Hydrocarbon thinners 3·339
 - Hydrocarbon vapor liquid equilibria 3·289
 - Hydrocarbon vapors, heat transfer for 3·304
 - Hydrocarbons, aliphatic, molal volume 3·250
 - higher, boiling point and molecular weight 3·232
 - paraffin, vapor pressure 3·195
 - unsaturated, vapor pressure for 3·237
 - vapor pressures of 3·140, 3·331
 - Hydrochloric acid, partial pressure 3·142
 - Hydrofluoric acid, vapor pressure for 3·17
 - Hydrogen, heat losses from, and moisture 5·104, 5·105
 - solubility in liquid ammonia 3·246
 - Hydrogen chloride in solution, partial pressure 3·26
 - Hydrogen electrode barometer correction 3·340
 - Hydrogen-ion determination, electro-metric 3·27
 - Hydroturbine power 5·128
 - Hyperbolic coordinates 1·43
- **1**
- I-beam, safe load for 11·77
 - Ice block, weight 10·103
 - Ideal gases, approximate solutions for 3·10
 - Illumination, and vision relations 8·26
 - daylight 8·28
 - from triangular sources 8·31–8·34
 - horizontal 8·16
 - Illumination, residence 8·27
 - Illumination calculations 8·5–8·10, 8·17, 8·18, 8·19
 - elementary 8·1
 - Illumination conversions 8·3
 - for inclined planes 8·25
 - Impedance, and phase angle 4·124, 4·125
 - cathode follower 4·147
 - i-f transformer 4·1
 - in ultra high frequency cables 4·137
 - line 4·102
 - Impedance calculations 4·201, 4·206
 - Impurities, boiler water, steam quality 5·134
 - Incandescent vs. fluorescent lighting costs 8·21, 8·22
 - Inclined planes, illumination conversions for 8·25
 - Inclined survey distances 11·32
 - Increment fuel, equivalent costs 5·19
 - Index, *see other key words*
 - Inductance, frequency, capacity 4·199
 - from distributed capacity 4·11
 - mutual, concentric coil 4·142
 - of circular ring 4·8
 - of two parallel wires 4·5
 - short wave 4·117
 - solenoid 4·113
 - Inductance capacity in coils 4·200
 - Inductance coils, single layer 4·126
 - Induction, self and mutual 4·45
 - Infra-red baking 5·5, 5·6
 - Inherent viscosity kinetic energy 3·379
 - Insertion loss, from series reactance 4·6, 4·7
 - in filters 4·121
 - Inside surface temperature 10·100
 - Insulation, piping 10·11
 - Insulation resistance, for armatures 5·90

Insulation resistance, for stators 4·9
 Insulation thickness 10·8, 10·9
 Interest rate calculations 1·16, 1·17
 Interferences, from nominal size
 13·114
 Internal combustion engine, flywheel
 weight for 5·51
 Interrupting capacity, air circuit
 breakers 4·94, 4·95
 Invertase activity 3·332, 3·333
 Iodine value of tung oil 3·335
 Ionic equilibrium in water 6·58
 Iron, linear expansion 6·36
 Iron chromium, ratio 17·37
 Isobutane solubility in a ternary sys-
 tem 3·299
 Isomeric octanols, vapor pressure for
 3·269
 Isothermal flow, pressure drop 3·319

j

Jacket, diesel, water flow 5·122
 Joint, glued, strength 9·4
 welded, safe load for 15·6

k

Kata air velocity 10·13
 Keyway cutting time 14·12
 Kiln, lime, specific heat 3·366–3·376
 Kiln time 3·122, 3·123, 3·124
 Kilowatt computations 5·149
 Kinetic energy, comparison, of a re-
 volving body 2·35
 Kinetic viscosity conversion 5·143
 Knitting machine production 19·47
 Kva, reactive, and power factor
 4·158, 4·159
 Kva-mfd chart 4·4

l

Labor costs, arc welding 15·22
 Lacquer viscosities 3·191, 3·192
 Lactometer and milk solids 21·18
 Latent heat, and temperature 3·141
 and vapor pressure 3·233, 3·259
 Latent heat calculations 3·145, 3·197
 Latent period of tumors 20·18
 Lathe cut, horsepower for 14·52,
 14·53
 Laws, *see other key words*
 Laying pipe, cost 11·18
 Layout, *see other key words*
 Lead, guy, calculations 4·51
 Lead, white sublimed, analysis 3·23
 Leakage, gas, losses 7·4
 steam, cost 5·1, 5·85
 in traps 5·47
 Leaving loss in turbines 5·58
 Length of a roll 1·79, 1·88
 Lengths, *see also other key words*
 of V-belts 5·98
 Lens, liquid, angles 3·251
 Lighting, blackout 4·60, 8·20
 day and artificial 8·29, 8·30
 series loads 4·174
 street, calculations 8·11–8·15
 Lighting costs, fluorescent vs. incan-
 descent 8·21, 8·22
 Lime, basicity, and limestone 3·279
 Lime composition 1·39
 Lime kiln specific heat 3·366–3·376
 Line, rotary drilling, work 7·62
 unbalanced, sequence values 4·50
 Line blowing, gas losses through 7·47
 Line current, power factor from 5·125
 Line impedances 4·102
 Line loss control by reactive power
 4·42
 Line purge, gas losses through 7·52

- Linear sources, radium dosage for 20·1
- Link-coupled coil design 4·17
- Linked rigidities, moment distribution by 11·49
- Liquid, *see* Flow; Vapor liquid; *and other key words*
- Liquid agitator design 3·149
- Liquid lens, angles 3·251
- Liquid vapor equilibria 3·134, 3·328
- Liquid vapor equilibria, high-pressure 7·67
- hydrocarbon 3·289
- zygograph for 3·178
- Liquid viscosities 3·202
- Liquid volumes, rotameter conversion 3·112
- Liquid weights, rotameter conversion 3·118
- Liquids, organic, densities of 3·309
- surface tension-viscosity 3·321
- viscosities of 3·247
- Liquors, evaporation in 3·313
- Load, axial, stress, strain 11·52
- buckling, helical compression springs 13·83
- for a welded joint, safe 15·6
- heat, occupancy 10·37
- on concrete columns, eccentric 11·11, 11·12
- on fastenings, external 13·5
- point, calculations 11·23
- safe, for an I-beam 11·77
- for a welded joint 15·6
- transformer, from consumer record 4·59
- Load division, parallel transformer banks 4·69
- Load factor calculations 4·23, 5·120
- Loadings, hydraulic, beams with 11·14, 11·15
- Loads, concentrated, secondary voltage drop 4·72
- conductor 4·96
- Loads, mill, calculations 14·63, 14·64
- moment of two moving 11·13
- on ball bearings 13·107
- on fillet welds, eccentric longitudinal 15·4
- eccentric transverse 15·5
- pile 11·27
- series lighting 4·174
- transformer, distribution 4·89
- truck 12·5, 12·13
- truck-train 12·12
- wooden beams 11·1, 11·22
- Localization, fluoroscopic, of foreign bodies 20·24, 20·25
- of foreign bodies in the eye 20·19, 20·20
- Locomotive acceleration time 12·3
- Locomotive haulage 17·30–17·33
- Locomotive performance 12·17
- Locomotives, diesel electric, calculations 5·16
- Logarithmic mean temperature derivation 3·157
- Logarithmic mean temperature difference, value 3·70
- Long pieces, shipping 12·8
- Loss, *see also* Costs; Friction; Leakage; Production; Pressure; *and other key words*
- heat, in flue gas 5·66
- leaving-, in turbines 5·58
- of head by differential meter 6·24
- of weight in wool fabrics 19·45
- transmission 4·134, 4·135, 4·136
- direct count 5·142
- Losses, mining 17·20
- Lot sizes, economic 13·98
- Low reactance welding cables 15·20
- Lubricating oils, viscosity 3·230, 7·72
- viscosity-gravity constant 3·323
- Lubrication, inclosed gears 14·32
- Lumens, zonal, derivation 8·2

m

- Mach number, true airspeed and 9·17, 9·18, 9·19
- Machine design, *see* Nomography
- Machine time and efficiency 13·97
- Machining speed 14·10
- Magnet coils, d-c 4·168, 4·169, 4·170
- Magnetostriction resonant frequencies 4·149
- Main, pumping, strength and thickness 17·35
- Main disinfection by chlorine 6·25
- Mains, *see also* Flow; Pipes; *etc.*
 - flow of gas in 7·22
 - high pressure, flow of gas in 7·20
 - low pressure, flow of gas in 7·18
- Manning's equation 6·57
- Manning's number, related to Reynolds' 5·159
- Manometer constants 3·5-3·9
- Mark-up and selling price 7·15
- Martensite temperature range 16·17
- Material, *see also other key words*
 - vs. production costs 13·9, 13·10
- Maximum, *see other key words*
- Mayonnaise, yolk in, and salad dressing 21·19
- Mean, *see other key words*
- Mean driving forces, diffusional 3·262, 3·263, 3·264
- Mean effective pressure 5·55
- Mean temperature, logarithmic derivation 3·157
- Mean temperature difference, logarithmic, value 3·70
- Measurement, *see other key words*
- Median determination 1·107
- Mensuration, roentgenographic 20·23
- Metabolism estimation 20·8, 20·9, 20·10
- Metabolism rates 20·7
- Metal cutting calculations 14·56, 14·66, 14·67, 14·68-14·75, 14·78
 - basic 14·76, 14·77
- Metal line expansion 6·23
- Metal surface, stress problem 16·2
- Metal tubing, weight 3·357
- Metals, electrodeposit thickness on 16·5
 - expansion of 14·65
- Meter bearing design 4·103, 4·104, 4·105
- Methanol, thermal conductivity of 3·96
- Methanol-water solution calculations 3·138
- Method, *see other key words*
- Metric-English conversion 2·23
- Mfd-kva chart 4·4
- Microanalysis of yarns 19·50
- Microdiffusion, estimation of acetone by 20·13
- Microwave oscillator calculations 4·139
- Mileage, expectant, of trucks 12·19
 - truck 12·1
- Milk, and cream calculations 21·3
 - total solids in 21·1
- Milk solids, lactometer 21·18
- Mill loading calculations 14·63, 14·64
- Miller, face, calculations 14·39
- Milling approach cuts 14·15, 14·16, 14·17
- Milling cutter calculations 14·48
- Milling feeds and speeds 14·51
- Mineral acids, specific volumes 3·54-3·60
- Minimum, *see other key words*
- Mining losses 17·20
- Mixers, propeller type, power for 13·76
 - turbine type, calculations 3·110
- Mixing acid calculations 3·171-3·177
- Mixing calculations 3·126

moduli-nomogram

[23]

Moduli, rectangular and polar section,
of hollow shafts 13·108, 13·109
rectangular section, and moments
1·91

Modulus, *see other key words*

Moisture, air 10·64

and hydrogen, heat losses from
5·104, 5·105

flue gas, and volume 5·132, 5·133

in flue gas, losses from 5·72

in paper 18·11

textile, content and regain 19·11

Moisture control, cement slurry 11·73

Mol and weight percents, binary system 3·288

Mol fraction, and weight percentages
3·104, 3·105

to weight fraction calculations 3·84

Mol percentages, and volume 7·86

Mol weight fraction conversion 3·131

Mol weight percent calculations 3·203

Molasses and sirups, ash in, conductometric 3·322

Molding operations 3·16

Molding sand, fineness test 15·3

Molecular refraction 3·249

critical temperature 3·255

Molecular refraction-viscosity constant
3·291

Molecular volumes, liquid alkanes
3·256

Molecular weight and boiling point,
higher hydrocarbons 3·232

Molecular weight derivation 3·360

Moment, modulus, radius of gyration,
inclined rectangular section 2·32, 2·33, 2·34

of inertia, of areas 1·50

of circular areas 1·48

polar, by suspension 2·36

of inertia calculations 1·29, 1·52-
1·56

of two moving loads 11·13

Moment distribution by linked rigidities 11·49

Moments, and moduli, rectangular section 1·91

bending and resistance, of poles
4·97

of inertia of hollow shafts 13·110,
13·111

Motor frequency, poles 1·59

Motor-start flicker, specifications
against 4·55, 4·56, 4·57

Moving loads, two, moment 11·13

Multiple contact extraction 3·302

Multiple-tool turning of steel 14·41

Multiplications and divisions, repeated
1·57

Mutual and self induction 4·45

Mutual inductance, concentric coil
4·142

Myer's evaporation formula 2·12

n

Naphtha, aromatic-free, calculations
3·339

Naphtha polyforming 7·74

Network, attenuation, design 4·109,
4·110

flow, crisscross method 11·17

Network charts, alignment diagrams
from 1·117

Network design calculations 4·198

Newsprint core waste 18·4

Nitric acid, vapor pressure 3·47-3·52
water enthalpy and sulfuric acid
3·257

Nitrogen, solubility in liquid ammonia
3·246

Noise, outlet, air supply 10·30

radio, in aircraft engines 9·2

Nominal size yielding tolerances, allowances,
interferences 13·114

Nomogram, universal 1·57

[24]

Nomogram device 1·95
 Nomograms, from network charts 1·117
 hyperbolic coordinate 1·43, 1·44
 Nomography 1·9, 1·10, 1·25–1·36,
 1·39, 1·40, 1·47, 1·58, 1·59,
 1·60, 1·83, 1·84, 1·85
 Nomography, determinants in 1·37
 for fractional exponents 1·45
 for power factor 5·137
 in aeronautics 9·1
 in aviation 9·13–9·16
 in chemical engineering 3·196–
 3·200, 3·215, 3·216
 in design 1·51–1·56, 13·46, 13·47,
 13·53, 13·54
 in electricity 4·162–4·164
 in machine design 13·55–13·58
 in power 5·130
 in production 13·13, 13·14
 in radio 4·191–4·197
 in rock products 11·62–11·69
 in teaching 1·3, 1·4, 1·5
 in textiles, elementary calculations
 19·2–19·6, 19·18–19·39, 19·53,
 19·54, 19·55
 Normalized steel, strength 16·15
 Nozzle, centrifugal spray, design
 13·34–13·41
 spray, design 13·31, 13·32
 Nozzles, cyclone theories in 13·42
 Number, *see other key words*
 Nuts, aircraft, wrench torque 9·29

O

Occupancy heat load 10·37
 Octane number 7·70
 Octanols, isomeric, vapor pressure for
 3·269
 Ohms, series and shunt 4·197
 Ohm's law calculations 4·58, 4·177,
 4·194

nomogram–organic

Oil, and gas heat, relative 7·60
 fuel, capacities of sprayer plates
 13·127
 heating, requirements 10·73, 10·74
 hydrocarbon, analysis 3·343, 3·344
 lubricating, viscosity 7·72
 press cake, lost in bleaching 7·63,
 7·64
 Oil flow in pipes 5·83
 Oil fuel, calorific value 1·32
 Oil rise, final, transformer 4·79
 transformer, for short time overloads
 4·81
 Oil skimmings, tall, fuel and soda value
 18·14, 18·15, 18·16
 Oil viscosity 3·204
 Oil viscosity temperature characteris-
 tics 3·330
 Oil weight and volume 7·14
 Oils, American, density correction
 7·65, 7·66
 hydraulic, viscosity calculations
 5·7, 5·8, 5·9
 lubricating, viscosity 3·230
 viscosity-gravity constant 3·323
 Oleum analysis 3·85
 Oleum and sulfuric acid, mixture cal-
 culations 3·67
 Open channels, flow in 6·56, 6·59
 Open ditch design 6·15
 Operating costs and savings 13·19
 Operations, *see other key words*
 Operative efficiency and humidity
 19·14
 Operative temperature formula 10·96
 Opsonocytophagic index 20·12
 Optic angle formulae 2·5–2·8
 Optical systems layout 2·30
 Optimum, *see other key words*
 Organic acid calculations 3·324
 Organic liquids, densities of 3·309
 viscosities of 3·247
 Organic solvents, vapor pressures of
 3·217, 3·314

organics—phenol

[25]

Organics, vapor pressure for 3·148
Orifice differential pressure 5·117
Orifice flow 3·97, 3·98, 6·24, 6·48,
6·49, 6·50, 7·89, 9·3, 10·19
 of air 13·43
 of gas 3·72, 3·73, 3·75, 3·76, 7·19
 7·45
 of steam 5·85
 saturated and superheated 3·143
 of viscous fluid 7·90, 7·91
 of water 3·236, 5·93
 thin plate 3·106
Orifice meter, gas measurement by
 7·95
Orsat analysis of flue gas 3·378
Oscillator, microwave, calculations
 4·139
 phase shift, design 4·129
Output, *see other key words*
Output transformer design 4·107,
 4·108
Overload, transformer, for maximum
 time 4·77, 4·78
Overloads, short time, hot spot rise for
 4·86
 transformer oil rise 4·81
Oxygen, dissolved, percent saturation
 6·42

p

Packaging food, losses 21·2
Paint film calculations 3·353, 3·354
Paper, moisture in 18·11
Paper production rate 18·6
Paper pulp, surface for 18·1
Paraffin hydrocarbons vapor pressure
 3·195
Paraffin wax solubility in petroleum
 fractions 3·234
Parallel circuit calculations 4·14
Parallel circuits resistance 4·67

Parallel resistance calculations 4·14,
 4·48, 4·67, 4·189, 4·210
Parallel wires, two, inductance of 4·5
Partial pressure, and vapor composi-
 tion, ammonia 3·102
 of gas 3·282
 of hydrochloric acid 3·142
 of hydrogen chloride in solution
 3·26
Partition method for volatile fatty
 acids 3·334
Passing distance, trucks 12·9
Patterns, photographing on cathode
 ray tubes 4·130, 4·131
Pavement, airfield, calculations 12·14
Penstocks, hydraulic turbine, pressure
 fall 5·53
Pentodes, cathode follower 4·146
Pentosans in pulp 18·7
Percentage, *see other key words*
Percentage conversions of binary mix-
 ture components 3·46
Percentage difference calculations
 1·46
Percentage tolerances analysis 3·115
Perfect gases, volume correction
 3·231
Performance, *see other key words*
Period, *see other key words*
Permeability, and productivity 7·44
 soil 11·25
Petroleum fraction viscosities 3·208
Petroleum fractions, paraffin wax solu-
 bility in 3·234
Petroleum oils, sensible heat and spe-
 cific gravity 7·24, 7·25
Phase angle and impedance 4·124
 4·125
Phase shift oscillator design 4·129
Phase shifter, power transfer by 4·52
Phase shifter calculations 4·141
Phase spacing at transpositions 4·47
Phenol resin adhesive, plywood 3·320

- Phenols, alkylated, vapor pressure 3·285
- Photometric determination of ascorbic acid 3·346
- Photomicrograph exposures in textiles 19·49
- Pile loading 11·27
- Pipe, and casing, capacities 7·40, 7·41
 - and wire, heat transfer coefficients 3·137
 - iron, expansion of 6·36
 - steel, heat losses 10·97
 - uninsulated, heat losses in 3·20
- Pipe bend allowances 15·8
- Pipe bend calculations 7·10
- Pipe bend detail 7·69
- Pipe bending, refinery 7·92
- Pipe bus deflection 4·64
- Pipe capacity 5·11, 6·9, 7·48, 7·97
 - comparative 7·54
- Pipe costs, cast iron 10·2
- Pipe deflection between supports 10·26
- Pipe fitting resistance 7·57
- Pipe flow 1·9, 1·43, 3·77, 3·78, 5·12, 5·33, 5·130, 5·148, 6·1, 6·10, 6·11, 6·43, 6·46, 7·26, 7·51, 7·59, 7·93, 7·94, 10·7, 10·20–10·23, 10·84, 10·104, 15·18
 - air 5·109, 5·110
 - in suction 10·86
 - cast iron 5·156
 - compressed air 5·123, 17·12
 - concrete 6·44, 6·51
 - discharge 6·27
 - friction 3·109, 5·14, 5·23, 5·26, 5·29, 6·32, 6·33, 17·14, 17·27, 17·28
 - gas 7·53
 - Hardy-Cross 6·45
 - Hazen-Williams 6·53
 - Manning 6–57
 - oil 5·83
 - phenols-plywood
 - Pipe flow, partial 3·248, 5·160
 - pressure drop 5·60
 - Scobey 6·31
 - steam 5·37, 5·38, 5·39, 5·57, 5·107–5·110, 7·9, 7·23, 10·6, 10·10, 10·58, 10·59, 10·66, 10·67
 - water 5·25, 5·64, 5·84, 5·108, 6·21, 7·21, 17·2, 17·35, 18·2
 - at pipe end 3·377
- Pipe laying, cost 11·18
- Pipe line leakage tests 7·51
- Pipe support foundation, single 10·27
 - double 10·28
- Pipe systems 10·25–10·28
- Pipe thickness, cast iron pit 6·2
 - from working pressure 5·80, 5·81
 - refinery 7·56
- Pipes, as beams 10·15
 - as columns 10·16
 - collapse resistances 15·17
 - head loss 5·155, 6·34
 - balancing 5·30
 - service, gas flow in 7·17
- Piping insulation 10·11
- Piston attenuator calculations 4·151
- Pitot tube for velocity pressure 5·118
- Plane, point sources, radium doses for 20·26, 20·27
- Planetary gear calculations 13·93
- Planning, *see other key words*
- Plasticity, viscosity and gel content 3·307
- Plate, sprayer, design 13·124, 13·125, 13·126
 - steel, weight 15·19
 - thin, orifice flow 3·106
- Plate girders, economic depth 11·53
- Plate shear cutting loads 14·60, 14·61
- Plate towers, vapor velocity 7·81
- Plates, binary mixture reflex 3·252, 3·253
- Plating, current for 4·180–4·185
- Plywood, phenol resin adhesive 3·320

point-pressure

[27]

- Point load calculations 11·23
- Polar moment of inertia by suspension 2·36
- Pole, deflection 4·44
 - telegraph, calculations 4·92
- Poles, and guying, electric 4·53
 - bending and resistance moments 4·97
- Polyform conversions 7·75
- Polyforming, naphtha 7·74
- Polygons, regular, areas 1·86
 - radii of inscribed and circumscribed circles 1·87
- Polymers, high, viscometry of 3·355
- Polynomials, representation of 1·96, 1·102
- Polystyrene, thermoplastic flow 3·276, 3·277
- Power, *see also other key words*
 - for friction in pipes 6·32, 6·33
 - for isothermal air compression 5·95
 - for propeller type mixers 13·76
 - for pumping 5·147
 - for silent chain 13·3
 - for winding engines 17·18
 - hydroturbine 5·128
 - in pumps, and flow 6·39
 - nomography in 5·130
 - pumping water 5·89
 - refrigeration 10·112, 10·113
- Power consumption 4·194
- Power cost 5·52
- Power factor, adjusted by reactive kva 4·21, 4·22, 5·15
 - alternating current 5·70
 - capacitor improvement 4·49
 - from line current 5·125
 - from two wattmeters 4·20
 - from wattmeter 5·114
 - in rock product plants 5·150
 - nomography for 5·137
 - reactive kva and 4·158, 4·159
- Power factor calculations 5·36, 5·124
- Power factor correction 4·132, 4·133
- Power lift, hydraulic 6·37
- Power output, audio-frequency 4·204
- Power plant efficiency 5·56
- Power requirements for conveyor 3·132
- Power saving in pump efficiency 5·10
- Power savings, efficiency 5·4
- Power supply filter 4·123
- Power transfer by phase shifter 4·52
- Power transformer hot spot temperature 4·66
- Power transmission, belt 13·28
- Powers of numbers 1·80
 - manipulated 3·215, 3·216
- Precipitation, electrostatic 4·175
- Precision freeness tester 18·3
- Precooling and capacity of refrigerating plant 10·107
- Press capacity 14·54
- Press fits, and shrink 13·61
- Press punch tonnage 13·15
- Pressing time in heat treatment control 16·7
- Pressure, *see also* Partial pressure; Vapor pressure; *and other key words* and high temperature, tanks for 3·25
 - atmospheric, correction 2·25
 - derivation 2·24
 - drawing 14·25
 - mean effective 5·55
 - orifice differential 5·117
 - ventilating, Atkinson's formula 17·17
 - working, on welded tanks 15·10
- Pressure drop, compressed air flow 17·12
 - in piping 5·60, 10·7
 - in steam piping 5·75, 5·76, 5·82, 5·94
 - isothermal flow 3·319
- Pressure fall, hydraulic turbine penstocks 5·53
- Pressure head 10·17

Pressure loss in pipes from friction 5·23

Pressure vessels, unified, head thickness for 13·112, 13·113

Pressures, blanking 14·19, 14·42
critical 3·150

Problems, *see other key words*

Process minimums, spot welding 15·21

Processing, hydrocarbon 7·84

Producer gas combustion 3·292

Production, *see also* Nomography and costs 13·16, 13·17, 13·18

Production control of small parts 13·6
with tools 14·28–14·31

Production costs, egg 21·4–21·8
food 21·9, 21·10
small shop 13·11
vs. material 13·9, 13·10

Production planning 13·13, 13·14

Productivity and permeability 7·44

Profit percentage 1·116

Propeller for circulation and agitation 18·12

Propeller type agitator calculations 3·111

Propeller type mixers, power for 13·76

Properties, *see other key words*

Proportions, *see also other key words*
concrete 11·48

Protein calculations, basic 20·4, 20·5

Psychrometric calculations 2·29,
3·99, 3·113, 3·114, 10·18,
10·65, 16·9, 16·10
high and low pressure 10·81, 10·82

Pulley, small, arc of belt contact 18·5

Pulp, drainage resistance of 18·10
pentosans in 18·7

Pulverized minerals, sub-sieve sizes 13·122

Pumice-concrete slab design 11·24

Pump, gear discharge 13·103

Pump, reciprocating, capacity 6·22
output 17·10

Pump calculations 7·6, 13·123

Pump efficiency, and horsepower 17·15
power saving in 5·10, 5·163

Pumping costs 6·30, 6·38

Pumping main, strength and thickness 17·35

Pumping mains, friction losses in 17·27, 17·28

Pumping power 5·147

Pumping water power 5·89

Pumps, centrifugal, basic calculations 17·24
flow and power 6·39
head loss 5·91

Purge, line, gas losses through 7·52

Purging time 3·117

Purification, gas, control 7·7, 7·8

Pyramid, diamond, hardness 16·14

Pyramid frustum, volume 1·84

q

Quadratic equation roots 1·62–1·71,
1·98

Quadratics, simultaneous solutions 1·104

Quality, *see also other key words*
batch 9·5, 9·6

Quasi alignment diagrams 1·117

Quartic equations, roots 1·72, 1·97,
1·100, 1·101, 1·103

Quartz crystals, temperature coefficients 4·128

Quintic equations, roots 1·72

r

Radiation, heat transmission by, from non-luminous gases 3·190

radiation-resistance

[29]

- Radiation calculations 10·5
- Radiation coefficient 3·136
- Radiator sizes, off standard 10·71, 10·72
- Radii of inscribed and circumscribed circles of regular polygons 1·87
- Radio, *see* Nomography
- Radio noise in aircraft engines 9·2
- Radium dosage for linear sources 20·1
- Radium doses for plane and point sources 20·26, 20·27
- Radius of gyration, calculations 13·70
 - inclined rectangular section 2·32, 2·33, 2·34
- Radon treatment 20·2
- Rake angles, carbide tool 14·46, 14·47
- Range, *see other key words*
- Rate, *see other key words*
- Ratio, *see other key words*
- Raw mix blending problems 3·361, 3·362, 3·363
- Raw-water hardness from ionic analysis 5·139
- Rayon, dyeing to shade 19·1
- Rayon control 3·223-3·227
- Reactance 4·201
- Reactance, for electronic circuits 4·65
 - series, insertion loss from 4·6, 4·7
- Reactance calculations 4·195
- Reactions, *see other key words*
- Reactive kva, and power factor 4·158, 4·159
 - power factor adjusted by 4·21, 4·22
 - power factor adjustment by 5·15
- Reactive power, line loss control by 4·42
- Reagent and emulsion, related to cost 7·42
- Reamer and drill dimensions 14·36
- Reciprocals, calculations 1·3
- Reciprocating engine air consumption 17·10
- Reciprocating pump capacity 6·22
- Reciprocating pump output 17·10
- Rectangular ducts, equivalent 10·90
- Rectangular waveguide 4·10
- Reduced temperature calculations 3·261
- Reduction, *see other key words*
- Reed width, warp length, in fabrics 19·40
- Refinery pipe bending 7·92
- Refinery piping thickness 7·56
- Reflectors for fluorescent lamps 8·23, 8·24
- Reflux, binary mixture 3·252, 3·253
- Refraction, molecular 3·249
 - molecular viscosity constant 3·291
- Refractive index of fatty acids 3·273
- Refrigerating plant, precooling and capacity of 10·107
- Refrigeration, for shrink fit 10·93
 - power 10·112, 10·113
- Refrigeration capacity 10·4, 10·108, 10·109, 10·114
 - of ammonia compressors 10·110, 10·111
- Refuse combustibles, heat loss due to 5·103
- Regain, textile, moisture for 19·11
- Regulation, *see other key words*
- Reid vapor pressure 7·88
- Reinforced concrete chimney design 11·8
- Reinforced concrete slab design 11·9
- Relative humidity, and absolute 10·79
 - and specific 10·94
- Relative humidity calculations 2·3, 2·11, 2·29
- Relationship, *see other key words*
- Relays, electronic devices 4·111
- Requirements, *see other key words*
- Resistance, collapse, of pipes 15·17
 - drainage, of pulp 18·10
 - insulation, for armatures 5·90
 - for stators 4·9
 - of copper wire in magnet coils 4·178

Resistance, transconductance, amplification 4·202
 Resistance calculations 4·201
 Resistance-capacitance filters 4·140
 Resistances, equivalent 4·115
 parallel 4·48, 4·67, 4·189, 4·193
 Resistor, ballast, design 4·157
 Resistors in parallel 4·210
 Resonance calculations 4·155
 Resonant frequencies, magnetostriction 4·149
 Retaining wall design 11·39–11·43
 Reverberation time 4·144
 Revolving body, comparison, kinetic energy calculations 2·35
 Reynolds' number, related to Manning's 5·159
 Reynolds' number calculations 3·121, 5·154
 R-f circuits, band-pass 4·186, 4·187, 4·188
 Rigid frame design 11·33, 11·34, 11·35
 Rigid frames, stiffness factors in 11·51
 Rigidities, linked, moment distribution by 11·49
 Ring, chain compounds, boiling points 3·206, 3·207
 circular, inductance of 4·8
 Ripple factor calculations 4·203
 Rock-bit efficiency 7·38
 Rock product plants, power factor in 5·150
 Rock products, nomography in 11·62–11·69
 Rockwell hardness, correction 16·13
 Rod, bar weight, brass and steel 14·20, 14·21
 Rods, steel, weight of 11·5
 Roentgenographic mensuration 20·23
 Roll, number of feet in a 1·79
 Rolled material, length 1·88
 Rollers, contact stress in 13·75

Roots, *see* Cubic equation; Quadratic equation; *etc.*
 Rope, wire, weight and strength 17·36
 Rope drives, horsepower 5·88
 Rope drum, regulation 17·1
 Rope drum capacity 13·62
 Rotameter conversion, for gas weights and volumes 3·119
 liquid volumes 3·112
 liquid weights 3·118
 Rotary-drilling line work 7·62
 Rotating disc stress 13·77
 Roughness, surface, measuring 13·116
 Round-end tanks, volumes 1·14
 Routing, flood 5·27
 stream flow 5·161, 5·162
 Run force per horsepower 5·2
 Runoff from developed surfaces 12·15
 Rupture, beam, modulus 11·28
 Ruptured diaphragms, safety head for 3·120

S

Safe, *see other key words*
 Safety head for ruptured diaphragms 3·120
 Sag-tension calculations 4·85
 Salad dressing and mayonnaise, yolk in 21·19
 Salt solution viscosities 3·74
 Sand, filter, grading 6·62
 molding, fineness test 15·3
 Sand control, foundry 15·2
 Saturation, dissolved oxygen, percentage 6·42
 Saturation index, color, volume 20·6
 Savings, *see also* Cost; Fuel; Power; *and other key words*
 and operating costs 13·19
 by reducing belt slip 19·12
 Screw thread efficiency 13·81
 Seasonal heat and heat costs 10·83

- Second degree equation roots 1·62–1·71
- Secondary conductor for lamp flicker 4·73, 4·74, 4·75
- Section, inclined rectangular, moment, modulus, radius gyration 2·32, 2·33, 2·34
 - rectangular, moments and moduli 1·91
- Section moduli, rectangular and polar, hollow shafts 13·108, 13·109
- Sedimentation rate calculations 20·17
- Segment area, circular 1·92
- Self and mutual induction 4·45
- Selling price and mark up 7·15
- Sensible heat, diffusion flow 10·38
 - of petroleum oils 7·24, 7·25
- Sensible heat loss in dry flue gas 5·79
- Separation, grain size 13·120
- Sequence values, unbalanced line 4·50
- Series capacitances 4·48
- Series circuits, time constant 4·2, 4·3
- Series lighting, loads 4·174
- Series reactance, insertion loss from 4·6, 4·7
- Set spacing, endless haulage 17·4
- Sewage, steam dilution of 6·20
- Sewers, *see also* Flow; Mains; Pumping; *and other key words*
 - effluent flow in 1·34
 - minimum velocities for 6·12
 - velocity of flow in 6·13
 - volume of flow in 6·14
- Shaft, and bearing calculations 13·65, 13·66
 - hollow, torsional deflection 13·94
 - valve, stroke design 13·8
- Shaft design 13·118
 - for horsepower 13·95
- Shaft fits, allowances for 13·26
- Shaft horsepower 13·46, 13·47
- Shaft strength 13·59, 13·60
- Shaft stress 13·53, 13·54
- Shaft torque deflection 13·51
- Shaft torsional stiffness 13·88
- Shaft torsional stress 13·90
- Shaft twist 13·12
- Shafts, hollow, moments of inertia 13·110, 13·111
 - rectangular and polar section moduli 13·108, 13·109
 - of uniform stress 13·63, 13·64
 - solid and hollow, calculations 13·100
- Shanks for carbide tools 14·38, 14·58
- Shear, total external, on beams 11·2
- Shear angle and cutting ratio 16·20
 - and strength 16·18
- Shear cutting loads, plate 14·60, 14·61
- Shear strength and angle 16·18
- Sheath losses for three cables 4·83
- Sheet, coated, weight 18·9
- Sheet metal, curved flanges 14·62
- Sheet metal calculations 9·13–9·16
- Sheet steel thickness conversions 11·55
- Shells, circular, blanks for 14·18
- Shipping long pieces 12·8
- Shop, small, production costs 13·11
- Short circuit calculations 4·25–4·28
- Short circuit current of distribution circuits 4·171
- Short circuit stresses 4·29, 4·30
- Short wave inductance 4·117
- Shorted coil turns 4·154
- Shrink fit by refrigeration 10·93
- Shrink fit temperature 13·101
- Shrink fits, and press 13·61
- Shrinkage allowances 13·30
- Shunt peaking, amplifier range by 4·205
- Shuttle energy 19·4
- Sight distance, vertical, in surveying 11·45, 11·46
- Signals, traffic, progressive 12·2
- Silica in floc formation 6·54
- Single layer inductance coils 4·126

[32]

Single point tool calculations 14·43, 14·44, 14·45
 Single point tools, carbide tips for 14·57
 Sirups and molasses, ash in, conductometric calculations 3·322
 Size, *see also* Nominal; Pipe; Rope; and *other key words*
 chip 14·40
 Sizes, shank and tip, carbide tool 14·1, 14·2
 sub-sieve, pulverized minerals 13·122
 Skimmings, tall oil, fuel and soda ash value 18·14, 18·15, 18·16
 Slab design, pumice-concrete 11·24
 Sleet, conductor, current to prevent 4·33, 4·34
 Slope, tape, correction 11·7
 Sludge test 6·55
 Sludge washings 3·38
 Slurry, cement, correction 11·70
 Small parts, production control 13·6
 Soaking time, steel 16·4
 Soda ash composition 1·40
 Sodium carbonate specific gravity and viscosity 3·103
 Sodium hydroxide vapor pressure 3·260
 Soil permeability 11·25
 Soil weights 11·38
 Solenoid coils, design 4·192
 Solenoid inductance 4·113
 Solids, in sugar cane juice 3·336
 total, in milk 21·1
 Solubility, gas 3·282
 of ammonia 3·28, 3·29
 of carbon dioxide 3·30
 of chlorine in water 3·244
 of hydrogen and nitrogen in liquid ammonia 3·246
 of paraffin wax in petroleum fractions 3·234

single-spinning

Solubility of sulphur dioxide, for low concentrations 3·71
 in water 3·62, 3·63, 3·64, 3·242
 Solubility calculations 3·275
 Solute free solvents, extraction 3·258
 Solution, *see* Water; and *other key words*
 Solutions, saturated aqueous, vapor pressure of 3·245
 Solvents, organic, vapor pressures of 3·217, 3·314
 vapor pressure 3·218–3·221
 Sound wavelengths 2·9
 Sources, triangular, illumination from 8·31–8·34
 Specific gravity, *see also* Density; and *other key words*
 blood volume by 20·14, 20·15
 of petroleum oils 7·24, 7·25
 Specific heat, calcium chloride brines, and viscosity 3·315, 3·316
 lime kiln 3·366–3·376
 of superheated steam 5·41
 Specific humidity, and relative 10·94
 Specific speeds, of centrifugal pumps 5·49
 of hydraulic turbines 5·62, 5·92
 Specific volume and weight of air 5·96
 of dry steam 5·44
 Specific volumes, mineral acids 3·54–3·60
 Specifications, *see other key words*
 Spectral band width 2·21, 2·22
 Spectrum, Balmer, calculations 2·4
 Speeds, *see also* Velocity; and *other key words*
 cutter, and feeds 14·7
 milling, and feeds 14·51
 synchronous 4·211
 traveler 19·56
 Spherical segments, volume 1·35, 1·94
 Spindles, cotton, per operative 19·46
 Spinners, worsted 19·62
 Spinning, cotton, production 19·57

- Spinning, twist calculations 19·61
 - woolen, calculations 19·60
 - worsted, calculations 19·59, 19·63
- Splitter, elbow, design 10·31
- Spot welding, process minimums 15·21
- Spot welding calculations 15·11–15·16
- Spout, conveyor belt, calculations 13·119
- Spray nozzle, centrifugal, design 13·34–13·41
- Spray nozzle design 13·31, 13·32
- Sprayer plate design 13·124, 13·125, 13·126
- Sprayer plates, fuel oil capacities of 13·127
- Spring calculations 13·45
- Spring design 13·84
- Spring surge frequency 13·68
- Springs, Belleville 13·106
 - convolute flat 13·89
 - helical, calculations 13·73
 - design 13·1, 13·87, 13·115
 - load 1·10
 - period 13·33
 - round bar calculations 14·50
 - helical compression, buckling load 13·83
- Sprocket and chain, maximum speed 18·8
- Spur gear forces 13·52
- Spur gears, horsepower for 13·29
- Square-bend expansion 5·131
- Square root of sum of squares 1·61
- Square wave response 4·148
- Squares, sum, square root of 1·61
- Stack, *see* Chimney; Draft; Flue; and *other key words*
- Stack draft 5·135
- Stadia, vertical distance from 11·31
- Standard, *see other key words*
- Standard conditions, gas volumes at 3·53
- Static balancing of turbine wheels 5·24
- Stators, insulation resistance for 4·9
- Steam, dry, specific volume of 5·44
 - entropy of 5·43
 - for winding engine 17·13
 - fuel cost 5·54
 - standard conversion factor 5·116
 - superheated, specific heat 5·41
 - total heat 5·42
- Steam dilution of sewage 6·20
- Steam distillation, batch 3·293
- Steam flow, in pipes 5·37, 5·38, 5·39, 5·57, 5·107, 7·9, 7·23, 10·6, 10·58, 10·59, 10·66, 10·67
 - pressure drop in 5·75, 5·76, 5·82, 5·94, 10·10
 - orifice, saturated and superheated 3·143
- Steam leakage 5·85
 - cost 5·1
 - in traps 5·47
- Steam quality, and boiler water impurities 5·134
 - from calorimeter 5·68
- Steel, allowable working stresses in 16·22
 - centrifugal casting 15·1
 - corrugated, lengths 11·54
 - end quench hardenability of 16·16
 - hardenability 16·8
 - in concrete floor slabs 11·58
 - multiple tool turning 14·41
 - normalized, strength 16·15
 - sheet thickness conversions 11·55
- Steel bar, round, weight 14·55
- Steel cylinder weight 1·24
- Steel pipe, friction in 5·26
- Steel plate weight 15·19
- Steel requirements 14·9
- Steel rod, bar weight, and brass 14·20, 14·21
- Steel rods and discs, weight of 11·5
- Steel soaking time 16·4

- Steel tube weight 1·60
- Steels, alloy, heat resisting 16·1
- Stem, emergent, mercury thermometer
 - correction 2·20
 - thermometer correction 3·350
- Stereoscopic projection, geometry of 1·77
- Stiffener spacing, bridges 11·36
 - in structures 11·47
- Stiffness, torsional, shaft 13·88
- Stiffness factors in rigid frames 11·51
- Stilling basin apron elevations 11·19
- Stock, *see also* Bar; Flat; *and other key words*
 - bar, calculations 13·20
- Stock losses 10·52, 10·53
- Stock market dividends 7·2
- Storage, thermal, of cables 4·68
- Stormer viscometer reduction 7·37
- Strain, stress, axial load 11·52
- Stream flow records, integration 5·13
- Stream flow routing 5·161, 5·162
- Street lighting 8·11–8·15
- Strength, *see also* Beam; Cable; Rope; *and other key words*
 - and yarn count 19·51
 - of cotton for regain, correction 19·42, 19·43, 19·44
 - of twists for yarns, maximum 19·52
 - of used elevator cables 5·50
 - tensile, derivation 15·9
- Stress, *see also other key words*
 - bond, in beams 11·3
 - fibre, bolt root 13·102
 - metallic surface, calculations 16·2
 - shaft, torsional 13·90
 - shafts of uniform 13·63, 13·64
 - strain, axial load 11·52
- Stresses, allowable working, in steel 16·22
 - bus 4·160
 - short circuit 4·29, 4·30
- Stroke, valve shaft, design 13·8
- Structures, spacing stiffeners 11·47
- Sublimed white lead analysis 3·23
- Submergence and air-lift 3·31
- Suction hood, face velocity 10·85
- Suction pipes, air flow 10·86
- Sugar cane juice, solids in 3·336
- Sulfate carbonate ratios 3·327
- Sulfite stock, apparent viscosity 3·271
- Sulfur dioxide, solubility, for low concentrations 3·71
 - in water 3·33, 3·34, 3·62, 3·63, 3·64, 3·242
- Sulfur dip for apples 21·14
- Sulfuric acid, and oleum mixture calculations 3·67
 - continuous dilution 3·139
 - vapor pressure 3·47–3·52
 - water enthalpy, and nitric 3·257
- Sulfuric acid contact conversion 3·188
- Sun gain through glass 10·36
- Sunlight, hours of 8·4
- Supply, *see other key words*
- Surface, for paper pulp 18·1
 - inside temperature 10·100
- Surface roughness measuring 13·116
- Surface tension and temperature 3·310
 - of ethyl alcohol-water mixture 3·312
- Surface tension-viscosity of organic liquids 3·321
- Surfaces, developed, runoff from 12·15
- Surge, spring, frequency 13·68
- Survey distances, inclined 11·32
- Surveying, vertical sight distance 11·45, 11·46
- Suspension, polar moment of inertia by 2·36
- Sutro weir coefficients 5·28
- Synchronous condensers and capacitors 4·172, 4·173
- Synchronous speeds 4·211

synthetic-thermometer

[35]

Synthetic enamels, solvent and thinner 3.359

Systems, *see other key words*

t

Tanks, *see also* Cylinder volumes, partial

for high temperature and pressure 3.25

round-end, partial volume 1.85
volumes 1.14

welded, working pressure 15.10

Tape, steel, tension calculations 11.6

Tape slope correction 11.7

Teaching, nomography in 1.3, 1.4, 1.5

Teeth, gear, proportions 13.99

Telegraph pole calculations 4.92

Temperature, *see* Heat; Heating; Thermal; *and other key words*

actual, and emittance 2.18

and latent heat 3.141

and surface tension 3.310

and vapor pressure 3.206, 3.207, 3.300, 3.301

and water percentage in emulsification 3.40

effective, and air velocity 10.3

for shrink fit 13.101

high, and pressure, tanks for 3.25

logarithmic mean, derivation 3.157

operative, calculation 10.96

quartz crystals coefficients 4.128

reduced, calculations 3.261

Temperature correction, for barometer 2.19, 3.11

for gasoline 3.179

for vacuum column 5.113

Temperature density calculations in heat transfer 3.101

Temperature measuring elements 3.311

Temperature range, martensite 16.17

Temperature rise and current 4.91

Temperature viscosity characteristics of oil 3.330

Template for curves of given degree 1.21

Tensile strength derivation 15.9

Tensile strength of bolts 13.47

Tension, *see* Surface tension; *and other key words*

steel tape, calculations 11.6

Tension-sag calculations 4.85

Ternary alcohol mixtures, freezing points 3.32

Ternary system, isobutane solubility 3.299

Test, engine, correction 7.39

Tester, precision freeness 18.3

Textile elementary calculations 19.2-19.6, 19.18-19.39, 19.53, 19.54, 19.55

Textile moisture content and regain 19.11

Textile twist calculations 19.9, 19.10

Textiles, photomicrograph exposures in 19.49

production efficiency in 19.58

Theory, *see other key words*

Thermal, *see* Heat; Heating; Temperature; *and other key words*

Thermal conductivity, of ethanol 3.94

of glycerol 3.95

of methanol 3.96

of wood 3.270

Thermal storage of cables 4.68

Thermal value, of anthracite coal 17.21

of bituminous coal 3.61

Thermobarometer calculations 3.349

Thermobarometer readings 7.71

Thermometer, emergent stem, correction 3.350

mercury, emergent stem, correction 2.20

[36]

- Thermometric calculations, human 10·57
- Thinners, hydrocarbon 3·339
- Third degree equation 1·20, 1·72, 1·96, 1·98, 1·99, 1·103
- Thorium nitrate titration of fluoride 3·348
- Thread, screw, efficiency 13·81
- Threaded parts design 13·96
- Throttling calorimeter 5·63
- Thyrite circuit calculations 4·166, 4·167
- Time, *see other key words*
- Time charts, standard 14·11
- Time constant for series circuits 4·2, 4·3
- Tip sizes, carbide tools, and shanks 14·1, 14·2
- Tips, carbide, for single point tools 14·57
- carbide tool 14·59
- optimum, for carbide tools 14·37
- Titration, calorimetric pH , for acids 3·338
- gas analysis, and absorption 3·22
- thorium nitrate, of fluoride 3·348
- Tolerances, from normal size 13·114
- percentage, analysis 3·115
- Ton-miles for drill pipe 7·43
- Tonnage, press punch 13·15
- Tool, boring pressures 14·5
- Tool expenditure, proper 14·6
- Tool slide swiveling 14·13
- Tools, carbide, optimum tip 14·37
- rake angles 14·46, 14·47
- shanks for 14·38, 14·58
- shank and tip sizes 14·1, 14·2
- tips 14·59
- cutting pressure 14·4
- flat external, correction 14·33, 14·34
- flat internal, correction 14·35
- production control 14·28–14·31
- thermometric–transmission
- Tools, single point, calculations 14·43, 14·44, 14·45
- carbide tips 14·57
- Torque, wrench, of aircraft nuts 9·29
- Torque deflection, shaft 13·51
- Torsion deflection, hollow shaft 13·94
- Torsional stiffness, shaft 13·88
- Total air calculations 10·41, 10·43
- Total heat of steam 5·42
- Tower, bubble fractionators, diameter 7·76–7·80
- cooling, efficiency 3·19, 3·152, 7·13
- performance 3·14
- Towers, atmospheric cooling, capacity control for 3·127, 3·128
- plate, vapor velocity in 7·81
- Traffic signals, progressive 12·2
- Transconductance, resistance, amplification 4·202
- Transfer, heat, determination 3·24
- Transformer, and customers 4·63
- distribution, loads for 4·89
- final oil rise 4·79
- output, design 4·107, 4·108
- overload, for maximum time 4·78
- maximum 4·77
- power, hot spot temperatures 4·66
- to wattmeter, correction 4·165
- Transformer banks, parallel, load division 4·69
- Transformer coil rise, final 4·84
- Transformer design 4·156
- Transformer efficiency 4·43, 4·62, 4·161, 4·164
- Transformer i-f, impedance 4·1
- Transformer load from consumer record 4·59
- Transformer regulation 4·61
- Transformer temperature calculations 4·106
- Transformer voltage drop, balanced line 4·71
- Transmission, f-m, calculations 4·18

transmission-valve

[37]

Transmission circuits, voltage drop 4.93
Transmission line, unloaded concentric 4.127
Transmission loss 4.134, 4.135, 4.136
 in direct current 5.142
Transpositions, phase spacing at 4.47
Trapezoidal channels, flow in 6.40
Traps, steam leakage in 5.47
Traveler speeds 19.56
Tray spacing, bubble fractionators 7.76
Treatment, radon 20.2
Triangle, vector, solution 1.18
Triangular sources, illumination from 8.31-8.34
Truck horsepower 5.18
Truck loads 12.5, 12.13
Truck mileage 12.1, 12.19
Truck passing distance 12.9
Truck train loads 12.12
Trussed bar bending 11.44
Tube, cathode, electrostatic deflection 4.99, 4.100
 steel, weight 1.60
Tubes, small, air pressure in 13.91
Tubing, glass, weight 3.357
 metal, weight 5.112
Tubular heaters, or coil, heat transfer in 5.97
Tumors, latent period 20.18
Tung oil, iodine value 3.335
Tuning fork and circuit breaker speed 4.36
Tunnel dryer, calculations 3.181-3.187
Turbine, gas, calculations 5.32
Turbine type mixer calculations 3.110, 3.111
Turbine wheels, static balancing of 5.24
Turbines, hydraulic, specific speeds 5.92
 leaving loss in 5.58

Turbo-alternators, cooling 5.59
Turning, and boring horsepower 14.23
 of steel, multiple tool 14.41
Twist, drive shaft 13.12
Twist calculations 19.9, 19.10
Twist changes effect on cotton yarn 19.41
Twist relationships in spinning 19.61
Twists for yarns of maximum strength 19.52

U

Ultracentrifugation calculations 20.3
Ultrahigh frequency cables, impedance in 4.137
Unbalanced line sequence values 4.50
Underground cable costs 4.38
Underwater cable laying 4.54
Unfired pressure vessels, head thickness 13.112, 13.113
Unimolecular reactions, activation energies for 3.12
Units conversion chart 2.26
Unloaded concentric transmission line 4.127
Urea clearance, test, Van Slyke 20.16
Use, *see other key words*

V

V-belt drives 5.140
V-belt lengths 5.98
Vacuum capacitor calculations 4.13
Vacuum capacitors, and gas filled 4.138
Vacuum column temperature correction 5.113
Vacuum weight corrections 3.347
Value, *see other key words*
Valve design 13.7

- Valve shaft stroke design 13·8
- Valves, head loss from 6·26
- Vapor, ammonia, composition and partial pressure 3·102
- Vapor handling and vent lines 7·46
- Vapor liquid equilibria 3·134, 3·328, 7·83
 - high pressure 7·67
 - hydrocarbon 3·289
 - zygograph for 3·178
- Vapor pressure, alkylated phenols 3·285
 - and boiling point 3·198
 - and equilibrium constant 3·286, 3·287
 - and latent heat 3·233, 3·259
 - and temperature 3·206, 3·207, 3·300, 3·301
 - for hydrocarbons 3·140, 3·331
 - unsaturated 3·237
 - for hydrofluoric acid 3·17
 - for octanols, isomeric 3·269
 - for organics 3·148
 - nitric and sulfuric acids 3·52
 - of organic solvents 3·217, 3·314
 - of saturated aqueous solutions 3·245
 - of solvents 3·218–3·221
 - paraffin hydrocarbons 3·195
 - Reid 7·88
 - sodium hydroxide 3·260
- Vapor pressure calculations 3·13, 3·325
- Vapor pressure correction 2·13, 2·14
- Vapor pressure derivation 3·196, 7·49
- Vapor saturation calculations 1·37
- Vapor velocity in plate towers 7·81
- Vapor viscosity and temperature 3·356
- Vapors, condensation of, heat transfer film coefficients 3·116
 - thermal conductivities, and gas 3·238–3·241
 - volatility, relative 3·125
- Vector component conversion 1·19
- Vector triangle solution 1·18
- Velocity, *see also* Air; Flow; Gas; Pipe; *and other key words*
 - and distance calculations 2·1
 - in pipes, discharge diameter and loss of head 6·31
 - of approach, weir flow corrections for 3·39
 - of gas and air 3·35, 3·36, 3·37
- Velocity acceleration diagram 13·55–13·58
- Velocity pressure by pitot tube 5·118
- Vent, *see also* Exhaust; *and other key words*
- Vent lines and vapor handling 7·46
- Ventilating, exhaust, performance 10·101
- Ventilating calculations 17·11
- Ventilating pressure, Atkinson's formula 17·17
- Vertical curve calculations 12·6, 12·7, 12·16
- Vertical distances from stadia 11·31
- Vibration calculations 13·86
- Vibrations, cable, and fatigue 4·37
 - torsional, natural frequencies 13·82
- Viscometer, Stormer, reduction 7·37
- Viscometry of high polymers 3·355
- Viscosities, gas 3·201
 - for salt solutions 3·74
 - lacquer 3·191, 3·192
 - liquid 3·202
 - of organic liquids 3·247
 - petroleum fraction 3·208
- Viscosity, alkaline solutions 3·209–3·212
 - calcium chloride brines, and specific heat 3·315, 3·316
 - cellulose, cupriethylenediamine 18·13
 - inherent, kinetic energy 3·379
 - kinetic, conversion 5·143, 5·144
 - of lubricating oils 3·230, 7·72

viscosity–water

[39]

Viscosity, of oil 3·204
of sulfite stock, apparent 3·271
plasticity and gel content 3·307
temperature and pressure of gases 3·298
vapor, and temperature 3·356
Viscosity calculations, hydraulic oils 5·7, 5·8, 5·9
Viscosity-gravity constant of lubricating oils 3·323
Viscosity index 5·144
Viscosity surface tension of organic liquids 3·321
Viscosity temperature characteristics of oil 3·330
Viscous flow, heat transfer for fluids in 3·107
through orifice 7·90, 7·91
Vision and illumination calculations 8·26
Void calculator for aggregates 13·121
Volatility, relative, for vapors 3·125
Voltage drop 4·80
balanced line transformer 4·71
conductor 4·76
secondary, of concentrated loads 4·72
transmission and distributive circuits 4·93
Voltage drop calculations 4·41
Voltmeter loading 4·150
Volume, and molecular percentages 7·86
furnace, calculations 19·48
gas, per pound 5·127
standard correction 7·55
molal, aliphatic hydrocarbons 3·250
of barrels 1·109
of cone 1·110, 1·113
of flue gas, and moisture 5·132, 5·133
of pyramid frustum 1·84

Volume, of spherical segment 1·35, 1·36, 1·94
oil, and weight 7·14
partial, of round ended tanks 1·85
perfect gases, correction 3·231
Volume index, color and saturation 20·6
Volumes, by gas laws 2·31
common 1·7, 1·111, 1·114, 10·32–10·46
and weight 1·51
cut and fill 11·26
gas, at high pressures 3·79–3·83
liquid, rotameter conversion 3·112
molecular, liquid alkanes 3·256
of conical pile 1·81
of cylinders 1·15, 1·22, 1·74, 1·75, 1·76, 1·82, 1·112
partial 1·1, 1·38, 1·41
of pipes 6·9
of round end tanks 1·14
Volumetric-gas calculations, carbon 3·342

W

Wall, retaining, design 11·39–11·43
Wall transmission of heat 10·35
Warp and weft cost 19·5, 19·6
Warp length, reed width, in fabrics 19·40
Washer loading, Belleville 14·14
Washings, sludge 3·38
Waste, *see other key words*
Water, *see also* Flow; Pipe; Head; *and other key words*
alkalinity and carbon dioxide in 6·4, 6·5, 6·6
ionic equilibrium 6·58
pumping power 5·89
removal of, in concentration 3·156
sulfur dioxide behavior in 3·33, 3·34

- Water cooled cable calculations 5·152
- Water distribution systems 6·7, 6·8
- Water-ethanol mix proportions 3·151
- Water flow, at pipe end 3·377
 - diesel jacket calculations 5·122
 - in pipes 5·25, 5·64, 5·84, 5·108, 7·21, 17·2, 17·35, 18·2
 - through orifice 3·236, 5·93
- Water heater, feed, savings 7·12
- Water-methanol solution calculations 3·138
- Water percentage and temperatures in emulsification 3·40
- Water spray, air cooling by 10·24
- Water vapor, flue gas 5·22
- Watt-second rating of capacitors 4·19
- Wattmeter, for power factor 5·114
 - transformer correction to 4·165
- Wattmeters, two, power factor from 4·20
- Wave guides, circular 4·12
 - cutoff frequencies 4·207
 - rectangular 4·10
- Wavelengths, sound 2·9
- Weft and warp cost 19·5, 19·6
- Weight, *see also other key words*
 - air, proportions 10·45
 - and mol percent, binary systems 3·288
 - and volume, oil 7·14
 - mol fractions and percents 3·104, 3·105
- Weight fraction to mol fraction 3·84
- Weight-mol percent calculations 3·203
- Weights, ordinary 1·7
- Weir, V-notch, flow in 5·121
- Weir coefficients, Sutro 5·28
- Weir discharge 1·43, 17·29
- Weir flow correction for velocity of approach 3·39
- Welded joint, safe load for 15·6
- Welded tanks, working pressure 15·10
- Welding, arc, labor costs 15·22
- Welding, spot, calculations 15·11–15·16
 - process minimums 15·21
- Welding cables, low reactance 15·20
- Welds, aircraft fusion 9·27, 9·28
 - fillet, eccentric loads on 15·4
 - eccentric transverse, loads on 15·5
- Well, ground water level, calculations 11·21
- Wet bulb, *see other key words*
- Wetting agent, action and control 3·358
- Wheatstone bridge calculations 4·162
- Winding engines, power for 17·18
 - steam for 17·13
- Windmill power 5·3
- Windshield de-icing, heat for 9·23–9·26
- Wine, extract from 21·15
- Wire, copper, fusing 4·40
 - resistance and temperature 4·178
 - heat transfer coefficients, and pipe 3·137
- Wire rope, weight and strength 17·36
- Wires, two parallel, inductance of 4·5
- Wood, heat conductivity, transverse 10·48
 - thermal conductivity 3·270
- Wooden beam loads 11·1, 11·22
- Wool fabrics, loss of weight 19·45
- Woolen spinning calculations 19·60
- Work, *see other key words*
- Working pressure, pipe thickness from 5·80, 5·81
- Working stress, allowable, in steel 16·22
- Worm and helical gearing 13·79, 13·80
- Worsted spinners 19·62
- Worsted spinning calculations 19·59, 19·63

wrapping-zygograph

[41]

Wrapping-band brakes and clutches
13·117

W-space components 1·78

y

Yarn, cotton, twist changes effect on
19·41

Yarn count, strength 19·51

Yarns, microanalysis 19·50

Yarns, of maximum strength, twists for
19·52

Yolk in mayonnaise and salad dressing
21·19

Z

Zonal lumens derivation 8·2

Zygograph for vapor liquid equilibrium
calculations 3·178