

Index

- Abiteboul, S., 45
accessibility relation, 284
 Euclidean, 304
 for the initial situation, 302
 reflexive, 304
 symmetric, 304
 transitive, 304
action precondition axioms, 21, 59
 and Zeno's paradox, 173
 definitional form, 96
action preconditions, 20
actions
 and knowledge, 287
 big bang, 360
 concurrent, 164
 control, 185
 domain closure assumption, 175
 enabling, 173
 exogenous, 134, 185
 instantaneous, 149
 knowledge-producing, 293
 least-natural-time point, 174
 least-natural-time point condition, 175
 natural, 170
 sense, 293
 stochastic, 335
 decomposition into deterministic outcomes, 336
 ordinary, 367
 sense, 366, 367
 to initiate and terminate processes, 149
 with time, 152
active database, 202
Allen, J. F., 183, 184
Amir, E., 334, 388
Apt, K., 147
Arenas, M., 45
associated sense action, 368
- Bacchus, F., 146, 231, 281, 332, 333, 383
Baral, C., 184, 405
Barwise, J., 18
basic action theory, 58, 60
 for knowledge, 305
 implementation theorem for, 99
 implementing, 85
 relative satisfiability theorem for, 61
Bayesian network, 361
Bertossi, L., 45
big bang action, 360
Bledsoe, W. W., 18
Blum, A., 281
Bonner, A., 147
Boutilier, C., 384
Brooks, R. A., 334
Brown, F. M., 45
- Cadoli, M., 282
Cassandra, A. R., 384
categorical axioms, 49
Chapman, D., 281
Chella, A., 333
Chellas, B. F., 332
Cimatti, A., 281
Clark's equational theory, 88
Clark's theorem, 86
 generalized, 93
Clark, K. L., 85, 109
closed initial database, 97
closed worlds, 94
 dynamic, 318
cognitive robotics, 3
compactness theorem, 8
computer animation, 180, 184
concurrency, 149
 infinite co-occurrences of actions, 167
 interleaving, 150
 the precondition interaction problem, 166
 true, 164
 how to axiomatize, 166
concurrent temporal situation calculus, 167
condition-action rules, 185
 as a Golog program, 186
 with priorities, 198
ConGolog, 146
control actions, 185
cost function, 364
Costello, T., 83
Cresswell, M. J., 332
- database
 active, 202
 historical queries, 73
 integrity constraints, 54
 logs, 73
 querying, 41
 example of, 69
 relational, 217
 completeness of, 218
 entailments of, 218
 official definition, 217
 specifying in the situation calculus, 39
 transactions, 39
- Davis, E., 18, 24, 45, 184, 408
De Giacomo, G., 146, 184, 203, 204, 282, 387
de Kleer, J., 282
De Schreye, D., 46, 184
Dean, T., 384
Dearden, R., 384
deciding equality sentences, 317
definition, 85
 if-half, 85

- definitional theories, 85
 - and closed worlds, 94
 - completeness, 94
 - soundness, 94
- Denecker, M., 46, 184
- Dixon, M., 146
- Doherty, P., 46, 405
 - domain closure assumption for actions, 175
 - Donini, F. M., 282
 - dynamic closed-world assumption, 318
 - definition of, 319
 - effect axioms, 20
 - normal form, 29
 - Elkan, C., 45
 - enabling actions, 173
 - Enderton, H. B., 18
 - Erol, K., 231, 282
 - Etchemendy, J., 18
 - Etzioni, O., 282, 333
 - executable situations, 52
 - and Zeno's Paradox, 173
 - for concurrent actions and time, 168
 - for natural actions, 172
 - with time, 153
 - exogenous actions, 185
 - exogenous events, 349
 - explicit event model, 359
 - implicit event model, 359
 - explanation closure axioms, 26
 - Fagin, R., 332, 333
 - Ferretti, C., 45
 - Fikes, R. E., 45, 146, 231
 - Finger, J., 402
 - Finzi, A., 281, 333, 384, 388
 - first-order logic, 5
 - compactness theorem, 8
 - completeness, 8
 - decidability, 8
 - language, 5
 - limitations, 10
 - many-sorted, 8
 - notational conventions, 5
 - proof, 8
 - semantics, 6
 - soundness, 8
 - syntax, 5
 - useful inference rules, 10, 389
 - fluent, 19
 - definitions for, 98
 - frame axioms, 22
 - frame problem, 22, 23
 - a simple solution, 28
 - for knowledge, 294
 - Pednault's solution, 24
 - solution for functional fluents, 32
 - the Davis/Haas/Schubert solution, 26
 - full observability assumption, 369
 - Funge, J. D., 184
 - Furst, M., 281
 - Gabaldon, A., 84
 - Gelfond, M., 46, 184, 405
 - Gerevini, A., 281
 - Ginsberg, M. L., 404
 - Goldblatt, R., 145
 - Goldszmidt, M., 384
 - Golog, 111, 119
 - an elevator controller, 119
 - and condition-action rules, 186
 - with priorities, 198
 - and knowledge-based programming, 309
 - as a logic programming language, 122
 - concurrency, 134
 - concurrent, temporal, 169
 - conditionals, 113
 - continuous processes, 134
 - exogenous actions, 134
 - implementation, 122
 - and the closed world assumption, 126, 140
 - underlying assumptions, 125
 - interpreter for, 122
 - loop induction, 136
 - loop invariants, 135
 - macro-expansions for, 111
 - nondeterministic choice of action arguments, 112
 - nondeterministic choice of two actions, 112
 - nondeterministic iteration, 112
 - on-line vs. off-line execution, 133
 - primitive actions, 111
 - procedure calls, 115
 - procedures, 114
 - programs, 115
 - proving program properties, 134
 - reactivity, 134
 - sensing actions, 133
 - sequential, temporal, 155
 - a coffee delivery example, 156
 - and constraint logic programming, 155
 - test actions, 112
 - test expressions, 112
 - the *Do* relation, 111
 - while loops, 113
 - Grüninger, M. J., 333
 - granularity, 388
 - Green, C. C., 45, 146, 282
 - Grosskreutz, H., 384

- ground term, 67
- Gupta, N., 282
- Gustafsson, J., 46, 405
- Hölldobler, S., 46
- Haas, A. R., 24, 45
- Halpern, J. Y., 146, 332, 333, 383
- Hanks, S., 45, 46, 384
- Harel, D., 145
- Hayes, P., 45, 83, 147
- Hehner, E. C. R., 147
- Hintikka, J., 284, 332
- Hoare, C. A. R., 147
- Hobbs, J. R., 388
- Hughes, G. E., 332
- if-half of a definition, 85
- implementation theorem, 99
- induction axiom
 - for natural numbers, 49
 - for situations, 50, 52, 53
- inductive definitions, 13
 - and mathematical induction, 14
- initial database, 60
 - closed, 97
- instantaneous actions, 149, 150
 - to initiate and terminate processes, 149, 150
- integrity constraints, 54, 401
- interleaving concurrency
 - examples, 151
 - limitations, 152
 - with time, 154
- interleaving concurrency in the situation calculus, 150
- interpretation, 6
- interrupts, 185
 - as Golog procedures, 185, 187
 - with priorities, 198
- Iocchi, L., 282
- Ismail, H. O., 332
- isolated fluents in a database, 214
- Jackson, P., 282
- Jenkin, M., 203
- Jennings, N. R., 147
- just-in-time sensing, 387
- Kabanza, F., 281
- Kaelbling, L. P., 146, 384
- Kambhampati, S., 281
- Karlsson, L., 46
- Kelley, T. G., 184, 204
- Kibler, D., 280
- Kifer, M., 147
- knowledge
 - a solution to the frame problem for, 295
 - a successor state axiom for, 295
 - and accessibility relations, 284
 - and actions, 287
 - and provability, 313, 315
 - and quantifiers, 291
 - and sense actions, 293
 - and the self-reflective design stance, 292
 - de dicto, 292
 - de re, 292
 - definition of, 288
 - logical omniscience, 289, 293
 - of a referent, 287
 - representing in the situation calculus, 284
 - the design perspective, 292
- knowledge in the situation calculus, 283
- knowledge representation hypothesis, 2
- knowledge-based programming, 309
 - an interpreter for, 321
 - and Golog, 309
 - and on-line execution, 311, 314
 - and sense actions, 311
- knowledge-producing actions, 293
- Kowalski, R. A., 46, 184
- Kozen, D., 145
- Kripke, S., 284, 332
- Kushmerick, N., 384
- Kvarnström, J., 46
- Lakemeyer, G., 84, 231, 333, 384
- least-natural-time point, 174
- least-natural-time point condition, 175
- Leibnitz, G. W., 283
- Leivant, D., 18
- Lespérance, Y., 145, 146, 203, 332, 333
- Levesque, H. J., xvii, 84, 145–147, 203, 204, 231, 282, 332, 333, 362, 383, 385, 387, 407
- Lifschitz, V., 46, 184, 231, 232, 405
- Lin, F., 83, 145–147, 184, 231, 333, 405
- Littman, M. L., 384
- Liu, Y., 147
- Lloyd, J. W., 90, 108, 109
- Lloyd-Topor normal form, 90
- Lloyd-Topor transformations, 90
 - applied to goals, 92
 - auxiliary predicates for, 91, 102
 - revised, 103
- Lobo, J., 405
- logical entailment, 8
- Lovejoy, W. S., 384
- Mackworth, A. K., 333
- Maier, D., 45

- Manna, Z., 145, 282
 Marcu, D., 146
 Markov decision process, 363
 - full observability assumption, 369
 - fully observable, 369
 - partially observable, 372
 Mateus, P., 384
 Maynard-Reid II, P., 334, 388
 McAllester, D., 281
 McCain, N., 405
 McCalleser, D., 281
 McCarthy, J., xvii, 3, 45, 83, 147, 404, 405
 McDermott, D., 45, 46, 183, 384
 McIlraith, S. A., 405
 MDP, 363
 - full observability assumption, 369
 - fully observable, 369
 - partially observable, 372
 Miller, R., 46, 184
 Minker, J., 45
 model, 8
 monkey and bananas problem, 42, 45
 Moore, R. C., 284, 332
 Morris, P., 280
 Moschovakis, Y. N., 18
 Moses, Y. O., 332, 333
 Mylopoulos, J., 204
- Nardi, D., 282
 natural actions, 170
 - and the representation of physical laws, 170
 - natural-world assumption, 174
 nature's choice, 336
 Nau, D. S., 231, 282
 negation-as-failure, 86
 Nilsson, N. J., 45, 146, 231
 normal goal, 86
 Norvig, P., 281, 282
- occurs check, 88
 Olderog, E-R, 147
 ordinary stochastic action, 367
- Pacheco, A., 384
 Pagnucco, M., 407
 Pais, P., 282
 Palopoli, L., 282
 Peano, G., 48
 Pearl, J., 383
 Pednault, E. P. D., 24, 45, 83, 231, 232
 Pelavin, R. N., 184
 Pelletier, F. J., 18
 Pinto, J. A., 83, 184, 383, 405
- Pirri, F., 83, 84, 281, 282, 333, 384, 388
 Pizzuti, C., 282
 planning, 233
 - and nondeterministic programming, 275
 - breadth-first, 233
 - implementation, 234
 - in Golog, 233
 - deductive, 35
 - depth-first, 255
 - implementation, 256
 - in Golog, 255
 - execution monitoring, 163
 - hierarchical, 277
 - in open worlds, 259
 - and state constraints, 270
 - implementation, 266
 - introduction to, in the situation calculus, 35
 - official definition, 38
 - with bad situations, 233
 - with concurrent actions, 242
 - with STRIPS, 221
 - with time and interleaving concurrency, 247- policy, 368
 - implementing with run-time sensing, 376
- Poole, D., 383
- Price, R., 384
- prime functional fluent terms, 70
- prime implicate, 260
 - algorithm to compute, 262
 - implementation for, 263
- probability
 - how to specify in the situation calculus, 339
- procedural knowledge, 277
- processes, 149
 - how to represent with instantaneous actions, 149
- progression, 205
 - and context-free successor state axioms, 213
 - and open-world STRIPS, 226
 - and relational STRIPS, 224
 - and relatively complete databases, 210
 - definition, 208
 - first-order definable cases, 210
 - is second-order definable, 209
 - logical foundations, 207
 - may not be first-order definable, 210
 - of isolated fluents, 213
 - uniqueness theorem, 209
- projection problem, 69, 77
 - and regression, 69
 - defined, 69
- Prolog
 - for implementing basic action theories, 85
 - logical foundations, 85
 - negation-as-failure, 86

- normal goal, 86
- occurs check, 88
- proper interpreter for, 86
- the Eclipse Prolog system, 104
- with linear constraint solver, 155
- Puterman, M. L., 384
- Pulyshyn, Z. W., 45, 388
- qualification constraint, 403
- qualification problem, 20, 401, 402
- Rabinov, A., 184
- ramification constraint, 401
- ramification problem, 401
- reactive Golog, 185
- reactivity, 185
- regressable formula, 62
- regression, 61
 - and the projection problem, 69
 - for knowledge, 306
 - regression theorem, 65
 - with functional fluents, 70
- regression operator
 - simple version, 64
 - with functional fluents, 71
- regression theorem, 65
 - with knowledge, 308
- Reiter, R., 45, 46, 83, 145, 146, 184, 203, 231, 281, 282, 333, 384, 405
- relational database, 217
- relative satisfiability theorem, 61
- relatively complete database, 210
- resolvent, 261
- reward function, 363, 364
- RGolog, 185
 - a reactive elevator controller, 191
 - formal semantics, 188
 - interpreter for, 190
 - intuitive semantics, 187
 - on-line vs. off-line, 200
- Rintanen, J., 281
- Romano, M., 388
- Rosati, R., 282
- Rosenblitt, D., 281
- Rosenschein, S. J., 146
- Roveri, M., 281
- Ruman, S. J., 146
- run-time sense action
 - sense condition for, 377
- run-time sense actions, 376
- run-time variable, 377
- Russell, S. J., 281, 282
- Sacerdoti, E. D., 282
- Sadri, F., 46
- Sandewall, E., 45, 46, 184, 405, 407
- Sardiña, S., 387
- satisfiability, 8
- Scherl, R., 145, 146, 332, 333, 362, 383
- Schneeberger, J., 46
- Schubert, L. K., 24, 45, 184, 281, 405
- second-order logic, 12
 - and induction principles, 14
 - and inductive definitions, 13
 - incompleteness, 15
 - semantics, 12
 - syntax, 12
- sense actions
 - associated with ordinary stochastic actions, 368
 - observations as stochastic outcomes, 367
 - stochastic, 366
 - and fully observable MDPs, 369
 - sense outcome condition, 368
- sense condition for run-time sense action, 377
- sense outcome condition, 368
- sequential, temporal situation calculus, 152
- Sergot, M. J., 46, 184
- Sernadas, A., 383
- Sernadas, C., 383
- Shanahan, M. P., 45, 46, 184, 333, 405
- Shapiro, S., 146, 147, 203
- Shapiro, S. C., 332, 333
- Shoham, Y., 146, 184, 333
- simulating natural worlds, 176
 - an example, 176
- situation calculus
 - alternative foundational axioms for situations, 79
 - and knowledge, 284
 - axioms, 48
 - concurrent temporal, 167
 - formal foundations, 47
 - foundational axioms for situations, 49
 - foundational axioms for situations with time, 153
 - how to represent processes, 149
 - initial situation S_0 , 19
 - interleaving concurrency, 150
 - intuitive ontology, 19
 - language, $\mathcal{L}_{sitcalc}$, 47
 - permissiveness, 171
 - representing time, 152
 - sequential, temporal, 152
 - successor situation function do , 19
- situation-suppressed expression, 112
- situations
 - alternative foundational axioms for, 79
 - as histories, 50
 - executable, 52
 - for concurrent actions and time, 168

- for natural actions, 172
 - with time, 153
 - forest of, 303
 - foundational axioms for, 49
 - foundational axioms for knowledge, 302
 - foundational axioms for true concurrency, 165
 - foundational axioms for true concurrency and time, 167
 - foundational axioms with time, 153
 - reasoning about using induction, 54
 - tree of, 51
 - Slaney, J., 282
 - Smith, B. C., 2
 - Smith, D. E., 281, 404
 - Soderland, S., 281
 - softbots, 327
 - Soutchanski, M., 184, 333, 384
 - Srivastava, B., 281
 - St. Amant, R., 408
 - state constraints, 57, 270, 401
 - stGolog, 345
 - and policies, 368
 - with exogenous events, 349
 - with sense actions, 366
 - stochastic actions, 335
 - ordinary, 367
 - sense, 367
 - stochastic Golog, 345
 - and policies, 368
 - with exogenous events, 349
 - with sense actions, 366
 - stochastic sense actions, 367
 - Stoy, J. E., 145
 - STRIPS, 216
 - and strongly context-free successor state axioms, 223
 - correctness with respect to a situation calculus axiomatization, 228
 - database, 216
 - definition of a plan, 221
 - logical foundations for, 222
 - open-world, 226
 - and progression, 226
 - operator, 218
 - add list, 219
 - applicable instance, 220
 - definition of, 219
 - delete list, 220
 - successor database, 220
 - planning, 221
 - relational, 217
 - and progression, 224
 - structure, 6
 - subjective sentence, 320
- Subrahmanian, V. S., 231
 - successor state axiom, 32, 59
 - context-free, 74, 213
 - definitional form, 96
 - for knowledge, 295
 - strongly context-free, 223
 - Tam, K., 203
 - Ternovskaia, E., 84, 184, 405
 - theorem-prover
 - regression-based, 266
 - Thiébaux, S., 282
 - Thielscher, M., 46, 83, 184, 405
 - Thrun, S., 384
 - time, 149
 - Tison, P., 282
 - Tiurin, J., 145
 - Topor, R. W., 90
 - transitive closure, 10
 - is not first-order definable, 16
 - second-order definition, 14
 - Turing machine
 - defined in the situation calculus, 82
 - Turner, H., 405
 - typed quantifiers, 260
 - uncertainty, 335
 - in the initial situation, 359
 - uniform formula, 58
 - unique names axioms
 - for actions, 31
 - for situations, 50
 - unsatisfiability, 8
 - Vaccaro, M., 388
 - validity, 8
 - Van Belleghem, K., 46, 184
 - Vardi, M. Y., 332, 333
 - variable assignment, 7
 - vivid representation, 385
 - Waldinger, R., 83, 145, 282
 - Weld, D., 281, 384
 - Wooldridge, M. J., 147, 332
 - Yale shooting problem, 43, 45
 - Yang, Q., 231, 282
 - Yu, E. S. K., 204
 - Zeno's paradox, 173