

Index

- $\vdash_{int \rightarrow int \rightarrow int}$, 27
- δ -rule, *see* delta-rules
- λ -abstractions, *see* lambda abstractions
- \vdash , *see* addition

- abstract domain
 - optimal, 100
 - using complete lattices, 42, 63–65, 70, 89
- abstract interpretation, 15, 20, 50, 158
 - Λ_T , 65–67
 - application, 66
 - arithmetic functions, 83, 181
 - bool*, 65, 78, 105
 - boolean functions, 83, 181
 - comparison functions, 83, 181
 - $\mathit{cons}_{\tau \rightarrow (list\ \tau) \rightarrow (list\ \tau)}$, 83, 94, 97, 99, 101, 183
 - constants, 73, 77, 82, 94, 97, 99, 101
 - correct, 12, 13, 16, 64, 74, 88
 - $\mathit{empty}_{(tree\ \tau)}$, 83
 - example functions, *see* under each function name
 - false_{bool} , 83
 - $\mathit{fix}_{(\sigma \rightarrow \sigma) \rightarrow \sigma}$, 66
 - $\mathit{head}_{(list\ \tau) \rightarrow \tau}$, 83, 94, 97, 99, 101, 182
 - $\mathit{if}_{bool \rightarrow \sigma \rightarrow \sigma \rightarrow \sigma}$, 82, 83
 - $\mathit{ins}_{i(\sigma_1, \dots, \sigma_k)}$, 65, 66
 - int*, 65, 78, 105
 - integers, 83
 - $\mathit{iss}_{i\sigma_1 \oplus \dots \oplus \sigma_k \rightarrow bool}$, 188
 - lambda abstraction, 66
 - $\mathit{lcase}_{(list\ \tau) \rightarrow \sigma \rightarrow (\tau \rightarrow (list\ \tau) \rightarrow \sigma) \rightarrow \sigma}$, 83, 86, 94, 97, 99, 101
 - $\mathit{left}_{(tree\ \tau) \rightarrow (tree\ \tau)}$, 83, 185
 - let-expression, 66, 67
 - lift_σ , 66
 - $(list\ \tau)$, 65, 79, 80, 92, 97, 99, 102, 105
 - $\mathit{nil}_{(list\ \tau)}$, 83, 94, 97, 99, 101
 - $\mathit{node}_{(tree\ \tau) \rightarrow \tau \rightarrow (tree\ \tau) \rightarrow (tree\ \tau)}$, 83
 - $\mathit{outs}_{i\sigma_1 \oplus \dots \oplus \sigma_k \rightarrow \sigma_i}$, 83, 188
 - $\mathit{right}_{(tree\ \tau) \rightarrow (tree\ \tau)}$, 83, 185
 - rule of signs, 1, 9
 - smash sum, 51, 65
 - example, 84
 - $\mathit{tail}_{(list\ \tau) \rightarrow (list\ \tau)}$, 83, 85, 94, 97, 99, 101
 - $\mathit{take}_{i\sigma_1 \times \dots \times \sigma_k \rightarrow \sigma_i}$, 53, 83, 186
 - $\mathit{takes}_{i\sigma_1 \otimes \dots \otimes \sigma_k \rightarrow \sigma_i}$, 53, 83, 187
 - $\mathit{tcase}_{(tree\ \tau) \rightarrow \sigma \rightarrow ((tree\ \tau) \rightarrow \tau \rightarrow (tree\ \tau) \rightarrow \sigma) \rightarrow \sigma}$, 83, 186
 - $(tree\ \tau)$, 65, 80, 102, 105
 - true_{bool} , 83
 - $\mathit{tuple}_{(\sigma_1, \dots, \sigma_k)}$, 66
 - $\mathit{tuples}_{(\sigma_1, \dots, \sigma_k)}$, 66
 - types, 66
 - $\mathit{value}_{(tree\ \tau) \rightarrow \tau}$, 83, 184
 - variables, 66
- abstraction map, 13, 67
 - adjointness, 71
 - alternative definitions, 70
 - bottom-reflexivity of, 71, 81, 93, 98
 - definition of, 68, 69, 79, 92, 102
 - properties of, 71
 - reduced product, 98
 - relationship with concretisation map, 15, 70
 - semi-homomorphism, 72, 73, 82
 - strictness of, 67, 70, 81, 93, 98
- ADD, 131, 196
- add, 131
- addition
 - compilation of, 131–133
 - reduction, 27, 119, 122

- adjoined functions, 69, 71
- algebraic, 44
- AND, 196
- and_{bool→bool→bool}
 - abstract interpretation, *see* abstract interpretation, boolean functions
 - delta-rules, 34, 35
 - standard interpretation, *see* standard interpretation, boolean functions
 - strictness of, 35, 58
- append, 6
 - abstract interpretation, 91
 - abstract interpretation using $\mathbf{A}_{(list\ \tau)}^{hs}$, 94
 - evaluation transformers for, 114
 - translation into Λ_T , 37
- application, 21
 - abstract interpretation, 66
 - annotating with evaluator transformers, 108
 - compilation of, 127, 129, 137
 - evaluation of, 124
 - general interpretation, 53
 - left-associativity, 21
 - standard interpretation, 56
 - stored as Vaps, 123
 - using textual juxtaposition, 21
- arithmetic functions
 - abstract interpretation, 181
 - delta-rule, 34
 - standard interpretation, 60
- arithmetic_op, 198
- assoc, 209
- backwards analysis, 154
- before0, 6
 - abstract interpretation, 91
 - abstract interpretation using $\mathbf{A}_{(list\ \tau)}^{hs}$, 94
 - evaluation transformers for, 114
 - translation into Λ_T , 37
- big union, 49
- binding, 23, 33
- boolean functions
 - abstract interpretation, 181
 - delta-rule, 34
 - standard interpretation, 60
- boolean_op, 198
- bottom, 11, 42
- bottom-reflecting, 43, 67, 71, 81, 93, 98, 174
- bound variable, 23, 33
- \mathcal{C} , *see* compilation scheme, \mathcal{C}
- c_σ , *see* Index of Symbols
- CALL, 133, 146, 197
- call, 206
- call-by-name, 3
- chain, 40
- Church-Rosser property, 24, 29, 36, 161, 208
 - failure of, 29, 208
- Church-Rosser Theorem, 25, 36, 62, 157
- closed term, 23, 61, 136, 166–168
- closure, 9, 117, 119, 159
 - Scott, *see* Scott-closed
- code
 - and context-free evaluation transformers, 136
 - and context-sensitive evaluation transformers, 136
 - entry point, 145–147
 - optimisation, 132, 133, 139
 - parallel, 141–143, 159
 - sequential, 137–140, 159
- combinator, 23, 118
 - reduction, 4, 118, 136
- compact, 44
- comparison functions
 - abstract interpretation, 181
 - delta-rule, 34
 - standard interpretation, 60
- comparison_op, 198
- compilation scheme
 - \mathcal{C} , 129, 139, 193
 - \mathcal{E} , 133, 137, 192
 - \mathcal{F} , 124, 191
 - \mathcal{P} , 141
 - \mathcal{R} , 124, 133, 137, 140, 191
 - strictness and \mathcal{E} , 133, 134, 139

- complete lattice, 42
- complete partial order, 42
 - consistently complete, 44
 - flat, 43, 55, 57
- Computational Adequacy Theorem, 20, 61, 78, 79, 106, 108, 158
- concretisation, 12, 64
- concretisation map, 12, 13, 67
 - adjointness, 71
 - alternative definitions, 71
 - definition of, 69
 - properties of, 71
 - relationship with abstraction map, 15, 70
 - strictness of, 71, 81, 93, 98, 108
 - well-definedness of, 70
- conditional, *see* $\text{if}_{\text{bool} \rightarrow \sigma \rightarrow \sigma}$
- CONS, 128, 196
- Cons, 128
- $\text{cons}_{\tau \rightarrow (\text{list } \tau) \rightarrow (\text{list } \tau)}$, 32
 - abstract interpretation, 83, 94, 183
 - abstract interpretation using $\mathbf{A}_{(\text{list } \tau)}^{\text{hs}}$, 99
 - abstract interpretation using $\mathbf{A}_{(\text{list } \tau)}^{\text{rp}}$, 97
 - abstract interpretation using lifting, 101
 - compilation of, 128, 140
 - evaluation transformers for, 114
 - standard interpretation, 60
- cons*, 58, 183
- cons, 128, 199
- constant, 20, 27, 28, 32, 34, 73
 - abstract interpretation, *see* abstract interpretation, constants
 - general interpretation, 53
 - induced interpretation, 73
 - standard interpretation, *see* standard interpretation, constants
- constant safety condition, 73, 74, 77, 82, 93, 102, 158, 178
- Context-Free Evaluation Transformer Theorem, 112
- Context-Sensitive Evaluation Transformer Theorem, 108, 137
- continuous function, 46
- Correctness Theorem for Abstract Interpretation, 74, 88, 93, 95, 98, 159
- cpo, *see* complete partial order
- curry*, 73
- delta-rules, 20, 27, 28, 34, 118
- denotational semantics, 15, 19, 39, 50, 158
 - relation to operational semantics, 61
- diamond property, 24
- directed set, 43
- DIV, 196
- domain, 11, 44
 - coalesced sum, 45
 - flat, *see* complete partial order, flat function, 46
 - lifted, 46
 - powerdomain, 48
 - product, 44, 65
 - smash product, 45
 - smash sum, 45, 65
 - sum, 45
 - not needed, 46
- domain theory, 11, 39
- doubles, 6
 - abstract interpretation, 91
 - abstract interpretation using $\mathbf{A}_{(\text{list } \tau)}^{\text{hs}}$, 94
 - evaluation transformers for, 114
 - translation into $\Lambda_{\mathcal{T}}$, 37
- \mathcal{E} , *see* compilation scheme, \mathcal{E}
- e_lookup*, 210
- $\text{empty}_{(\text{tree } \tau)}$, 32
 - abstract interpretation, 83
 - delta-rule, 34
 - standard interpretation, 60
- empty*, 58
- ENTER, 127, 129, 146, 147, 197
- enter*, 205
- environment, 53
 - modified, 53
- EQ, 196
- eq*, 198
- EVAL, 123, 124, 128, 131, 133, 146, 197

- eval, 124, 206
- evaluation transformer, 1, 7, 8, 78, 108, 155, 159
 - context-free, 112, 118, 136, 144, 146, 153, 159
 - context-sensitive, 112, 118, 136, 147, 153, 159
- evaluator, 7, 16, 159
 - as label on graph node, 145
 - definition of, 107, 108
 - parallel implementation, 143
 - sequential implementation, 140
- \mathcal{F} , *see* compilation scheme, \mathcal{F}
- false_{bool} , 27
 - standard interpretation, 55, 60
- false*, 55, 57
- falseb*
 - abstract interpretation, 83
- find_destination , 201
- finite element, 44
- $\text{fix}_{(\sigma \rightarrow \sigma) \rightarrow \sigma}$, 27, 29
 - abstract interpretation, 66
 - general interpretation, 54
 - standard interpretation, 56
- fixed point, 29, 43, 54
 - least, 43, 54, 89
- Fixed Point Theorem, 43, 54
- F_ℓ , *see* reduction strategy, F_ℓ
- flat, 43
- forwards analysis, 154
- free variable, 23, 35
- function
 - bottom-reflecting, 43
 - composition, 46
 - continuous, 43
 - lambda abstraction, *see* lambda abstraction
 - monotonic, 41
 - strict, 43, 133
- functions
 - adjoined, 69, 71
- g_lookup , 209
- GE, 196
- general interpretation, 50–55
 - application, 52, 53
 - bool*, 51
 - constant, 53
 - $\text{fix}_{(\sigma \rightarrow \sigma) \rightarrow \sigma}$, 52, 54
 - $\text{ins}_{(\sigma_1, \dots, \sigma_k)}$, 52, 54
 - int*, 51
 - lambda abstraction, 52, 53
 - let-expression, 54
 - lift, 51
 - lift_σ , 52
 - product, 51
 - smash product, 51
 - smash sum, 51
 - $\text{tuple}_{(\sigma_1, \dots, \sigma_k)}$, 52, 54
 - $\text{tuples}_{(\sigma_1, \dots, \sigma_k)}$, 52, 54
 - type, 51, 52
 - variable, 52, 53
- graph, 119
 - body of function, 121
 - building of, 121, 129
- graph node
 - Cons, 128, 143–146
 - Int, 121, 131
 - Vap, 119, 129, 144, 145
 - Var, 121
- graph reduction, 3, 117, 119, 122
- ground type, 61
- GT, 196
- HEAD, 196
- head, 3
- $\text{head}_{(\text{list } \tau) \rightarrow \tau}$, 32
 - abstract interpretation, 83, 94, 182
 - abstract interpretation using $\mathbf{A}_{(\text{list } \tau)}^{hts}$, 99
 - abstract interpretation using $\mathbf{A}_{(\text{list } \tau)}^{rp}$, 97
 - abstract interpretation using lifting, 101
 - delta-rule, 33, 34
 - evaluation transformers for, 114
 - standard interpretation, 60
- head*, 59, 183
- head, 199

- head normal form, 4, 25, 27, 36, 118, 122, 129, 205–207
 - non-uniqueness, 25
- head normalising, 165
- head redex, 25
- Head-Normalisation Theorem, 29, 37, 105, 117, 157
- head-reduction, 36
- HNF, *see* head normal form
- Hoare powerdomain, 49
- $\text{if}_{\text{bool} \rightarrow \sigma \rightarrow \sigma}$, 27
 - abstract interpretation, 82, 83
 - compilation of, 134, 140, 141
 - delta-rule, 28, 34
 - standard interpretation, 60
- Index of Symbols, 224
- index_stack , 209
- induced interpretations, 73
- infinite computation, 61, 106, 158
 - initiating an, 106
- infinite list, 4, 80
- infinite reduction sequence, 106
- information content, 39, 69
 - and monotonic functions, 41
 - bottom, 42, 61
 - infinite computation, 61
 - least upper bound, 41, 68
- inHNF , 25, 33, 34, 36
- $\text{ins}_{i(\sigma_1, \dots, \sigma_k)}$, 33
 - abstract interpretation, 65, 66
 - general interpretation, 54
 - standard interpretation, 55, 56
- ins_i , 55
- instruction set, 195
 - definition of instructions, 196
- interpretation, 10, 15, 20, 50, 158
 - abstract, *see* abstract interpretation
 - general, *see* general interpretation
 - standard, *see* standard interpretation
 - type
 - abstract, *see* abstract interpretation, type
 - general, *see* general interpretation, type
 - standard, *see* standard interpretation, type
- inverse comment convention, 1, 118
- isBool , 208
- isCons , 209
- isEmpty , 209
- isFun , 208
- isInt , 208
- isNil , 209
- isNode , 209
- $\text{iss}_{i\sigma_1 \oplus \dots \oplus \sigma_k \rightarrow \text{bool}}$, 32
 - abstract interpretation, 188
 - delta-rule, 34
 - standard interpretation, 60
- iss_i , 47, 188
- isVap , 208
- isWvap , 208
- JFALSE, 197
- jfalse , 201
- JMP, 197
- jmp , 201
- join , 6
 - abstract interpretation, 91
 - evaluation transformers for, 114
 - translation into Λ_T , 37
- LABEL, 197
- lambda abstraction, 21
 - abstract interpretation, 66
 - general interpretation, 53
 - standard interpretation, 56
- lambda calculus
 - untyped, 27
- lattice, 12, 42
 - for abstract domain, 63–65, 70, 89
- lazy evaluation, 1, 4, 119
 - and graph reduction, 16, 119
 - code for, 17, 123
 - correct implementation of, 136
 - restrictiveness of, 1
- lazy functional languages, 15
 - application using textual juxtaposition, 2
 - type inference, 7
- lazy semantics

- not preserved, 155
- LCASE, 197
- lcase $_{(list\ \tau) \rightarrow \sigma \rightarrow (\tau \rightarrow (list\ \tau) \rightarrow \sigma) \rightarrow \sigma}$, 32
 - abstract interpretation, 83, 86, 94
 - abstract interpretation using $A_{(list\ \tau)}^{hs}$, 99
 - abstract interpretation using $A_{(list\ \tau)}^{TP}$, 97
 - abstract interpretation using lifting, 101
 - compilation of, 140
 - delta-rule, 34
 - standard interpretation, 60
- lcase, 59, 86
- lcase, 202
- LE, 196
- LEFT, 197
- left $_{(tree\ \tau) \rightarrow (tree\ \tau)}$, 32
 - abstract interpretation, 83, 185
 - delta-rule, 34
 - evaluation transformers for, 114
 - standard interpretation, 60
- left, 59, 185
- left, 201
- left-closed set, 49, 170
- leftmost outermost reduction, 3
- length, 6
 - abstract interpretation, 91
 - abstract interpretation using $A_{(list\ \tau)}^{hs}$, 94
 - evaluation transformers for, 114
 - translation into Λ_T , 37
- let-expression, 33
 - abstract interpretation, 66, 67
 - delta-rule, 33, 34
 - general interpretation, 54
 - standard interpretation, 58
- lift $_{\sigma}$, 33
 - abstract interpretation, 66
 - general interpretation, 54
 - standard interpretation, 56
- lift, 46
 - and abstract domains for lists, 101
- list
 - infinite, 113
 - partial, 80, 113
- (list τ)
 - abstract interpretation, *see* abstract interpretation, (list τ)
 - standard interpretation, *see* standard interpretation, (list τ)
- LOAD, 146, 197
- load, 205
- lower bound, 42
 - greatest, 42
- LT, 196
- map, 6
 - abstract interpretation, 91
 - abstract interpretation using $A_{(list\ \tau)}^{hs}$, 94
 - evaluation transformers for, 114
 - translation into Λ_T , 37
- mk_sum $_i$, 47, 55
- monotonic, 41
- MUL, 196
- newlabel, 128, 209
- next_to_top, 209
- nil $_{(list\ \tau)}$, 32, 34
 - abstract interpretation, 83, 94
 - abstract interpretation using $A_{(list\ \tau)}^{hs}$, 99
 - abstract interpretation using $A_{(list\ \tau)}^{TP}$, 97
 - abstract interpretation using lifting, 101
 - standard interpretation, 60
- nil, 58
- NODE, 197
- node $_{(tree\ \tau) \rightarrow \tau \rightarrow (tree\ \tau) \rightarrow (tree\ \tau)}$, 32
 - abstract interpretation, 83
 - evaluation transformers for, 114
 - standard interpretation, 60
- node, 58
- node, 200
- normal form, 25, 27
- one-level head-strict, 77, 92
- operational semantics, 15, 19
 - relation to denotational semantics, 61

optimal abstract domain, 100
 optimisation of code, 132, 133, 139
 OR, 196
 $\text{or}_{\text{bool} \rightarrow \text{bool} \rightarrow \text{bool}}$
 abstract interpretation, *see* abstract interpretation, boolean functions
 delta-rules, 35
 standard interpretation, *see* standard interpretation, boolean functions
 strictness of, 35, 58
 $\text{outs}_{\sigma_1 \oplus \dots \oplus \sigma_k \rightarrow \sigma_i}$, 32
 abstract interpretation, 83, 188
 delta-rule, 34
 standard interpretation, 60
 outs_i , 47, 188
 \mathcal{P} , *see* compilation scheme, \mathcal{P}
 parallel code, 141–143
 partial application, 129, 147
 partial list, 80
 partial order, 11, 39
 diagram, 40
 flat, *see* complete partial order, flat
 pattern matching, 4
 overlapping patterns, 208
 polymorphic, 5
 polymorphically invariant, 153
 powerdomain, 48
 algebraic properties, 49
 ordering, 48
 PRINT, 197
 print, 207
 print_state, 210
 program, 61, 106, 129, 136
 program transformation, 139, 141
 projection, 154
 projection analysis, 154
 Prolog, 152
 PUSH, 131, 197
 push, 203
 PUSHBOOL, 197
 pushbool, 203
 PUSHEMPTY, 197
 pushempty, 200
 PUSHFUN, 127, 145, 197
 pushfun, 203
 PUSHINT, 197
 pushint, 203
 PUSHNIL, 196
 pushnil, 199
 \mathcal{R} , *see* compilation scheme, \mathcal{R}
 recursion, 27
 recursion and $\text{fix}_{(\sigma \rightarrow \sigma) \rightarrow \sigma}$, 27, 38
 recursive
 domain isomorphism, 57
 type, *see* type, recursive
 redex, 2, 24
 leftmost, 3, 37
 outermost, 3
 to the left of, 36, 163
 reduced product, 96
 reduces, 2
 reduction
 β -, 20, 24
 $\beta\delta$ -, 29, 136
 algorithm, 121
 combinator, 4, 118, 136
 evaluation transformer model, 1, 7, 8, 136, 137, 155
 graph, *see* graph reduction
 one-step β -, 23
 one-step $\beta\delta$ -, 29
 one-step δ -, 27
 reduction sequence
 infinite, 106
 standard, 163
 strongly equivalent, 163
 strongly standard, 162–164
 reduction strategy, 26, 62, 139
 conservative, 106
 F_t , 37, 61, 62, 161, 164, 165
 head normalising, 26, 36, 161
 head-, 26
 leftmost, 33
 leftmost outermost, 3
 one-step, 26
 safe, 61, 106, 115, 158
 sequential, 61
 speculative, 107

related, 107
 represent, 64, 68
 residual, 162
 RETURN, 128, 131, 197
 return, 128, 207
 reverse, 6

- abstract interpretation, 91
- abstract interpretation using $A_{(list\ \tau)}^{hs}$, 94
- evaluation transformers for, 114
- translation into Λ_T , 37

 rewrites, 2
 rewriting, 2
 RIGHT, 197
 right $_{(tree\ \tau) \rightarrow (tree\ \tau)}$, 32

- abstract interpretation, 83, 185
- delta-rule, 34
- evaluation transformers for, 114
- standard interpretation, 60

right, 59
 right, 201
 rule of signs, 9, 78
 run, 196

 safe, 61, 105, 106
 Scott-closed, 49, 170
 semi-homomorphism, 14, 72
 sequential code, 137–140
 sharing, 119
 size, 6

- abstract interpretation, 91
- evaluation transformers for, 114
- translation into Λ_T , 37

 smash sum

- abstract interpretation, *see* abstract interpretation, smash sum
- domain, *see* domain, smash sum
- standard interpretation, *see* standard interpretation, smash sum

 SPAWN, 141, 146
 Spineless G-machine, 123–136
 SQUEEZE, 127, 136, 197
 squeeze, 127, 204
 stack frame, 124, 136
 stack invariants, 125, 131, 146, 204

 stack_pop, 209
 stack_push, 209
 standard interpretation, 10, 15, 20, 50, 158

- Λ_T , 55–58
- application, 56
- arithmetic functions, 60
- bool*, 55, 57
- boolean functions, 60
- comparison functions, 60
- $cons_{\tau \rightarrow (list\ \tau) \rightarrow (list\ \tau)}$, 60
- constants, 58
- $empty_{(tree\ \tau)}$, 60
- $false_{bool}$, 55, 60
- $fix_{(\sigma \rightarrow \sigma) \rightarrow \sigma}$, 56
- $head_{(list\ \tau) \rightarrow \tau}$, 60
- $if_{bool \rightarrow \sigma \rightarrow \sigma}$, 60
- $ins_{i(\sigma_1, \dots, \sigma_k)}$, 55, 56
- int*, 55, 57
- $iss_{i\sigma_1 \oplus \dots \oplus \sigma_k \rightarrow bool}$, 60
- lambda abstraction, 56
- $lcase_{(list\ \tau) \rightarrow \sigma \rightarrow (\tau \rightarrow (list\ \tau) \rightarrow \sigma) \rightarrow \sigma}$, 60
- $left_{(tree\ \tau) \rightarrow (tree\ \tau)}$, 60
- let-expression, 58, 60
- lift $_{\sigma}$, 56
- $(list\ \tau)$, 55, 57
- $nil_{(list\ \tau)}$, 60
- $node_{(tree\ \tau) \rightarrow \tau \rightarrow (tree\ \tau) \rightarrow (tree\ \tau)}$, 60
- $outs_{i\sigma_1 \oplus \dots \oplus \sigma_k \rightarrow \sigma_i}$, 60
- $right_{(tree\ \tau) \rightarrow (tree\ \tau)}$, 60
- smash sum, 55
- $tail_{(list\ \tau) \rightarrow (list\ \tau)}$, 60
- $take_{i\sigma_1 \times \dots \times \sigma_k \rightarrow \sigma_i}$, 53, 58
- $takes_{i\sigma_1 \otimes \dots \otimes \sigma_k \rightarrow \sigma_i}$, 53, 58
- $tcase_{(tree\ \tau) \rightarrow \sigma \rightarrow ((tree\ \tau) \rightarrow \tau \rightarrow (tree\ \tau) \rightarrow \sigma) \rightarrow \sigma}$, 60
- $(tree\ \tau)$, 55, 57
- $true_{bool}$, 55, 60
- $tuple_{(\sigma_1, \dots, \sigma_k)}$, 56
- $tuples_{(\sigma_1, \dots, \sigma_k)}$, 56
- type, 56
- $value_{(tree\ \tau) \rightarrow \tau}$, 60
- variable, 56

 standard reduction sequence, 163
 Standardisation Theorem, 163, 164

- step, 196
- STOP, 197
- STORE, 129, 146, 197
- store, 129, 203
- strict, 43, 98
- strict function
 - compilation of, 133
- strictness analysis, 151–153
- strongly equivalent, 163
- strongly normalising, 27
- strongly standard reduction sequence, 163
- SUB, 196
- substitution, 23, 35
- sumlist, 6
 - abstract interpretation, 91
 - determination of, 88–90
 - abstract interpretation using $A_{(list\ \tau)}^{hs}$, 94
 - evaluation transformers for, 114
 - translation into Λ_T , 37, 88
- sumtree, 6
 - abstract interpretation, 91
 - evaluation transformers for, 114
 - translation into Λ_T , 37
- tag, 121
- TAIL, 196
- tail, 3
- tail $_{(list\ \tau) \rightarrow (list\ \tau)}$, 32
 - abstract interpretation, 83, 85, 94
 - abstract interpretation using $A_{(list\ \tau)}^{hts}$, 99
 - abstract interpretation using $A_{(list\ \tau)}^{rp}$, 97
 - abstract interpretation using lifting, 101
 - delta-rule, 34
 - evaluation transformers for, 114
 - standard interpretation, 60
- tail, 59, 85
- tail, 199
- tail-recursive, 136
- tail-strict, 95
- take $_{i\sigma_1 \times \dots \times \sigma_k \rightarrow \sigma_i}$, 32
 - abstract interpretation, 53, 83, 186
 - delta-rule, 34
 - standard interpretation, 53, 58
- takes $_{i\sigma_1 \otimes \dots \otimes \sigma_k \rightarrow \sigma_i}$, 32
 - abstract interpretation, 53, 83, 187
 - delta-rule, 34
 - standard interpretation, 53, 58
- TCASE, 197
- tcase $_{(tree\ \tau) \rightarrow \sigma \rightarrow ((tree\ \tau) \rightarrow \tau \rightarrow (tree\ \tau) \rightarrow \sigma) \rightarrow \sigma}$, 32
 - abstract interpretation, 83, 186
 - compilation of, 140
 - delta-rule, 34
 - standard interpretation, 60
- tcase, 59
- tcase, 202
- term graph rewriting, 122
- Tim, 139
- to the left of, 36, 163
- top, 42
- top, 209
- total order, 39
- trace, 210
 - $(tree\ \tau)$
 - abstract interpretation, *see* abstract interpretation, $(tree\ \tau)$
 - standard interpretation, *see* standard interpretation, $(tree\ \tau)$
- true $_{bool}$, 27
 - standard interpretation, 55, 60
- true, 55, 57
- tuple $_{(\sigma_1, \dots, \sigma_k)}$, 30
 - abstract interpretation, 66
 - general interpretation, 54
 - standard interpretation, 56
- tuples $_{(\sigma_1, \dots, \sigma_k)}$, 33
 - abstract interpretation, 66
 - delta-rule, 33, 34
 - general interpretation, 54
 - standard interpretation, 56
- type
 - abstract interpretation, *see* abstract interpretation, types
 - checking, 20
 - ground, 61
 - inference, 155
 - lifted, 30

- monomorphic, 5
- polymorphic, 5, 153
- product, 30
- recursive, 8, 20, 33, 51, 78, 158
- smash product, 30
- smash sum, 30
- standard interpretation, *see* standard interpretation, type
- valid, 61, 129, 136
- type variable, 5, 22
- typed lambda calculus
 - monomorphic, 22
 - polymorphic-, 22
 - second-order, 22
 - simple, 22
- uncurry*, 73
- UPDATE, 124, 197
- update, 207
- update analysis, 151
- UPDATEEV, 145, 147
- upper bound, 41
 - least, 41, 64
- valid type, 61
- VALUE, 197
- value_{(tree τ) \rightarrow τ}

 - abstract interpretation, 83, 184
 - delta-rule, 34
 - evaluation transformers for, 114
 - standard interpretation, 60

- value*, 59, 184
- value, 201
- variable
 - abstract interpretation, *see* abstract interpretation, variables
 - bound, 23
 - compilation of, 130, 144
 - free, 23
 - general interpretation, *see* general interpretation, variable
 - standard interpretation, *see* standard interpretation, variable
- variables
 - standard interpretation, 56
- version, 137
- compile-time choice, 143, 159
- run-time choice, 159
- ω -algebraic, 44
- weak head normal form, 4
- WSTORE, 197
- wstore, 204
- Y, 29