

Index

- ADALINE, 95–96
- Adaptive oscillators, 130–135
- Agents, 258, 263
- Algorithmic analysis, 8–12, 201, 377
- Algorithmic composition, 3, 6–8, 201–202
- Algorithmic Composition Toolbox, 205–212, 254
- Allowed pairing types, 187–188
- Alphabet, 203–204
- Animated improvisation, 362–365
- Apple MIDI Manager, 33
- Arcos, Josep Lluís, 272
- Arrau, Claudio, 275
- Art Ensemble of Chicago, 191
- Artificial agent societies, 258–263
- Artificial intelligence, 1, 9, 11, 235–240, 258
- Artificial life, 327
- Artificial Neural Network (ANN) simulator, 97
- Ashkenazy, Vladimir, 275
- Ashley, Richard, 147
- Auditory input, 191–200
- Augmented transition networks, 237
- Autonomous software agents, 258

- Backpropagation, 96
- Backtracking, 238–240
- Baker, David, 334–335, 370–371
 - Jazz Improvisation*, 334, 370–371
- Base class, 14, 77
- Bayesian classifier, 337
- Beam search, 159
- Beat tracking, 122–135, 377
- Beat Tracking System (BTS), 260–263, 379
- Beauregard, Larry, 216–217
- Beethoven, Ludwig van
 - Fifth Symphony*, 164
 - Piano Sonata, op. 7*, 55–56, 62, 66, 108–109
- Behrman, David, 308–309
- Berg, Paul, 205–206
- Berliner, Hans, 58, 343
- Berry, Wallace, 109–110, 165–168
 - Structural Functions in Music*, 109–110, 165
- Bharucha, Jamshed, 101–103, 176–177, 237
- Bigand, Emmanuel, 243–244
- Biles, John, 248, 251–254
- Bilmes, Jeff, 230, 232
- Bloch, Joshua, 170, 172, 176–178, 180
- Boden, Margaret, 251
- Bomb*, 334
- Bongers, Bert, 310
- Bregman, Albert, 241
- Brendel, Alfred, 275
- Bresin, Roberto, 270–272
- Brownian motion, 305
- Butler, David, 66

- C++, 2, 13–15, 77, 139, 206
 - variable argument lists, 208, 353
- Cambouropoulos, Emilios, 167–168
- Campion, Edmund, 8, 288–289, 293, 302
 - Natural Selection*, 288–290, 292, 296
- Camurri, Antonio, 245–246, 372–376
 - EyesWeb, 245, 379
 - HARP, 246
- Canazza, Sergio, 265
- Canetti, Elias, 328
 - Crowds and Power*, 325, 327
- Cascade-Correlation network, 337
- Case-based reasoning, 272
- Castiglia, Lilly, 363
- Center for New Music and Audio Technologies (CNMAT), 230, 248
- Chadabe, Joel, 288
- Chafe, Chris, 8

- Chord identification, 19, 38, 40–42, 341
 - KickOutMember, 40
- Chord spelling, 42–46, 58
- Chord type identification, 58–60
- City-block metric, 163–165
- Clarke, Eric, 146, 264, 277–278
- CNMAT Rhythm Engine, 231–232
- Coltrane, John, 372
- Columbia Computer Music Center, 336
- Combination tunes, 335
- Compatibility Rule, 47
- Competitive learning, 197–198
- Completion image, 196
- Computer music, 1, 4, 377
- Coniglio, Mark, 321, 346
- Conklin, Darrell, 184
- Connectionist Quantizer, 114–121
 - basic cells, 114, 118
 - interaction cells, 114, 121
 - sum cells, 114, 118
- Context dependence, 46–47
- Context image, 196
- Context independence, 25
- Context modeling, 185
- Continuous controls, 328, 351–353
- Convolution Brothers, The, 221
- Cook, Nicholas, 110, 318
 - Analyzing Multimedia*, 318
- Coordinated Electronic Music Studio, 288
- Cope, David, 182–184, 237
 - Computers and Musical Style*, 182–183
- Cross-disciplinary research, 377
- Csound, 194
- Cue-abstraction mechanism, 242–243
- Cypher, 60, 239–240, 258, 279
 - critic, 240, 312–313
 - key finder, 60–66
 - meta-listener, 312–315
 - Multiple Cypher, 310–315
 - segmentation, 168
- Dannenberg, Roger, 30–31, 170–172, 176–178, 180–182, 212, 336–338, 341–342
 - In Transit*, 334, 338, 341
- Deliège, Irene, 241–242
- Derived class, 14
- Desain, Peter, 112, 114, 118–119, 122–124
- Deutsch, Diana, 110–111, 145, 203–204, 206
- Differentiation rules, 266–267
- di Giugno, Giuseppe, 212, 216
- Dobbins, Bill, 36–38
 - Jazz Piano Harmony*, 36–38
- Dolson, Mark, 94–95, 103
- Dominant Zone, 357–358
- Dowling, W. Jay, 246
- Draves, Scott, 334
- Dudas, Richard, 288
- Duty cycle, 348–350
- Ebcioğlu, Kemal, 237–240
- Eckel, Gerhard, 306
 - Brownian, 306
- Emotion in music, 244–245
- Empirical Inquiry Hypothesis, 11
- Ensemble improvisation, 308–310
- Essl, Karlheinz, 306, 308
 - anti-bis, 307–308
 - Lexicon-Sonate*, 306, 308
 - RTC-lib, 306–308
- Euclidean metric, 163–164, 337
- Experiments in Musical Intelligence, 182
- Expert systems, 237–240
- Explode, 217
- Expressive performance, 113, 264–276
- Fast Fourier Transform (FFT), 193–194, 262–263
- Feigenbaum, Edward, 11
- FLExPat, 187–188
- Forte, Allen, 19–21
 - The Structure of Atonal Music*, 19
- 4X machine, 212–216
- Fraser, Simon, 327, 330
- Friberg, Anders, 265
- Frydén, Lars, 265
- GALileo (Graphic ALgorithmic music language), 346
- Garton, Brad, 335–336
- Generate and test, 238–240
- Generation techniques, 203–204
- Genetic algorithms, 248–257
 - crossover, 249
 - mutation, 249

- GenJam, 251–254
- GenJam Normal Form, 251
- Gestalt principles, 161–162, 168
- Gestalt segmentation, 161–165
- Gjerdigen, Robert, 148, 245–246
 - A Classic Turn of Phrase*, 245
- Goldberg, AThomas, 362
- Goldman, C., 259–260
- Goto, Masataka, 260–263
- Gregory, Ken, 357
- Gregson, Grant, 357
- Grouping, 104, 266
- Grouping preference rules, 146, 163
- Guido d'Arezzo, 6

- Hillis, W. Daniel, 249–250
- Holland, John, 248
- Holograms, 329
- Honing, Henkjan, 114, 118, 122–124, 191–192
- Horizontal tunes, 335
- Hub, The, 309
- Humdrum Toolkit, 31–32
- Huron, David, 30–32
- Hybrid systems, 374, 377

- I Nyoman Wenten, 319
- Identity-Change Rule, 167–168
- IMPROV, 362–364
- Influence in improvisation, 287–297
- Information theory, 185
- Installations, 355
- Institute of Sonology, 205
- Instrument paradigm systems, 302
- Inter-application communication, 41–42
- Interactive Genjam, 253
- Interactive improvisation, 277–279
- Interactive multimedia, 317–318
- Interactive music systems, 4, 258, 276
- Interactive Virtual Musicians (IVM), 362
- Interactor, 321–325
 - operators, 321–322
- IntervalChord, 338–342
- IRCAM, 212, 214, 222–223, 288–289
- IRCAM flute, 214
- IRCAM Signal Processing Workstation (ISPW), 213, 216

- jack~, 222–223
- Jackendoff, Ray, 138, 158–159, 244
- Jaffe, Norm, 357
- Jazz theory, 50, 58
- jMax, 213–214, 222
- Johnson-Laird, Philip, 371–372
- Jones, Jacqueline, 103–104
- Jordan, Michael, 103

- Kandinsky, Wassily, 318
- Karkowski, Zbigniew, 309
- Key induction, 60–76, 111, 247, 377
 - feedback, 61–62
 - neural network, 98–101
- Kimura, Mari, 7–8, 302–304
 - Chromatic, 302
 - Izquierda e Derecha*, 302–303
- Knowledge base, 374
- Knowledge representation, 241–246, 374
- Knuth, Donald, 249
 - The Art of Computer Programming*, 249
- Koenig, Gottfried Michael, 204–205, 208
- Kohonen network, 196–199
- Kolen, John, 130–134
- Krumhansl, Carol, 28, 51, 66, 80, 83
- Kuivila, Ron, 308–309

- Lancino, Thierry, 212
- Large, Ed, 130–135
- Large-scale interaction, 360–362
- Learning, 246–248, 337–338
- Lee, C. S., 136–139, 185
- Leman, Marc, 61, 194–199, 241
 - Music and Schema Theory*, 61, 241
- Lenat, Douglas, 11
- Lerdahl, Fred and Ray Jackendoff, 162–163, 273
 - A Generative Theory of Tonal Music*, 47, 146–161
- Lewis, George, 8, 287
- Li, T. C., 189–190
- Line of fifths, 44–46
- Linear classifier, 337
- Lippe, Cort, 212, 221–223
 - Music for Piano and Computer*, 223
- Longuet-Higgins, Christopher, 136, 139, 185
- Los Muñequitos de Matanzas, 231

- Machine Listening Group, 193
- Machine Musicianship library, 14–15, 77–91, 98, 160, 234
 - Event, 15, 77–85, 88, 164–165, 348
 - EventBlock, 15, 84–85, 234
 - Listener, 85–88, 119
 - ListenProp, 89–91, 119, 125, 337
 - MusicPattern, 172
 - Network, 98–99
 - Note, 15, 77–80, 84–85
 - Segment, 149
- Machover, Tod, 4
 - Begin Again Again . . .*, 215
 - The Brain Opera*, 360–362
- MajorNet, 98–101, 104
- Manoury, Philippe, 4, 212, 217, 254, 308, 310
 - Jupiter*, 215–217, 221–222, 254
 - La Partition du Ciel et de l'Enfer*, 215–216
 - Pluton*, 215
 - Neptune*, 215
- Mántaras, Ramon López de, 272
- Marsden, Alan, 378
- Martirano, Salvatore, 288
 - SalMar Construction*, 288
- Max, 2, 12–14, 32, 41, 124, 203–204, 212–214, 280, 288, 298, 322, 356
 - Atoms, 141–142
 - external, 14, 42, 139–144
- Mays, Tom, 288
- McAdams, Stephen, 246
- McEwan, Ian
 - Amsterdam*, 202
- Melodic charge, 270–271
- Melodic similarities, 169
- Messiaen, Olivier, 277
- Meter induction, 111, 135–139
- Metrowerks CodeWarrior, 139–140
- Meyer, Leonard, 110, 245
- MIDI chord recognizer, 37–42
- MIDIEvent struct, 34
- MIDI input and output, 33–35
- Miller, B., 103–104
- Minsky, Marvin, 258
 - The Society of Mind*, 258
- Missing fundamental, 47
- MIT Media Laboratory, 193, 230
- Mitchell, Melanie, 250
- Modulo operation, 26, 41
- Mozart, Wolfgang Amadeus
 - G Minor Symphony*, 161
- MSP, 213–214, 222
- Multi-agent systems (MAS), 259, 379
- Multimedia installations, 355–365
- Multimodal environments, 372–376
- Multiple attractors, 125–130
 - Eligible, 127–128
 - ReduceOffset, 126–127
- Multiple bandwidths, 205–209
- Muraoka, Yoichi, 260–263
- MUSACT, 103
- Music cognition, 1, 9, 12, 235–237, 377
- Music theory, 1, 9, 235
- Musica Elettronica Viva, 279
- Musical Instrument Digital Interface (MIDI), 17, 26, 29–30, 33, 42, 191–192, 215, 328, 379
- Musicianship, 1, 3, 9
- Naive Bayesian classifier, 337–338
- Naphtali, Dafna, 227–230
 - Clicktime, 229
 - Roundup, 228
- Narmour, Eugene, 148, 204, 245, 273
- NatSel, 288–297, 302
 - activity, 292–297
 - avg2, 289–290
 - clip, 294
 - order-route, 291
 - repeat-notes, 295–296
- NetNeg, 248, 259–260, 263, 379
- Neural networks, 93–101, 177, 198–199, 248, 270–272, 337
 - backpropagation, 96
 - epoch, 99
 - feedforward, 94
 - hidden layer, 94
 - training set, 95, 98–99
 - transfer function, 94
- Neutral pitch class, 44–46
- Normal order, 19, 21
- Nota, 348, 350–351
- NpcToTpc, 45–46
- NumberOfPlaybacks, 218–221

- NYU New Music and Dance Ensemble, 345
- Object orientation, 77, 139
- Observer agents, 374–375
- Odiard, Patrick, 216–217
- O Maidin, Donncha, 147
- Open MIDI System (OMS), 33–34, 39, 41, 353
- Oppens, Ursula, 279, 297
- Ossowski, Sascha, 258
- Overloaded chord, 39
- Owens, Thomas, 187–188
- Palisca, Claude, 73–74
- Paradiso, Joe, 361–362
- Parallel Processing Model (PPM), 66–76, 91, 93, 104
- Parker, Charlie, 188, 372
- Parncutt, Richard, 49–52, 55, 57–63, 76, 108
- Partial overlap, 183
- Pattern processing, 168–170
 induction, 145, 169–170, 248
 matching, 169–187
- Pattern Processor, 188–190
- Pcset, 141–144
- Pd, 213–214, 222
- Pennycook, Bruce, 148–154, 160, 189–190
- Perceptually guided segmentation, 185–187
- Perkis, Tim, 309
 Waxlips, 309
- Perlin, Ken, 362
- Pitch class array, 27
- Pitch tracking, 214–215
- Pitch-to-MIDI converters, 29, 33, 214, 303
- PlaybackLoop, 217–221
- Player paradigm systems, 301–308
- Polansky, Larry, 161–164, 168
- Polyphony, 137
- Pope, Stephen
 The Well-Tempered Object, 77
- Popper, Karl, 11
- Porter, Lewis, 372
- Povall, Richard, 288
- Preference rules, 137, 146
- Pressing, Jeff, 214–215
- Probe-tone technique, 51
- Puckette, Miller, 2, 13, 32, 212–213, 217
- Pulse-code modulation (PCM), 29
- Quantization, 75, 112–123
- QuickProp, 97
- Rai, Takayuki, 225–227
 Four Inventions, 225
 Kinetic Figuration, 225–226
 Seven Refractions, 225
- Rameau, Jean-Philippe, 58
- Reis, Ben, 183–187
- Repp, Bruno, 275
- Representation, 15, 18, 28–33
 pitch, absolute, 176
 pitch, intervallic, 22, 176–182
- Retain task, 272
- Retrieve task, 272
- Reynolds, Craig, 327
 Boids, 327
- Rhythm Tree, 361
- Rhythmic gap fill, 274
- Richter, M., 247
- Ritter, Don, 317, 359–360
 Fit, 359
 Intersection, 359
- Rogers, Joey, 198
- Rolland, Pierre-Yves, 187–188
- Root salience, 10
- Root-support intervals, 49
- Rosenboom, David, 380
- Rosenthal, David, 185
- Rowe, Robert, 362
 A Flock of Words, 325–329
 Interactive Music Systems, 11, 203, 212, 258, 310
- RTcmix, 336
- Salience, 47
- SAMSOM, 197–199
- SaxEx, 272–273
- Scales, 363–371
 AddPattern, 365
 FindIndex, 367–369
 GenRest, 369–370
- Scarborough, Don, 103–104
- Schank, Roger, 245
 Scripts, Plans, Goals and Understanding, 245
- Scheirer, Eric, 192–193

- Schemata, 241–245
 - tension/relaxation, 243
- Schematic expectancies, 103
- Schenker, Heinrich, 245
- Schiphorst, Thecla, 356–358
 - Felt Histories (re: the fact of a door-frame)*, 356
- Schubert, Franz
 - Gretchen am Spinnrade*, 71–76
- Schumann, Robert
 - Träumerei*, 275
- Score following, 170, 212–214
- Scripts, 245–246
- Section, 205
- Segmentation, 10, 145, 182–187, 243
- Segmentation shifting, 186–187
- Segmenter, 157, 168
- Selection function, 159
- Selection principles, 204–205
- Self-organizing map, 196–199
- Selfridge-Field, Eleanor, 30
- Sensorband, 309
- SeqSelect, 280–287
- Sequence extrapolation, 203
- Sequencers, 1–2, 113, 264
- Sequencing, 203, 279–287
- Sequential neural networks, 101–109
 - distributed representation, 104–105
 - localist representation, 104–105
 - plan nodes, 104
 - training set, 105–108
- Serra, Xavier, 272
- Settel, Zack, 221, 223–224
 - Hok Pwah*, 221
 - Punjar*, 224
- Siegel, Wayne, 317
- Signatures, 182
- Similarity graph, 188
- Simon, Herbert, 169, 203, 206
- Simple acoustical model (SAM), 195
- Sims, Karl, 251
- Singer, Eric, 279, 325–330, 362–363, 365–370
- Sleator, Daniel, 123, 136–138, 159
- Sloboda, John, 244
 - The Musical Mind*, 244
- Sonami, Laetitia, 8
- Soundnet, 309–310
- Spectral analysis, 221–225
- Stacked thirds, 42–43, 58–59
- Stammen, Dale, 148–154, 160, 189–190
- Standard MIDI Files, 232–234
- Style recognition, 11, 334–338
- Style synthesis, 335–336
- Sub-symbolic processes, 17, 93, 241, 377
- Subotnick, Morton
 - Intimate Immensity*, 319–320, 323–325
- Sumner, Richard, 169, 203, 206
- Sundberg, Johan, 265–266, 273
- Supervised learning, 337
- Suttor, Matthew, 335
- Swedish Royal Institute of Technology (KTH), 265–267, 270–273
- Symbolic processes, 17, 93, 241, 377
- Synthesizers, 29
- Table-lookup chord identification, 26
- Tanaka, Atau, 309
- Tanimoto, Steven, 247
- Tarabella, Leonello, 343–348, 351
 - Algorithm Blues*, 346–348
 - Flexible Links*, 345
 - Imaginary Piano, 345–346
 - Light Baton, 345
 - Nota, 348–351
 - Painting by Aerial Gesture (PAGe), 345
 - Twin Towers, 344
 - UV Stick, 345–346
- Tatum, Art, 230
- Tatums, 230–232
- Teitelbaum, Richard, 8, 279–280, 287
 - Digital Piano, 279
 - SEQ TRANSMIT PARAMMERS, 279–280
 - Solo for Three Pianos*, 279
- Temperley, David, 57–58, 66, 123, 136–139, 146, 159
 - Serioso Music Analyzer, 43–47, 136–139, 146, 159
- Temporal composite memory, 101–102
- Tendency mask, 208–212, 254
- Tenney, James, 161–164, 168
- Terhardt, Ernst, 49, 195
- Three-note chord classifications, 23
- Thom, Belinda, 336
- Timewarp, 189
- Todd, Neil, 269–270
- Todd, Peter, 103–105, 237

- Toiviainen, Petri, 130, 132–135
 - Interactive MIDI Accompanist (IMA), 132–135
- Tonal pitch class, 44–46
- Tonal stability profiles, 51–52
- Tone completion images, 195
- Transformation techniques, 203, 297–301
- Triad classifications, 20
- Triad classifier, 19–28
- Troika Ranch, 346

- van der Heide, Edwin, 309
- van Geenen, Erwin, 66–67, 70
- van Immerseel and Martens perception module (VAM), 195–196
- Vercoe, Barry, 193–194, 196, 247–248
 - Synthetic Performer, 247–248
- Veridical expectancies, 103
- Vertical tunes, 334–335
- Vila, Doris
 - A Flock of Words*, 325–329
- Virtual Pitch, 47–58
- VoicingChord, 341–342
- Vos, Piet, 66–67, 70

- Waseda University, 97
- Watson, David, 336
- Well-formedness rules, 146
- Wessel, David, 8, 231–232
- Widmer, Gerhard, 273–276
- Widrow, Bernard, 95
- Willy, 363–364
- Winkler, Todd, 124–125
 - Composing Interactive Music*, 124–125
- Witten, Ian, 184
- Woideck, Carl, 372
- Woids, 327–334
 - AvoidWalls, 330–332
 - MatchHeavy, 333
- Wolman, Amnon, 205, 297–298, 304
 - New York*, 297–298, 304
- Wright, Matthew, 33, 231–232

- Xenakis, Iannis, 6

- zerocross, 223–224
- Zicarelli, David, 2, 13, 213
 - Writing External Objects for Max*, 139–140