

Index

- A-current, *see* current, A-current
- adaptation
 - in conductance model, *see* neurons, Wilson model neuron
 - in LIF neuron, *see* leaky integrate-and-fire neuron
 - regular spiking cell, 116
- adaptive filtering, *see* control theory, Kalman filter
- alphabets
 - and coding, 6, *see also* neural codes
 - neural activity as, 7
 - physical properties as, 7, 29
- AMPA receptors, 179, 246
- analog-to-digital converter, 30
 - representation in, 31
- Aristotle, 275
- arm movement, 52–56, *see also* vector, representation
- artificial neural network, 158, 279
 - hidden layer analysis, 158
- attractor networks, 250–254, *see also* dynamic systems theory
 - and noise reduction, 259
 - computational properties of, 259
- basic representation, *see* representation, basic
- basis functions, 2, 17, *see also* functions, representation
 - compared to basis vectors, 191
 - Fourier basis, 191, 204
 - Legendre basis, 201
 - of possible transformations, 198
 - orthonormal, 65
- basis vectors, 185–191, *see also* vector, representation
 - and neurobiological representation, 191
 - biorthogonal, 191
 - Cartesian, 186
 - complete versus overcomplete, 190
 - defined, 186
 - non-orthogonal, 187
 - orthogonal, 187
 - overcomplete, 186
 - spanning a space, 186
- Bayes, 276, *see also* statistical inference
- biorthogonal basis, *see* basis vectors
- biphasic oscillators, *see also* lamprey, biphasic oscillator models of
- cerebellum, 280
- cognitive science, 219
- coincidence detection, 155, *see also* transformations, nonlinear
- communication channel, 143
 - learning, 294
- communication theory, *see also* information theory
- communications theory, 1, 6, 8
- computation, *see* transformations
- connection weights
 - analytically determining, 145
 - and dynamics, 228, 235
 - biasing functions, 161
 - dynamically changing, 280
 - for cross product, 175
 - for nonlinear transformations, 158
 - for population-temporal representation, 146
 - for vector transformations, 152
 - forcing positive, 166
 - learning, *see* learning
 - negative, 160–167
 - standard problems with, 161
- control theory, 2, 220
 - adapted to neurobiology, 18
 - and statistical inference, 287
 - classical, 220
 - internal description, 221
 - Kalman filter, 287–293
 - applied to vision, 291
 - prediction-correction form, 289
 - stability of, 291
 - system diagram, 290
 - matrices defined, 221
 - modern, 220
 - neural, 222–230
 - basic level description, 225
 - generic subsystem, 228
 - higher-level description, 226
 - Kalman filter, 289
 - neural integrator, 233
 - working memory, 245
 - nonlinear, 18, 222, 240
 - state equations, 221
 - time invariant, 221
 - time-varying, 240
- correlation time, *see* leaky integrate-and-fire neuron
- CPG, *see also* lamprey, and central pattern generators
- current
 - A-current, 119
 - driving, 35
 - neuron bias, 35
 - potassium, 83, 116, 119, 124
 - sodium, 83, 124
 - soma, 35, *see also* neurons, biophysics of
- curse of dimensionality, 279
- cybernetics, 220
- decoding, 6, *see also* representation
 - and connection weights, 17
 - linear binary, 32, 33
 - linear temporal, 92–105
 - nonlinear, 112
 - nonlinear versus linear, 16
 - optimal

- observability of, 17
 - without noise, 37
- population-temporal, 131
- representational, 9, 13
- temporal, 92, 103, *see also* temporal representation
- plausibility, 113
- transformational, 13, 158, 176, *see also* transformations
- with basis vectors, 187, *see also* vectors, representation
 - with PSCs, 113, 115
 - with temporal filters, 98
- Deiters' nucleus, 172
 - see also* vestibular system, 350
- delta function
 - as neural spike, 82, 92
 - to define tuning curves, 68
- dendrites, 10
 - and subunits, 160
 - nonlinear, 154, 156, 159
 - synaptic dynamics, 223, 230
- design specification
 - description of, 21
 - example, 46, 54, 74, 174, 264
- dot product, 51n, 186
- dynamic systems theory, 250, *see also* attractor networks
 - and control theory, 258
 - and recurrent networks, 252
 - and single neurons, 120, 124
 - and subnetworks, 258
 - chaotic attractor, 259
 - cyclic attractor, 267
 - line attractor, 252, *see also* neural integrator
 - plane attractor, 254
 - point attractor, 237, 251
 - ring attractor, 253, 257
- dynamics, *see also* control theory
 - higher-level, 15
 - importance of, 219
- Einstein, 168
- encoding, 6, *see also* representation
 - and connection weights, 17
 - binary, 31, 32
 - temporal, 92
 - with basis vectors, 187
- eye position, *see also* neural integrator
 - drift, 232
 - horizontal, 36, 44–49, 136–139, 232–243
- Fourier basis, *see* basis functions
- Fourier decomposition, 65, *see also* basis functions
- function
 - decoding, 69
 - optimal linear, 68
 - design specification for, 75
 - encoding, 66
 - probability density function representation, 278
 - representation, 63–69
 - defining, 65
 - distinguishing from vector, 72
 - encoding function, 66
 - examples, 72
 - in LIP, 74
 - multi-modal, 79
 - population-temporal, 138
 - probability density functions, 278
 - relation to vectors, 69–72, 245
 - summary, 80
 - transformations, 200
- functions
 - decoding, *see also* transformations
 - defining sets of, 64
 - sets of
 - coefficients, 70
 - estimating coefficients, 71
 - for temporal coding, 99
 - Monte Carlo estimates, 71
- Γ , 38
 - decomposition of, 192–196
 - with noise, 43
- ganglion
 - retinal, 7
- head-direction system, 253
- heterogeneity, 210–216
 - and dynamics, 257
 - and experiments, 12
 - and representational capacity, 213
 - and representational usefulness, 215
 - and supported transformations, 216
 - importance of, 210, 216
- higher-level representation, *see* representation, higher-level
- hippocampus, 253
- implementation
 - description of, 21
 - example, 47, 55, 58, 77, 136, 175, 233, 244, 265
- information capacity, *see* neurons, information capacity of
- information theory, 2, 110, *see also* neurons, information capacity of
- interneurons, 161
- jitter, *see also* noise

- and correlation times, 108
 - and temporal code, 133
 - in neural transmission, 41
- Kalman filter, *see* control theory, Kalman filter
- Kirchoff, 85
- labyrinths, 169, *see also* vestibular system
- lamprey, 260–273
 - and central pattern generators, 260
 - and control theory, 261, 265, 272
 - and traveling waves, 262
 - as a cyclic attractor, 267
 - biphasic oscillator models of, 260, 261
 - connectivity, 271
 - dynamic tensions in, 265
 - fluid dynamics and, 263
 - integrating top-down and bottom-up data, 260
 - locomotion, 260
 - mechanics of, 265
 - neurophysiology and behavior of, 261
 - simulating at multiple levels, 270
 - top-down and bottom-up data, 271
- Laplace transform, 223
- large-scale models
 - lamprey, 260
 - vestibular system, 168
 - working memory, 244
- lateral intraparietal cortex, 64, 72, 244, *see also* working memory
 - anatomy and physiology of, 73
 - function of, 73
 - neuron tuning curves in, 74
- leaky integrate-and-fire neuron, 81–89
 - and correlation times, 109
 - as an RC circuit, 84
 - decoding spikes from, 107
 - derivation of, 83
 - effects of parameter changes, 87
 - implausibility, 88
 - information transmission in, 105–115
 - optimal temporal decoders, 105
 - plausibility, 82, 88
 - power in spike train, 108
 - rate equation derivation, 86
 - rate model, 36
 - voltage equation, 85
 - voltage trace, 82
 - with adaptation, 116
 - decoding, 119
 - information capacity, 118
- learning, 293–300
 - analyzing weights from, 295
 - as fine tuning, 294
 - challenges posed by, 298
 - compared to analysis, 297
 - Hebbian, 294, 295
 - limitations, 14
 - the communication channel, 294
 - versus analysis, 14
- Legendre basis, *see* basis functions
- LIF neuron, *see* leaky integrate-and-fire neuron
- linear systems theory, 219, *see also* control theory
- look-up table, 279
- MatLab simulation package, xvii, 12n, 19
- mean square error
 - and SVD, 195
 - and transformational decoders, 158
 - decreases as $1/N$, 47, 190
 - due to noise, 43
 - for temporal decoding, 100
 - matrix-vector notation, 192
 - minimizing, 38
 - residual, 209
 - static, 43
 - decreases as $1/N^2$, 48
 - with noise, 42
 - without noise, 37
- modern control theory, *see* control theory
- modularization, 151, 173
- motor cortex, *see* arm movement
- MSE, *see* mean square error
- multiple level simulations, *see* lamprey
- negative weights, *see* connection weights, negative
- neural codes, *see also* representation
 - not choosing between, 91
 - population, 11–13
 - rate, 7, 89, 108
 - synchrony, 7
 - timing, 7, 90, 108
- neural control theory, *see* control theory, neural
- neural engineering
 - addendum to principles of, 16, 18
 - defined, 1–3
 - first principle of, 15, 16, 39, 230
 - methodology, 15, 19–23
 - summary of, 22
 - principles of, 15–19, 230–231
 - second principle of, 15, 17, 231
 - third principle of, 15, 18, 231
- neural integrator, 36, 44, 136, 232–243, *see also* eye position
 - and cellular properties, 241
 - and network properties, 240
 - as a line attractor, 253
 - block diagram, 233

- controlling dynamics of, 239
- drift velocity of, 237
- dynamics of, 238
- effective time constant of, 235
- goldfish, 19, 243
- human, 243
- input/output transfer function, 49
- neurobiological systems
 - as representing, 4–13
 - theory of, 23–25
- neurons
 - adaptation, *see* adaptation
 - affinity for performing statistical inference, 279
 - and inhibition, 161
 - and noise, *see* noise
 - and transistors, 11, 30, 33, 39, 40
 - as devices, 9–11, 41
 - biophysics of, 10, 34
 - canonical models, 115, 122
 - cell membrane, 83
 - classes of, 119, 124
 - conductance model, 123
 - diversity, 1, 2
 - heterogeneity of, *see* heterogeneity
 - Hodgkin-Huxley, 123
 - identifying tuning curve of, 66
 - information capacity of, 10, 19, 40, 109–115
 - adapting LIF model, 118
 - conductance model, 125
 - LIF neuron, 112
 - LIF neuron with PSCs, 113, 115
 - model summary, 127
 - neurobiological examples, 110
 - per frequency channel, 111
 - θ -neuron model, 122
 - inhibition, 166
 - memory in, 10
 - pairs, 94–96, 242
 - and linearity, 95
 - examples, 94
 - persistent activity in, 252, *see also* working memory
 - populations of, 11, *see also* population representation
 - power consumption, 41
 - precision of, 10, *see also* neurons, information capacity of
 - Purkinje cells, 280
 - regular spiking, 116
 - reliability, 41
 - response function defined, 34
 - θ -neuron model, 118
 - tuning curve defined, 34
 - various models of, 115–126
 - Wilson neuron model, 123
- neuroscience
 - and dynamics, 219
 - and representation, 5
 - central problem of, 5
 - explanations in, 5
 - interplay of experiment and theory, 180
 - theoretical, xiii
 - theory for, 24
- Newton, 24, 29, 262
- NMDA receptors, 179, 246
- noise, 18, 40–44, 47, 55, 132, 208–210, 275, 284, 313
- nonlinear control, *see* control theory, nonlinear
- nuclei prepositus hypoglossi, 36, 44, 232, *see also* neural integrator
 - neuron tuning curve, 36
 - population tuning, 38
- opponency in neurons, *see* neurons, pairs
- orthogonal basis, *see* basis vectors
- otolith, 168, 169, *see also* vestibular system
- overcomplete basis, *see* basis vectors
- pairs of neurons, *see* neurons, pairs
- pattern theory, 276, *see also* statistical inference
- PCA, *see* principle components analysis
- PDF, *see* statistical inference, probability density function
- population representation, 12, 33–44
 - function, *see* function
 - relation to temporal representation, 131
 - scalar, *see* scalar
 - vector, *see* vector
- population-temporal filter, 131
- population-temporal representation, 11, 129–132
 - and noise, 132–136
 - and PSCs, 132, 137
 - decoding, 140
 - encoding, 139
 - finding optimal filters, 132
 - Monte Carlo estimates, 132
 - of functions, 138
- postsynaptic current, *see* temporal representation
- potassium current, *see* current, potassium
- primary visual cortex, 291
 - orientation tuning, 66
 - tuning curve, 67
- principle components analysis, 192, 201
- probability density function, *see* statistical inference, probability density function
- probability theory, 275, *see also* statistical inference
- PSC, *see* postsynaptic current
- pseudo-inverse, 209
- push-pull amplifiers, 94

- refractory period
 - absolute, 83–85, 88, 105
 - relative, 121
- representation
 - analysis, 185, 206–210
 - and codes, 6
 - analogy, 9
 - differences, 8
 - and explanation, 4, 5
 - and noise, 209, *see also* noise
 - and use, 6, 180, 182
 - basic, 48, 62, 225
 - capacity, 207, 213
 - discovering, 8, 180
 - distributed, 33
 - engineered, 30–33
 - goodness of, 206
 - and dynamics, 236, 237
 - and heterogeneity, 210
 - higher-level, 48, 62, 225
 - importance of, 29
 - improves as $1/N$, 47–48
 - in digital computers, 30
 - in neuroscience, 6
 - mixing levels of, 234
 - Morse code, 6
 - neurobiological, 4, 33, *see also* population-temporal representation
 - matrix-vector notation, 192
 - with noise, 42
 - overcomplete, 190, 269, *see also* basis vectors
 - population, *see* population representation
 - population-temporal, *see also* population-temporal representation
 - precision of, 44, *see also* noise
 - quantifying usefulness, 208, 215
 - relation, 5, 181, 189
 - seeming arbitrariness of, 8, 180
 - temporal, 81, *see also* temporal representation
 - utility of, 4
- representational hierarchy, 13, 61–63
 - definition of levels, 80
 - multiple levels, 269
 - table of, 63
 - usefulness of, 62
- rostral medial vestibular nucleus, 36, 45, *see also* vestibular system
- saccular macula, 169
- saddle-node bifurcation, 120, *see also* dynamic systems theory
- sampling densities, 2
- scalar
 - encoding magnitude, 30
 - magnitude and unit, 29
 - neuron tuning curve, 36
 - representation, 29, 42–44
 - summary, 80
- semicircular canals, 57, 168, 169, *see also* vestibular system
 - biophysics of, 57
- shifter circuit, 280
- singular value decomposition, 78, 194
- singular values, 194
 - and importance, 197
 - and noise, 209
 - and vector transformations, 204
 - cutoff value, 209
 - Gaussian versus linear populations, 205
- sodium current, *see* current, sodium
- span, *see* basis vectors
- stationarity, 99
- statistical inference, 275–281
 - and dynamics, 284
 - and neural architectures, 279
 - and the Kalman filter, 287–293
 - bottom-up evidence, 280
 - conditional distribution, 277
 - disambiguating evidence, 281, 283
 - feed-forward, 278
 - feedback architectures, 280
 - joint distribution, 276
 - marginal, 277
 - multi-modal distributions, 277
 - non-stationary, 286
 - parameter estimation, 283–287
 - probability density function, 277
 - top-down evidence, 280
- SVD, *see* singular value decomposition
- system description
 - description of, 19
 - example, 44, 53, 57, 73, 169
- temporal representation, 89–105
 - and correlation times, 102, 107
 - and encoding functions, 104
 - and neuron pairs, 96, 100
 - and noise, 133
 - and optimal filters, 102
 - and windowing data, 101
 - as linear filtering, 104
 - combining rate and timing codes, 91
 - debate concerning, 89
 - decoding, 97, 103
 - plausibility, 113
 - with PSCs, 113, 115
 - defining signal ensembles, 99
 - encoding, 92

- encoding and decoding process, 93
 - optimal filter, 106
 - optimal filter compared to PSC, 106
 - relation to population representation, 131
 - residual error, 102
- top-down and bottom-up data
 - integrating, *see* lamprey
- transformations, 13–15
 - addition, 148
 - analysis, 185, 196–205
 - and noise, 200
 - and dynamics, 14
 - and modularization, 150
 - and representation, 13
 - and SVD, 196
 - basis of
 - ordering, 197
 - in communication channel, 143
 - in neurobiology, 143
 - linear, 143–152
 - nonlinear, 153–160
 - as cellular property, 155, 156
 - as network property, 157
 - cross product, 173
 - examples, 153
 - in neurobiology, 17
 - orthogonal basis of, 198
 - polynomial, 201
 - supported by Gaussian tuning curves, 204
 - supported by linear tuning curves, 200
 - utility of, 4
 - vector
 - analysis, 202
 - linear, 151
- translational vestibular ocular reflex, 177
- utricle, 169
- vector
 - decoding, 52
 - optimal linear, 53
 - optimal versus non-optimal, 56
 - preferred direction, 53
 - defined, 185
 - encoding, 51
 - neuron tuning curve, 52
 - cosine, 52, 53
 - preferred direction, 51
 - relation to functions, 69–72
 - representation, 49–56, *see also* basis vectors
 - equivalent, 62
 - examples, 49
 - orthogonal versus overcomplete, 59
 - summary, 80
 - with LIF neurons, 51
 - representation in vestibular system, 169
 - space defined, 186
- vesicle unreliability, 41
- vestibular system, 57–59, 168–182
- working memory, 72–79, 244–249, *see also* lateral intraparietal cortex
 - and activity bumps, 249
 - and decoded bumps, 248
 - increase in firing rate during, 250
 - multiple targets, 72, 244, 248
 - parametric, 73, 244, 248