

Index

- Abiotic conditions, 96–97
 Acetylation, 107
 Action potential, 170
 Activin A, 276
 Adhesion
 and brain development, 290, 291–292
 differential, 147, 149, 224–226
 differential hypothesis, 152–158
 in embryos, 154–155
 gradients, 142
 heterotypic, 148
 intercellular, 152
 as key principle, 60, 77–79, 145–149
 and limbs, 40
 and lumen formation, 226–227
 nonadhesive surfaces, 143–144
 relative strengths, 147–149
 and segmentation, 229
 and surface tension, 149–152
 timing hypotheses, 145–147
 Altitude, 249
 Amoebas, 248
 Amphibians
 in abiotic conditions, 96–97
 digits, 125
 egg surfaces, 143
 embryos, 137, 138–139, 154
 global body pattern, 207
 predator-induced polyphenism, 95
Amphioxus, 138
 Androgenization, 249
 Apical ectodermal ridge, 275, 277
 Apoptosis, 125, 227, 292–293
 Arthropods, 26, 38, 123
 Articulations, 307–308, 310, 318
 Attractor states, 287
 Autocatalysis, 198. *See also* Positive feedback
 Autopodium
 definition, 274
 description, 267
 development, 274–277
 and digits, 271
 genetics, 275–280
 origin, 272, 274, 277–280
 as transition, 266
 zeugopodial boundary, 276–277
 Axons, 291–292, 295, 296, 298

 Bacteria
 E. coli, 212, 247–248, 250
 and epigenesis inheritability, 249
 multicellular, 15
 phenotypic plasticity, 247–248
 and polyphenisms, 95–96
 and sex determination, 93

 Baldwin effect, 234, 242, 259, 260
 B/cdc2 complex, 185
 B-cells, 96
 Behavior, 27, 55
 bFGF, 107, 108
Bicoid protein, 175, 176, 178
 Blind mole rats, 293–294, 298
 Blood cells, 206
 Body plans, 26, 45, 59
 Bones, 97, 315, 319. *See also* Skeleton; Skulls
 Border cells, 290
 Boundaries, 306, 310. *See also* Connectivity
 Brachiopods, 41
 Brain
 development of, 289–296, 298–299
 epigenetic homology, 287–289
 evolution of, 296–298
 functional integration, 296–297
 neocortex, 294–295
 neural connections, 80
 species differences, 243
 Breast cancer, 108
 Brownian motion, 209, 224–225
 Bryozoans, 41
 Bureaucrat genes, 121, 125, 256
 Burrowing, 22
 Butterflies, 170–172, 231

 Cadherins, 152–159, 226–227
 Calcium, 153, 183–184, 198
 Cambrian explosion, 20–27
 Camouflage, 93
 Canalization, 251, 258–259, 261
 Cancer cells, 108
 Cartilage, 276
 Cascades
 in brain development, 292–293, 298
 embryonic, 307–308
 regulatory, 127
 signaling, 119–121, 124–127
 CDK inhibition, 188
 Cell adhesion. *See* Adhesion
 Cell aggregation, 36, 208–210, 223–224
 Cell autonomy, 122, 126
 Cells
 in aggregates, 144–147
 border, 290
 chemistry of, 201–202, 204, 206, 208
 clustering, 203
 discrete types, 203–204
 and immiscible liquids, 149, 222, 224–226
 and mechanical stress, 232
 mobility, 142, 144–147, 159
 morphogenetic behaviors, 120–121, 126
 nuclear control, 77–78

- Cells (cont.)
 segregating, 153–154
 self-organization, 140–142, 149, 153–154, 159–160
 signaling between, 77–79, 174
 sorting, 145–149
 stem, 202–209
- Cell state numbering, 79–80, 83
- Chaotic itinerancy, 206
- Character identity, 265
- Chemical composition, 201–202, 204
- Chemokines, 145
- Chemotaxis, 167
- Chicks
 embryos, 144, 145, 149
 feathers, 230
 Hox genes, 276
 wings, 276
- Chloride, 184
- Chondrogenesis, 276
- Chromatin, 107
- Ciliated larvae, 17
- Clocks. *See* Timing
- Clustering, 203, 208–210
- Cnidarians, 25–26
- Collagen, 14
- Color, 167, 230–231. *See also Distal-less gene*
- Compactedness, 317
- Competition, 95
- Condensation, 231–232
- Connective tissue, 231–233
- Connectivity
 boundary patterns, 309–310, 316–317, 321
 morphospaces, 310–317
 quantification, 311–313
 significance, 306–308, 310
 simulation, 314–317, 320
- Convergence
 appendages, 40
 definition, 11, 33–35
 and development, 35–38
 vs. homology, 37–38
 intra- vs. inter phyla, 33
 larvae, 42–43
 lophophores, 41–42
 and molecular taxonomy, 43–44
 as open question, 5
 vs. parallelism, 34
 and phenotypic plasticity, 45
 and phylogenetics, 11
 segmentation, 38–40
- Crustaceans, 228
- Culture systems, 104, 108
- Cyclins, 185, 187
- Cysts, 226
- Designer organisms, 129–130
- Determination, 204, 206
 by details, 75–79, 83, 85
- Deuterostomes, 23
- Development. *See also* Embryos
 of brain, 289–296, 298–299
 cell formation, 81–82
 constraints, 127
 control of, 76–77
 and convergence, 35–38
 of early metazoans, 221, 233–235
 and hierarchy, 127
 and homology, 56, 61, 62
 irreversibility, 208
 and local interactions, 76–77
 morphogenetic fields, 124–125, 126
 noise, 245–246
 of pattern formation, 175, 178
 stabilization, 36–37
 in stressful environment, 260
 of tetrapod limbs, 274–277
- Developmental clocks. *See* Timing
- Differentiation. *See also* Tissue specificity
 and boundaries, 310
 of brain areas, 289–296
 and chemical composition, 201–202, 204
 intra-inter dynamic model, 198–203
 logic of, 203–210
 phenotypic, 211–217
 plasticity, 103
 rule generation, 204
 spatial structures, 208–210
 and stability, 207–208
 stages, 200
 and transcription factors, 108
- Diffusion, 165–173, 176–177, 223–224
- Digits, 123, 125, 271–274, 276, 278
- Distal-less gene*, 40, 170–172
- Diversification
 extrinsic factors, 24–25
 genome role, 25–26
 and taxonomy, 43–44
- Drosophila*
 anal structure, 82–83
 color, 231
 embryonic patterns, 175
 filopodia, 174
 genetic assimilation, 254–255
Hsp83 gene, 252
 inbreeding, 252
 oocytes, 154–156, 175
 and reaction-diffusion, 167, 168
 stripes, 169, 228–230, 235
wingless gene, 174
- Dynamic reciprocity, 103–104

- Echinoderms, 26
- Einbahnstrasse model, 185–187
- Elasticity, 222, 232
- Embryos
- anteroposterior axis, 186
 - calcium oscillations in, 183–184
 - cell self-organization, 140–142
 - chick, 144, 145, 149
 - chloride oscillations, 184
 - differentiation, 89, 154–155
 - environmental factors, 76, 90–98
 - and genetics, 89–90
 - and life span, 192
 - and mechanical stress, 233
 - mesenchymal tissues, 231–232
 - midblastula transition, 185
 - model system approach, 88
 - morphological organization, 307–308
 - organogenesis, 78–79, 307–308
 - physiological approach, 87–88, 90
 - potassium oscillations, 184
 - self-organization, 138–142
 - sex determination, 92
 - specification, 78
 - syncytial, 228–230
 - temperature effect, 192
 - yolkiness, 137
- Engrailed*, 108, 124, 176
- Envelopment, 147, 149, 153–154
- Environment. *See also* Extracellular microenvironment
- and brain development, 296–297
 - and Cambrian explosion, 24–25
 - and convergence, 33
 - and earliest metazoans, 222–234
 - and embryos, 76, 90–98
 - and genetic assimilation, 258–259
 - genotype sensitivity, 254
 - identical, 247–248
 - intra-intercell dynamics, 204–209
 - nutrition, 93, 97, 98n2
 - as open question, 7
 - and phenotype differentiation, 212–215
 - predators, 95–96
 - of reaction-diffusion, 167
 - seasonal, 93
 - and sex determination, 92–93
 - stressful, 253, 258, 259, 260
 - transplant experiments, 206
 - water, 96–97
- Enzymes, 251
- Epidermis, 174
- Epigenesis
- definitions, 241
 - and heredity, 249–251, 259, 261
 - and homology, 61, 62–63
 - and microenvironment, 107
 - as open question, 6, 8
 - Waddington landscape, 287, 288(figure)
- Epigenetic homology, 287–289
- Epigenotype, 91
- Epithelia
- and cadherins, 156–157
 - and extracellular microenvironment, 104
 - liquid behavior, 222
 - lumen formation, 225, 227
 - and mesenchymal tissue, 122, 127
 - origins, 43
 - and soft matter physics, 230–231
- Equilibrium shapes, 36
- Escherichia coli*, 212, 247–248, 250
- Eukaryotes, 15–16, 25
- Evolution
- of brain, 296–298
 - convergent, 33–35
 - genetic role, 103, 119, 216–217
 - and homologues, 59, 65
 - of morphogenesis, 125–126
 - morphological, 11–12, 65, 306
 - and phenotypes, 211–212, 246–247, 259–263
 - of regulatory genes, 45
 - theory of, 7–8
- Evolvability, 8, 241
- Excitable media, 223, 227–230
- Extinctions, 25
- Extracellular matrix, 232
- Extracellular microenvironment (ECM)
- model, 104, 108–110
 - molecular cues, 104–108, 110–115
 - and natural selection, 103
- Extraterrestrial impact, 25
- Eyes
- chicken gene in *Drosophila*, 83
 - and convergence, 38
 - cyclopic mutation, 125
 - evolution of, 24
 - and homology, 57
 - optic nerve, 187
 - vision, 292–295, 297–298
- ey* gene, 83
- Feathers, 230
- Fenestrae, 319–320
- Fins, 242, 267, 279–280
- Fish
- apico-ectodermal ridge, 275, 277–278
 - basal ray-finned, 280
 - calcium oscillations, 184
 - and Hox genes, 279–280

- Fish (cont.)
 neural tube, 138
 pigmentation, 230
 Flax, 249, 252
 Follicle cells, 155
 Follistatin, 276
Forked mutation, 125
 Form, 127, 306–308
 Fossils
 Cambrian, 21–22
 early eukaryotes, 15–16
 metazoan, 16–20
 stratigraphics, 20
 trace, 22–23
 of triploblasts, 23
Fringe gene, 40
 Frogs, 95, 138
 Fungi, 14
- Gastrulation, 36, 143, 187, 226
 Generic properties, 7, 60, 223, 233
 Genes
 bureaucrat, 121, 125, 256
 and cell assemblage, 77
 cell behavior, 122, 126
 controller, 38
 cooptation of, 40
 developmental, 37–38
 differing effects, 124
 duplications, 44, 45
 for eyes, 83
 factors affecting, 91
 5' region, 105, 187
 and hierarchies, 234–235
 homologous, 57
 large information-containing, 85
 of metazoans, 119
 redeployment, 26
 regulatory, 45, 252, 256, 259
 structural, 256
 and timing, 191
 worker, 121, 256
 Genetic assimilation, 254–260
 Genetic defects, 81
 Genetics
 and body plans, 45
 and brain development, 289–290, 291
 and convergence, 36–37
 and embryology, 89–90
 of epigenic inheritance, 249–250
 and homology, 56–61, 62
 issues, 5–6
 of pattern formation, 176–177
 and phenotypes, 5–6, 62, 91–92, 211–215
 and regulatory signals, 126
 role of, 216–217, 234
 of tetrapod limb, 275–276
 Genome
 and body plans, 45
 and diversification, 25–26
 Hox genes, 26, 36
 and microenvironment, 107
 and (pre-)Mendelian phases, 60–61
 Gerbils, 249
 Golgi apparatus, 77
 Gradients
 and cellular aggregation, 223–224
 diffusion, 223–224
 in intra-inter cell dynamics, 209
 in pattern formation, 172–174, 175, 178–179
 Gravity, 97
 Growth factors, 108, 275, 276
 Gulonolactone oxidase, 98
- Hairy* genes, 188–190, 228
 Halkieriids, 41
 Hamsters, 293
 Heart defects, 249
 Heat, 25, 253, 258
Hedgehog, 124, 176
 Heparan sulfate, 107
 Heredity
 of acquired traits, 261
 of biochemical composition, 202
 at cell level, 82, 202
 epigenetic, 249–251, 259, 261
HES1 gene, 189
 Hierarchy
 and developmental constraints, 127
 and evolution, 126
 and intra-inter dynamics, 202
 vs. self-organization, 234–235
 stability, 234–235
 and surface tension, 149, 151
 Highly optimized tolerance, 111–112
 Homology
 and brain regions, 287
 and character identity, 265
 vs. convergence, 37–38
 definitions, 34, 52
 epigenetic, 287–289
 future study, 66
 morphological, 58–59, 65
 as open question, 5
 as organizational concept, 64–66
 quantification, 59, 63
 semantic issues, 52–59
 significance of, 11–12
 simulation, 320

- and structure-function, 62–63
- three phase model, 60–64
- Homoplasy, 5, 34
- Hopf instability, 228
- Hox genes
 - and brain development, 289
 - cluster arrangements, 37
 - in *Drosophila*, 82
 - duplications, 44
 - and fins, 279–280
 - and larva, 42
 - and limbs, 40, 186, 275–280
 - and monophyly, 44
 - and segmentation, 39
 - and tentacles, 41–42
 - and timing, 185–187
- Hsp83* gene, 252
- Hsp90 protein, 252, 253
- Human beings, 95–96, 97
- Human immunodeficiency virus (HIV), 108
- Hunchback*, 178
- Hyaladherins, 108
- Hyaluronan, 107–108
- Hybrids, 216
- Hydra*, 26, 167

- Immiscibility, 149, 222, 224–226, 231
- Immune system, 95–96
- Inbreeding, 252–253
- Incomplete penetrance, 211–212
- Inheritance. *See* Heredity
- Innovation, 60–61, 233, 265, 274–275
- Insects
 - butterflies, 170–172, 231
 - caste determination, 98
 - coloring, 93
 - embryonic specification, 78
 - filopodia, 174
 - nutrition effect, 93
 - pattern formation, 175
 - predator effect, 95
 - season effect, 93
 - segmentation, 228
 - sex determination, 93
- Instructive interactions, 92
- Integrins, 107–108
- In utero position, 249
- Ionic oscillators, 183–184

- Jaws, 97
- Joints, 307–308, 310, 318

- Kidneys, 226–227, 231
- Krüppel* gene, 176

- Larval hypothesis, 17
- Larval types, 26, 42–43
- Lateral inhibition, 165–168
- Limbs
 - biramous, 129
 - and cell adhesion, 40
 - chick embryonic, 144
 - from fins, 242, 265–268 (*see also* Autopodium)
 - of flies, 124, 127, 129
 - and homology, 54–55
 - and Hox genes, 40, 186, 275–280
 - morphological organization, 308
 - and reaction-diffusion, 232
 - tetrapod, 242 (*see also* Tetrapod limbs)
 - vertebrate, 122–123, 127
- Lineage invariance, 123–124
- Liquid, behavior of, 149–152, 222, 224–226
- Lophophores, 41–42
- Lophotrochozoans, 23
- Lumen formation, 225, 226–227
- Lungfish, 280

- Macromolecules, 77, 78, 81
- Mammary cells, 104–105
 - malignant, 108
- Mammary gland, 109–110, 112
- Mass action, 77
- Matrix-driven translocation, 231
- Maturation-promoting factor (MPF), 185
- Mechanical stress, 170, 232–233
- Meiofauna, 17
- Mesenchymal tissue
 - and boundaries, 310
 - and condensation, 231–232
 - liquid-like properties, 222
 - and vertebrate limbs, 122–123, 127
- Messenger proteins, 108
- Messenger RNA (mRNA), 175, 188
- Metabolic control theory, 177
- Metazoans
 - Cambrian explosion, 20–27
 - complexity emergence, 13–14
 - forms, 11
 - fossils, 16–20
 - genes, 119–120
 - homology, 60–61
 - progenitors, 222–223
 - transitional, 14
- Mice, 248, 249, 276
- Mitosis, 185, 187–188, 201, 229
- Modularity, 5, 126, 208–210, 310
- Molecular mechanisms
 - binding action, 77
 - causality, 3

- Molecular mechanisms (cont.)
of cell adhesion, 152–154
and diversification, 25–26
and morphogenesis, 35–36
and regulatory signals, 236
stress effect, 253
of tetrapod limb, 276
and tissue specificity, 104–108, 110–115
- Molecular taxonomy, 43–44
- Monophyly, 33, 44
- Morphogenesis, 120–121, 125–126
- Morphogenetic fields, 124–125, 126
- Morphological organization
boundary patterns, 309–321
levels of, 306–308
- Morphospaces, 308, 310–317
- Multicellularity, 208–210
- Mutations
and evolution, 103, 119
and fly legs, 125
sensitivity factors, 251–253
and timing, 191
- Natural selection
conditions, 245
and details, 75
and microenvironment, 103
and morphology, 8, 51
and parasites, 252
and phenotypic plasticity, 253–254, 258
and physical properties, 35–36
quantification, 80
and shared functions, 81
as stress buffer, 251
- Nematodes, 26, 123, 191, 212
- Nervous system, 188, 242–243
- Neural plate, 154
- Neural tube, 138, 140, 290
- Neuromeres, 289–291
- Neurons, 26, 291–296, 298
optic, 187
- Newt, 207
- Notch-Delta signaling, 174, 228
- Novelty, 5, 6, 60–61, 233, 274–275
- Nuclear control factors, 77–78
- Nutritional polyphenisms, 93, 97, 98n2
- Olfaction, 249
- Oligodendrocytes, 187
- Orbital fenestrae, 319–320
- Organogenesis, 230–231, 307–308
- Orientation, 307–308
- Oscillations, 183–184, 223, 227–230
- Outcrossing, 253
- Oxygen, 24
- Parallelism, 11, 34
- Parasites, 252–253
- Pattern formation
communication of, 167, 168, 169–174
development, 175, 178
experimental approach, 168–169
genetics, 176–177
models, 171
reaction-diffusion, 165–168, 176–177,
228–230
theoretical approach, 165–168
- Pax-6* gene, 38, 57
- Permissive interactions, 92
- Phenotypes
differentiation, 211–217
environmental factors, 91–92
genetic assimilation, 254–259
and genotype, 5–6, 62, 91–92, 211–215
isogenic, 211–212, 247–248, 259
persistence of, 6
- Phenotypic plasticity
defined, 245
developmental noise, 245–246
and evolution, 259–262
and genetics, 45, 253–260
isogenic, 211–212, 247–248, 259
rationale, 261
- Phosphorites, 19
- Phyla, limitations of, 21
- Phyllotactic patterns, 167
- Phylogenetics, 4–5, 11
- Physics, 159–160, 222–224
- Pigment, 167, 230–231
- Plasticity, phenotypic, 8, 45, 245–246,
256, 259
- p27kip1* gene, 188
- Polarity, 226–227
- Polarizing activity, 268, 277, 279
- Polycystin-1, 226
- Polyphenisms, 6, 92–96
- Positive feedback, 165–166, 168, 176–177
- Potassium, 184
- Predators, 95
- Prokaryotes, 15
- Proteins
bicoid, 175, 176, 178
fringe, 40
Hsp90, 252, 253
messenger, 108
in pattern formation, 178
stress, 108, 253
TAT, 108
- Proteoglycans, 233
- Protistans, 14, 15
- Protozoa, 248

- Quantification
 - of cells, 83
 - of control elements, 79–80, 84–85
 - of homology, 59, 63
 - of morphospaces, 311–313
 - in pattern formation, 178
- Range variation, 247–248, 259
- Reaction-diffusion, 165–168, 176–177, 228–230, 232
- Reaction norm, 92, 98n2
- Recapitulation, 56
- Recursive units, 208–210
- Redundancy, 6, 81
- Regeneration, 124–125
- Respiration, 24
- Retina, 293, 295, 297–298
- Rhombomeres, 289–291
- Rhythmic activity, 290
- Salinity, 25
- Segmentation
 - convergence, 38–40
 - in *Drosophila*, 82
 - physics of, 228–230
 - timing of, 188–191
- Sensory input, 293–294
- Set-aside cells, 17, 42
- Sex determination, 92–93, 249
- Shape, 127, 306–308
- Shared function, 80–81
- Shh* gene, 277–278, 279
- Side effect hypothesis, 61
- Signaling
 - and brain, 292–293, 294–295
 - casades, 119–121, 124–127
 - in culture system, 104
 - from ECM, 104–108
 - intercellular, 77–79, 174
 - intracellular, 107–108
 - and molecular changes, 126
 - Notch-Delta, 174, 228
 - and pattern formation, 170, 172–174
 - with small molecules, 173
 - and tissue specificity, 103
 - with transcription factors, 173–174
- Size, 306–308
- Skeleton, 21–22, 27, 233. *See also* Bones;
 - Connectivity; Limbs
- Skulls, 243, 313–317, 319
- Soft matter, 222–223
- Somitogenesis, 188
- Speciation, 213–216, 260
- Sponges, 14, 25, 43
- Stability, 207–208
- Stem cells, 202–209
- Stochastic resonance, 112
- Strabismus, 295
- Stress
 - environmental, 258, 259, 260
 - genetic, 251–253, 259
 - mechanical, 170, 232–233
- Stress proteins, 253
- Structure-function relationships, 62–63
- Suppressor of forked*, 125
- Surface contraction waves, 185
- Surface tension, 149–152, 154
- Switching dynamics, 206
- Synapomorphy, 54
- TAT protein, 108
- Temperature
 - and developmental clocks, 192
 - heat shock, 253, 258
 - ice ages, 25
 - and phenotypic plasticity, 248
 - and sex determination, 91, 92–93
- Tendons, 233
- Tentacles, 41–42, 167
- Tetrapods, 268–270, 313
- Tetrapod limbs
 - cell number, 123
 - components, 266–267
 - development, 274–277
 - and fins, 267–268
 - genetics, 242, 275–276
 - origination, 269–270
 - stages, 270–274
- Tetrodotoxin, 295
- Thalamus, 293–295
- Thermodynamics, 159–160. *See also* Temperature
- Threshold points, 61
- Timing
 - and cell cycles, 185, 187, 201
 - heterochrony, 191
 - hourglass mechanisms, 187–188, 198
 - and Hox genes, 185–187
 - and intracellular chemicals, 208
 - intra-inter dynamic model, 198–203
 - ionic oscillators, 183–184
 - midblastula transition, 185
 - and mutations, 191
 - and oligodendrocytes, 187
 - for pattern formation, 178–179
 - and ratios, 201
 - of segmentation, 188–191
 - for self-assembly, 26–27
- Tissues. *See also* Epithelia; Mesenchymal tissue
 - emergence of, 221–235
 - enveloping, 147, 149, 153–154
 - as excitable media, 227–230

- Tissues (cont.)
 - and immiscibility, 149, 231
 - interaction between, 122–123
 - liquid behavior, 149, 222, 224–226
 - and mechanical stress, 232–233
 - segregation, 158–159
 - self-organization, 138–142, 149, 156–158
- Tissue autonomy, 122
- Tissue organization
 - and cadherins, 152–158
 - differential adhesion hypothesis, 147, 149
 - embryonic, 307–308
 - pre-Mendelian
 - self-organization, 138–144, 149, 156–158
 - surface tension role, 149–152
- Tissue specificity
 - adaptations, 112–115
 - and cadherins, 156–158
 - dynamic reciprocity, 103–104
 - model, 104, 108–110
 - molecular cues, 104–108
 - and stochastic resonance, 112
 - study requirements, 110–111
- Toads, 96–97
- Tolerance, highly optimized, 111–112
- Tracheae, 167
- Transcription factors
 - and brain development, 289
 - and calcium oscillations, 184
 - and differentiation, 108
 - and genes, 176–177
 - and nuclear control, 77–78
 - signaling with, 125, 173–174
- Triploblasts, 23
- Tumor cells, 204
- Turing instability, 228–230

- Veins, 167
- Vesicles, 77
- Viscosity, 222
- Vision, 292–295, 297–298
- Vitamins, 97, 98n2
- von Baer's rule, 35

- Waddington effect, 242, 254–256, 287, 288 (figure)
- Wingless*, 174, 176
- Wings, 276
- Worker genes, 121, 256

- Zebrafish. *See* Fish