

# Index

---

- Abort probability, 20, 23, **26**, 38, 40, 48, 56
- Access characterization, 99, 101
- Affinity cluster, 98
- Affinity routing, *see also* Transaction affinity101
- Allowable throughput, 98
- Asymptotic limit, 8, 10
- Atomicity, 3, 13, 97
- Availability, 1, 5
  
- Backoff delay, 20, **25**, 35, **36**, 48, 49
- Backup group, 99
- Bandwith requirement, 5
- Bottleneck, 5, 7, 8, 11, 96, 98, 99
- Break point, 33, 34, 40, **52**
- Broadcast invalidation, 14, 15, 18–20, 23, 25, 100
- Buffer
  - coherency, xvii, xx, 1, **3**, 14, 100
  - coherency taxonomy, 101
  - coordinated management policy, 101
  - detection oriented policy, 100
  - fill up phase, 20
  - flushing, 28, 34, 38, 46, 47, **47**, 51, 57, 58
  - hybrid coherency policy, 100
  - invalidation, *see* Broadcast invalidation
  - optimal allocation, xix, 10, 82, 90, 97
  - placement policy, *see* Shared buffer placement policy
  - purge policy, **8**
  - update propagation, 100
  
- Cache
  - coherency, 5, **9**
  - hierarchy, 9
  - multi-level, 9
  - replacement policy, 9
  - snooping, 9
- Centralized concurrency control, 3, **7**, 8, 13, 25
- Centralized lock management, **14**
- Check-on-access policy, 14, **45**, 100
- Client-Server architecture, xvii, 4, 65, 91
- Cold set, 3, 11, 41, 50, 52, 101
- Commit delay, 16, 55
- Commit phase, 18, 25, 48
- Communication delay, 78
- Compensating effect, 61
- Concave curve, 81
- Conditional probability, 35, 49, **66**, 67, 68, 70, 74, 79
- Confidence interval, 21
- Configuration tool, 99
- Conservation of flow, **44**, 46, **72**
- Contention
  - data, 6, **8**, 11, 30
  - probability, 49

- resource, 8
- CPU queueing model, 10, 26, 98
- Data collection phase, 21
- Data contention, *see* Contention
- Data partitioning, *see* Shared nothing
- Deadlock, 18, 20, 42
- Declustering, 19, 26
- Deferred write policy, 14, 15, 46
- Dependence, xix
  - negative, *see* Negative dependence
  - positive, *see* Positive dependence
- Design issues, xviii, 2–6, 101
- Detection oriented policy, 100
- Distributed concurrency control, 7, 13
- Distributed shared memory, xvii
- Dynamic condition, xx, 99
- Empirical model, 8
- Failure, *see* Node failure
- File server, xviii, 13
- Fixed point, 23
- Flushing, *see* Buffer flushing
- Flushing time, 47
  - probability distribution, 47
- Force policy, *see* Recovery
- Foreign transaction, 99
- Global buffer, *see* Shared buffer
- Hierarchical model, 10, 14, 95, 98
- High contention, 30
- Hot set, 3, 11, 41, 50, 52, 101
- Hybrid architecture, 7, 34
- Incremental growth, xvii
- Independent reference model, 24
- Inflection point, 11, 81, 97
- Integrated concurrency coherency, xviii, 14, 100
- Integrated system model, xviii, 12, 23, 24, 35, 41, 50, 55, 95
- Interconnection network, 4, 13
- Invalidation rate, 30, 30, 31, 33
- IP data stream, 72, 74
- IS data stream, 72, 74
- Iterative procedure, xviii, 10, 23, 28, 45, 95
- Little's law, 45, 47
- Load balancing, 98, 99, 101
- Load surge, xx, 97, 99, 102
- Load variance, xx
- Lock retention policy, 14, 46, 100
- Lock wait time, 6, 7, 20, 23, 49, 57
- LRU analysis, 14, 45, 45, 67, 68, 75, 76, 101, 102
- LRU replacement policy, 3, 9, 13, 15, 42, 44, 45, 60, 66, 100
- M policy, 17
- Markov chain, 28
- Mean value analysis, 8, 10, 25
- Memory hierarchy, 5
- N data stream, 72, 74
- Negative dependence, 66, 69, 70
- No Force policy, *see* Recovery
- Node failure, xvii, xx, 99
- Non-LRU buffer management policy, 102
- Non-uniform access, *see* Skewed access pattern
- OCC, xix, 6, 8, 10–12, 18, 19, 19, 20, 23–25, 36, 41, 57, 60–62, 77, 92, 93, 95, 96
- Optimal configuration, xix
- Optimistic protocol, *see* OCC
- Overhead
  - coherency, 3, 6, 98
  - commit, 5, 97

- communication, 11, 78, 91
- concurrency, 3, 6
- global lock request, 98
- invalidation, 20
- message, 3, 14, 23, 49, 91, 98
- remote database call, 5
- shared buffer access, 19, 92
  
- P data stream, 72, 74
- Packaging requirement, 5
- Page transfer policy, xviii, 15, 100
- Partitionable workload, xix, 98
- Piecewise linear model, 8
- Positive dependence, 4, 66, 68, 70, 96, 101
- Prototype, 5
- Push-down rate, 44, 44
  
- Query environment, *see* Transaction and query environment
  
- R policy, 17
- Random access stream, 99
- Reconfiguration, xvii, xx
- Recovery
  - Force policy, 14
  - No Force policy, 14
  - REDO, 14
- Recovery analysis, 102
- Recovery complexity, 101
- Recursive formulation, 44
- REDO, *see* Recovery
- Relabelling, 72, 74, 77, 78
- Replacement rate, 31, 33
- Replicated copies, 4, 66, 69, 70, 73, 74-78, 83, 84, 91, 92, 98, 99
- Replicated database, 7, 99
- Rerference access stream, 99
- Rerun transaction, 9, 20, 35, 42, 46, 46, 46, 47, 49, 57, 61
- Resource contention, *see* Contention
  
- Resource model, 8, 26, 49
  
- S-shaped curve, 81, 83
- Saturation point, 8, 33, 52, 55, 81
- SBMP, *see* Shared buffer management policy
- Scalability, xix, xx, 1, 5
- SE, *see* Shared Everything
- Secondary stack, 101
- Sequential access stream, 99
- Serializibility, 3, 13, 97
- Shared buffer
  - composite policy, 66
  - compositions, 71, 71-78
  - dependence, 9
  - dependency, *see* Dependence management policy, 15, 17, 101
  - modeling framework, 65, 65-78
  - placement, 2, 3, 65
  - placement policy, 65-93
  - update propagation, 11, 16
- Shared disk, 65, 98
- Shared Everything, 5
- Shared intermediate memory, xviii, 4, 5, 13, 65, 98
- Shared nothing, 5, 97-99
- SIM, *see* Shared intermediate memory
- Simulation
  - discrete event, xviii, 19, 20, 50, 77, 95
  - trace driven, 8-10, 33
- Skewed access pattern, xix, 1, 3, 9, 41, 41-62
- Snooping cache, 9
- Steady state, 20, 43, 72
- Store type instruction, 5
- System instability, 20
  
- Tightly coupled system, 5, 6, 20
- Timestamp, 19
- Transaction affinity, xviii, xix, 98, 100

Transaction and query environment, 102  
Transient LRU analysis, 101  
Transient phase, 21  
Truncation error, 28  
2PL, xix, 6, 10–12, **18**, 18–20, 41, 42,  
49, 50, 57, 60, 61, 95, 96  
  
U policy, 17  
UM policy, 11, 17, 96  
UMR policy, 17  
Update propagation, xix, 14, 100  
UR policy, 17  
  
Versioning scheme, 102  
  
Weak lock, 19, **20**  
Working set, **38**, 57  
Workload characterization, 101  
Workstation architecture, 4

The MIT Press, with Peter Denning as general consulting editor, publishes computer science books in the following series:

**ACL-MIT Press Series in Natural Language Processing**

Aravind K. Joshi, Karen Sparck Jones, and Mark Y. Liberman, editors

**ACM Doctoral Dissertation Award and Distinguished Dissertation Series**

**Artificial Intelligence**

Patrick Winston, founding editor

J. Michael Brady, Daniel G. Bobrow, and Randall Davis, editors

**Charles Babbage Institute Reprint Series for the History of Computing**

Martin Campbell-Kelly, editor

**Computer Systems**

Herb Schwetman, editor

**Explorations with Logo**

E. Paul Goldenberg, editor

**Foundations of Computing**

Michael Garey and Albert Meyer, editors

**History of Computing**

I. Bernard Cohen and William Aspray, editors

**Logic Programming**

Ehud Shapiro, editor; Fernando Pereira, Koichi Furukawa, Jean-Louis Lassez, and David H. D. Warren, associate editors

**The MIT Press Electrical Engineering and Computer Science Series**

**Research Monographs in Parallel and Distributed Processing**

Christopher Jesshope and David Klappholz, editors

**Scientific and Engineering Computation**

Janusz Kowalik, editor

**Technical Communication and Information Systems**

Edward Barrett, editor

