
Index

- (classical) random graph, 141
- (stable) equilibrium point, 128
- (unstable) equilibrium point, 128
- Dictyostelium discoideum*, 114, 115
- a priori* identifiability, 225

- A* search, 325
- A-optimal design, 231
- abstraction, 42
- activator-inhibitor motif, 113
- adaptability, 316
- adaptation, 250, 257, 264
 - perfect, 256–258, 266
 - sensory, 250, 255
- adaptor protein, 256
- adenyl cyclase of aggregation (ACA), 263
- adoption of technologies, 7
- algorithms, 317
- anabolism, 25
- analytical solution, 101
- anaphase promoting complex, 116
- antibody microarray, 214
- antimicrobial drug targets, 17
- apoptosis, 118, 236
- application programming interface (API), 368
- Arabidopsis thaliana*, 3
- artificial intelligence, 43
- AST (Abstract Syntax Tree), 370
- asynchronous Boolean network, 137
- ATP, 263
- attractor, 136
- autocatalysis, 261, 286
- autocrine loop, 263, 264

- Bacillus subtilis*, 133
- bacteria, 248, 256
- baker's yeast, 3
- basin of attraction, 136
- Bayes' rule, 56
- Bayesian inference, 17, 53
- Bayesian network, 54, 68, 223
- best-first search, 325
- bifurcation, 129
- bifurcation analysis, 265, 382, 383
- bifurcation diagram, 112, 115, 122
- bimolecular reaction, 333
- binary search, 317
- binary search tree, 319
- binomial random variable, 350, 351
- Bio-SPICE, 374
- biochemical network models, 361
- biochemical systems theory, 243
- biological measurements, 202
- biological signaling, 8
- BioModels Database, 358
- BioSens, 383
- birth-death Markov process, 349
- Bistability, 286
- bistability, 112, 128, 131, 137, 138, 261
- bistable, 111, 261, 262, 264
- bit of information, 59
- block diagram, 251–253, 260
- Bode plot, 252, 253, 260
- Boeing 777, 10
- Boolean function, 136
- Boolean network, 15, 126, 136, 143, 146, 147, 223
- Boolean variable, 136
- bottom-up analysis, 44
- bow tie structures, 25, 26, 37

- branch and bound, 328
- breadth-first graph traversal, 324
- building blocks, 48
- Ca^{2+} , 243
- calcium, 255, 256
- cAMP, 263, 264
- canalizing function, 139
- cardiac arrhythmia, 300, 303, 307, 308, 310
- cardiac ischaemia, 303, 307, 310
- catabolism, 25
- cell cycle, 243
- cell signaling models, 363
- Cellerator, 380
- CellML, 363
- cellular automata, 15
- cellular organization, 19
- chaos, 23
- chaotic, 8
- chemical Langevin equation (CLE), 332, 338–340
- chemical master equation, 333
- chemical master equation (CME), 331, 332, 334, 335, 337, 340
- chemoreceptors, 256
- chemotaxis, 250, 257, 258, 263
 - bacterial, 256, 257, 261
- ChIP-chip technology, 218
- circadian oscillator, 35, 37, 173
- co-immunoprecipitation, 217
- coding theory, 60
- combinatorial explosion, 315
- compartment, in SBML, 361
- complex
 - system, 41
- complex dynamical system, 98
- complexity, 6, 19, 21, 30, 41
 - emergent, 23
 - of regulatory networks, 203, 204
 - organized, 23
- computational modeling, 355, 377
- concentration measurements, 202, 208, 209
- conditional entropy, 59
- conditional independence, 56
- confidence interval, 227
- congestive heart failure, 303, 307
- conservation relation (CR), 77, 78
- conservative approximation, 132
- constraint satisfaction, 325
- constraint-based model, 126
- constraint-based modeling, 73, 82
- container data structure, 318
- continuity equation, 183, 184
- Continuum description, 177
- control engineering, 245, 251
- control theory, 243, 266, 267
- COPASI, 359, 374
- correlation matrix, 226
- cross-inhibition network, 127, 131, 137, 138, 141, 147
- Curie principle, 185, 187
- current, 183
- cyclic AMP oscillations, 115
- cyclic attractor, 136
- D-optimal design, 231
- D. discoideum, 261–264
- data structure, 318
- data-driven, 4
- DDLab, 380
- degree, 141
- degree distribution, 141
- delay functions, in SBML, 362
- delayed negative feedback, 116
- demethylation, 256, 257
- dense-overlapping regulons, 144
- depth-first graph traversal, 323
- derivative control, 251–253
- describing function, 264, 265
- detection
 - of regulatory interactions, 217, 218
- deterministic Boolean network, 136
- diagram layout, 367
- diauxic growth of *E. coli*, 233
- dictionary, 319

- differential algebraic equation (DAE), 344
- differential equation, 125, 127, 244, 247, 254, 259
- differential geometry, 255
- diffusion term, 339, 340
- dimerization, 104
- directed edge, 140
- directed graph, 223
- discrete, 331, 338, 339
- discrete abstraction of differential equations, 126, 131, 132, 146
- Discrete Dynamics Lab, 380
- divide and conquer, 320
- DNA damage, 118
- DOM (Document Object Model), 370
- doubling time, 104
- down-shifting, 345, 346
- drift term, 339, 340
- drug discovery, 308
- drug safety testing, 308
- dynamic analysis, 243
- dynamic Bayesian network, 70
- dynamic Flux balance analysis (dFBA), 233, 234
- dynamic programming, 321
- dynamical behavior, 10
- dynamical perspective, 123
- dynamical system software, 382
- dynamical systems, 383
- dynamical systems theory, 128

- E. coli, 258, 259
- edge, 140
- Einstein relation, 186
- elasticities, 158
- electrocardiogram, 308, 309
- elemental reaction, 333
- elementary flux modes (EFMs), 33, 87–90
- emergence, 8
- emergent phenomenon, 8
- emergent properties, 23
- engineered systems, 24, 27

- engineering design, 10
- ensemble approach, 138
- entropy, 59, 245
- entropy information relation, 59
- enzyme subset (ES), 81, 94, 95
- equilibrium, 333, 341, 342, 345
- equilibrium point, 131
- Escherichia coli, 127, 144, 270
- event, 59
- events, in SBML, 361
- evolution, 42, 43
- evolutionary computation, 14
- evolutionary strategy for optimization, 328
- evolvability, 26, 32, 33
- exclusive-or, 258
- existence and uniqueness theorem, 101
- explicit Euler method, 342–346
- Extreme pathways (EPs), 87, 89, 92, 95

- fast excitation, slow inhibition, 258–261
- fast reaction, 332, 345, 347, 349
- fast species, 347, 349
- feed-forward loop, 144
- feedback, 21, 29, 31, 33, 108, 149, 250
 - delayed negative, 116
 - gain, 31
 - integral, 250
 - intertwined, 29
 - negative, 21, 29, 35, 109, 119, 248–251, 257, 263, 264
 - positive, 21, 29, 35, 110, 119, 251, 261–264
- feedback loops, 6
- feedforward control, 259
- feedforward motif, 279
- FIFO, 318
- first-in-first-out, 318
- Fisher information matrix, 227, 231
- flagella, 256

- fluctuation-dissipation theorem, 149, 156
- fluctuations, 149, 335, 336, 345, 346
- fluorescent proteins, 217, 219
- flux analysis, 34
- flux balance analysis (FBA), 84–87, 93
- flux cone, 83, 89
- flux distribution, 77, 79–83, 85–89, 92, 95
- FluxAnalyzer, 381
- Fokker-Planck equation, 173
- formal verification, 135
- forward modeling, 13
- Fourier analysis, 246
- Fourier series, 264, 265
- Fourier transform, 244, 246, 252
- fragility, 26, 30, 36
- French flag model, 283
- frequency domain, 32
- frequency response, 243, 246–250, 252, 260
- frog egg extracts, 118
- functional requirements, 24
- functions, 24

- Gaussian white noise, 339
- gel electrophoresis, 209
- gene expression microarrays, 211
- Gene Interaction Network simulator, 379
- gene regulation models, 363
- generalization, 9
- generate-and-test search, 324
- genetic algorithms, 67
- genetic engineering, 269
- Genetic Network Analyzer, 379
- Genetic Network Analyzer (GNA), 133
- genetic regulatory network, 126, 146
- genetic toggle switch, 286
- genome, 297, 298, 307, 311
- Gepasi, 14, 369, 374, 381
- Gillespie-Doob algorithm., 151
- GINsim, 379
- globally stable, 110
- glycolysis, 31
- GNA, 379
- Goldbeter-Koshland function, 108
- graph, 126, 140, 146, 322
- graph data structure, 318
- graph theory, 45
- graph traversal, 323
- graphical modeling tools, 358
- graphical models, 54
- greedy algorithm, 323
- growth rate, 317

- half-life, 103
- Hankel matrix, 327
- hash table, 319
- Hastings ratio, 67
- Henri-Michaelis-Menten equation, 13
- heterogeneity, cellular, 24
- heuristic, 317
- heuristic optimization, 14
- hierarchy, 30, 94
- high throughput measurements, 211
- highly optimized tolerance (HOT), 32
- Hill coefficient, 261, 272
- Hill constant, 272
- Hill function, 128, 272
- hill-climbing, 324
- histidine kinase, 256
- homeostasis, 7, 243, 250, 255, 266
- homogeneously, 150
- Hopf bifurcation, 114, 115, 117, 121
- Hopf-bifurcation, 292
- hub, 141
- hybrid automaton, 133
- hybrid functional Petri net, 224
- hyperbolic signal-response curve, 106
- hypothesis generation, 10
- hypothesis testing, 100
- hypothesis-driven, 4
- hypothetico-deductive analysis, 4
- hysteresis, 112, 128, 132, 137, 138, 261, 262, 286

- implicit Euler method, 343–346
- implicit tau-leaping algorithm, 332
- in silico cells, 297
- in silico organs, 297, 309
- independence of hypotheses, 56
- inducer, 271
- inductive reasoning, 4
- information, 59
- information content of measurements, 208
- information flow, 21
- information standards, 377
- information theory, 58
- Ingeneue, 382
- integral control, 250–260
- interface, 42
- interfaces, 25, 26
- intermodular, 45
- internal model principle, 254, 255
- intramodular, 45
- inverse modeling, 14
- inverse problems, 12
- isoenzymes, 75
- iterative model identification, 236

- Jacobian, 157
- Jarnac, 369, 374, 381
- JDesigner, 359
- JigCell, 383

- kernel matrix, 80, 81
- kinetic parameter measurements, 202, 217
- kinetic rate constants, 100
- Kullback-Leibler divergence, 60

- L-arabinose utilization, 144
- Langevin leaping formula, 339, 346
- Laplace transforms, 7
- last-in-first-out, 318
- leap condition, 337, 338
- level of sensitivity, 210
- LGPL, 374
- libSBML, 368
- LIFO, 318

- likelihood function, 54
- linear dependency, 78
- linear ordinary differential equations, 101
- linear signal-response curve, 106
- linear stability analysis, 181
- linear systems, 243, 246, 247, 250, 253–255, 264–266
- linearization, 244, 245, 266
- linearized system, 244, 245, 260
- linked list, 319
- locally stable, 110

- macroscopic infinitesimal, 339
- Madonna, 383
- MAPK model, 357
- Maple, 384
- marginalization, 57
- Markov chain, 15
- Markov chain Monte Carlo, 66
- Markov process, 150, 347
- Markovian master equation, 347, 348
- mass spectrometry, 214, 216
- mass spectrometry-based proteomics, 214
- master equation, 150
- Mathematica, 384
- MathML, 370
- Matlab, 384
- maximum *a posteriori* estimation, 239
- Mdm2, 118
- mean-field approximation, 157
- means-ends analysis, 325
- measurements
 - biological, 202
 - concentration, 202, 208, 209
 - high throughput, 211
 - information content, 208
 - kinetic parameter, 202, 217
 - sensitivity, 210
- memory requirement, 321
- mergesort, 320
- MesoRD, 382

- metabolic control analysis (MCA),
17, 243
- metabolic flux analysis (MFA), 81, 82
- metabolic fluxes, 33
- metabolic network models, 363
- metabolic networks, 21, 29, 33, 73, 74,
76, 87, 92, 127, 146
 - abstraction, 25
- metabolite balancing equation, 79, 82
- metabolome, 206
- metadata, 362
- Metatool, 380
- methylation, 256, 257
- Metropolis algorithm, 66
- Michaelis-Menten rate law, 105
- microarrays
 - antibody, 214
 - gene expression, 211
 - protein, 214
- middle-out strategy, 15, 48, 49
- Min-oscillations, 178, 180, 182, 188,
196
- minimal spanning tree, 323
- minimization of metabolic adjust-
ment (MoMA), 86
- mitosis promoting factor, 116
- model composition, 367
- model constraints, in SBML, 361, 367
- model definition language, 361
- model editor, 379, 380, 382
- model selection, 67
- model-free control theory, 322
- modified Newton iteration, 344
- modular, 41
 - architecture, 42
 - design, 44
 - organization, 43
- modularity, 30, 41, 42, 44, 94, 142, 146
- module
 - identification, 42
- modules, 30, 33, 41, 44
 - dynamic, 47
 - operational, 44
 - quasi-autonomy, 45
- moiety-conserved cycle, 13
- molecular interaction network, 100
- molecular motors, 186
- Monte Carlo, 331, 336
- Monte Carlo methods, 149
- motif, 147
- motif cluster, 144
- mRNA, 248, 249
- multi-level simulation, 297
- multicomponent species, 367
- multiobjective optimization, 14
- Multiparameter Flow Cytometry, 219
- multiple target therapy, 308
- multistationarity, 143
- mutual antagonism, 112
- mutual information, 60
- near critical, 162
- negative feedback, 7, 8, 109, 119, 166
- negative feedback loop, 135
- network, 323
- network identification, 49
- network inference, 221, 222
- network motif, 143
- network motifs, 97, 106, 123
- neurobiology, 43
- Newton iteration, 343, 346
- Newton's method, 344
- NF- κ B pathway, 17
- noise reduction in time series data,
327
- noise-induced escape, 172
- noise-induced transition, 288
- nondeterministic Boolean network,
138
- nonlinear, 6
- nonlinear ordinary differential equa-
tions, 97, 98, 101
- nonlinear systems, 254, 255, 264–266
- normal random variable, 339, 346
- Northern blot analysis, 210
- nuisance variables, 57
- null-space, 78–80, 82, 83, 85
- nulleclines, 109

- number of genes, 203
- numerical analysis, 379
- numerical modeling, 10
- numerical solution, 102

- objective function, 14
- observer, 232
- OCL (Object Constraint Language), 373
- Octave, 384
- ODE-based model simulation, 376
- Onsager relations, 185, 187
- open-source development, 374
- operon, 248, 249
- optimal experiment design, 231, 240
- optimization, 328, 359
- ordinary differential equation (ODE), 7, 13, 77, 272, 332, 334, 335, 338, 340–344, 346
- organization
 - multi-scale, 24
 - principles, 24
- Oscill8, 383
- oscillations, 113, 243, 247, 263–265, 291
- oscillatory patterns, 8

- p53, 118
- parameter estimation, 100, 103, 358
- parameter identifiability, 230
- parameter identification, 38
- parameter optimization, 217, 328
- parameter set, 101
- parameter, in SBML, 361
- Pareto front, 14
- partial differential equation (PDE), 14
- partition, 131
- pathway analysis, 74, 87, 91–94, 96
- pathway database, 380
- pathway fluxes, 245
- pathway modeling, 380
- performance, 24
 - attribute, 37
- permutation, 318
- perturbations, 28, 243–246, 250, 251, 253, 255
- Petri net, 126
- pharmacophore screening, 12
- phase plane, 109
- phase portrait, 128
- physiome, 298, 311
- piece-wise linear models, 379
- piecewise-linear differential equation, 133
- plasmid, 167
- pleiotropic effects, 43
- point attractor, 136
- Poisson random variable, 332, 337–339
- poles, 260, 266, 267
- Polya urn, 7
- pools, 366
- positive feedback, 6, 8, 110, 119, 286
- positive feedback loop, 135, 143
- posterior, 56
- posterior probability, 56
- posttranslational modifications, 205
- practical identifiability, 225
- prediction, 9
- preferential attachment, 7
- prior, 56
- prior probability, 56
- probabilistic, 138
- probabilistic algorithm, 329
- probability, 53
- probability and information, 58
- probability frequency relation, 62, 63
- process algebra, 126
- product rule, 55
- propensity function, 333, 334, 337, 339, 340, 345, 347–350
- proportional control, 251–253
- proportional-integral-derivative (PID) control, 253
- protein interactions, 297, 298
- protein microarrays, 214
- proteome, 311

- protocols, 25, 26, 30, 33
- psychology, 43
- pulse-generator, 279
- QT prolongation, 306
- qualitative analysis, 102
- qualitative differential equation, 133
- qualitative method, 125, 126, 130, 138, 146
- qualitative models, 14
- qualitative property of dynamics, 126, 129, 135, 146
- qualitative simulation, 132
- qualitative state, 131
- quantitative mathematical models, 3
- quantitative RT-PCR, 210
- quantitative structure-activity relationship (QSAR), 12
- queue, 318
- quicksort, 321
- RAM model, 317
- random, 149
- random-access-machine model, 317
- randomization, 320
- rate constants, 100
- rate law, 100
- rate laws, in SBML, 363
- reaction directionality, 75
- reaction rate equation (RRE), 332, 335, 336, 338, 340, 342, 344, 346
- reaction rates, 245, 247
- reaction, in SBML, 361
- Reaction-Diffusion Master Equation, 189
- reaction-diffusion master equation, 190
- Reaction-Diffusion systems, 179
- receptor, 256, 257, 263
 - complex, 256, 257
- reductionism, 9
- reductionist agenda, 5
- redundancy, 28, 29, 33
- region of absolute stability, 344
- regulatory interactions, 206
 - detection, 217, 218
- regulatory networks, 21, 25
 - complexity, 203, 204
 - size, 203
- RegulonDB, 144
- relative entropy, 60
- relaxation oscillator, 264
- relaxation time, 348, 350
- Repressilator, 291
- resonance, 250
- response regulator, 256, 258
- reverse engineering, 14, 71, 127, 221, 222
- reversible isomerization reaction, 342, 344, 345
- robustness, 19, 20, 26–28, 30, 32, 33, 35, 36, 38, 75, 93, 140, 142, 146, 293, 316
 - conservation, 32
 - definition, 27
 - genetic, 29
 - mechanisms, 28
 - of central metabolism, 33
 - trade-offs, 32, 35
- rules, in SBML, 361
- S-system, 224
- saddle-node (SN) bifurcation, 111
- saddle-node bifurcation, 287, 289
- saddle-node-loop bifurcation, 121
- sampling distribution, 54
- sampling theory, 54
- SBML, 356
- SBML levels, 361, 364
- scale-free graph, 141, 142
- scale-free networks, 7
- Scilab, 384
- ScrumPy, 381
- search, 328
- search algorithms, 324
- search theory, 64
- semantic validation, 376
- sensitivity, 22, 31, 250, 252, 256

- sensitivity analysis, 11, 16, 243, 244, 246, 248, 250
- sensitivity function, 252, 254
- set data structure, 318
- Sigmoid, 380
- sigmoidal signal-response curve, 108
- signal transduction network, 127, 146
- signal-response curve, 106, 271
 - hyperbolic, 106
 - linear, 106
 - sigmoidal, 108
- signed directed graph, 223
- simplex algorithm, 84
- simulated annealing, 68, 328
- simulation, 9, 379, 380
- simulation software, 379, 381–383
- single cell measurements, 218
- single-input motif, 144
- Single-Input-Single-Output (SISO), 247
- singular spectrum analysis, 327
- singular value decomposition, 327
- size
 - of regulatory networks, 203
 - of the intracellular network, 203
- slow manifold, 345
- slow reaction, 332, 347–350
- Slow-Scale Approximation, 348, 349
- slow-scale propensity function, 349
- slow-scale SSA (ssSSA), 332, 347–352
- small-world property, 142
- software interoperability, 365
- sorting, 320
- spatially homogeneous, 331
- species, in SBML, 361
- splice variants, 204
- sporulation, 133
- stability, 27
- stable attractors, 102, 122
- stack, 318
- State Regulator Problem (SRP), 238
- state space, 109
- state variable, 100
- state-change vector, 333, 347
- state-space, 254
- statistical inference, 54
- steady state, 13, 79, 81, 243, 244, 246, 251–257, 259, 262, 266
- steady state solution, 102
- steepest descent, 328
- step function, 133
- stiff, 332, 338, 341–345, 348
- stiffness, 332, 338, 340, 341, 345, 347
- stochastic, 331, 332, 335, 336, 338, 340, 347
- stochastic chemical kinetics, 331, 333, 345, 347
- stochastic control, 322
- stochastic differential equation (SDE), 332, 339, 340, 346
- Stochastic focusing, 170
- stochastic model simulation, 376
- stochastic modeling, 99
- stochastic simulation, 14, 382
- stochastic simulation algorithm (SSA), 332, 335–338, 340, 341, 346, 349, 351, 352
- stoichiometric matrix, 76–78, 244, 333
- stoichiometric modeling, 73
- stoichiometric network analysis (SNA), 73–77, 93, 95, 96
- stoichiometry, 75, 361
- structural model, 12
- structural network analysis, 380, 381
- substance, in SBML, 373
- substrate-depletion motif, 115
- sum rule, 55
- superstable mode, 341
- synchronous Boolean network, 136
- syntactic correctness of models, 372
- Synthetic Biology, 269
- synthetic network, 127
- system identification, 14
- Systems Biology Markup Language (SBML), 18, 356
- Systems Biology Workbench, 384
- target pattern, 285

- tau-leaping, 332, 337–341, 345, 346
- TERANODE Design Suite, 360
- test-first software development, 369
- thermodynamic equilibrium, 162
- thermodynamic forces, 185
- thermodynamic limit, 340, 346
- time scales, 332, 338, 341–343, 345, 346, 348
- time-varying, 243, 244, 246, 260
- top-down analysis, 11, 45
- transcription factor, 271
- transcriptional cascades, 274
- transcriptome, 208
- transfer function, 247, 252–254, 260, 265–267
- transition, 131, 136
- transition graph, 131
- tree, 318
- triangle inequality, 60, 325
- tryptophan, 248, 249, 254, 266
- two-component signaling, 256

- ultraviolet catastrophe, 12
- UML, 361
- undirected edge, 140
- unimolecular reaction, 333
- unit definitions, in SBML, 361, 366
- unstable, 110
- use case in modeling, 357

- validation of software tools, 374
- vector field, 109
- vertex, 140
- virtual fast process, 347–350
- virtual screening, 10

- well-stirred, 98, 331, 333
- Western blot, 210
- worst case complexity, 317

- Xerces, 371
- XML, 361
- XML parser, 369
- XML Schema, 361
- XPPAUT, 382

- zero (of a transfer function), 254, 260
- zero-order ultrasensitivity, 164