Index

absolute activity, 301
absolute azeotropy, 379
absolute entropy, 411, 444, 451
absorption refrigeration, 240–2
acentric factor, 468–72
acid-base equilibrium, 426–7
acidity constant, 426
activity, 307
–, absolute, 301
– coefficient, 307–18, 324, 326–8
––, mean 327, 430–1
––, single-ion 326–7
adiabatic compressibility, 151
– efficiency, 200, 229
– process, 6
––, in a perfect gas, 86, 193–4
– reaction, 416–20
adsorption, 331–4
advancement, *see* reaction, extent of
affinity, 395–6
air, cooling of, 253
–, equilibrium composition, 455
–, liquefaction of, 256
–, separation of, 367
alcohol, distillation of, 378–9, 386
allotropy, 343–5
alloys, 381–2
Amagat's law, 295–6, 302
ammonia, heat capacity of, 89–90, 168
– absorption refrigerator, 240–2
– synthesis, 398–9
aniline point, 372
auto-refrigerated cascade plant, 265–6
availability, 108–20, 368
Avogadro's constant, xiii
axial flow turbine, 220–3
azeotropic distillation, 386
azeotropy, 377–80
–, absolute, 379
–, heterogeneous, 380
–, limited, 379
–, three-component, 385–6

back pressure, effect on flow, 189ff
–– turbine, 278–9
Bell-Coleman cycle, 253–5, 262–3, 267
Benedict-Webb-Rubin equation, 146–8, 472, 479–83, 493–4
benezene, tables and *T-S* chart, 158–9, 165
Bernoulli's equation, 35
blower, Roots, 214–16
boiler, feed-water heating, 273–8
boiling point, *see* vapour pressure
––, elevation of, 320
Boltzmann's constant, xiii
Boltzmann's distribution law, 438, 467
Boyle's law, *see* gas, perfect
Boyle temperature, 138
Brayton refrigeration cycle, 252–3
B-S chart, 112
bubble point, 346ff
Bunsen coefficient, 323

calorie, thermochemical, 413
calorimetry, 38–45
carbon dioxide, properties of, 451
––, solid, 246
Carnot cycle, 56ff, 232ff
– heat engine, 56ff
– heat pump, 60–1
– principle, 62–5
– refrigerator, 60–1
cascade liquefier, 264–7
– refrigeration cycles, 248–50
centrifugal compressor, 23, 219, 225–7
characteristic equations, *see* fundamental equations
Charles' law, *see* gas, perfect
chart, thermodynamic, 163–74, 495–6
chemical equilibrium, *see* reaction
chemical potential, 292ff
chemical reaction, *see* reaction
chilled water, 242
choked flow, 189
Clapeyron-Clausius equation, 107–8
Clapeyron equation, 103–8, 130
––, two-component, 353, 378
Claude process, 267
clearance ratio, 208–10
closed system, 6, 13ff, 29–35
cluster, irreducible, 460
coefficient of discharge, 192
–– performance, 61, 67, 233–4, 249, 253, 255
cold-shot cooling, 418–20

collision diameter, 462
combustion, heat of, 403
component, 340, 421
compressibility, adiabatic, 151
–, isothermal, 79, 150–2, 489
compression, split-stage, 248–50
– factor, 136–8, 140, 468–72
––, critical, 471–2
compressor, 203ff; *see also* turbo-compressor
–, classification, 203
–, diaphragm, 203–4
–, dynamic, 218–20
–, hermetically sealed, 238, 242
–, jet, 204, 218–19
–, Lysholm, 215–16
–, multistage, 210–12
–, oil-flooded, 215–16
–, reciprocating, 19, 24–6, 203–14
–, recirculating, 204
–, rotary, 214–17
–, screw, 215–16, 236
–, vane, 215–16
computer storage of data, 483–4
condensation, retrograde, 371–2
configurational integral, 456ff
– properties, 456ff, 493–4
conformal potentials, 462
conservation of energy, 28ff
consistency test, 354
constants, physical, xiii
converging-diverging nozzle, 182ff
corresponding states, 462ff
––, deviations, 464ff
––, mixtures, 472ff
cricondenbar, 371
cricondentherm, 371
critical compression factor, 471–2
– point, 126ff, 142–3, 148–50
––, two-component, 348, 369–72, 376–7
– pressure ratio, 186
– solution point, 372–7
cycle, 9–10, 62; *see also named cycles, e.g.* Carnot

Dalton's law, 295–6
de-asphalting, 377
Debye-Hückel equation, 327–8, 430–1
degeneracy, 438–9, 445
degree of freedom, 340
degree of reaction of turbo-machinery, 221, 225
depression of freezing point, 318–20
desuperheating, 244
devitrification, 345
dewatering, 386
dew-point, 346ff
diaphragm compressor, 203–4
dichlorodifluoromethane, *P-H* chart, 495
differential, perfect, 9
differentiation, partial, 487–92
diffuser, 182ff
discharge, coefficient of, 192
distillation, 348–50, 354ff
–, azeotropic, 386
duct, flow in, 181ff
–, choked, 189
Duhem-Margules equation, 312

economiser, 244
efficiency, 11
–, adiabatic (isentropic), 200, 229
–, isothermal, 200
–, mechanical, 203
–, nozzle, 191–2
–, polytropic, 200, 229–31
–, thermodynamic, 113–20, 257, 267, 272–3
–, volumetric, 208–10
– of compressor, 199–203, 227–31
– of heat engine, 52, 60, 66
– of power plant, 267ff
– of turbine, 227–31
Einstein functions, 447–8
electrochemical equilibrium, 427–32
– series, 431–2
electrode potential, 430–2
electrolytes, chemical equilibrium in, 423–32
–, solution of, 325–8
elevation of boiling point, 320
enantiotropy, 343–5
energy, *see also* heat *and* work
–, conservation of, 28ff
–, free, *see* free energy
–, internal, 31ff
–, –, zero of, 46–7
–, kinetic, 20–3, 35, 181ff
–, potential, 22–3, 35
engine, *see* heat engine *and* expansion engine
engine indicator, 207
enthalpy, 32ff
–, zero of, 46–7, 407–8

enthalpy (*cont.*)
– of formation, 407
entropy, 69ff
–, calculation of changes in, 86–9
–, conventional (absolute), 411, 444, 451
–, zero of, 89–90, 99; *see also* third law
– balance, 195
equation of state, 139ff
– – –, reduced, 464ff
– – –, thermodynamic, 79–80
equilibrium, 2–5, 101–3, 125
–, chemical, *see* reaction
–, electrochemical, 427–32
–, metastable, 2–3, 188–9, 344–6, 351
– constant, chemical, 397ff, 454–5
– –, liquid-vapour, 313
Ericsson refrigeration cycle, 255
eutectic point, 381–2
evaporation, entropy of, 88, 104
–, latent heat of, 44–5, 88, 104
excess, surface, 332
– functions, 313–16, 350
exergy, 111
exhauster, 204
expander, 203, 217–20, 259; *see also* turbine
–, classification, 203
–, dynamic, 218–20
–, reciprocating, 217–18
expansion, thermal, 79, 150–2, 489, 491
– engine, 216–8
extensive property, 8
extent of reaction, 394–5

fan, 204
Faraday's constant, 429
feed-water heating, 273–8
first law, 28ff
flash intercooler, 245–7
Flory-Huggins equation, 324–5, 375
flow, choked, 189
–, fluid, 180ff
–, incompressible, 184ff, 193
–, steady-state, 7, 19ff, 31–5
– work, 26
formation, enthalpy of, 407
–, free energy of, 412
freedom, degree of, 340
free energy, Gibbs and Helmholtz, 97ff
– –, zero of, 98–9; *see also* third law
– – function, 413
– – of formation, 412
free gas delivery, 208, 214
freezing point, depression of, 318–20
frequency, spectroscopic, 451
fugacity, 138–9
– coefficient, 302
– in a mixture, 301–6, 398–9, 480
function of state, 9
fundamental equations, 97

gas, flow of, 185–7
–, liquefaction of, 231ff, 250ff
–, perfect, 68–9, 80ff
–, real, 136ff
– constant, xiii
– mixture, perfect, 294–6, 398–9, 440ff
– –, real, 298–306, 472ff
– refrigeration cycles, 252–5
gas-solid, chemical equilibrium, 404–6
Gibbs adsorption equation, 332
– free energy, *see* free energy
– surface, 329–32
Gibbs-Duhem equation, 289–93, 310, 312, 315, 331–2
Gibbs-Konowalow laws, 377, 380
glass, 345–6, 410
graph, irreducible, 459–60
Hampson process, 256–9
harmonic oscillator, 447–8
heat, 1, 6ff
– capacity, 36ff
– –, constant pressure, 36ff, 78–9, 89–95, 168, 490
– –, constant volume, 36ff, 78–9
– –, saturation, 78, 169, 490–1
– content, *see* enthalpy
– – function, 413
– engine, 50ff
– exchanger, 55, 115–20
– of combustion, 403
– of reaction, 403
– pump, Carnot, 60–1
– rate, 270

helium, phase diagram of, 342–3, 410
Helmholtz free energy, *see* free energy
Henry's law, 318, 323, 387
hermetically-sealed compressor, 238, 242
Hess's law, 404, 414
heterogeneous azeotropy, 380
Heylandt process, 260, 267
H-S chart, 169–71
hydrates, 383–4

hydrogen, *ortho* and *para*, 411

ice, 343
ice-point, 69
ideal dilute solution, 316–20
– gas, *see* perfect gas
– mixture, 295ff, 474
immiscible liquids, 372–7
incompressible flow, 184ff, 193
incongruent melting, 383–4
indicator diagram, 205ff, 217
inertia, moment of, 445, 451
insoluble film, 333
intake volume, 206–9
intensive property, 8
intercooler, closed, 247
–, open flash, 245–7
intermolecular energy, 445–62
internal energy, 31ff
––, zero of, 46–7
– rotation, 449–50
interstage cooler, 210–11, 418–20
– pressures, optimum, 210–12
inversion curve and temperature, Joule-Thomson, 92–3
ionic strength, 328
ionisation product, 427
irreducible cluster, 460
irreducible graph, 459–60
irreversible process, 17ff, 53ff, 72ff, 99–101, 199–203
isentropic efficiency, 200, 229
isobaric process, 45–6
isochore, 130
isochoric process, 46
isothermal compressibility, 79, 150–2, 489
– efficiency, 200
– process in a perfect gas, 85, 193

jet, liquid, 184
– compressor, 204, 218–19
– ejector, 218–9
Joule refrigeration cycle, 252–3
– expansion, 95, 101–2
Joule-Thomson expansion, 90–5, 156, 489
–––, two-component, 358–62

kinetic energy, 20–3, 35, 181ff
Kirchoff's equation, 45, 108, 403
Konowalow, *see* Gibbs-Konowalow
K-value, 313, 387, 478–81

latent heat, 43–5, 88–9, 104–8
––, throttling, 358–62
––, two-component, 354ff
lever rule, 132, 160–1, 349, 364
Lewis and Randall rule, 302–3, 399
limited azeotropy, 379
Linde process, 256–9, 267, 361, 367
liquefaction of gas, 231ff, 250ff
liquid crystal, 343
liquid-liquid equilibrium, two-component, 372ff
liquid mixture, 306ff, 472ff
liquid-solid equilibrium, two-component, 381–4; *see also* solution
liquidus, 381
liquid-vapour equilibrium, *see* saturation *and* vapour pressure
liquid-vapour, two-component, 306ff, 346ff, 478–9
low temperature, *see* refrigeration *and* gas, liquefaction of
Lummer and Pringsheim's method, 490
Lysholm compressor, 215–16

McCabe-Thiele diagram, 348, 380
Mach number, 183
Margules equation, 315–16; *see also* Duhem-Margules
mass, relative molar, 320
– fraction, 288
material stability, 350–1
Maxwell's equal-area rule, 144-5
– equations, 77
mechanical equivalent of heat, 11
mechanical stability, 125, 143, 174
melting, entropy of, 88
–, incongruent, 383–4
–, two-component, 381–4
– point, 105, 129, 342; *see also* triple point
metastability (or metastable equilibrium), 2-3, 188–9, 344–6, 351
mixing, functions of, 297–8
mixture, 287ff, 472ff; *see also* gas mixture, liquid mixture, *and* solution
–, ideal, 295ff, 474
molar property, vi–vii; *see also* partial functions
mole, definition, vi
– fraction, 287, 320
molecular weight, 320
Mollier chart, 169–71

moment of inertia, 445, 451
monotropy, 344–5
multicomponent refrigerant, 265
multistage compressor, 210–12

natural gas liquefaction, 264
natural variables, 98
Nernst's distribution law, 387–8
– equation, 429–30
– heat theorem, 410–11
net stream, 366
normal mode, 447, 450–1
nozzle, 20–1, 182ff
– efficiency, 191–2

oil-flooded compressor, 215–16
one-dimensional flow, 21, 181, 220
one-fluid approximation, 474–6
opalescence, critical, 132
open system, 6
osmotic pressure, 320, 325
Ostwald coefficient, 323

partial differentiation, 487–92
partial (molar) functions, 288–92
– pressure, 295
partition coefficient, 387
– function, 439ff
pass-out turbine, 279–82
perfect gas, 68–9, 80ff
-- mixture, 294–6, 398–9, 440ff
-- scale of temperature, 68–9, 80–1
performance, coefficient of, 61, 67, 233–4, 249
pH, 427
phase, 340
phase diagram, 129–30, 342ff
– integral, 439ff
– rule, 339–42
P-H chart, 171
Philips refrigerator, 261, 267
phosphorus, allotropy of, 344–5, 406
physical constants, xiii
piezometer, 135
pipe still, 358
pK, 426
plait point, 386
Planck's constant, xiii, 456
polymer solution, 323–5
polytropic efficiency, 200, 229–31
– process, 196–200
potential energy, 22–3, 35
power, production of, 267–82
process heating, 278–82
proper variables, 98
property, definition, 7–10
–, extensive, 8
–, intensive, 8
pseudo-critical approximation, 475–6
pump, 203
P-V-T properties, 124ff

quadruple point, 381–2
quality, 131, 370–1
quantum mechanics, 438ff

radial flow turbine, 220, 223–5
Rankine cycle, 268–73, 279
Raoult's law, 309–10, 313
reaction, adiabatic, 416–20
–, chemical, 392ff, 452–5
–, degree of (turbo-machinery), 221, 225
–, extent of, 394–5
–, heat of, 403
–, rate of, 392–3
reciprocating compressor, 19, 24–6, 203–14
– expander, 217–18
recirculating compressor, 204
rectifying column, 365–7
rectilinear diameters, law of, 133–4
Redlich-Kwong equation, 146–8
redox potential, 428–32
reduced equation of state, 464ff
reflux ratio, 367
refrigerant, 237ff
–, designation of, 237–8
–, multicomponent, 265
–, vapour pressure of, 238
refrigeration, 231ff
–, absorption, 240–2
–, cascade cycles, 248–50
–, gas cycles, 252–5
–, minimum work of, 233, 251
–, ton of, 234
–, vacuum, 242–3
–, vapour compression cycles, 234ff
– duty, 233
– effect, 232–4
refrigerator, Carnot, 60–1
regenerative cycle, 254–5, 261–3, 273–8
regenerator, 254–5, 261
reheat, 272–3

reheat factor, 229
relative molar mass, 320
residual properties, 480, 493–4
retrograde condensation, 371–2
– solubility, 387
reverse reheat factor, 229
reversible process, 17ff, 53ff
––, heat and work in, 193ff
––, internally, 56
Roots blower, 214–6
rotary compressor, 214–7
rotation, energy of, 444–6, 465–6
–, internal, 449–50

Sackur-Tetrode equation, 443–4, 451
safety valve, capacity of, 187
saturation, 127–31, 145–7, 158ff
– pressure, 78, 102–8, 127ff, 238
scaling equation, 148–50
screw compressor, 215–6
second law, 49ff
––, formal statement of, 62, 65
shaft work, 20–4
shock wave, 190
single-component systems, 75ff
solid-liquid equilibrium, *see* liquid-solid equilibrium *and* solution
solid-solid equilibrium (allotropy), 343–5
–––, two-component, 381–2
solidus, 381
solubility, retrograde, 387
– parameter, 322–3
– product, 426
solution, 316ff; *see also* mixture
–, chemical equilibrium in, 422ff
–, ideal dilute, 316–20
–, of gas, 322–3
–, of solid, 320–2
solvent, 287, 316ff
sound, speed of, 96–7, 151, 183ff
Spannungskoeffizient, 150
specific heat, *see* heat capacity
specific properties, vi–vii
specific steam consumption, 271–3
spectroscopic frequency, 451
speed of sound, 96–7, 151, 183ff
split-stage compression, 248–50
stability, material, 350–1
–, mechanical, 125, 143, 174
–, thermal, 125, 174
standard potential and states, xiii, 294, 300, 303–5, 401ff
state, function of, 9
statistical mechanics (or thermodynamics), 437–84
steady state flow, 7, 19ff, 31–5
steam consumption, specific, 271–3
– ejector, 219
– engine, *see* expansion engine
– trap, 276
Stirling refrigeration cycle, 255, 261–2
Stirling's approximation, 443
stoichiometric number, 326–7, 394, 424
stream availability, 111
stripping column, 365–7
sublimation, 129
–, entropy of, 88
sulphur, entropy of, 409–12
–, phase diagram of, 344
supercooling, 189
superheat, 130
supersaturation, 189
surface excess, 332
– tension, 329–34
surge (of compressor), 225
surroundings, definition of, 6
swept volume, 208–9
symbols, vi, xi–xiii
symmetry number, 445–6, 451
system, definition of, 5–7

table, thermodynamic, 157–63, 172–4, 412–16
temperature, 4–5
–, perfect gas scale of, 68–9, 80–1
–, thermodynamic, 65–9, 80–1
theoretical plate, 350
thermal expansion, 79, 150–2, 489, 491
– pressure coefficient, 150–2, 489
– stability, 125, 174
thermochemical calorie, 413
thermodynamic chart, 163–74, 495–6
– efficiency, 113–20, 257, 267, 272–3
– equation of state, 79–80
– properties, bibliography, 172–4
– table, 157–63, 172–4, 412–6
– temperature, 65–9, 80–1
third law, 406–14
throat of a duct, 183
throttle, 256–9
tie-line, 132, 364
ton of refrigeration, 234
translation, energy of, 441–3
triple point, 126ff, 342–4

T-S chart, 70–1, 164–9, 197–9
turbine, 19–24, 220ff, 279–82
–, axial flow, 220–3
–, back pressure, 278–9
–, efficiency of, 227–31
–, pass-out, 279–82
–, radial flow, 220, 223–5
turbo-compressor, 23, 219, 225–7

units, vi

vacuum pump, 204
– refrigeration, 242–3
van der Waals approximation for mixtures, 476–7
––– equation, 142–9
vane compressor, 215–16
van Laar equation, 316
van't Hoff equation, 403
vapour, 126, 131; *see also* gas
– compression refrigerator, 234ff
– pressure, 78, 102–8, 127ff, 238
vapourization, *see* evaporation
velocity coefficient, 191
velocity of sound, *see* sound
venturi, 183
vibration, energy of, 446–9, 451, 465
virial coefficient, second, 141, 461
– equation, 140–1, 455–62
–– for mixtures, 298–303
volatility ratio, 313
volume, intake, 206–9
–, swept, 208–9
– fraction, 322, 324
volumetric efficiency, 208–10

water, *T-S* chart, 496
water-gas reaction, 407, 455
whirl, 220
Wilson equation, 316
work, 1, 6ff
–, flow, 26
–, maximum, 108–14
–, minimum, 232–4
–, shaft, 20–4

zeroth law, 5
zone-refining, 382