

Subject index

- Absolute error, 20, 39, 101, 329
Accuracy, 318 ff.
 limits of, 9, 14
 of forecasts, 17, 18
Adapredictive
 control strategy, 162
 forecast, 181
Adaptive
 forecasting, 162, 166
 pattern classifier, 190, 191
Advection, 93, 98, 107, 144
 -diffusion, 133
 and box model, 133
 and Kalman filtering, 166
 annual average equation, 98
 equation, 89, 91–2, 96, 102, 123
 with chemical reactions, 117, 125
 eulerian, 93
 pattern, 180
Advective and diffusive transfer coefficients, 134
Aicha, Japan, 189–90
Air
 parcel, 14, 18, 88, 107, 119, 122
 and tetroon trajectories, 107
 pollution
 index, 183
 potential advisory message, 174
 potential forecast, 171 ff.
 quality
 desired, 159
 standards, 308
AIRPOL-4 (highway diffusion model programme), 331, 332
Airport, reporting meteorological data, 45, 47, 52, 58, 68, 69, 74, 81, 107, 134, 151, 155, 172, 177
Alameda county, California, USA, 296
Aldehydes, 101
Alert, 21, 174, 185, 237
 false, 185–6
 strategy, 180–1
Allegheny county, Pennsylvania, USA, 265
Alma-Ata, USSR, 188
Ammonia, 78
Amsterdam, Netherlands, 232, 297, 339
Anaheim, California, USA, 22, 121
Analogue simulation, 90
Ankara, Turkey, 273
Annual
 cycle, 230 ff.
 mean, 19, 98, 265, 301
Anticyclones, warm stagnating, 172, 174–5
Antwerp, Belgium, 232
APAMAX (multi-source model computer programme), 29
APRAC (automotive pollution model computer programme), 28, 81
AQDM (air quality display model), 263, 271 ff., 281, 333, 336–7, 340 ff.
Area grid, 259
 source, 42, 45, 50, 55, 57, 59, 70–1, 75,

- 81, 90, 138, 151, 262-3, 281,
283 ff.
- formula, 42, 144
- Arrowhead diagram, 308, 310
- Aspendale, Australia, 115
- Assessment, 318 ff., 321, 346
- ATDL (Air Turbulence and Diffusion Laboratory, Oak Ridge, Tennessee, model), 144, 149, 323 ff., 340 ff.
- ATDL-2, 138, 325
- ATDL-3, 138, 325
- Atlanta, Georgia, USA, 294
- Atmospheric dilution, 172
- Australia, 114
- Autocorrelation, 247
- coefficient, 244
 - function, 249
- Automobile-generated pollutant, 79, 110-11, 113
- Automotive emissions, 80
- Autoregression equation, 229
- Autoregressive technique, 219-20
- Average (see also Mean), 323
- annual, 265, 291
 - monthly, 230, 232, 235
 - moving, 192, 229
 - seasonal, 291
- Averaging-time analysis, 306
- Azusa, California, USA, 22, 108, 121, 140-1, 148, 150
- Background concentration, 69, 159, 223, 295, 334, 339
- Baltic region, USSR, 231
- Baltimore, Maryland, USA, 293
- Baytown, Texas, USA, 282
- 3, 4-Benzopyrene, 230
- Berlin, Germany, 239
- Beta distribution, 304
- Binomial distribution, 32, 80
- negative, 304
- Birmingham, Alabama, USA, 293
- Bordeaux, France, 294
- Boston, Massachusetts, USA, 147, 266
- Boundary layer, diurnal evolution, 37
- Box model, 88, 162, 262, 313, 323, 333
- multi-layer, 139
 - multiple, 59, 107, 133 ff., 144, 294 ff., 314, 348
 - related to rollback, 159, 160
 - with chemical reaction, 142
 - with photochemical term, 143
- simple, 91, 134, 143, 348
- and wind speed exponent, 147, 149
 - as street-level submodel, 80, 150
 - derived from multiple box, 145
 - long-term, 145, 291 ff.
 - receptor-oriented, 145
 - related to rollback, 160
 - source-oriented, 145
 - with chemical reactions, 149
 - statistical basis, 145, 149
- Box-Jenkins
- method, 243, 246 ff.
 - model (BJM), 246
- Breezes (see Wind, land-sea)
- Bremen, Germany, 261, 267 ff., 294 ff., 340
- Bromma, Sweden, 218
- Brookhaven
- diffusion parameters, 267
 - gustiness classes, 46-7
- Brussels, Belgium, 232
- Budapest, Hungary, 241
- Buffalo, New York, USA, 266, 292, 294
- Building wake, 32, 100
- Burbank, California, USA, 22, 106, 121, 140-1, 148, 150
- Calculations, engineering, 8
- Calibration, 20, 69, 272-4, 320 ff.
- internal, 320 ff.
 - self, 282
- California, USA, 79, 332
- CALINE-1 (California line-source model programme), 79, 329, 348
- CALINE-2 (California line-source model programme), 79, 329, 331-2, 348
- Calms, 74, 94, 136, 184-5, 219
- and urban concentrations, 74-5, 136, 184-5, 219
- CAMP (continuous air-monitoring programme), 263, 307
- Car (see also Traffic), 3
- Carbon
- dioxide, 244
 - monoxide, 42, 66-7, 69, 80 ff., 91, 97-8, 101, 105, 107, 117, 119 ff., 138-9, 142, 147, 150 ff., 190, 215, 223, 240, 242, 244, 246, 249 ff., 286, 305-6, 314, 316-17, 323-4, 348
- Caucasus, USSR, 231
- Causality (cause-and-effect), 17, 246, 285
- Cavity flow, 99

- CDM (climatological dispersion model), 271, 273–4, 283–4, 333–4, 337, 340 ff., 346, 351
 CDMC (climatological dispersion model, curved winds), 273
 Chandrashekhar-type equations, 166
 Chattanooga, Ohio, USA, 266
 Chemical reactions (see Reactions, chemical)
 submodel, 110 ff.
 Chicago, Illinois, USA, 52, 67, 73–4, 76–7, 152, 163, 165, 210–11, 266, 276 ff., 292, 324
 Chi-square, 20, 41, 61, 235, 248, 250, 319, 328–9
 Chita, USSR, 188
 Cincinnati, Ohio, USA, 42, 66, 266, 292, 343
 Cities (see also Urban), 2
 ideas-exchange, 4
 influence on dispersion, 32
 mediaeval, 2
 transportation-transformation type, 4
 Classification of models, 9 ff., 13 ff.
 Cleveland, Ohio, USA, 292
 Cloudiness, 179
 Clusters, 198, 228
 Coefficient
 of haze (COH), 49, 182, 245
 monthly index, 209
 of persistence, 230
 of variation, 77
 Coherence, 245
 Comparative
 evaluation, 320 ff., 342 ff.
 validation, 282, 318 ff.
 of highway models, 329 ff.
 of long-term models, 333
 of short-term models, 322 ff.
 CONCAWE (conservation of clean air and water, western Europe), 53, 271, 344
 Concentration-frequency distribution (see also Cumulative concentration-frequency distribution), 171, 304 ff.
 height function, 30, 139, 152
 wind-field relationship, 313
 Confidence limits, 21, 319, 329
 Confirmation, 318 ff.
 Connecticut, USA, 47, 67, 70
 Conservative volume element, 88
 Contingency table, 41, 46, 186, 189, 191–2, 219–20, 226–7
 multiple, 210
 Contra Costa county, California, USA, 296
 Control strategy, 159
 adapredictive, 162
 Convection, 102
 Copenhagen, Denmark, 232, 346
 Correlation, 20, 246
 coefficient, 23–4, 65, 68, 245, 262, 264, 268, 319, 331, 336
 multiple, 214–15
 partial, 214, 226
 simple, 206–7
 space-averaged, 136, 138, 278, 325
 spatial-temporal, 23, 68
 time-averaged, 136, 138, 278, 325
 total, 213
 cross, 244
 determinant, 213
 linear, 342
 matrix, 213
 spatial, 57
 spurious, 230, 279–80
 time series, 245
 with demographic parameters, 299 ff.
 with meteorological parameters, 205
 Covariance, 221, 245
 Crank–Nicholson technique, 123
 Cross-correlation spectrum, 244–5
 Crosswind source (see Line source)
 CRSTER algorithm, computer programme, 28
 Cumulative concentration-frequency distribution (see also Concentration-frequency distribution), 183, 262, 268, 274, 276
 Cycle, 14, 229
 annual, 230, 232, 244, 249
 daily, 218, 238, 244, 246
 weekly, 238
 Cyclic component, 229
 Dallas, Texas, USA, 282, 293
 Data, independent, 230
 Daylight-saving time, 242–3
 Dayton, Ohio, USA, 293
 Decay (see Half-life)
 Degree day, 42, 48
 Degrees of freedom, 68, 136, 282, 284
 Demographic parameters, 299 ff.
 Denver, Colorado, USA, 231, 266, 292, 306

- DEPICT (detailed examination of pollution impact in complex terrain computer programme), 105
- Depletion, 89
- Descriptive statistical model, 309
- Descriptors, meteorological, 13
- Detroit, Michigan, USA, 238, 266, 292
- Development sample, 188, 206, 214, 226, 331
- Deviation, standard, 341–2
- Dichotomous comparison, stepwise, 351
- Diffusion (see also Dispersion)
- artificial (see Pseudodiffusion)
 - coefficients (or parameters) (see also Diffusivity, eddy), 27
 - Bowne and Robinson, 48, 57–8
 - Brookhaven, 46, 267
 - from real-time data, 57, 162
 - function of travel time, 75 ff.
 - Gifford, 45
 - influence on sensitivity of gaussian plume model, 71
 - McElroy–Pooler, 33, 52
 - Pasquill, 31, 39, 42, 267, 335, 344
 - Pasquill–Gifford, 31
 - Pasquill–Turner, 58, 81
 - power law, 46, 51, 145
 - Singer and Smith, 58
 - stepwise recursive model, 80
 - travel time function, 42, 75–6, 77
 - Turner, 42, 152
 - upwind-downwind, 76, 94 ff.
 - vertical, 42, 45, 48, 75, 80, 95
- equation, 27, 88, 138
- analogue simulation, 90
 - closed solution, 27
 - including deposition, 28
 - numerical solution, 90 ff., 101, 109
 - with variable coefficients, 28
- fickian, 7, 27
- horizontal, 102–3, 107, 119, 124
- molecular, 27
- numerical (see Pseudodiffusion)
- rate, urban and rural, 146
- simulation by random movement, 98
- λ grid scale, 97
 - lent, 74, 89 ff., 109
 - 7
 - Iso Turbulence), 78, 89, 100,
 - ical reactions, 116, 125
 - 92
- height-dependent, 90, 103
- neglected, 143
- vertical, 119, 121, 123, 139
- field, 105
- infinite, 133
- Dilution capacity, 239
- DIMOTE (dispersion model test evaluation scheme), 329
- Dispersion (see also Diffusion, Diffusivity), 15
- and roughness, 33
- artificial (see Pseudodiffusion)
- horizontal
- neglected, 144
 - urban, 33
- influenced by cities, 32
- parameters, 31, 45, 69, 258, 343–4, 346
- rural, 33
 - urban, 32 ff.
 - vertical, 33, 80, 265
- Distribution, 166
- function, 304
 - beta, 304
 - binomial, 32, 80
 - binomial, negative, 304
 - exponential, 304
 - gaussian (normal), 23, 80, 213, 304–5
 - log-normal, 304
 - Pearson, 304
 - Poisson, 304
 - three-parameter log-normal, 304
- Diurnal cycle (see Cycle, daily)
- Don, USSR, 231
- Donora, Pennsylvania, USA, 182
- Eddy diffusivity (see Diffusivity, eddy)
- Edmonton, Canada, 139
- Effective wind speed, 264
- Eigen
- coefficients, 228
 - vector, 224 ff.
 - components, coefficients, 224 ff.
- Emission, 172
- and climatology, 265
 - automotive, 80
 - height, 70
 - interaction
 - with dispersion, 171
 - with temperature, 214
- inventory, 18, 29, 42, 47, 50, 53, 57, 68, 119, 122, 134, 142, 264

- patterns, 198–9
 rate, 38–9, 42, 45, 50, 75, 89, 139
 diurnal variation, 73
 spatial variability, 71
 source, imaginary, 103
 vehicular, 80
Empirical
 model, 162
 source-receptor function, 167
 transfer function, 166
England, 115
Eole, 14
Episode, 74, 171 ff.
 accumulation, 182 ff., 192
 catastrophic, 182
 control strategies, 17
 day, 186, 192
 definition of, 182, 183
 forecasting, 182
 prediction, numerical, 181
 prone condition, 181
 reactive, 183, 189
Error
 absolute, 39, 329
 conceptual, 20
 instrumental, 69, 91
 mean absolute, 250
 mean square, 248
 meteorological forecast, 68, 185, 219
 physical, 20
 relative, 222–3
 truncation, 94, 96
Estimate, 236
 constant, 39, 40
 maximum likely, 164, 213
 optimal, 248
 standard error of, 331, 343
Estimation, by eye, 199
Eulerian
 box, 135
 (grid) model, 88, 90, 97, 101 ff., 121 ff.
Evaluation, 318 ff., 320
 comparative, 320
 cross, 318
Exponential distribution function, 304
Extreme values, 226, 305
Eye irritation, 178 ff.
F ratio test, 40, 221, 224, 228
Factor analysis, 165, 228
Fidelity, 319
Field programmes (observations), 99
Filtering
 Kalman (see Kalman filtering)
 real-time, 139, 164 ff.
Finite-difference
 approximation, 91, 94, 97
 technique, 236
Fit, 236, 280
 goodness of, 21, 23, 331
Flow
 convergent and divergent, 102, 103
 patterns, near surface, 181
 unsteady, 90
Flushing rate, 143
Fog, duration of, 222
Fokker-Planck equation, 89
Forecast, 18, 163, 170 ff., 223, 248
 ability, 177
 automated, 180
 criteria, 184 ff.
 error, 180
 meteorological, 182, 185
 no cost, no computer, 181
 numerical, 14, 173
 of precipitation, 173–4
 of shallow mixing depth, 173
 subjective, 173–4, 179, 250
 time span of, 183
 true, 193
Forecasting, 14, 68, 211
 accumulation episodes, 182 ff.
 adaptive, 162
 reactive episodes, 182–3
 short-time, 167
Fort Wayne, Indiana, USA, 33
Fort Worth, Texas, USA, 282
Fourier
 analysis, 243
 coefficients, 228
 series, 37, 243
 transform, 37, 38, 228
 weighting, 92
Frankfurt, Germany, 115, 152, 271, 274, 282, 305, 339, 341, 343
Frequency
 distribution, 197, 262, 267, 274
 cumulative, 262, 267–8, 274
 domain, 220
Friday, 180
Fumigation, 41
Galveston, Texas, USA, 28
Gas-to-particle conversion
Gaussian (see Plume, gaus
Gelsenkirchen, Germany,

- GEM (gaussian evaluation model), computer programme, 29
- Genoa, Italy, 115
- Geometric deviation, standard, 308, 313
mean, 307, 313
- Gestalt, 181
- Gothenburg, Sweden, 59, 115
- Graphical presentation, 24
- Grid area, 259
model (see also Eulerian model)
resolution, 90, 134
scale, 14, 70
sensitivity, 101 ff.
- Guess, 68, 248, 250, 285
- Gustiness, Brookhaven classes, 46, 47
- Hackensack, New Jersey, USA, 98
- Hague, The, Holland, 297
- Half-life (of sulphur dioxide), 39, 45, 48, 58, 70, 72, 264
- Hallowe'en, 237
- Hamburg, Germany, 184
- Hamilton, Canada, 49, 209
- Harlem, Holland, 339
- Harmonic analysis, 229, 243
fundamental, 243
- Hartford, Connecticut, USA, 293
- Harwell, England, 115
- Heat island, 16, 31, 81, 105–6, 172
- Heating, 209, 230
- Helsingborg, Sweden, 58
- High-volume sampling, 49
- Highway, 48
models, 79, 329
- Hindsight, validation by, 163
- Histogram, 324, 329
- HIWAY (highway pollution model), 79, 80, 329, 331–2, 348–9
computer programme, 28
- Holidays, 180, 238
- Hollywood, California, USA, 22, 121–2
- Houston, Texas, USA, 99, 282, 293
- Hybrid computer simulation, 348
lagrangian-eulerian model, 97
model, 90
- Hydrocarbons, 97, 110 ff., 150
aromatic, 110, 113, 121, 159–60, 244, 249, 305–6, 324
- IJmuiden, Netherlands, 339
- Illinois, USA, 332
- IMPACT (integrated model for complex terrain), 29
- Independence, lack of, 23
- Independent observations, 230
- Index goodness-of-fit, 23
of pollution, 209
of stability, 175, 177
- Indianapolis, Indiana, USA, 293
- INFONET teleprocessing network, 28
- Input, 9, 19, 21, 69, 70–1, 79, 109, 123, 159, 162, 321
driven, 9
error, 70
multiple-station data, 73
- Intercept (of regression line), 54, 66–7, 69
- Internal calibration, 320
- Inventory, emission, 264
- Inversion height (see also Mixing height), 122, 134
- Ironton (Ohio)-Ashland (Kentucky)-Huntington (West Virginia), USA, 266
- Islington, England, 111
- Jacksonville, Florida, USA, 46, 66
- Japan, 309
- Jerusalem, Israel, 115
- Jülich, Germany, 76
- Kalman filtering (see also Filtering), 164 ff.
- Kanagawa, Japan, 189, 197, 201
- Kansas City, Missouri, USA, 292, 294
- Kanto Plain, Japan, 189
- Kashima, Japan, 197
- Kawasaki, Japan, 189, 326
- Keihin, Japan, 73, 326
- Ketones, 101
- Krasnoyarsk, USSR, 188
- Kursk, USSR, 188
- Kyoto, Japan, 175
- La Habra, California, USA, 22, 121
- La Jolla, California, USA, 122
- Lagrangian trajectory models, 88, 90, 93, 96, 101 ff., 122
- Landskrona, Sweden, 59
- Lead, 79, 110
alkyls, 110
peroxide candle, 263

- Least-squares
 estimate, 164, 167, 223
 regression analysis, 282, 319
- Leicester, England, 238
- Leningrad, USSR, 230
- Lennox, California, USA, 22, 121
- Lid height (see Mixing depth)
- Liege, Belgium 232
- Line sources, 39, 42, 45, 79, 97, 143, 145
- Livermore, California, USA, 249
- Log-normal, 304 ff.
 data, 226
 distribution, 217, 313 ff.
 geometric mean of, 198, 309
 standard geometric deviation of,
 198, 309
 three-parameter, 304
- London, England, 38, 76, 115, 182, 185,
 187, 218–20, 232, 238
- Long Beach, California, USA, 22, 106,
 121, 150
- Long-term
 plume models, 258 ff., 262 ff.
 box models, 291 ff.
- Los Alamitos, California, USA, 106
- Los Angeles, California, USA, 3, 22, 37,
 44, 67, 91, 105, 106, 115, 116, 119,
 120, 121, 122, 123, 138, 142, 147
 ff., 162, 178, 192, 197–8, 223–4,
 230, 238, 249–50, 292, 306–7, 322
 ff., 326, 329
- Louisville, Kentucky, USA, 266, 285, 293
- Lumped parameter approximation, 116,
 122
- Lund, Sweden, 59
- LUVOLONG (long-term plume model
 computer programme), 273
- Lyon, France, 294
- Madison, Wisconsin, USA, 139, 152 ff.
- Madrid, Spain, 232
- Maghera, Italy, 246
- Malibu, California, USA, 102
- Manchester, England, 187, 218–20
- Marin county, California, USA, 296
- Marker-and-cell method, 100
- Markoff chain, 230
- Markoffian, 230, 307
- Marseille, France, 294
- Mass
 conservation, 88, 105 ff., 143, 146, 346,
 348
 equation, 88 ff., 105 ff., 133–4
- FORTRAN programme for equa-
 tion, 105
- Kalman filtering technique for equa-
 tion, 165
- transport, 88
 equation, computer programme, 96
- Mass-in-cell method, 93
- Maximum likelihood solution, 248
- Mean
 absolute error, 250, 329, 336
 annual, 258 ff., 265
 geometric, 307, 329, 336
 harmonic, 333
 seasonal, 273, 285
 square error, 248
- Megalopolis, 147, 172
- Melbourne, Australia, 98
- Memphis, Tennessee, USA, 340
- Meteorological parameters, 9, 12–13, 15
- METSET (stability wind rose tabu-
 lation), 259
- Meuse Valley, Belgium, 182
- Milan, Italy, 139, 232
- Milwaukee, Wisconsin, USA, 266, 293–4
- Minneapolis, Minnesota, USA, 293
- Mixing
 daily variation, 164
 depth (or height, or layer, or ceiling),
 28, 33, 42, 47, 50, 52, 57, 70–1, 72,
 75, 81, 106, 120, 134, 143, 146–7,
 163, 179, 218, 265, 295, 339, 344
 forecast of shallow, 173, 187–9
 sunset collapse, 147
- downwind from road, 80
- perfect or uniform, 91, 134
- vertical, 97, 146
- Mizushima, Japan, 211
- Model (see also specific entries)
 advection-diffusion, 76, 166
 assessment, 346 ff.
 box, 133 ff., 143 ff., 323
 causal, 5, 12, 13, 16
 cell and box, 90
 character, 13 ff.
 choice of, 19
 classification, 9 ff., 13 ff.
 complex, 323, 339
 concept, 6
 descriptive, 13
 empirical, 162, 204–5, 211
 eulerian, 88, 90, 328
 explanatory, 13
 finite-difference, 90
 fixed-grid, 88, 101 ff., 328

- fluid, 99
 hybrid, 90, 97
 invariant, 37, 125
 lagrangian, 88, 90, 93
 long-term, 12 ff., 163, 258 ff.
 comparative validation, 333
 mesoscale, 28, 47 (see also Model,
 regional)
 modification, 92
 moving cell, 328
 multiple plume, 258 ff., 344
 multi-urban, 49
 object, 6
 photochemical, 110 ff.
 proportional scaling, 159
 pseudospectral, 38
 qualification, 343
 reactive, 110 ff.
 receptor-oriented, 13, 18, 145, 159, 165,
 167, 309
 regional, 47, 49, 50
 short-time, 12 ff., 27 ff.
 comparative validation, 322
 simple, 17, 323, 339
 sophisticated, 16–17
 source-oriented, 13, 15, 17–18, 145,
 159
 statistical, 12, 14, 20, 204 ff., 309
 stepwise discontinuous recursive, 80
 trajectory, 88, 90, 101 ff., 328
 Modelling (see also Model), 5
 Monin–Obukhov length, 139
 Monitoring networks, automatic, 181
 Montreal, Canada, 238
 Motorcar (see also Traffic), 3
 MSNW (Mathematical Sciences
 Northwest programmes), 348
 Münich, Germany, 76, 221
 Mulhouse, France, 232
 Multi-box model (see Box, multiple)
 Multiple-station data, 73
 Multi-source, 27
 Nagoya, Japan, 189
 Napa county, California, 296
 Narrow-plume hypothesis, 28, 51, 144
 Nashville, Tennessee, USA, 39, 44, 67,
 92–3, 138, 177, 207–8, 263, 340
 NATO (North Atlantic Treaty
 Organisation), 274, 282, 339
 Navier–Stokes equations, 99, 100, 125
 Netherlands, 115
 Network, monitoring, 181, 182, 190
 New Jersey, USA, 265
 New York (city), New York, USA, 53,
 55, 57, 114, 182, 231 ff., 266, 272,
 292, 333, 336
 New York (state), USA, 265
 Newport, Kentucky, 197
 NEXUS (numerical examination of
 urban smog computer pro-
 gramme), 122
 Nitrate, atmospheric, 112
 Nitric oxide, 110 ff., 142, 150, 244, 249,
 305 ff., 324, 329
 rate of decomposition, 110
 Nitrogen
 dioxide, 110 ff., 121, 142, 150, 160, 167,
 190 ff., 244, 249, 305 ff., 324, 329
 removal, 112
 oxides, 43, 44, 66–7, 78, 79, 97, 98,
 110 ff., 139, 159–60, 230, 306–7,
 322–3
 North Carolina, USA, 332
 Nottingham, England, 218
 NTIS (National Technical Information
 Service), 28
 Oakland, California, USA, 137
 Onahama, Japan, 239
 Operator, 246
 Optimal
 estimate, 248
 set of submodels, 320
 Orthogonal
 factors, 165
 polynomials, 220, 223–4
 predictors, 213
 Osaka, Japan, 115, 139, 163, 175, 184,
 228, 294
 Oslo, Norway, 134
 Ottawa, Canada, 238, 245
 Output, 10, 12, 20, 70–1, 79
 Oxidant, 142, 143, 160, 174, 189, 190, 198,
 224, 238–9, 241, 249–50, 305 ff.
 Ozone (see also Oxidant), 110 ff., 119,
 142, 167, 190–1, 197, 246, 328–
 9, 331
 alert, 179
 and photochemical cycle, 112
 monthly averages, 180
 upper atmosphere, 112
 Padé approximation, 117
 PAN (peroxyacetyl nitrate), 110
 Paris, France, 3, 115, 211, 232, 238,
 300–1
 Particle-in-cell method, 93, 97, 122

- Particles, 49, 66–7, 97–8, 109, 177, 214, 230, 236 ff., 239, 244, 294, 301, 304, 306–7, 333–4, 336, 343
 coefficient-of-haze method, 49
 resuspension, 97
 settling, 78
 surface reactions on, 113
 thermal coagulation, 125
 Pasadena, California, USA, 22, 120–1
 Pattern
 classification, 190, 197–8
 frequency distribution, 197
 recognition, 181, 190
 seasonal, 236 ff.
 Period, 247
 Persistence, 9, 21, 181, 230, 250–1
 Phase, 232 ff., 245
 Philadelphia, Pennsylvania, USA, 240–1, 266, 292, 306
 Photochemical
 pollutant (see also Smog, photochemical), 105, 110 ff., 179, 190
 computer simulation, 117, 327
 reactions, 15, 180, 307
 turbulence-limited, 125
 reactive box, 342
 Photochemistry, 89 ff.
 Pittsburgh, Pennsylvania, USA, 292
 Planetary boundary layer, 109
 PLANTSIM (plant emission simulation algorithm), 67
 Plume
 approximation (narrow), 28–9, 51
 bifurcation, 37
 concept, 17
 data bank, 259 ff.
 gaussian, 6, 27 ff., 38 ff., 55, 58
 algorithm, 29, 59
 and Kalman filtering, 165
 and street submodules, 79 ff.
 comparative validation of long-term, 282 ff.
 computer programmes, 50
 improvements to algorithm, 65
 incorporating chemical reactions, 78
 long-term, 258 ff., 262 ff.
 related to stability categories, 31 ff.
 sensitivity, 35
 standard deviation, 29
 steady-state solution of the Fokker–Planck equation, 89
 wind speed exponent, 217
 narrow plume hypothesis, 51, 144, 272
 rise, 30–1, 35, 38, 42, 51, 57, 69, 80, 217, 273, 282, 343
 algorithm, 29, 57
 Briggs, 51, 57, 59, 76, 272, 344–5
 Carson and Moses, 76
 CONCAWE, 53, 271, 344–5
 Holland, 45, 51, 336
 Huisman and Verheul, 344–5
 Moses and Kraimer, 31
 Stumke, 48, 267
 semiempirical formulae, 32
 Point source, 27, 45–6, 48, 51, 53, 55, 57, 59, 70–1, 78, 92, 123, 263, 267, 281
 Poisson distribution, 304
 Pollutant
 gaseous, 109
 loss and formation, 15
 vertical profile, 106, 146
 Polynomial, 246
 Pomona, California, USA, 22, 102, 121, 140–1, 148, 150, 167
 Population
 density, 1, 3–4, 143, 300–1
 total, 300
 Port Huron, Michigan, USA, 266
 Portland, Oregon, USA, 331
 Prague, Czechoslovakia, 232
 Precipitation, forecast of, 173–4
 Predictability, 14
 Predictand, 205 ff.
 selection, 206
 Prediction
 numerical, 174–5
 objective, 174
 Predictor, 205 ff., 209, 246
 elimination
 backward, 221
 forward, 220
 meteorological, 171, 219
 optimisation, 190–1
 orthogonal, 213
 selection, 205 ff., 218
 significant, 220–1
 simple, 184–5
 temperature as, 186–7
 Prescriptand, 205 ff.
 Prescriptor, 205 ff.
 elimination, 207
 qualitative, 210
 selection
 by statistical screening, 220
 on physical basis, 215
 Probability density function, 307

- Programme listing, 8
 Proportional scaling, 159
 Proportionate stratified sampling, 274
 Providence, Rhode Island, USA, 293
 Pseudodiffusion (numerical diffusion; artificial diffusion), 91, 96–7, 101, 107, 122
 and convection, 91
 coefficient, 91, 94
 Pseudosources, 167
 Pseudospectral model, 37
 Pseudovelocity technique, 97
 PTDIS (point, distance model programme), 28
 PTMAX (point, maximum model programme), 28
 PTMTP (point, multiple-point model computer programme), 28, 328, 331
 Puff, 72–3, 76 ff., 80, 95–6, 97
 conical, 38
 Quadrature spectrum, 245
 Qualification, 318 ff., 320, 343 ff.
 Quenching, 110
 Radiation, actinic solar, 112
 Railways, 2
 electric, 3
 suburban, 3
 Random
 component, 229
 guess or estimate, 22, 23
 movement, 98
 noise, 16, 164
 sample, 213–14, 274
 shocks, 247
 variable, 229
 walk, 98
 RAPS (regional air pollution study), 339
 Rate constants, 113, 116, 142, 150
 Reactions, chemical, 15, 69, 78, 89 ff., 110 ff., 142, 149, 348
 non-linear, 121
 Reactive
 episode, 189
 pollutants, 29, 120, 150, 160
 Reactor
 variable-volume, batch, 116, 120
 well-stirred, 165
 Reading, England, 111, 273
 Receptor, 71
 -oriented model, 12 ff., 145, 159, 165, 226, 228, 309
 – source, causal link, 12
 Redwood City, California, USA, 137
 Regression
 analysis, 181, 192, 229, 264, 273, 282, 300, 319, 326, 331, 336
 coefficient, 221
 partial, 213–14
 graphical, 207–8
 higher-order, 214
 linear, 23, 49, 57
 multiple, 147, 165, 207–8, 213, 217, 222 ff., 322
 coefficients of, 205–6
 non-linear, 213, 247
 Rejection, 20, 318
 Relationship between wind field and concentration, 313 ff.
 Reseda, California, USA, 108, 140–1, 148, 150
 Residual, 234, 247
 method, 209
 Resolution
 spatial, 19, 90
 time, 19
 Richardson number, 52
 Richmond, California, USA, 137
 Rijnmond, Netherlands, 274, 344–5
 RMSE (root-mean-square error), 20, 22, 39, 40, 192–3, 197, 234, 251, 319, 329, 331, 336
 Rollback
 linear, 159 ff.
 and reactive pollutants, 160
 modified, 159 ff.
 Rome, Italy, 307
 Rotterdam, Netherlands, 76, 147, 185, 244
 Rouen, France, 76, 181, 184–5, 192 ff., 222, 232, 294
 Roughness, 30, 32–3, 69, 90, 151
 Roulette, 17
 Runge–Kutta method, 117
 Rural areas, 30, 48, 53
 St Clair River, Canada, 49
 St Louis, Missouri, USA, 33, 51–2, 54, 67, 82, 100, 109, 125, 224, 264, 273 ff., 284, 286, 292, 306, 314–15, 324, 339, 343
 St Paul, Minnesota, USA, 293
 Saitama, Japan, 189

- Sample
 almost random, 274
 population, 204
 random, 213–14, 274
 size, 23
 test (see also Test sample), 206, 214, 226
- Sampling
 network, 69
 plan, 306
- San Antonio, Texas, USA, 293
- San Francisco, California, USA, 97, 251, 292, 296, 306–7
- San Francisco Bay Area, California, USA, 136–7, 295
- San Jose, California, USA, 81–2, 137, 190
- San Mateo county, California, USA, 137
- Santa Clara county, California, USA, 296
- Sapporo, Japan, 238
- Sarnia, Canada, 49, 183
- Saturday, 155, 238
- SCAM (sampled chronological air quality model), 274, 283, 343
- Scatter diagram, 57, 207
- SCIM (sampled chronological input model), 274, 283
- Seasonal
 average, 182, 188, 273, 285, 291
 component, 229
 pattern, 236 ff.
 variation, 229, 250
- Seattle, Washington, USA, 266, 293
- Second-order closure, 36
 and chemical kinetics, 37
- Semisubjective assessment, 348
- Sensitivity, 35, 58, 59, 69 ff., 101 ff., 109, 123, 271
- Sequential correlation coefficient, 278
- Sheffield, England, 299–300
- Siberia, USSR, 231
- Similitude, 6
- Simulation, 6, 8
 analogue, 90
 numerical, 92
 photochemical, 327
- Sinks and sources (see also Sources and sinks), 16
 imaginary, 103
- Sinusoid, 233 ff.
- Skill score, 20, 23, 39, 40, 139, 178, 186, 226
- Slope of the regression line, 54, 66–7, 69, 319, 326
- Smog, 178
 chamber, 114, 118, 121, 160
 photochemical, 110 ff., 160, 228
- Smoke, 222–3, 228, 238, 266, 299
 index, 209
- Smoothing, 248–9
 Whittaker–Henderson, 235
- Smoothness, 235 ff.
- Soiling index, 177, 182, 208–9
- Solano county, California, USA, 296
- Solar system, 6, 321
- Source
 distribution, 187
 inventory (see Emission inventory) techniques, 343
 -oriented model, 12 ff., 145, 159, 309
 relation, 217
 -receptor function, 160
 empirical, 167
 strength, 45, 48, 75, 143–4, 159, 299
 treatment of, 38–9, 42, 45–9, 53, 57, 269
- Space-averaged time correlation, 325
- Spatial correlation, 215
 coefficient, 278
- Spectral techniques, 37, 244–6
- Spectrum, 244 ff.
 quadrature, 245
- Stability
 categories (or classes), 31, 41, 45, 48, 52, 55, 58, 81, 155, 258, 272
 Gifford, 45
 McElroy–Pooler, 271
 Pasquill, 32, 70, 264
 Pasquill–Turner, 58, 81
 Turner, 41, 207, 264
 diurnal variation, 143
 index, 175–7
 range, 144
 wind rose, 259, 265, 333
- STACMAP long-term plume model computer programme, 273
- Stagnation, 180, 186, 189, 193
 anticyclones, 174, 190
 daytime, 175
 index, 175
 valley index of, 175
- Standard deviation, 327, 341–2
 of azimuth angle, 16, 32
 error of estimate, 208, 331, 343

- geometric deviation, 308–9, 313
 Stationary time series, 228–9, 246–7
Statistical
 analysis, 39
 description, 14
 distribution, 16
 independence, 23, 68, 119
 model (see Model, statistical)
 receptor-oriented model, 309
 relationships, 204
 sampling, 262
 screening, prescriptor selection by, 220
Statistics
 descriptive, 204
 of extremes, 183
 unconscious, 181, 204, 220
Stepwise dichotomous comparison, 351
Stochastic
 independence, 229
 variation, 229
Stockholm, Sweden, 58, 67, 193, 232, 279–80
Strasbourg, France, 186, 294
Stratification
 by wind direction, 221
 of hourly data, 219
 on physical grounds, 222
Stratified sampling, 274
Street, 32, 45, 69, 79 ff., 121, 150 ff., 263, 286
 intersection subroutine, 80
 numerical simulation, 99 ff.
 submodel, simple box, 81
 ventilation, 17
 vortex circulation, 151
Student's *t*, 221
Suburban locations, 48, 53
Suburbanisation, 3
Sulphate, 80, 123, 294
Sulphation rate (see also Lead peroxide candle), 263, 285
Sulphur dioxide, 38 ff., 42, 44, 46, 48, 53 ff., 66–7, 92–3, 97–8, 113, 123, 135, 138, 146–7, 165, 175–77, 182, 185, 187, 192, 207–8, 211, 214–15, 218, 221 ff., 230 ff., 239 ff., 244 ff., 246, 249, 264–5, 267, 271 ff., 274 ff., 285, 291 ff., 299–300, 306–7, 324, 333 ff., 341, 343
Sulphuric acid, 78
Sunday, 145, 180, 238, 243
Sverdlovsk, USSR, 188
Switzerland, 74
Sydney, Australia, 115
Tabulation technique, 211–12
 for plume rise, 31
Tacoma, Washington, USA, 266
TAM (telemetry air monitor network, Chicago, Illinois), 276
Tbilisi, USSR, 239
TCM (Texas climatological model), 59, 281, 283, 341
TEM (Texas episodic model), 59
Temperature
 and emission strength, 214
 as predictor, 187, 190, 193, 214
 exponent of, 215
Tennessee, USA, 332
Terrain
 complex, mountainous, 29, 69, 101, 105, 273, 284–5, 295
 influence of, 109, 174
 roughness, 90
Test sample, 206, 214, 222, 226, 331
Tetroons, 15, 107
Thermal
 buoyancy, 31
 stability, 9
Time
 average
 concentration, 327
 space concentration, 325
 series, 205, 228, 243, 246–7
 stationary, 229, 246
Tokyo, Japan, 73, 80, 115, 117, 120, 139, 187, 189–90, 211, 230, 294, 307, 325
Topography (see also Terrain)
 complex, 32, 285
Toronto, Canada, 33, 47, 226, 238
Town, 1
 types, 2
Traffic, 45, 263, 266
 density, 151
 flow analysis, 80
 generated pollutants, 79
 wake-induced turbulence, 80
Train, 3
Trajectory, 14, 119, 142
 model, 88, 90, 97
 sensibility, 101 ff.
Tramway, 3
Transcaucasia, USSR, 231
TRAPS (Texas roadway air pollution simulator), 80, 331–2

- Trend, 14, 229, 235, 236, 248
 Truncated data sets, 306
 Truncation error (see Error, truncation)
 Tulsa, Oklahoma, USA, 97
 Turbulence (see also Diffusivity, eddy),
 331
 and chemical reactions, 115
 anisotropic, 98
 horizontal, 217
 velocity fluctuation, 98
 vertical, 105, 217
 Turbulent atmospheric boundary layer,
 6, 109
 Ukraine, USSR, 231
 UNAMAP (user's network for applied
 models of air pollution), 28, 80,
 81, 271
 United States of America, 112, 117, 237,
 265, 292, 300, 305
 Urals, USSR, 231
 Urban
 air pollution forecasting, 177
 and non-urban concentrations, 236
 areas, 1, 30
 concentration during calms, 75
 fields, 258
 heat input, 139
 island, 16, 31, 81
 revolution, 3
 roughness, 29–30
 permeability, 30
 typology, 2
 winds, 175
 Urbanism, 1
 Usefulness (of model), 16, 20
 USSR, 31, 231, 239
 Validation, 20, 28, 42, 58, 65 ff., 81, 92,
 97–8, 134, 136, 139, 147, 318 ff.,
 322 ff.
 comparative, 284, 322 ff.
 of highway models, 329 ff., 332
 of long-term models, 333 ff.
 of short-time models, 322
 retrospective, 68
 Validity, 20, 150
 Valley, 175
 model computer programme, 29
 Vancouver, Canada, 238
 Variable
 causal, 235
 dependent, 105, 205, 224
 stochastic, 205
 well-behaved, 213
 Variance, 23, 207, 213, 220, 224 ff., 244,
 336, 346
 residual, 213–14
 Variate-difference method, 229
 Variation, seasonal, 229, 249
 Vehicular emissions, 80
 Venice, Italy, 123, 246, 344
 Ventilation
 index, 191
 rate, 41, 143
 Verification technique, 20
 Vienna, Austria, 244
 Visibility, 189–90
 Vlaardingen, Netherlands, 115
 Volga, USSR, 231
 Volume element, 88 ff.
 Vortex circulation in streets, 151
 Vorticity, 173
 Warning systems, 17–18
 Washington, D.C., USA, 66, 101, 147,
 263, 266, 292, 306, 322–3
 Waterways, 2
 Weather types, 180, 189, 211
 Weekdays, 155, 179–80, 191, 238, 243
 Weekends, 178, 238
 Weekly cycle, 238
 West Virginia, USA, 175
 White noise, 247
 Whittaker–Henderson smoothing meth-
 od, 235 ff.
 Whittier, California, USA, 107–8, 140–
 1, 150
 Willamette Valley, Oregon, USA, 134
 Wind
 advective, 88
 airport measurements (see also
 Airport, reporting meteorological
 data), 45, 47, 150, 172, 174, 285–6,
 335
 and lateral diffusion, 16
 curved trajectory, 73, 273
 direction
 influence on sensitivity of plume
 model, 72
 standard deviation, 15–16
 drainage, 174
 field, 9, 48, 106, 134, 136
 curvilinear, 273
 multiple-station data, 73
 non-uniform, 139

- vertical component, 103
flow pattern, 180
fluctuations, lateral, 16
geostrophic, 16
land-sea, 74, 172, 174, 189–90
light, 15, 17–18, 29, 42, 69, 139, 155,
 172 ff., 185, 187, 189 ff., 219, 285
mean monthly, 209
 in mixing layer, 218
model, 105–7, 135
rose, 259, 265
strong, 17
surface, 106, 173, 180, 191–2
tunnel, 99
urban, 175
valley circulation, 97
velocity, 17, 70, 81, 143, 228, 245–6,
 267, 271
average yearly, 291
distribution, 313, 315–16
effective, 46, 264
exponent, 217
vertical profile, 45–6, 51, 70 ff., 95,
 97, 102–3, 139, 150, 163, 258, 272
zero (see also Calm), 16, 74 ff., 80,
 136
 850 mbar, 174
Windsor, Canada, 238
Yakut, USSR, 231
Yokkaichi, Japan, 190
Yokohama, Japan, 73, 189, 326
Zagreb, Yugoslavia, 232
Zürich, Switzerland, 80