

Index

- A register 17
- allocate instruction 24
 - example 26, 36, 46, 48, 52, 55, 62, 63, 64
 - explicit definition
 - for \mathcal{M}_2 25
 - for \mathcal{M}_3 32
 - for WAM 50, 94
- AND-stack 27
- argument registers 16, 17
- arity 5
- B register 27
- B0 register 73
- backtrack operation 33, 100
- backtracking 4, 14, 21, 30
 - chronological 27
- bind operation 101
- binding 5, 11, 12, 14
 - conditional 30, 53
 - convention 53
 - rule 53, 54, 58, 59
 - side-effect 21, 30
 - trailing 30
 - unconditional 53
- Boizumault, Patrice 2
- call instruction 16, 49
 - example
 - with environment trimming 52, 55, 58, 62, 63, 64, 75
 - without environment trimming 19, 26, 36, 42, 46, 48
 - explicit definition
 - for \mathcal{M}_1 16
 - for \mathcal{M}_2 22
 - for \mathcal{M}_3 33
- chain
 - reference 11, 54, 56
 - rule 21, 48, 75
- choice point 27
 - contents 30
 - discarding 27, 30, 31, 33, 73, 74, 75
- Chu, Damian 61
- code area 16, 22, 24, 30, 32
- constant 5
 - cell 39
- CP register 22
- cut 72
 - deep 73, 74
 - neck 74
 - semantics 72
 - shallow 73, 74
- cut instruction 75
 - explicit definition 100
- cut register 73
- deallocate instruction 24
 - example 26, 36, 46, 48, 52, 55, 62, 63, 64
 - explicit definition
 - for \mathcal{M}_2 25
 - for WAM 47, 94
- deep
 - cut 73, 74
 - rule 21, 75
- delayed trimming 63
- deref operation 101
- dereferencing 12
- E register 23
- environment 23
 - allocation 24

- discarding 47
- frame 23
- protection 28, 29, 48, 69
- trimming 49, 51, 52, 55, 58, 60, 61, 62, 63, 64, 75
- magnification of 69
- execute instruction** 47
 - example 48, 52, 55, 62, 63, 64, 70, 71, 72
 - explicit definition 47
 - for WAM 95
- fact** 16
 - compilation 17, 22
- failure** 11, 14, 21, 27, 28, 29
- flattened form** 8
 - of program 10
 - of query 8
 - tokenized 8, 10
- functor** 5
- get_constant instruction** 40
 - example 70, 71, 72
 - explicit definition 41
 - for WAM 90
- get_level instruction** 75
 - explicit definition
 - for WAM 99
- get_list instruction** 40
 - example 43, 72
 - explicit definition 42
 - for WAM 89
- get_nil instruction** 40
- get_structure instruction** 11
 - example 11, 19, 36, 43, 44, 70, 71
 - explicit definition 13
 - for WAM 88
- get_value instruction** 18
- example** 19, 43
- explicit definition** 18
 - for WAM 87
- get_variable instruction** 18
 - example 26, 36, 44, 46, 48, 52, 55
 - explicit definition 18
 - for WAM 87
- H register** 9
- Hanus, Michael** 57
- HB register** 30
- heap** 5
 - pointer 32
- \mathcal{I}_0 5, 40
- \mathcal{I}_1 24
- \mathcal{I}_2 24, 32
- \mathcal{I}_3 32
- Kowalski, Robert A.** 83
- \mathcal{L}_0 5, 16
 - abstract machine 5
 - interpreter 5
 - program 5
 - compiling 9, 11
 - query 5
 - compiling 6, 10
 - semantics 5, 6
 - syntax 5
 - term representation 5
- \mathcal{L}_1 16, 19, 21
- \mathcal{L}_2 21
 - program 21
 - query 21
 - semantics 21
- \mathcal{L}_3 27
 - program 27
 - query 27

- semantics 27
- last call optimization 47
- LCO 47, 48, 51, 60, 61
 - correctness 49
 - effect 47, 48, 69
 - generalization 49
 - interference 51
 - magnification 69
 - patch 64
- list 40
- M_0 5, 7, 14, 65
 - instructions 8, 11
 - for programs 13
 - for queries 9
- M_1 16
 - augmentation 24
 - instructions
 - for variable arguments 18
- M_2 24, 35
 - extension 27
- M_3 27, 35
 - improvement 37
 - instructions
 - for choice point 34, 35
- Maier, David 1, 2
- mode 10, 11
 - read 10
 - setting 12
 - write 10
- neck_cut instruction 74
 - explicit definition
 - for WAM 99
- OR-stack 27
- P register 16
- partial evaluation 77
- PDL 14, 30
- Pereira, Fernando 37
- permanent variable 23
- proceed instruction 16
 - example 19, 36, 43, 44, 71, 72
 - explicit definition 22
 - for WAM 95
- push-down list 14
- put_constant instruction 40
 - example 71
 - explicit definition 41
 - for WAM 87
- put_list instruction 40
 - example 42
 - explicit definition 42
 - for WAM 87
- put_nil instruction 40
- put_structure instruction 8
 - example 10, 19, 36, 42
 - explicit definition 9, 37
 - for WAM 87
- put_unsafe_value instruction
 - example 62, 63, 64
 - explicit definition 56
 - for WAM 87
- put_value instruction 18
 - example 26, 36, 46, 48, 52, 55, 62
 - explicit definition 18
 - for WAM 86
- put_variable instruction 18
 - example 19, 26, 42, 46, 48, 52, 55, 62, 63, 64
 - explicit definition 51
 - for a temporary variable 18
 - for WAM 86
- query 5
 - compilation 6, 17, 22

empty 21

reference

- chain 11, 54, 56
- chronological 53
- dangling 53, 54
- stack 53, 54, 56, 58

register allocation 7, 45

resolution

- flat 4, 21
- leftmost 21, 27
- SLD 2, 27
- top-down 27

retry instruction 68

- explicit definition
- for WAM 98

retry_me_else instruction 32

- example 36, 70, 71, 72
- explicit definition 34
- for WAM 96

Robinson, John Alan 82

Rosenzweig, Dean 72, 73, 76

rule 21

- binding 53, 54, 58, 59
- chain 21, 48, 75
- compilation 22
- deep 21, 75

Russinoff, David 2

S register 11

set_constant instruction 39

- example 42
- explicit definition 41
- for WAM 90

set_local_value instruction 59

- explicit definition 59
- for WAM 90

set_value instruction 8

example 10, 19, 42

explicit definition 9

- for WAM 90

set_variable instruction 8

- example 10, 19, 42
- explicit definition 9
- for WAM 90

set_void instruction 43

- explicit definition 44
- for WAM 91

shallow cut 73, 74

signature 79

stack 23

- frame 24
- global 9
- local 23

structure 5

- cell 6

substitution 14, 79

- application 14, 81
- composition 14, 79

switch_on_constant instruction 68

- example 70, 71
- explicit definition
- for WAM 99

switch_on_structure instruction 68

- example 70, 71
- explicit definition
- for WAM 99

switch_on_term instruction 68

- example 70, 71, 72
- explicit definition
- for WAM 99

term

- first-order 5, 79
- \mathcal{L}_0 program 5
- \mathcal{L}_0 query 5

representation 5

tidy_trail operation 74, 102

TR register 30

trail 30

- cleanup 75
- pointer 31
- tamping 74
- unwinding 33

trail operation 102

trailing

- unnecessary 53
- variable 30, 53

trimming

- delayed 63
- environment 49, 52, 55, 58, 61, 62, 63, 64, 75

trust instruction 68

- example 70, 71
- explicit definition
- for WAM 98

trust_me instruction 32

- example 36, 70, 71, 72
- explicit definition 35
- for WAM 97

try instruction 68

- example 70, 71
- explicit definition
- for WAM 97

try_me_else instruction 32

- example 36, 70, 71, 72
- explicit definition
- for M_3 34
- for WAM 96

put_unsafe_value 56

unbound variable 6

unification 5, 80

- algorithm 14, 80

unify operation

- for M_0 15
- for WAM 103

unify_constant instruction 39

- example 43
- explicit definition 41
- for WAM 93

unify_local_value instruction 59

- explicit definition 59
- for WAM 92

unify_value instruction 11

- example 11, 72
- explicit definition 13
- for WAM 91

unify_variable instruction 11

- example 11, 19, 43, 70, 71, 72
- explicit definition 13
- for WAM 91

unify_void instruction 43

- example 44, 70
- explicit definition 44
- for WAM 93

unwind_trail operation 102

van Hentenryck, Pascal 57

variable 5

- anonymous 39
- instructions 44
- binding 5, 11, 53
- cell 6
- classification 60
- Warren's 60
- cut 74
- global 60
- globalizing 57, 58, 59, 61
- local 23, 51, 60
- permanent 23, 60
- discarding 53, 54, 57, 58

ordering 54
register 7
temporary 23, 60
unsafe 54

WAM 1
clause treatment 77
complete 1, 4
correctness 2
designer 1
features 1
publication 1
simplification 2
techniques 1
unification 77
variant 1

WAM Binding Rule 53, 54, 58, 59

WAM Principle 37, 39, 51, 68

Warren
Abstract Machine 1
David H. D. 1, 37, 77
David S. 1, 2

X register 7