

Index

- Ackermann, W., 87
- Algorithm compression, 53–54, 222, 224–225, 261–262
- Almost inconsistent theories, 42
- Alpha Centaurians, 279–280
- Anderlini, Luca, 287
- Anti-functionalist, 8, 29–30, 35, 49–53, 55–56, 64, 71, 74, 77, 82, 84, 86–89, 91, 193, 266, 267, 303
- Archimedean point, 179–180, 217, 221, 235, 243, 249–250, 259, 277, 301–303
- Assertibility conditions, 253–254
- Assignment of references function, 201, 211
- Australian semantics, 203
- Bayesianism, 286
- Belief-fixation procedure, 247–248, 250
- Bisimulations, 127, 232–233
tool for modal invariance, 232
- BLOCKHEAD algorithms, 258–259, 277
for addition, 222, 260–261, 289
infinitary algorithms, 222, 301
- Block, Ned, 118
- Bobick, Aaron, 269
- Bohr electron case, 192, 245, 293
- Boolos, George, 48
- Boundary condition, 137–138, 142, 146, 149
- Cambridge properties, 218
- Carlson, Timothy, 43
- Carnapian caution parameter, 213
- Carnapian inductive logic, 59, 213–214
- Carnap, Rudolf, 181, 225
- Cenzer, Douglas, 231
- Chalmers, David, 65, 118, 123
- Chaotic behavior, 96, 114, 131–133, 136, 145–147
- Charity in interpretation, 191–192
- Chisholm, Roderick, 181
- Chomsky, Noam, 200
- Church, *Introduction to Mathematical Logic, Vol. 1*, 40
- Cognitive holism, 284
- COMP, 101, 107, 112–113, 120
- Computable constraints on cooperation, 287
- Computable equivalence relations, 227–231, 233–235, 240
modal conditions defining, 233
partial, 239
psychologically unrealistic, 227, 229
sub-equivalence, 233
trivial, 228
- Computable partitionings, 27, 214
- Computational complexity theory, 14–15, 95–97, 105, 110, 125–127, 144, 154, 156, 163–165, 169–171
- EXPTIME, 14, 95–96, 105–106, 144

- Computational complexity theory
(cont.)
NP, 14, 105–106, 111–112, 125, 154, 298
P, 12–14, 38, 60–62, 64, 68, 73, 75–92, 94, 105–106, 114, 120, 123, 125, 144, 154, 202, 291, 297–298
P-hierarchy, 144
PSPACE, 111–112
Computational flow mergers, 130
Computational game theory, 287
Computational growth, 177, 180, 183, 199, 212–214, 220, 227, 230–231, 233–234, 240
Computational Liar, 61, 66, 68–69
Computational multirealization(s), 182, 184
of arbitrary intentional state, 101, 109, 228
Computational reduction, 18–19, 22, 25, 177, 179–180, 182, 198, 212–213, 215, 217, 219–221, 224, 228, 236, 251–253, 262, 272, 274
local, 19, 25, 177, 179, 213, 215, 217, 220, 228, 236
Computational state, 6, 18, 24, 25, 101–104, 107, 109, 110, 113, 116–117, 120, 122, 124, 129–130, 138–140, 142, 174, 176, 183–185, 212
intermediate, 109–110, 130
Computationalism, 13, 17, 25–26, 30, 150, 177, 181, 187, 190, 193, 195–197, 199–205, 209, 211, 215, 264, 274, 282, 284, 303
committed to Correspondence, 195–200, 205, 206, 208, 209
committed to metaphysical realism, 177, 187, 193, 195–197, 199–201, 204, 208, 211
scientific doctrine, 25, 187, 205
Conflicting statistical generalizations, 282
CON(PA), 10, 30, 31, 39, 85–87
Content growth, 177, 180, 183, 184, 187, 189, 199, 230, 233, 234
Copeland, B. J., 118
Coreferentiality, 21–25, 30, 180, 181, 192, 198, 201, 218, 221, 223–225, 241–251, 254–259, 261–262, 264–267, 275, 277, 288, 301
Coreferentiality decisions, 22, 23, 30, 180, 181, 192, 198, 201, 218, 221, 223–225, 241–245, 247, 249–251, 254–259, 261–262, 264–267, 275, 277
Counterfactuals about computations, 15, 118, 122, 130
Danto, Arthur, 68
Davidson, Donald, 241
Defeater relations, 55
Deletion of pairs, 116
Dennett, Daniel, 156
Descriptive complexity theory, 18, 106, 164
Discounting beliefs, 190
DISJUNCTION, 49–50
Double recursion theorem, 173–175
Dummettian justification, 70
Dummett, Michael, 70
Duplication property, 236
E₁-elementary substructures, 43
EGM (epistemic claims that are consequences of Gödel refutations of mechanism), 45, 47–52, 54–57, 59, 74, 75, 77–82, 87, 92–94, 97
Entrenchment orderings, 286
Environment totalism, 244–246, 250, 256, 264
Epistemically shielded, 99, 132–133
Epistemic conception of truth, 291
Epistemic modality, 10–13, 31, 33–35, 37–40, 44, 47, 49–55, 59, 72–76, 78, 81–84, 86, 88, 91–92, 207–209, 211

- Epistemic semantics, 13, 30, 177, 181, 187, 190, 193, 196–200, 211, 223, 226, 264
- Epistemology of mathematical proofs, 27
- Equivalence relations, 227–236, 239–240
 modal conditions defining, 233
- Existential second-order Boolean queries, 106
- Fagin, Ronald, 106
- Feasible arithmetic, 41–43
- Feferman, Solomon, 64
- Field, Hartry, 268
- Finitary computing machine, 62, 72, 81, 83–84, 86–87, 90–91
- Finitary proof system, 39–40
- First incompleteness theorem, 11, 61
- Fodor, Jerry
 fridgeons, 285
 information unencapsulation, 247
 isotropy, 247–249
Modules, Frames, Fridgeons, Sleeping Dogs and the Music of the Spheres, 284
The Modularity of Mind, 192, 247
 version of frame problem, 273, 283–285, 293
- FRA (finite recursive approximation), 150–156
- Frame problem, 273, 283–287, 293
- Functionalism, 1–2, 5–10, 13, 16–18, 27, 29, 32, 35–36, 41, 44, 47, 58, 92, 93, 97, 115, 128, 145, 149, 171, 177–179, 181–183, 185, 197, 204, 211, 215–221, 251, 255, 265, 267, 276, 280, 281, 292, 296, 298, 299
 analytic, 6
 causal-theoretical, 6–7
 computational, 1, 6–10, 13, 16, 18, 27, 29, 41, 47, 92–93, 97, 115, 145, 149, 171, 177–179, 185, 197, 204, 211, 215, 217–221, 251, 255, 265, 267, 292, 296, 298
 scientific, 6
- Gale, David, 140
- General intelligence, 13, 22, 23, 30, 75, 190–193, 196, 223, 226, 243, 245, 247, 250–254, 262, 264–266, 274–275, 277, 278, 284, 291–293, 301
- Generality Constraint, 256, 268, 269, 272–275, 294, 295
- Gentzen, G., 39, 87
- Genuine computation, 116, 135–136, 143
- Gettier, Edmund, 68
- GLOBAL1, 293, 295–297
- GLOBAL2, 294–297
- GLOBAL3, 297–298
- God's algorithm for rational interpretation₂, 217, 221, 223, 235, 242, 249, 301
- Goodman, Nelson, 269, 281
 Grue problem, 252, 282, 285
 Ukuk the Eskimo problem, 282–285
- Gödel diagonal lemma, 60, 63, 65, 66, 70, 85
- Gödel-insusceptible method, 10–13, 28, 30–33, 36, 39, 47–57, 59, 66, 72–86, 88, 89, 91, 93–97, 153, 154, 181, 190, 198, 207, 211–214, 226, 241, 251, 253, 255, 256, 262, 264, 280, 285, 297, 299
- Gödel jumps, 54, 280
- Gödel, Kurt, Josiah Willard Gibbs
 Lecture by, 32
- Gödel susceptible, 11–13, 30–33, 35, 37–44, 46–49, 51–56, 59, 63, 65–67, 69–70, 72–81, 83–86, 88–91, 282
- Gödel-susceptible method, 48–49, 51, 54–56, 73–74
- Hayes, Patrick, 286
- Hinckfuss, Ian, 14

- Hughes, G. E., 234, 235
 Humanly surveyable, 52
 Human rationality totalism, 251
 Hybrid computation, 130
- Immunity argument, 199
 Implicit beliefs, 283, 284
 Inductive methods, 48, 72–75, 77, 78, 80, 214
 Inductive reasoning, 25, 28, 59–62, 64, 69, 73, 89, 192–193, 204–206, 212, 217, 269, 277, 278, 281–288, 291–293, 301
 Infection problem for stereotypes, 299
 Infinitary being, 217, 223, 303
 Infinite proof trees, 77, 80, 86
 Infinite regress, 110, 186
 Inscriptional shape, 171–172
 Intensional provability relations, 64
 Inter-boundary computational flows, 130
 Interval states, 139–142, 146, 149
 Intrinsic computational properties
 invariance of, 210, 232
 preservation of, 116, 125, 232
 Isomorphism of computational systems, 231
 Isomorphisms, 122, 127, 168, 230, 231
- Justified belief, 60, 62, 68, 69, 71, 73, 191, 291
- Kaplan, David, 62, 64
 Keenan, Edward, 209
 Kirkpatrick, Scott, 238
 KK thesis, 68
 Kolmogorov complexity, 16, 153–154
 Kreisel, Georg, 48
 Kripke, Saul, 164
 Kripke-Wittgenstein problem, 15, 96, 114, 116, 124, 131, 133–136
- Krom default theories, 297
 k-universal finite graphs, 236
- Lewis, David, 32
 Lindström, Per, 68
 Local computational reduction, 1–2, 18–19, 20, 25–27, 177, 179, 199, 213, 215, 217, 219–220, 224, 228, 236, 265, 274
 Logical consistency and spin glasses, 238
 Logicism, 27
 Lucas, John, 7–9, 29, 32, 36
 Löb's Theorem, 70
- Marr, David, 159
 Master program for the human mind, 156
 Mathematical certainty, 8, 10–13, 28, 30, 31, 33–35, 38–40, 42–57, 59, 66, 72–75, 77–78, 80–84, 86–94, 97, 99, 161, 162, 207–209, 211, 212, 280, 281, 292
 less than, 10–11, 13, 28, 30, 34–35, 38–40, 47–57, 59, 72–75, 77–78, 80–84, 86, 88–89, 91, 92, 94, 97, 207–209, 211–212, 280, 281
 Maximizing true beliefs, 192
 McCarthy, John, 286
 M-constraint, 282
 Metaphysical realism, 25–26, 93, 177, 187, 193, 195–197, 199–201, 204, 208, 211
 bivalence, 26, 195, 200, 204, 205
 correspondence, 25, 26, 96, 101–103, 168, 195–200, 205, 206, 208, 209
 independence, 26, 61, 200, 204, 205
 uniqueness, 26, 139, 195, 200–204
 MGM (metaphysical claims that are consequences of Gödel refutations of mechanism), 37, 38, 40, 44, 47–52, 54–57, 59, 74, 75, 77–82, 87, 91–94, 97

- Minsky, Marvin, 268
 Modal intuitionistic logic of
 computations, 205
 Modal Invariance, 232
 Montague's Intensional Logic, 71
 Montague, Richard, 62–64, 71
 Montague–Kaplan paradox of knower,
 60, 62
 Moore's Paradox, 67
 Mostowski, Andrez, 59
 Multirealization arguments
 against computational functionalism,
 1, 10, 13, 145, 149, 178–179, 215, 251
 against mind–body identity theories,
 1–5, 19

n-ary recursion theorem, 175–176
 Natural computation, 170
 Newtonian indeterminacy, 15, 140, 141,
 143, 146–148
 Non-Bohmian interpretation of
 quantum mechanics, 17, 172
 Non-monotonic logics, 204–205
 Non-reductive physicalism, 5
 Non-standard models, 67, 205, 208,
 211, 288
 Normative notion of rationality, 268,
 290, 296
 Noumenal reality, 25

 ω -consistency, 61
 Object types, 270
 One Ultimate Reality, 25
 Ordering assumption, 113, 116, 119–
 120
 Ordinary macroscopic open systems,
 129, 147, 148

 Panpsychism, 95, 176
 Papadimitriou, Christos, 297
 Paradox of justifies is Gödel susceptible,
 69ff.

 Paradox of Knower, 60
 Parikh, Rohit, 41
 Partitioning physical space, 119
 Peano arithmetic, 9, 10, 30–31, 39, 41–
 44, 60, 64–66, 85–89, 209, 210, 277–
 278, 290
 Penrose, Roger, 8, 32
 error, 31, 72
 Shadows of the Mind, 32
 Perceptual prototypes, 185, 300
 Permutation invariance, 210
 Permutation theorem, 209–211
 PGA (Putnam's use of second Gödel
 theorem in his argument that weak
 methods are Gödel susceptible), 59–
 60, 62, 64, 70–85, 88–89, 92–93, 99
 strengthened, 74–84, 88–89
 Phase space, 137–140, 142–144, 149
 Phenomenalism, 181, 225, 226
 Physical realization of computation
 relation, 117, 123
 Physical symbol shape, 169
 PHYSYS, 101, 112–113
 Poincaré recurrence theorem, 145
 Point of view of reason, 254–255, 273–
 274
 Point universe, 106–108
Principia Mathematica, 27, 63
 Principle of Continuity, 130–133, 137–
 139, 141–142, 145–149
 Principle of Noncyclical Behavior, 15,
 137–141, 143–148
 Prior probabilities, 213, 252
 Prior probability metric, 206, 217, 286,
 292
 Probabilistic computation, 89, 94
 Probabilistic logics, 50
 Probabilistic proofs, 28, 94
 Proof predicate, 62, 70, 85

 Quaddition, 289
 Quasi-definition, 301

- Quasi-reduction, 262–264
- Quine, W. V.
analytic-synthetic distinction, 22–23
indeterminacy-of-translation, 22
meaning-constituting and auxiliary beliefs, 19, 184, 186, 190, 194–195, 197
mechanical translation, 288
ontological relativity, 13, 23, 25, 30, 93, 177, 187, 193, 196–201, 205–206, 211, 226
radical Quinean meaning holism, 93, 189–191, 193–197, 199, 214, 278, 293
stimulus meaning, 187–188
Truth by Convention, 165
Two Dogmas of Empiricism, 226
views on synonymy, 189
- Ramified type theory, 63, 65
- Random graphs, 237
- RATINT-related, 227
- Rational interpretation, 13, 22, 23, 25, 26, 30, 75, 180, 186, 187, 190, 192, 193, 196, 197, 199–201, 206–208, 210, 211, 214, 215, 217–219, 221–223, 225–227, 233–235, 241–243, 252, 262, 266, 267, 278, 283, 292, 296, 302
equivocation on, 215, 266
- Rational interpretation₁, 24–25, 222, 224–226, 237–239, 242–245, 248–254, 256, 261–262, 264–269, 271–275, 277–281, 284, 286–301
algorithms for, 24, 252, 272, 274, 275, 277, 288, 289
- Rational interpretation₂, 222–225, 237–238, 242–244, 246, 256–257, 259, 261–262, 266–268, 274, 277, 280, 288–289, 301–303
algorithms for, 225, 244, 257, 259, 261–262, 301
- Reasonable reasoning, 13, 22–23, 30, 75, 190, 192–193, 196, 205, 223, 226, 243, 252–255, 262, 265–266, 273–275, 277, 284, 291–292, 301
- Recurring physical states, 113
- Recursion theorem, 173–176
- Reduction, 3–4, 18–19, 22, 25, 52, 54, 83, 177–180, 182, 198, 200, 212–215, 217, 219–222, 224, 228, 236, 246, 251–253, 262–264, 268, 272, 274, 294, 301
local, 4, 19, 25, 177–179, 213–215, 217, 220, 228, 236, 246, 272, 274
- Reductive proof theory, 52, 83
- Reinhardt, William, 42
- Remmel, Jeffrey, 231
- Revision/contraction functions, 286
- Robinson arithmetic, 63, 87
- Rosen, Eric, 236
- Rosen-Shelah-Weinstein Theorem, 237
- Ruritania, 193–195, 298–299
Grug, 194
- Sabourian, Hamid, 287
- Salmon, Nathan, 48
- Satisfiability of randomly generated Boolean expressions, 238, 239
- Satisfiability threshold, 238
- Scientific reduction, 3–4, 18, 200
- Scientism, 200, 208
- Scott, Dana, 205, 239
- Scrambled computational spaces, 120
- SCS (single computational state version of functionalism), 183, 185–189, 199, 212–214
- Searle, John, 14, 16, 103, 123, 157
on intrinsic properties or features, 121, 125
on metaphysics of computation, 17–18, 97, 157, 159–160, 163–166, 172–173

- on observer–relative properties or features, 157–169, 172
- Rediscovery of the Mind*, 157
- Second incompleteness theorem, 26, 33, 38, 46, 63
- Second law of thermodynamics, 122
- Sellars, Wilfrid, 181, 225, 226
- Selman, David, 238
- Shelah, Saharon, 236
- Sideri, Martha, 297
- Simultaneous multiple register
 - accessing, 295–296
- Solovay, Robert, 43
- Speed-up theorems, 53, 155
- Stabler, Edward, 14, 100
- Stalnaker, Robert, *The Problem of Logical Omniscience, I*, 283
- Step functions, 15, 150, 152–154
- Strong TRIV, 109–112
- Subjective probability metric, 185
- Supervenience, 107–108, 113–115, 117–118, 202
- Synonymy determination (SD), 21–24, 184, 186–194, 196–198, 201, 221, 223–225, 231, 241–243, 245, 249–251, 255–258, 261–262, 264–267, 275, 277–278, 299
- Tangled chains, 55
- Tarski, Alfred, 63
- Temporal counterfactuals, 121
- Theory totalism, 246–250, 256, 261, 264–265
- Thermodynamic phase transitions, 238
- Thomason, Richmond, 63, 65
- Three-dimensional network of possibilities, 55
- TOTALITY SCHEMATA, 302
- Trial-and-error predicates, 59
- TRIV, 101, 102, 104, 107–116, 118–120
- Trivial computation, 97, 103, 114–115, 129, 131, 133, 135, 143–144, 150
- Trivialist, 96, 97, 103, 104, 114, 118–119, 125, 134–136, 142–145, 157, 174, 175
- Triviality, 1–2, 13–17, 26–27, 95–100, 102–103, 118–120, 122–125, 127, 129–130, 133–137, 139, 144–145, 147–151, 157, 160
 - counterfactual objection to triviality arguments, 118–120, 148, 157
 - P-, 129, 135, 136, 139–140, 145, 148–151, 157
 - S-, 102–108, 110–114, 116, 118–121, 124, 126, 129, 133, 148, 150, 151, 154, 157
 - step-function, 15–16, 149–150
 - strong S-, 108, 113
- Triviality arguments, 13–15, 95, 97–99, 118
 - and Kripke-Wittgenstein problems, 15, 96, 99, 114, 116, 124, 130–131, 133–136
 - and skepticism, 98–99
- Triviality Lemma, 145, 147–149
- Triviality Theorem, 15, 26–27, 97–99, 129, 137, 139, 144–145, 148–149
- Truncated arithmetic, 43–44
- Truth conditions, 68, 253
- Truth-conditional semantics, 193
- Turing machines, 43, 48, 105, 110, 212, 221, 296
- Turing model of computation, 212
- Twin-Earth arguments, 298
- Ugly Duckling Arguments, 268–275, 279–280, 282, 286–287, 289, 291–294, 297–298, 303
- Ugly Duckling Theorem, 269–270
- Ultimate parts, 202–204
- Ultimate reality, 25, 201–204
- Unassailable belief, 65–66, 68
- Undecidable problem, 144

- Valuation function, 201
- Vico, Giambattista, 290
 - humanity of, 268
- Warranted assertibility, 84, 206, 252–254
 - idealized, 253–254
- Watanabe, Satosi, 270
- Weak method, 75, 78, 83–84, 86, 88
- Weinstein, Scott, 236
- Willard, Daniel, 32, 43–44
- Wittgenstein, Ludwig, 27, 34, 134