

Subject Index

- 006, 37, 62, 64–66, 71, 76, 209–212, 214–217
- acquisition problem, 39, 40, 43–45, 47–51, 53–57, 69, 90, 101, 117, 119–121, 130, 131, 144, 147–149, 151, 219, 224
- agent, 3–6, 199
- Agent-at-CSE, 214, 215
- allocation problem, 15–18, 39, 40, 42–44, 46, 53, 54, 60, 104, 105, 107, 134, 169, 219, 224, 225
- ALTA, 207, 208
- AMU, 113, 115
- application programmer interface (API), 17–19, 119
- arbitrage problem, 40, 45–48, 51, 92, 93
- arc-2k, 209, 210
- artificial intelligence, 3, 196, 201
- ASK, 12, 13, 50, 150
- Aster, 118, 120, 207, 208
- ATTac, x, 8, 22–28, 36, 40, 62, 64–68, 70, 74, 76, 117, 119–126, 130–134, 136–142, 145–148, 150, 153, 157, 160–163, 170, 179, 207–214
- ATTac-00, x, 25, 53, 117–123, 125, 134, 142, 170, 207, 209, 210
- ATTac-01, x, 54, 70, 74–76, 78, 101, 117, 119–121, 123, 125, 130–136, 139–142, 146, 170, 180, 199, 212, 219
- ATTac-02, 70, 75, 135, 136
- auction theory, 5, 82, 83, 152
- auctions, 1, 2, 5, 6, 9–13, 16–18, 22, 34, 35, 82–86, 88, 143, 150, 152, 153
- autonomous agents, 3, 8, 195, 199
- average marginal utility, 23, 101, 102, 117, 132, 133, 160–162, 219
- average scenario, 99–104, 106
- AverageMU, 65, 101–104, 106, 112–114, 124, 132, 133, 136–138, 161
- bang, 208–210
- BE, 113, 115
- BE*, 113, 115
- beat-the-quote rule, 12, 23, 36, 92, 133, 134, 150, 157
- BID, 12, 13, 50, 150
- bid determination problems, 34, 39, 40, 42, 43, 53, 59, 81, 158, 197
- bid monotonicity, 58, 59, 84, 87, 91, 93, 133, 222
- bid shading, 111, 153, 155, 170, 180, 185
- bid sniping, 2, 21, 159, 160
- bid timing, 18, 37, 60, 110, 115, 117, 144–148, 160, 167, 180, 198
- bidding cycle, 34, 35, 59–61, 81
- bidding heuristics, 32, 81, 88–94, 96–102, 104–106, 108–116, 138, 153, 163, 170, 198, 199
- bidding problem under uncertainty, 99
- bidding problem with known prices, 86
- BidEvaluator, 65, 104–106, 112, 114, 134, 199
- BidEvaluator*, 105, 106, 113
- bids, 9, 58, 59, 83–85
- BigRed, 211, 212
- boosting, 67, 126–129
- buyer priceline, 42–45, 55, 56, 85, 120, 132, 133
- Caisersose, 145, 179, 209, 210
- characterization theorem, 55–58, 60, 89, 91, 93, 95
- clairvoyance, 71, 86, 97
- Codex, 207, 208
- combinatorial auctions, 43, 82, 225
- competitive equilibrium, 66, 68–70, 74, 80, 110, 112, 117, 160
- complementary preferences, 33, 34, 38, 59, 61, 69, 89, 90, 133, 152
- completion problem, 36, 40, 45–47, 49–53, 57, 58, 60, 87, 88, 93, 95–97, 104, 105, 119, 219, 223
- continuous double auction (CDA), 12, 13, 37, 50, 143, 159, 160, 164
- control variates, 177–179, 206, 213, 216–218
- cost function, 44–46, 56, 73, 76, 86, 99, 100, 104, 107
- cuhk, 64, 65, 67, 74, 75, 211, 212, 215, 216
- CUP, 213, 214
- DAIHard, 207, 208
- decomposable value, 42, 44, 53, 69
- denial-of-service attack, 18, 19
- deterministic bidding problem, 86–88, 95–98, 100, 101, 112
- Dolphin, 215, 216
- double auction, 159
- dummy_buyer, 208–210
- e-Agent, 215, 216
- eBay, 1–3, 12, 21
- entertainment auctions, 12, 13, 37, 50, 85, 158–166
- entertainment value, 13, 14, 29, 158, 164
- EPFLAgent, 207, 208
- EPFLAgentas, 213, 214
- epsilon Nash equilibrium, 175, 176, 187, 189
- EVM, 100
- evolutionary search, 160, 171, 172
- expected value method, 99–101, 106
- expected value of perfect prediction, 72–79
- exposure problem, 33, 90, 151, 152, 193

- EZAgent, 207, 208
- feasible trip, 13–15, 38, 41, 97, 144
- first-price auction, 84, 85, 95
- flight auctions, 10–12, 37, 85, 143–148
- flight-lookahead, 141, 147
- free disposal, 41–43, 133
- Freud, 215, 216
- game, 6, 9–11
- game of incomplete information, 82
- game server, 15–19, 27, 39, 61, 109, 119
- game theory, 9, 82, 160, 169–175, 193, 196, 201
- GameMaster, 18, 19, 119, 198
- Gekko, 207, 208
- harami, 64, 67, 70, 71, 75, 207–212
- heuristic belief learning, 160, 167
- hierarchical game reduction, 173–176, 183
- HighBidder, 121–123
- holdings arbitrage, 50, 51, 92
- hotel auctions, 12, 22, 35–38, 85, 150, 152, 153, 155, 157, 158, 198
- hotel premium, 13, 14, 74, 154, 177, 178
- ideal arrival and departure dates, 13, 14, 153, 155
- independent value, 33, 89–91
- initial price prediction, 63, 66, 68–70, 79
- integer linear programming (ILP), 29, 54, 107, 117, 118, 120, 121, 219–225
- interdependent markets, 6, 33–36, 38, 39, 81, 82, 115, 116, 152, 158
- interim price prediction, 63–66, 79
- jboadw, 164, 209, 210
- kavayaH, 64, 66, 68, 70, 74–76, 135, 211, 212
- kin_agent, 215–217
- Kuis, 207, 208
- L-Agent, 216, 217
- last-moment hotel bidding, 20–22, 117–120, 123
- LearnAgents, 214–216
- Leprechaun, 213, 214
- linear prices, 43, 44, 52, 69, 76, 83, 84, 119, 131, 150, 153, 219, 222
- livingagents, 23–27, 37, 62, 64, 66, 71, 134, 135, 137, 139, 145, 165, 170, 179, 181, 208–212
- LowBidder, 121–123
- LP relaxation, 54, 121, 133, 148, 161, 219
- machine learning, 7, 64, 67, 68, 75, 80, 117, 120, 123–130, 134–136, 141, 142, 164–166, 170, 180
- marginal cost, 42, 51
- marginal revenue, 42, 51
- marginal value, 21, 33, 34, 38, 39, 54–60, 89–97, 100–102, 105, 106, 108, 112, 113, 116, 118, 121, 133, 148, 153, 154, 156, 158, 164, 165, 219
- market, 1–7, 9–11
- market game, 9, 15, 28, 109, 196
- market prices, 42, 82
- Mertacor, 31, 145, 215–217
- Michigan Internet AuctionBot, 17, 18
- MISS, 213, 214
- Monte Carlo simulation, 99, 109, 146, 156, 188, 193
- multiagent systems, 4, 5, 9, 117, 123, 170, 171, 195, 196
- multiunit auctions, 12, 43, 58, 59, 111, 152
- Nash equilibrium, 170, 172, 175, 176, 183–189, 191, 192
- neural networks, 68, 76, 181
- Nidsia, 207, 208
- NNN, 212–215
- no arbitrage, 50, 51
- normal-form game, 174
- one-shot auctions, 83, 86, 109, 167
- opportunity costs, 47, 48, 51–53
- order book, 12, 13, 85, 160
- package, 13, 21, 39, 41–45, 151
- PackaTAC, 64, 71, 211–214
- PainInNEC, 209–212
- payment rule, 84, 85
- payoff function, 173–175, 182, 186, 188
- perfect competition, 68, 83, 131
- permutation, 47
- polimi_bot, 62, 209, 210
- posted-price mechanism, 10, 37, 85, 143, 144
- price prediction, 7, 36, 42, 50, 60–83, 86, 88, 110, 112, 113, 116, 118, 119, 123–126, 130, 131, 136–140, 150, 152, 153, 167
- price quotes, 12, 13, 16, 17, 21, 35, 65, 144, 150, 159
- price taker, 68, 83
- priceline, 42–47, 50–53, 55, 65, 66, 76, 83–85, 120, 131, 182
- prisoner's dilemma, 171, 195
- projected holdings, 36, 38, 133

- pseudo-auction, 82–84, 86, 144
 pure-strategy Nash equilibrium, 175, 185, 186, 189, 192
 quiescent, 150, 152
 recourse, 107, 203
 reduced game, 173–176, 182–184
 reinforcement learning, 164, 165, 181
 replicator dynamics, 171, 189
 reservation value, 25, 38, 54
 Retsina, 62, 209, 210
 revenue function, 45, 46, 86, 99, 100, 104, 107
 RiskPro, 120, 207, 208
 RoboCup, 20, 196
 rock/paper/scissors, 195
 RoxyBot, x, 7, 8, 31, 32, 40, 53, 62, 64, 65, 71, 94, 118, 120, 146, 150, 163, 167, 207–218
 RoxyBot-00, 31, 32, 47, 51, 91, 94, 103, 104, 115, 119, 120, 131, 219
 RoxyBot-01, 104
 RoxyBot-02, 64, 65, 103, 104, 199, 219
 RoxyBot-06, 32, 65, 106–108, 112, 116, 158, 219

 SAA, 106–108, 110, 112–115, 143
 SAA*, 32, 108, 112, 113, 115
 sacrificial collusion, 19
 sample average approximation, 106, 108, 109, 116, 219–222
 Santa Fe Double Auction Tournament, 6, 20, 21, 159, 160, 195
 scenario, 99–101, 104–108, 147, 220, 221
 sealed-bid auctions, 5, 21, 85
 second-price auction, 85, 86, 92, 94, 109, 111, 144
 seller priceline, 42, 43, 45
 sequential auctions, 86
 Shanties, 12
 Shoreline Shanties, 12
 simultaneous ascending auctions, 12, 143, 150–152, 193
 simultaneous auctions, 34, 86, 108, 152, 153
 skyrocketing hotel prices, 21–23, 25, 37, 38, 117, 118, 139
 smacAgent, 214, 215
 SMU, 106, 113, 115
 social welfare, 28
 SouthamptonTAC, 27, 31, 62, 64, 67, 70, 71, 74, 135, 170, 208–212
 stochastic bidding problem, 99, 100
 straightforward bidding, 137, 151, 152, 167
 StraightMU, 65, 101–106, 112–114, 136–138
 StraightMV, 92–94, 96–98, 101, 110, 156, 180, 185
 strategic interactions, 113, 116, 150, 152, 169–174, 192, 193
 strategy parameters, 27, 112, 113, 141, 147, 149, 160, 163, 169, 179–182
 strategy profile, 169, 172–176, 182–189
 strategy space, 160, 174, 179, 180, 189
 substitutable preferences, 33, 34, 38, 89, 90, 151
 sunk costs, 21, 33, 51, 52, 152
 supervised learning, 124, 126
 surplus, 40, 44, 45, 73, 74, 99
 Swedish Institute of Computer Science, x, 18, 207, 209–215, 217
 symmetric game, 173–175, 187–189

 T1, 207, 208
 tâtonnement, 69, 110
 TAC agents, 6, 9
 TAC clients, 9, 10
 TAC seller, 10, 12, 16
 TAC Supply Chain Management, 28, 193, 196, 201
 TACAir, 10, 30, 144, 145
 Tacsman, 62, 145, 209, 210
 Tampa Towers, 12
 target holdings, 36, 37
 TargetBidder, 94–98, 113
 TargetMU, 100, 104–106, 112, 115
 TargetMU*, 100, 105, 106, 112, 113
 TargetMV, 94–98, 100, 105, 110–112, 170
 TargetMV*, 94, 96–98, 100, 105, 110–112, 170
 TargetPrice, 94, 96–98, 110, 151, 152
 TeamHarmony, 213–215
 Thalís, 28, 64, 211–214
 TMU, 113, 115
 TMU*, 113, 115
 tniTac, 63, 211–214
 TOMAhack, 64, 211, 212
 Towers, 12
 trading agents, 3–5
 transactional arbitrage, 51, 92
 trip value, 13, 14, 73, 110, 111, 140
 trips, 13, 14, 41, 42, 73
 tvad, 211, 212

 UATrader, 207, 208
 umbtac, 28, 64, 67, 70, 71, 74, 207–214
 UMTac, 214, 215
 unified pricelines, 47–49, 51, 52, 120
 uniform price, 12, 58, 84, 131
 unit price, 43

- Urlaub01, 62, 145, 209, 210
- utility, 10, 100
- UTTA, 217
- UUTac, 214, 215

- value function, 10, 14, 38, 42–44
- value of perfect prediction, 72–74
- visualization, 23

- Walrasian equilibrium, 68
- Walv-constF, 76
- Walv-no-cdata, 76
- Walverine, xi, 8, 31, 36, 64–66, 68–70, 74–79, 92, 110, 112, 117, 134, 135, 145, 147–150, 153, 155–159, 164–166, 169, 170, 172, 178–183, 192, 193, 201, 211–217
- Walverine const, 71, 77
- Walverine-02, 164, 166
- Walverine-04, 183
- Walverine-05, 183, 191, 193
- WhiteBear, 27, 28, 30, 31, 64, 65, 70, 71, 145, 166, 171, 179, 181, 183, 208–216
- WhiteDolphin, 216, 217
- winner determination, 43, 84, 225

- zepp, 63, 212–215
- zero intelligence, 159, 160
- zero intelligence plus, 160, 163, 167