

Service-Oriented Computing

edited by Dimitrios Georgakopoulos and Michael P. Papazoglou

**The MIT Press
Cambridge, Massachusetts
London, England**

© 2009 Massachusetts Institute of Technology

All rights reserved. No part of this book may be reproduced in any form by any electronic or mechanical means (including photocopying, recording, or information storage and retrieval) without permission in writing from the publisher.

For information about special quantity discounts, please e-mail special_sales@mitpress.mit.edu

This book was set in Times Roman by SNP Best-set Typesetter Ltd., Hong Kong.
Printed and bound in the United States of America.

Library of Congress Cataloging-in-Publication Data

Service-oriented computing / edited by Dimitrios Georgakopoulos and Michael P. Papazoglou.

p. cm.—(Cooperative information systems)

Includes bibliographical references and index.

ISBN 978-0-262-07296-0 (hardcover : alk. paper) I. Web services. I. Georgakopoulos, Dimitrios. II. Papazoglou, M., 1953—

TK5105.88813.S45 2009

006.7'6—dc22

2007039722

10 9 8 7 6 5 4 3 2 1

Index

- Abstract service. *See* Service, abstract
- ACID transactions, 229, 230–233, 249, 252, 254
- Administrative domain, 164
- Application integration, 13

- BPEL, 95, 230, 249, 331, 333, 345–351
- Brokering, 96, 103
- BTP (Business Transactions Protocol), 95, 235–243
- BTP atoms and cohesions, 236–237
- BTP optimizations, 240–242
- Bundle, 338
- Business model, 334, 351
- Business process. *See* Process
- Business process model, 254–255
- Business process outsourcing, 83
- Business Process Web Service (BP-WS), 97
 - black-box, 98
 - glass-box, 99
 - half-open, 99
 - open-box, 100
- Business protocols, 29, 31, 35–36

- Channel adaptation, 361–363
- Choreography, 116, 135
- Code generation, 36
- Compensating transactions, 230, 233–235
- Composite service. *See* Service, composition
- Conceptual modeling for Web service development and life cycle management, 29–49
- Concrete service. *See* Service, concrete
- Configuration of Web Services infrastructure, 151
- Conformance, 17
- Contract-first development, 70
- Conversation, 68
- Coordination, 18
 - transactional (*see* Transaction)
- Coupling, 68
- CrossFlow, 89, 91, 94

- Decomposition, 333, 342
- DIBPM, 85
 - architecture, 104–105

- Dynamic discovery, 34
- Dynamic service provisioning, 19

- E3-value, 340
- EAI, 78
- EDA, 8
- End-to-end quality. *See* QOE
- Enterprise Service Bus. *See* ESB
- ESB, 5–8, 78
 - capabilities, 11–15
 - content based-routing, 14
 - endpoint discovery, 12
 - dynamic connectivity, 11
 - integration, 12
 - long-running process, 14
 - long-running transaction, 14
 - management, 15
 - message transformation, 13
 - monitoring, 15
 - reliable messaging, 13
 - scalability, 15
 - security, 14
 - service communication, 11
- E-Service. *See* Service
- Event-Driven Architecture. *See* EDA
- Extensible QoS model. *See* QoS,
 - extensible
- Extensibility, 20

- Heterogeneity, 111
 - data, 112
 - process, 112
 - protocol, 112

- Information integration, 13
- Integration, 111, 1
- Interorganization Business Process (IBP), 87
 - dynamic IBP, 92

- Long-running activities, 252–254
- Loose coupling, 52

- Mapping, 114
 - rules, 130–135
- Match, 137–138
- Mediation, 23, 111–146
 - architecture, 111
 - data, 23, 117–120, 141–144
 - design-time, 113, 142–143
 - mediator, 113
 - algorithm, 138
 - process, 23, 113, 120–122, 144–146
 - requirements, 114
 - rules, 116
 - runtime, 113, 143–144
 - specification, 113
 - system, 111, 113–116, 123
- Message, 51, 65
 - dispatch, 68
 - example, 71, 74
 - layer, 57
 - routing, 60
- Message exchange patterns, 51, 54
- Message-oriented, 51, 64, 65, 75
 - approach, 65
 - architecture, 22, 51, 61
 - contracts, 72–75
 - middleware, 6, 78
 - services, 51, 68
- MEST, 57
 - ProcessMessage, 53
- Metadata, 17, 60
- Mismatch, 137–138
- MOM, 7
- Multichannel information systems, 353
- Object-oriented, 76
 - development approach, 298, 326
 - service, 76
- Ontology, 175
 - Mapping Tool, 142
- Open-top coordination, 236
- Penalty rate, 185, 187, 188, 189, 191, 193, 194, 195
- Policy, 54, 56
 - binding, 158
 - compliance, 18
 - coordination, 274
 - enforcement, 165
 - matchmaking, 281, 282–283
 - mediation, 281, 282–283
 - middleware, 281, 283–284
 - transactional, 272
- Portal-based integration, 13
- Process, 302
 - activities, 302
 - adaptation, 361, 366–367
 - business, 331–334, 340–344, 349–350
 - control, 302
 - data, 302
 - equivalence, 137–138
 - framework, three-level, 86
 - model, 86, 254
 - BPEL (*see* BPEL)
 - UML, 48
 - viewpoint, 332–334, 341, 349, 350
- Process integration, 13
- Protocol, 53
- Protocol analysis, 33, 44–47
 - compatibility analysis, 33, 44–47
 - compliance analysis, 33, 44–47
 - consistency analysis, 33, 44–47
 - replaceability analysis, 33, 44–47
- Protocol and policy enforcement, 33, 43–44
 - controllers, 43–44
- QoE, 356, 359, 362
- QoS, 61, 92, 158, 356
 - computation, 183, 185, 187, 189, 191, 192, 193, 194, 195, 196, 197
 - configurable, 183
 - extensible, 184, 185, 186, 196, 197
 - metrics, 186, 196, 197
 - quality criteria, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 195, 196, 197
 - generic, 186
 - registry, 185, 187, 189, 191, 192, 193, 194, 197
- Quality of experience. *See* QoE
- Quality of service. *See* QoS
- Reference models, 17
- Reliable messaging, 59–61, 158–159, 260, 265–266
- Requirement, 331–339, 341, 343, 345, 347, 349–352
- Requirements engineering, 331–337, 339, 341, 343, 345, 347, 349, 351, 352
- Resource Description Format, 172
- Scalability, 20, 51, 52
- Security
 - automatic configuration, 177
 - transparent support, 163
- Semantics
 - configuration of services, 171–174
 - Semantic Web, 173
- Semantic Web Service Mediation, 139–146
- Service, 51, 331–334, 339–341, 343, 344, 349, 352, 353
 - abstraction, 29–32, 35–40, 355, 365
 - object-oriented, 76 (*see also* Object-oriented)
 - adaptation, 354, 363–366
 - aggregator, 4
 - architecture. *See* SOA
 - auditing, 19
 - autonomy, 54, 55
 - boundaries, 54, 55
 - broker, 4
 - compensation rate, 187, 188, 193, 194
 - composition, 31–32, 39–40, 151, 295
 - concrete, 365

- deployment, 7
- deterministic 191, 192, 193
- enablement, 7
- event-driven, 51, 77
- execution
 - duration, 184, 185, 186, 188, 189, 192, 193
 - price, 183, 184, 185, 186, 187, 191
- feedback, 184, 185, 186, 191, 192, 193, 195, 196, 197
- implementation, 53, 56, 57
- matchmaking, 175
- mediation (*see* Mediation)
- Modeling Ontology (WSMO), 115–116
- monitoring, 17, 19, 184, 185, 186, 191, 192, 195, 196, 197
- nondeterministic, 191, 193
- normalization, 187, 188, 189
- ontology, 115–116
- orchestration, 7
- policing, 183, 184, 185
- policy (*see* Policy)
- provider, 3
- quality (*see* QoS)
- refinement, 34
- reputation, 183, 184, 185, 186, 188, 190, 192, 193, 196, 197
- requester, 3
- roles, 3–5
- schema and contract, 54, 56
- selection, 186
- self-describing, 183
- similarity, 364
- state, 66, 67, 70
- substitution, 363
- troubleshooting, 19
- trust negotiation policy, 30, 36–39
- Service community, 40
- Service component, 296, 302
 - application, 314–323 (*see also* Service component application)
 - composition logic, 303–306 (*see also* Service component composition logic)
 - definition, 307–310 (*see also* Service component definition)
 - port types, 303, 309
 - providers, 303, 310
 - reuse, 310–313 (*see also* Service component reuse)
- Service component application, 314–323
 - development, 314–315 (*see also* Service component development)
 - implementation, 317–323 (*see also* Service component implementation)
 - management, 315–316 (*see also* Service component management)
- Service component composition logic, 303–306
 - composition type, 303–306
 - message dependency, 303, 306
- Service component definition, 307–310
 - construction construct, 308, 309
 - definition construct, 308, 309
 - port type construct, 309
- Service component development, 314–315
 - from existing web services, 314
 - from scratch, 314, 315
- Service component implementation, 317–323
 - life cycle, 318–323
 - ServiceCom, 317, 319, 321, 322, 325
 - service composition specification language, 317
- Service component management, 315–316
 - via the service component class library, 316
 - via the service component class repository, 316
- Service component reuse, 310–313
 - in construction construct, 311, 312
 - in definition construct, 310, 311
 - of other service components, 313, 314
 - in port type construct, 312, 313
- Service composition life cycle, 318–323
 - definition phase, 318–319
 - construction phase, 320
 - execution phase, 320–323
 - scheduling phase, 319
- Service development and life cycle management, 29–49
 - compliance enforcement, 33, 43–44
 - model-driven methodology, 32–43
 - model management operators, 33, 44–47
- Service execution environment, 140–141
- Service Level Agreement. *See* SLA
- Service lifecycle management, 19
- Service middleware, 192, 195, 197, 198
- Services coordination and transactions, 243–250
- Services transactions comparisons, 255
- SLA, 19, 96
- SOA, 1, 58, 63
 - three-tier, 57
- SOAP, 52, 183, 191
 - handlers, 62
 - headers, 59
 - RPC, 52
 - as RPC mechanism, 64, 75
- Software reuse, 298–301
 - in component-based development, 299
 - at different levels, 298
 - through inheritance, 298, 299, 301
 - in object-oriented development, 298
 - in service composition, 299–301
 - through subtyping, 298
- Transaction, 90
 - atomic (*see* ACID transactions)
 - business activities, 286
 - business domains, 254
 - coordinator, 232, 266
 - declarative, 286–287
 - middleware (*see* Transaction processing system)
 - process, 90, 272–274
 - processing system, 241
 - scopes, 248

- Transaction (cont.)
 - support, 187
 - styles, 261–263
 - direct transaction processing, 261–262
 - queued transaction processing, 262–263
 - synchronization, 233, 247
 - workflows (*see* Transaction process)
- Transactional (*see* Transaction)
- Transport
 - communication styles, 156
 - independence, 153
- Transport protocol, 60, 62
 - message exchange patterns, 156
- Trust negotiation, 36
 - middleware, 43
 - policy, 37–39
- Two-phase commit, 232, 247. *See also* Open-top coordination

- UML activity diagram, 344, 345
- Use case maps, 340, 351

- Viewpoints, 332–334, 338, 349–351

- Web Ontology Language (OWL), 172
- Web Service. *See* Service
- Web Services Composite Application Framework. *See* WS-CAF
- Web Services Gateway Model
 - comparisons, 167
 - definition, 164–167
 - example, 168
- Web Services Transaction Management. *See* WS-CAF
- WISE, 93
- WS-*, 58, 59
- WS-Agreement, 96, 102
- WS-Atomic Transaction, 245–248
- WS-BPEL. *See* BPEL
- WS-Business Activity, 248–250
- WS-CAF, 250–255
- WS-CDL, 230
- WS-Context, 251
- WS-Coordination, 243–245
- WS-Coordination Framework, 251
- WSDL, 52, 183, 191, 333, 345, 346, 348, 349, 351
 - contract, 72–73
- WS-Policy, 12, 31, 104, 268 (*see also* Policy)
 - specifications, 33
- WS-Transaction, 95–96

- xSOA, 15
- X-transaction, 94