

Index

- Acquired immunodeficiency syndrome (AIDS)
 bisexuality and, 725–726
 homosexuality and, 713–728
- Addison, Thomas, 795
- Adler, Norman, 812
- Adrenal cortex, 63–64
- Adrenocorticotrophic hormone (ACTH), 60, 64, 71
- Ahmed, S. F., 3–4, 145–154
- Alavi, Abass, 559–560
- Alexander M., 347–357
- Allee, W. C., 801
- Allen, Edgar, 793, 797, 799, 811
- Allen, Jamie M. C., 191–197
- Allen, Laura S., 536, 623–631, 662
 bed nucleus of the stria terminalis and, 299–309
 corpus callosum and, 633–644
 sexually dimorphic cell groups and, 327–337
 sexual orientation and, 725–729
- Allen, Willard, 808
- Alpha-fetoprotein, 109–110
- Alzheimer's disease (AD), 400
- Amygdala, 279
- Analysis of variance (ANOVA), 327
 androgens and, 655–656
 anterior commissure and, 726–727
 chromosome effects and, 492
 corpus callosum and, 614
 ERbeta receptors and, 422, 647–648
 language and, 591
 posterior temporal cortex and, 583
 preoptic area and 312–314, 316, 340
 visual tasks and, 597, 599
- Anatomy of cycling
 human stria terminalis and, 299–307
 neonatal androgen and, 279–294
 rodent preoptic area and, 279–294
- Anatomy of difference
 interstitial nuclei of the anterior hypothalamus (INAH) and, 328, 331–336
 rodent preoptic area, 311–318
 sexually dimorphic cell groups and, 321–324, 327–336
- Anderson, E. E., 810
- Anderson, Paul J., 609–621
- Androgenital syndrome (CAH), 34
- Androgen insensitivity syndrome (AIS), 534, 661–662
 biochemical investigations and, 146–147
 cognitive abilities and, 555–560
 complete (CAIS), 145–153, 669–678
 early gonadectomy and, 150–151
 genotype/phenotype correlation and, 681–686
 gonadal position and, 146
 masculinization and, 147, 149, 151–152, 681
 micropenis and, 669–678
 mutational analysis and, 147–149
 partial (PAIS), 145–153, 669–678, 681–686
 sex of rearing and, 147
 spatial learning and, 653–658
- Androgens, 1–4, 8, 399, 533–534
 aromatization hypothesis and, 107–109
 canine spinal cord and, 273–276
 congenital adrenal hyperplasia and, 665–668
 dihydrotestosterone and, 403–406
 flutamide and, 265–271
 gestation periods and, 16
 human spinal cord and, 273–276
 lesions and, 23–25
 neonatal, 231–238
 preoptic area and, 279–294
 pseudohermaphroditism and, 141–144
 receptor binding and, 145–152
 rodents and, 15–25, 231–238, 279–294, 653–658
 serotonin-immunoreactive fibers and, 379–384
 song birds and, 253
 spatial learning and, 653–658
- Androst-1,4,6-triene-3,17-dione (ATD), 235–238
- Androstenediol, 4
- Angier, Natalie, 5
- “Animal Behavior and Internal Drives” (Richter), 809
- Animal Behavior: A Synthesis of Ethology and Comparative Psychology* (Hinde), 802
- Anterior commissure
 dimorphism and, 623–629
 sexual orientation and, 725–729
- Anteroventral periventricular nucleus, 367
- Antisense oligonucleotides, 191–196
- Aou, S., 359–361
- Apes. *See* Primates, nonhuman
- Aphasia, 570–572
- Apostolakis, Ede M., 199–205
- Apraxia, 570–572
- Arai, Yasumasu, 72
- Arendash, Gary W., 339–346
- Arnold, Arthur P., 489–500
 flutamide and, 265–272
 motor nucleus and, 261–264
 vocal control areas and, 247–249
- Arnold, Steven T., 559–560
- Aromatase, 4
 estrogen biosynthesis and, 163, 165–168
 masculinization and, 168
 neonatal androgens and, 235–238
- Aromatization hypothesis, 107–109
 pheromones and, 731–738
 spatial learning and, 653, 657
- Aronson, L. R., 802, 808, 812
- Aschner, Bernard, 803–804
- Auger, Catherine J., 489–500
- Autoradiography
 basal forebrain and, 451–452
 hypothalamus and, 416–417
 mapping and, 411
 nerve growth factor receptors and, 451–452
 preoptic area and, 416–417
 quantitative analysis and, 411

- Autoradiography (cont.)
 rodent cerebral cortex and, 409–418
 steroids and, 451–452
 Autosuggestion, 796
 Avery, G. T., 810
- Bagnara, J. T., 793, 796–797, 799
 Ball, Josephine, 808–810
 Band of Broca, 389, 451
 Bard, Philip, 803, 808
 Barker, R. G., 810
 Barraclough, C. A., 804, 806
 Barry, William James, 157
 Basal forebrain
 autoradiography and, 451–452
 estrogens and, 451–456
 nerve growth factor receptors and, 451–456
 Bayliss, William, 797
 Beach, Frank A., 1–2, 6, 401
 masculine copulatory behavior and, 45–57
 modern hormone research and, 791–819
 rodent mating behavior and, 41–43
 Beattie, J., 78
 Bed nucleus of the stria terminalis (BNST)
 band of Broca and, 389
 brain size and, 304–305
 functions of, 306
 humans and, 299–307
 rodents and, 299, 305
 SOM neurons and, 783–788
 transsexuality and, 775–778, 781–789
 vasopressin and, 389–391
 Beeman, E., 801
 Behan, Peter, 534, 549–553
 Behavior
 aggression and, 20, 30
 antisense oligonucleotides and, 191–196
 aromatase activity and, 163, 165–168
 birds and, 25–28
 body weight regulation and, 21–22, 24–25
 canine spinal cords and, 273–276
 castration and, 10, 18–23, 54–55, 252–253, 423, 471–474, 697, 794–795, 806
 cerebral cortical lesions and, 537–540
 cerebral glucose metabolism and, 561–565
 chromosome effects and, 489–498
 cognitive and, 646 (*see also* Cognition)
 congenital adrenal hyperplasia and, 665–668
 copulatory, 45–57, 339–345
 courtship displays and, 27–28
 dominance/submission and, 33
 electrical stimulation and, 347–356
 endocrine system and, 3, 65, 791–816
 escape, 647–649
 estradiol mediation and, 477–483
 feeding and, 21–22
 fitness predictors and, 28
 group, 29–31
 historical perspective on research of, 791–819
 homosexual, 662–663, 713–738
 hormones and, 1–2, 223–229, 490 (*see also* Hormones)
 humans and, 33–35, 273–276 (*see also* Humans)
 learning and, 22–23
 lesion responses and, 23–25 (*see also* Lesions)
 masturbation and, 691–693
 medial preoptic-anterior hypothalamus and, 689–698
 morphogenesis and, 7–9
 motherhood and, 507–515
 nature/nurture relationship and, 501–505
 nest building and, 26–27
 nonhuman primates and, 28–33 (*see also* Primates, nonhuman)
 nonreproductive, 18–25
 nursing, 517–529
 open-field activity and, 18, 20
 organizational hypothesis and, 3, 5–12
 perinatal manipulation and, 17–18, 215–222
 preoptic area and, 359–361 (*see also* Preoptic area (POA))
 psychosexuality and, 739–759
 restrained subjects and, 348
 rodents and, 15–25 (*see also* Rodents)
 serotonin-immunoreactive fibers and, 363–375, 379–384
 sexually dimorphic nucleus and, 339–345
 singing and, 26
 social play and, 231–238, 490–491, 494
 spinal nucleus of bulbocavernosus (SNB) and, 261–271
 statistical tests and, 492
 taste preferences and, 21
 territorial displays and, 25–26
 testosterone propionate (TP) and, 15–18, 215–222
 testosterone radioimmunoassay and, 491
 tomboys and, 665–668
 Type I, 9–10
 Type II, 10
 Type III, 10
 vasopressin and, 385–393
 Behavioral therapy, 758–759
 Bentham, Wayne D. L., 451–456
 Berglund, Hans, 731–738
 Bermant, Gordon, 812
 Bernard, Claude, 72–73, 795–796
 Bérød-Hartman method, 363
 Berta, Philippe, 117–123
 Berthold, A. A., 794–795
 Beyer, Cordian, 401, 485–488
 Bignami, Giorgio, 812
Biological Determinants of Sexual Behavior (Hutchison), 802
 Biopower, 160
 Birds, 794, 800–802, 816
 androgen levels and, 253
 central nervous system (CNS) dimorphisms and, 241–242, 247–249
 courtship displays and, 27–28
 forebrain nucleus lesions and, 257–259
 FSH release and, 25
 hormone treatment and, 251
 HVc volume and, 252–253, 257–259
 morphologic sexual differentiation and, 111
 nest building and, 26–27
 RA volume and, 252–253
 song, 26, 247–249, 251–255, 257–259
 spacing behaviors and, 25
 territorial displays and, 25–26
 tissue treatment and, 251–252
 vocal control and, 251–255
 Bisexuality, 9, 725–726
 Bissonnette, T. H., 801, 808, 815
 Blaustein, Jeffrey D., 191–197
 Bodo, Cristian, 421–426
 Body weight regulation, 21–22, 24–25
 Bonferroni multiple comparison tests, 422
 Boyd, Jeff, 207–214
 Breedlove, S. Marc, 261–277
 Brenowitz, Eliot A., 257–259
 Bridges, R. S., 507
 Bromiley, R. B., 803
 Bronen, Richard A., 591–594
 Brookhart, J. M., 803
 Brown, Laura G., 137–140
 Brown, Theodore J., 451–456
 Brown-Séquard, Charles Edward, 796
 Bryden, M. Philip, 555–560
 Buijs, R. M., 385–397
 Bullmore, Edward T., 595–600
 Bullough, W. C., 801–802
 Burgoyne, Paul S., 489–500
- CA1 region, 401, 477–483
 Campbell, H. J., 93–101
 Canine spinal cord, 273–276

- Cannon, Walter, 800, 803, 808
 Carpenter, C. R., 808, 810–811
 Castration, 10, 18, 20, 794–795, 806
 dihydroxytryptamine and, 471–474
 estrogens and, 423
 HVC volume and, 252–253
 learning and, 22–23
 medial preoptic-anterior hypothalamus and, 697
 ovariectomized female rodents and, 54–55
 Cattle, 95–97
 Caveolar-like domains (CLMs)
 estrogens and, 427–438
 ischemic brain injury and, 427–438
 phosphorylation and, 429
 preparation for, 429
 Ceni, C., 801
 Central nervous system (CNS), 803–806, 812, 815
 adrenal cortex and, 63–64
 anatomy of difference and, 243–244
 androgen insensitivity syndrome (AIS) and, 555–560
 anti-androgen flutamide and, 265–271
 aromatization hypothesis and, 107–109
 behavioral chromosome effects and, 489–498
 canine spinal cord and, 273–276
 developing neuromuscular system and, 265–271
 developmental sensitivity periods and, 105–106
 estradiol mediation and, 477–483
 gonadal hormone secretions and, 103–107
 human spinal cord and, 273–276
 ischemic brain injury and, 427–438
 left-handedness and, 549–553
 lesions and, 573 (*see also* Lesions)
 magnocellular system and, 507–515
 mammalian spinal cord and, 242–243
 nature/nurture relationship and, 501–505
 neurotransmitter systems and, 245–246
 nursing and, 517–529
 ovulation induction and, 77–89
 ovulatory signal and, 70–72
 physiological correlates and, 244–245
 pituitary gland and, 60–62
 plasticity and, 477–483
 portal vessels and, 61–63
 preoptic area (POA) and, 69–70, 261
 rodent spinal cord and, 261–263
 sexual differentiation and, 68–69, 103–113
 song birds and, 241–242, 247–249, 251–255
 spinal nucleus of bulbocavernosus (SNB) and, 261–21
 vocal control and, 251–255
 Chai, Yee M., 633–64
 Charlton, Harry, 71
 Cheng, A., 145–154
 Children
 biological models and, 751–755
 parental identifications and, 757–758
 psychosexuality and, 739–759
 psychosocial models and, 755–759
 role play and, 739
 social reinforcement and, 755–757
 Chi-square tests, 349
 Cholesterol, 4, 430, 433–434
 Cholinergic neurons, 451–456
 Chromatin structure, 185–186
 Chromosomes, 3–4, 401, 534
 androgen insensitivity syndrome (AIS) and, 145–152
 central nervous system (CNS) and, 241
 dysphoria and, 669–678
 hermaphrodites and, 141–144, 157–161
 HMG box and, 125–129
 mammalian sexual differentiation and, 125–133
 protein encoding and, 117–123
 pY53.3 conservation and, 119–122
 terminal exchanges and, 137–140
 testicular feminization and, 155–156
 testis-determining factor (TDF) and, 117–119
 Y-unique sequences and, 119–121
Cis-acting elements, 177–179
 Clark, Ann S., 163–169
 Clark, James H., 191–197, 199–205
 Clemens, Lynwood, 812
 Cognition
 age and, 569–570
 aphasia and, 570–572
 apraxia and, 570–572
 cerebral cortical lesions and, 537–540
 cerebral glucose metabolism and, 561–565
 corpus callosum and, 601–602, 605–607, 609–618, 633–642
 developmental learning disorder and, 549–553
 ERbeta receptors and, 645–651
 freedom from distractibility (FD) and, 556
 Full Scale Intelligence Quotient (FIQ) and, 556
 hemispheric specialization and, 535–536, 541–546, 567–574
 hypogonadotrophic hypogonadism and, 559–560
 language and, 535, 591–594
 left-handedness and, 549–553
 perceptual organization (PO) and, 556
 Performance Intelligence Quotient (PIQ) and, 546, 556
 praxic functions and, 567–574
 psychosexuality and, 740–741
 Scholastic Aptitude Test and, 559
 spatial learning and, 559–560, 645–651, 653–658
 unilateral brain damage and, 545–546
 Verbal Intelligence Quotient (VIQ) and, 546, 556
 verbal skills and, 546, 556, 561–565, 567–574
 visual tasks and, 595–599
 water mazes and, 646, 649, 654–656, 658
 Wechsler Intelligence Scale and, 555–556, 559
 Cognitive factorial clusters assessment, 556
 Cohen, Robert M., 207–214
 Collias, N., 794, 801, 810
 Colocalization and, 455
 Columbia Obstruction Apparatus, 811
 Complete androgen insensitivity syndrome (CAIS)
 gender dysphoria and, 669–678
 mutational analysis and, 145–153
 Congenital adrenal hyperplasia, 665–668, 752–753
 Connolly, E. Sander, Jr., 427–440
 Constable, R. Todd, 591–594
 Contemporary Era, 792
 Cooper, M., 802
 Corner, George, 799, 808
 Corpus callosum, 623
 aging effects on, 637–639
 axon differences and, 641–642
 functional significance in, 642
 handedness and, 610
 literature discrepancies on, 640–641
 magnetic resonance imaging of, 605–607, 616, 633–634
 maximum splenium width and, 634–636, 638, 640–642
 relative size and, 609–618, 638
 sexual dimorphisms and, 601–602, 605–607, 609–618, 633–642
 sexual orientation and, 725, 728–729
 shape and, 638–639
 Cortés-Gutiérrez, Elvia I., 155–156
 Cortical representation
 areolar skin and, 525–526
 RF sizes and, 525
 rodent nursing behavior and, 517–529
 ventrum area mapping and, 518, 520–524, 527–529
 Courtship displays, 27–28
 Cowper's glands, 225
 Craig, Wallace, 800, 802
 Crawford, Howard T., 537–540
 Crawford, Meredith, 811
 Cytosol P receptors, 192
 Dantchakoff, V., 805
 Darling, F., 815

- David, Anthony S., 595–600
 Davidson, J. M., 805, 812, 814
 Dávila-Rodríguez, Martha I., 155–156
 Davis, C. D., 803
 Davis, David E., 801
 Deeb, A., 662, 681–687
 Defendini, Richard, 609–621
 de Groot, Jack, 64
 Dehydroepiandrosterone (DHEA), 4
 de la Chapelle, Albert, 137–140
 de Lacoste-Utamsing, Christine, 535, 601–603
 Delta-Isomerase, 4
 Dempsey, Edward W., 794, 799, 808
 Densitometric analyses, 429
 Deoxyribonucleic acid (DNA)
 HMG box and, 125–129
 ligands and, 175, 179–182
 mammalian sexual differentiation and, 125–133
 nature/nurture relationship and, 501–505
 nuclear transcription factors and, 184–185
 protein encoding and, 117–123, 173–175
 steroids receptors and, 171
 Developmental learning disorder, 549–553
 De Vries, Geert J., 401, 385–397, 489–500
 Dewhurst, Christopher J., 159–160
 Dewsbury, Donald, 812
 Dey, F. L., 803
 Diakow, C., 802
 Diamond, M., 799
 Diano, Sabrina, 427–440
 Diethylstilbestrol (DES), 701–709
 Dihydrotestosterone (DHT), 231, 235, 237–238
 pituitary gland and, 403–406
 rodents and, 403–406
 immunoreactive neurons and, 446–447
 rodent spinal cords and, 261–263
 Disector method, 478–481
 Distribution analysis, 458–459, 464–465
 Doisy, Edward A., 797
 Domm, L. V., 801
 Donahoe, Patricia K., 125–135
 Donovan, Bernard, 66
 Dopaminergic (DA) neurons, 447–448
 Doty, Richard, 812
 Dovey, L., 145–154
 DSM manuals, 739, 742–746, 748–749
 Dysphoria, 669–678

 Eaton, Gray, 812
 “Effects of Gonadectomy, Vasotomy and Orchic Extracts on the Sex Behavior of the White Rat” (Nissen), 811
 Elder, James, 811
 Electrical stimulation
 ferrets and, 85–86
 hypothalamus and, 78–89
 implantation procedures and, 347–348
 magnocellular system and, 509–510
 ovulation induction and, 77–89
 pituitary gland and, 59–60, 78–89
 pupil size and, 87
 remotely controlled, 348
 rhesus monkeys and, 347–356
 threshold current and, 87
 tuber cinereum and, 82–83
 Electron microscopy, 284–287, 458
 Emlen, J. T., 801
 Endocrinology, 3
 contemporary era and, 792
 formative era and, 791, 793, 797
 geneticists and, 802–803
 historical perspective on, 791–816
 modern era and, 791–792, 794, 813–816
 neural control and, 806–807
 neuroendocrinologists and, 804
 neurophysiologists and, 803
 nineteenth-century beginnings of, 794–797
 predisciplinary era and, 791, 793
 preoptic area and, 290–291, 293–294
 psychologists and, 807–813
 sexual orientation and, 701–709
 zoologists and, 801–802
 Engle, E. T., 797, 808
 Environmental determinants, 12
 biological factors and, 33–35
 electrical stimulation and, 59–60, 77–89
 humans and, 33–35
 rodent preoptic area and, 311–314
 seasonal influences and, 59
 sexual differentiation and, 104
 Enzymes, 4
 Equations
 synapse density, 479
 Talairach space, 597
 ERalpha receptors, 399, 421, 425, 427–438
 ERbeta receptors, 400, 533
 defeminization and, 421–425
 disruption of, 645–651
 ischemic brain injury and, 427–438
 rodents and, 645–651
 spatial learning and, 645–651
 Erhardt, Anke A., 701–711
 ER-X receptors, 399–400
 ischemic brain injury and, 427–438
Essentials of Physiology (Bayliss), 797
 Estra-1,3,5(10),16-tetraen-3-ol (EST), 731–738
 Estradiol, 477–483
 Estrogens, 1–5, 9, 401, 533
 alpha-fetoprotein and, 109–110
 antisense oligonucleotides and, 191–196
 aromatase activity and, 163, 165–168
 aromatization hypothesis and, 107–109
 autoradiographical studies and, 409–418
 binding assay and, 430–431
 binding proteins and, 434–436
 caveolar-like microdomains (CLMs) and, 427–438
 cholesterol depletion and, 430, 433–434
 cognitive function and, 163–165
 defeminization and, 421–425
 densitometric analyses and, 429
 diethylstilbestrol (DES) and, 701–709
 dihydroxytryptamine and, 471–474
 ERalpha receptors, 399, 421, 425, 427–438
 ERbeta receptors, 400, 421–438, 533, 645–651
 ER-X receptors, 399–400, 427–438
 estradiol mediation and, 477–483
 hippocampus and, 649–650
 hypothalamic ventromedial neurons and, 457–468
 immunocytochemistry and, 430
 immunoprecipitation and, 428–429
 inhibitory regulators and, 433
 in situ hybridization and, 430
 ischemic brain injury and, 427–438
 LH secretions and, 767–772
 mammalian brain and, 163–168
 multiple novel gene induction and, 199–204
 neocortical cultures and, 428
 nerve growth factor receptors and, 451–456
 olfactory preference tests and, 422
 ovariectomized female rodents and, 51
 phosphorylation and, 429
 plasma membrane and, 427–438
 PNS isolation and, 429–430
 receptivity tests and, 422
 receptor mutation and, 207–214
 rhesus monkeys and, 165–166
 rodent cerebral cortex and, 409–418

- rodents and, 421–425, 427–438
 sexual orientation and, 701–711, 767–772
 stimulus behavior and, 422
 transient cerebral ischemia model and, 431
 uterus and, 436, 649
 ventromedial neurons and, 457–468
 Western blot analysis and, 428–429
- Estrone, 4
 Estrus cycle, 50, 797
 estradiol mediation and, 477–483
 Ethology, 802
 Evans, H. M., 797, 808–810
- Falsafi, Sassan, 125–135
 Fausto-Sterling, Anne, 4, 157–161
 Feder, H., 799
 Feeding, 21–22
 Feldman, Judith F., 701–711
- Females
 alpha-fetoprotein and, 109–110
 androgen insensitivity syndrome (AIS) and, 555–560
 aromatization hypothesis and, 107–109
 cerebral glucose metabolism and, 561–565
 cognitive abilities and, 533–534, 537–540
 congenital adrenal hyperplasia and, 665–668
 copulatory behavior in rodents, 47–55
 corpus callosum and, 633–642
 defeminization and, 9, 155–156, 400, 421–425, 662
 estrus and, 50, 477–483, 797
 lactation and, 510–515
 magnocellular system and, 507–515
 motherhood and, 507–515, 753–754, 758
 nursing and, 517–529
 ovariectomized, 50–55
 ovulatory signal and, 70–72
 oxytocin and, 510
 parturition and, 510–515
 posterior temporal cortex density and, 577–588
 protection hypothesis and, 109–110
 pseudohermaphroditism and, 141–144
 song birds and, 251–255, 257–259
 Sophia test and, 666
 spinal nucleus of bulbocavernosus (SNB) and, 261–271
 tomboys and, 665–668
 verbal skills and, 561–574
 vocal control and, 251–255
- Feminization, 9, 155–156, 400
 estrogens and, 421–425
 gay behavior and, 662
- Ferrets, 65–66, 85–86
 Feuer, G., 93–101
 Field, P. M., 70, 279–297
 Fink, George, 70
 Fischer exact tests, 422, 705
 Fisher, A. E., 804–805
 Fisher, C., 803
 Fitness predictors, 28
 5alpha-reductase, 4, 141–144
 5,7-dihydroxytryptamine, 471–474
 Five sexes, 157–161
 Fletcher, Jack M., 591–594
 Fliers, E., 321–325
 Flutamide, 265–271
 Forbes, T. R., 794
 Forger, Nancy G., 273–277
 Formative Era, 791, 793, 797
 Foster, Jamie W., 117–123
 Foucault, Michel, 160
 4,16-androstadien-3-one (AND), 731–738
 Frank, Graeme R., 1, 207–214
 Frankfurt, Maya, 401, 471–475
 Freedom from distractibility (FD), 556
 Frischauf, Anna-Maria, 117–123
- Froehlich, Ulrike, 485–488
 Fulbright, Robert K., 591–594
 Full Scale Intelligence Quotient (FIQ), 556
 Functional magnetic resonance imaging (fMRI), 535, 595–599
- GABA, 455
 Galkin, Thelma W., 537–540
 Gardner, W. U., 805
 Gaunt, Robert, 812
 Gautier, Teofilo, 141–144, 555–560
 Gay behavior. *See* Homosexuality
 Gazzaniga, Michael S., 605–607
 Gender. *See also* Behavior; Sexual dimorphisms
 androgenital syndrome (CAH) and, 34
 androgen insensitivity syndrome (AIS) and, 555–560
 behavioral chromosome effects and, 489–498
 cerebral glucose metabolism and, 561–565
 cognitive abilities and, 533–534, 537–540
 corpus callosum and, 601–602, 605–607, 609–618, 633–642
 defeminization and, 9, 155–156, 400, 421–425, 662
 dysphoria and, 669–678
 environmental determinants and, 33–35
 female mating responses and, 47–55 (*see also* Females)
 five sexes and, 157–161
 hormones and, 4–5 (*see also* Hormones)
 language and, 591–594
 masculine copulatory behavior and, 45–57 (*see also* Males)
 neonatal androgens and, 231–238
 nonhuman primates and, 31
 organizational and activational hypothesis and, 3, 5–12
 praxic functions and, 567–574
 protection hypothesis and, 109–110
 pseudohermaphroditism and, 141–144, 157–161, 225–228, 669–678
 psychosexuality and, 739–759
 rough play and, 31
 sex reversal and, 225–226
 spatial learning and, 653–658
 tomboys and, 665–668
 unilateral brain damage and, 545–546
 verbal skills and, 561–574
 visual tasks and, 595–599
- Gender identity, 661–662
 congenital adrenal hyperplasia and, 665–668
 defined, 739
 estrogens and, 767–772
 medial preoptic-anterior hypothalamus and, 689–698
 psychosexuality and, 739–759
 sexual orientation and, 701–711 (*see also* Sexual orientation)
 suprachiasmatic nucleus and, 713–719
 tomboys and, 665–668
 transsexuality and, 663, 781–789 (*see also* Transsexuality)
- Gender Identity Disorder of Childhood, 739, 742
 Gender role, 739
General Endocrinology (Turner and Bagnara), 793
 Genes, 401, 802–803
 activation and, 175–177
 AIS and, 555–560 (*see also* Androgen insensitivity syndrome (AIS))
 behavioral chromosome effects and, 489–498
 chromatin structure and, 185–186
 cis-acting elements and, 177–179
 dysphoria and, 669–678
 estrogen-receptor mutation and, 207–214 (*see also* Hormones)
 left-handedness and, 552
 micropenis and, 669–678
 multiple novel estrogen induction and, 199–204
 nature/nurture relationship and, 501–505
 prolactin cells and, 485–487
 psychosexuality and, 751–752
 silencing and, 177
 steroids and, 172–173 (*see also* Steroids)
 ventromedial neurons and, 457–468

Genital Abnormalities, Hermaphroditism and Related Adrenal

- Diseases* (Young), 159
 Gerall, A. A., 215–222, 798, 806
 Geschwind, Norman, 534, 549–553
 Giar, A., 801
 Glezer, I. I., 577–589
 Glickman, Stephen, 812
 Goldman, Patricia S., 163–169, 533–534, 537–540
 Golgi material, 282, 292, 479, 481, 508
 Gonadotrophin hormone-releasing hormones (GnRH), 71–72
 Goodale, H. D., 800
 Goodfellow, Peter N., 117–123
 Gooren, Louis J., 663, 767–790
 Gordon, E. S., 794
 Gordon, J. H., 311–319
 Gordon, Ronald R., 159–160
 Gore, John C., 591–594
 Gorski, R. A., 536, 662, 804
 anterior commissure and, 623–631, 725–729
 bed nucleus of the stria terminalis (BST) and, 299–309
 corpus callosum and, 633–644
 rodent preoptic area and, 311–319, 363–375
 serotonin-immunoreactive fibers and, 379–384
 sexually dimorphic nucleus and, 339–346
 Goy, Robert W., 1–2, 5, 401, 798–799, 806
 behavior differences and, 15–40
 hormone/behavior relationship and, 223–230
 organizational and activational hypothesis and, 7–13, 215–222
 preoptic lesions and, 689–699
 Graafian follicles, 224
 Green, J., 61, 804
 Green, Richard, 739–766
 Gregory, Harry, 71
 Griffiths, Beatrice L., 117–123
 Grunt, J., 799
 Guan, Xiaoping, 427–440
 Guerrero, Luis, 141–144
 Guhl, A., 801, 808
Guide for Care and Use of Laboratory Animals (National Institutes of Health), 518
 Guinea pigs. *See* Rodents
 Gur, Raquel E., 559–560
 Gur, Ruben C., 559–560
 Gustafsson, Jan-Ake, 421–426, 645–652

 Hamilton, J. B., 805
 Hamsters. *See* Rodents
 Han, Victor, 445–449
 Haqq, Christopher M., 125–135
 Haqq, Tania N., 125–135
 Harmsen-Louman, W., 767–773
 Harper, Clive, 609–621
 Harris, Geoffrey, 2, 794, 804–806
 adrenal cortex and, 63–64
 electrical stimulation and, 59–60
 intrapituitary infusion and, 93–101
 nervous system and, 60–62
 ovulatory signal and, 70–72
 Pfeiffer and, 68–70
 pituitary gland studies of, 59–73
 portal vessels and, 62–63, 91
 rabbit ovulation and, 77–89
 releasing factors and, 66–67
 Hart, Benjamin L., 689–699
 Hartman, Carl, 810
 Hatton, Glenn I., 401–402, 507–516
 Hawkins, J. Ross, 117–123, 145–154
 Heape, W., 800, 815
 Heck, Amy L., 645–652
 Hemispheric specialization, 535–536
 age and, 569–570
 anterior-posterior classification and, 568
 aphasia and, 570
 apraxia and, 570
 human corpus callosum and, 601–602
 lesions and, 567–574
 posterior temporal cortex and, 577–588
 praxic functions and, 567–574
 Rolandic fissure and, 567–568
 spatial processing and, 541–543
 speech organization and, 567–574
 unilateral brain damage and, 545–546
 Hepatitis, 728
 Hermaphroditism, 141–144
 classification issues and, 157–161
 embryological origins of, 158
 gender dysphoria and, 669–678
 genital surgery and, 670
 micropenis and, 669–678
 religion and, 158
 rodents and, 225–228
 scientific literature on, 159–160
 Hess, W. R., 78, 80
 Hinde, R. A., 802
 Hines, Melissa, 327–337
 Hippocampus
 Disector method and, 478–481
 estradiol mediation and, 477–483
 estrogens and, 649–650
 Hisaw, F. L., 812
 HMG box, 125–129
 Hochberg, Richard B., 409–419, 451–456
 Hofman, M. A., 662, 713–720, 775–790
 Holloway, Ralph L., 536, 601–603, 609–621
 Holz, A., 806
 Homosexuality, 662–663, 791. *See also* Transsexuality
 AIDS and, 713–728
 anterior commissure and, 725–729
 bed nucleus of the stria terminalis (BST) and, 781–789
 corpus callosum and, 725, 728–729
 hepatitis and, 728
 hypothalamus and, 713–719, 721–723
 pheromones and, 731–738
 psychosexuality and, 741 (*see also* Psychosexuality)
 suprachiasmatic nucleus and, 713–719
 Hormones. *See also* Specific hormone
 adult effects and, 104
 alpha-fetoprotein and, 109–110
 androgenital syndrome (CAH) and, 34
 androgens and, 15–25, 666–668 (*see also* Androgens)
 aromatization hypothesis and, 107–109
 body weight regulation and, 21–22
 cerebral cortical lesions and, 537–540
 developing neuromuscular system and, 265–271
 developmental sensitivity periods and, 105–106
 direct application of, 804–806
 early biochemical effects and, 110–111
 effect induction and, 8
 estrogens and, 421–425 (*see also* Estrogens)
 eye-opening period and, 8–9
 gestation periods and, 16
 gonadal hormone secretions and, 103–107
 hermaphroditism and, 141–144, 226–228
 historical perspective on research of, 791–816
 immunoreactive neurons and, 445–448
 language and, 591–594
 learning and, 22–23
 nature/nurture relationship and, 501–505
 organizational hypothesis and, 3, 5–12
 ovariectomized female rodents and, 50–55
 ovulation induction and, 77–89
 PAP subjects and, 704–705
 perinatal manipulation and, 17–18
 period of maximal susceptibility and, 8
 pheromones and, 731–738
 phosphorylation and, 182–183

- pituitary gland and, 59–73
 preoptic-anterior, 689–698
 protection hypothesis and, 109–110
 psychosexuality and, 752–753
 reproductive function localization and, 292–293
 rhesus monkeys and, 352
 sex-reversal and, 11, 225–226
 sexual behavior and, 223–229 (*see also* Behavior)
 sexual orientation and, 701–709
 soma character and, 224–225
 spatial learning and, 645–651
 spinal nucleus of bulbocavernosus (SNB) and, 261–271
 Steinach theory and, 795
 steroids and, 4–5, 8, 110–111, 163 (*see also* Steroids)
 target cells and, 106–107
 thyroid receptor mechanisms and, 171–186
 ventromedial neurons and, 457–458
Hormones and Behavior (Beach), 2, 794
Hormones and Behavior journal, 814
 “Hormones and Behavior with Special Reference to Bird and the Mechanism of Hormone Action” (Collias), 794
 Horvath, Tamas L., 427–440
 Hughes, I. A., 145–154, 681–687
 Humans, 795–797
 AIDS and, 713–728
 androgenital syndrome (CAH) and, 34
 anterior commissure and, 623–629, 725–729
 cerebral glucose metabolism and, 561–565
 children and, 739–759
 cognition and, 601–602 (*see also* Cognition)
 corpus callosum and, 601–602, 605–607, 609–618, 633–644
 environmental determinants and, 33–35
 estrogen-receptor mutations and, 207–214
 hemispheric specialization and, 541–543
 identity issues and, 661–663
 Interstitial Nuclei of the Anterior Hypothalamus (INAH) and, 328, 331–336
 lactation and, 527
 left-handedness and, 549–553
 massa intermedia and, 623–629
 psychosexuality and, 739–759
 sexually dimorphic nucleus and, 321–324, 327–336
 spinal cord and, 273–276
 stria terminalis and, 299–307
 suprachiasmatic nucleus and, 713–719
 Hume-Ganong technique, 690
 Hutchison, J. B., 802
 HVc volume, 252–253, 257–259
 Hybridization, 430, 452
 Hypogonadotrophic hypogonadism, 559–560
 Hypothalamus, 2, 279, 401
 adrenal cortex and, 63–64
 autoradiographical studies and, 416–417
 dihydroxytryptamine and, 471–474
 electrical stimulation and, 78–89, 347–356
 ferrets and, 65–66, 85–86
 homosexuality and, 713–723
 Interstitial Nuclei of the Anterior Hypothalamus (INAH) and, 328, 331–336
 lactation and, 510–515
 lesions to, 689–698
 magnocellular system and, 507–515
 median eminence and, 93–100
 nuclear changes in, 457–468
 ovulation induction and, 77–89
 pheromones and, 731–738
 pituitary gland and, 62–63
 portal vessels and, 62–63, 91
 preoptic area and, 291–292
 progesterone and, 191–192, 194
 prolactin cells and, 485–487
 rabbits and, 77–89, 93–100
 releasing factors and, 66–67
 rhesus monkeys and, 359–361
 spatial learning and, 656
 steroids and, 441–444
 suprachiasmatic nucleus and, 713–719
 third ventricle cannulation and, 191–192
 thyroid control and, 64
 transsexuality and, 775 (*see also* Transsexuality)
 tuber cinereum and, 82–83, 93–100
 vasopressin and, 387
 ventromedial nucleus and, 287, 287–290
 Immelmann, K., 802
 Immune disease, 549–553
 Immunocytochemistry, 430, 491, 646, 781, 783
 Immunoprecipitation, 428–429
 Immunoreactive neurons, 445–448
 Imperato-McGinley, Julianne, 4, 141–144, 555–560
 Inglis, James, 534, 545–547
 In situ hybridization, 430, 452
 Institutional Animal Care and Use Committee, 427–438
 International Ciba Foundation Colloquium on Endocrinology, 794
Intersexual Disorders, The (Dewhurst and Gordon), 159–160
 Intersexuals, 157–161
 Interstitial Nuclei of the Anterior Hypothalamus (INAH)
 asymmetry and, 334
 homology to other species, 332–334
 humans and, 328, 331–336
 rodents and, 332, 334
 sexual dimorphisms and, 334–336
 Intrapituitary infusions
 cattle and, 95, 97
 damage from, 99
 extraction procedures for, 95–96
 gonadotrophic secretions and, 93–100
 median-eminence extract and, 97–98
 primates and, 95, 97
 rabbits and, 93–100
 spontaneous ovulation and, 98–99
 tissue preparation and, 94–96
Introduction to Animal Behavior, An (Manning), 802
Introduction to Ethology (Immelmann), 802
 Ischemic brain injury
 binding assay and, 430–431
 caveolar-like microdomains (CLMs) and, 427–438
 cholesterol depletion and, 430, 433–434
 densitometric analyses and, 429
 estrogens and, 427–438
 immunocytochemistry and, 430
 immunoprecipitation analysis and, 428–429
 in situ hybridization and, 430
 neocortical cultures and, 428
 phosphorylation and, 429
 plasma membrane and, 427–438
 PNS isolation and, 429–430
 rodents and, 427–438
 steroids and, 432
 transient cerebral ischemia model and, 431
 Western blot analysis and, 428–429
 Jacobsohn, Dora, 62–64, 68, 71, 91
 James, W. T., 803
 Jones, Bryan A., 653–659
 Jones, Kathryn, 457–469
 Jost, Alfred, 767
 Karp, Joel S., 559–560
 Katz, Leonard, 591–594
 Kent, C. G., 804–805
 Kigar, D. L., 577–589
 Kimura, Doreen, 535, 567–575
 Kinder, Elaine, 809
 King, Chih-Yen, 125–135

- Kinsey, A. C., 808
 Kinsey scale, 704–705
 Klein, M., 794
 Koch, F. C., 797–798, 808
 Kolbinger, Walter, 485–488
 Komisaruk, B., 802
 Kopéc, S., 804
 Korach, Kenneth S., 207–214
 Krasnegor, N. A., 507
 Krujiver, Frank P. M., 663, 781–790
 Kruskal-Wallis *H* test, 232
 Kudwa, Andrea E., 400, 421–426
 Kun, H., 801
- Lactation, 510–515
 early/late, 526
 humans and, 527
 nursing behavior and, 517–529
 trunk dorsum and, 526
 Language, 535, 541, 591–594
 Larsson, Knut, 812–813
 Lashley, K. S., 808–809, 812
 Lateral septum, 388–390
 Lauder, Jean, 445–449
 Law, Simon W., 5, 191–197, 199–205
 Lawson, J. S., 534, 545–547
 Leathem, J. H., 806
 LeBoeuf, Burney, 812
 Lee, Benjamin C. P., 605–607
 Lee, Y. S., 681–687
 Left-handedness, 549–553
 Lehrman, Daniel S., 802, 812–813
 Leonard, Julie E., 645–652
 Lesions, 25, 257–259
 bed nucleus of the stria terminalis and, 389–391
 body weight regulation and, 24–25
 cerebral cortex and, 537–540, 792
 cognitive abilities and, 533–534
 function recovery and, 698
 hemispheric specialization and, 567–574
 hypothalamus and, 689–698
 pituitary gland and, 78, 88–89
 preoptic area and, 689–698
 sexually dimorphic nucleus and, 339–345
 testosterone propionate (TP) and, 23–24
 unilateral brain damage and, 545–546
 LeVay, Simon, 662
 Levi-Montalcini, Rita, 400
 Lexical-decision (LD) tasks, 595–599
 Leydig cells, 796
 LH response, 67–71, 73
 Liberman, M. J., 804–805
 Liddell, Howard, 808, 810
 Lieth, Erich, 445–449
 Ligands, 175, 179–184
 Lillie, Frank R., 797–801, 805, 808
 Lindström, Per, 731–738
 Lisk, R. D., 804–805
 Long, J. A., 797, 809
 Lorenz, F. W., 801
 Lorenz, K., 802
 Lovell-Badge, Robin, 117–123, 489–500
 Lubahn, Dennis B., 207–214
 Lutherman, C., 801
- McBrooms, C., 803
 McCann, Don, 71
 McEwen, Bruce S., 1–2, 401
 behavior differences and, 15–40
 estradiol mediation and, 477–484
 estrogen-induced nuclear changes and, 457–469
 nature/nurture relationship and, 501–506
 organizational hypothesis and, 7–13
 sexual orientation and, 701–711
 ventromedial neurons and, 471–474
 McGill, Thomas, 812
 MacLusky, Neil J., 3–4
 estrogen receptors and, 409–419, 427–440
 mammalian estrogen formation and, 163–169
 nerve growth factor receptors and, 451–456
 sexual differentiation of CNS and, 103–115
 Magnetic resonance imaging (MRI), 536
 corpus callosum and, 605–607
 human corpus callosum and, 605–607
 visual tasks study and, 595–599
 Magnocellular system
 electrophysiological studies of, 509–510
 glial-neuronal relationships and, 510–512
 lactation and, 510–515
 morphological characteristics and, 507–508
 motherhood effects and, 507–515
 neural lobe and, 508–510
 neuronal coupling and, 513–514
 oxytocin and, 510
 parturition and, 510–515
 pituitary gland and, 510–515
 spinal cord and, 508–509
 synapse formation and, 512–513
 ultrastructural changes and, 513
 Magoun, H. W., 803–804
 Males
 androgen insensitivity syndrome (AIS) and, 555–560
 cerebral glucose metabolism and, 561–565
 cognitive abilities and, 533–534, 537–540
 copulatory behavior in rodents, 45–57
 corpus callosum and, 633–642
 defeminization and, 9, 155–156, 400, 421–425, 662
 dysphoria and, 669–678
 hypogonadotrophic hypogonadism and, 559–560
 micropenis and, 669–678
 praxic functions and, 567–574
 protection hypothesis and, 109–110
 pseudohermaphroditism and, 141–144
 spatial ability and, 559–560
 Mammals
 aromatase activity and, 163, 165–168
 estrogen formation and, 163–168
 preoptic area and, 279–294
 Mani, Shailaja K., 5, 191–197
 Manning, A., 802
 Mann-Whitney *U* tests, 232
 Marr, L. D., 347–357
 Marshall, F. H. A., 59–60, 66–68, 72, 85, 800–803, 815
 Martin, H., 145–154
 Martins, T., 806
 Masculine copulatory behavior, 56–57
 estrus relation and, 50
 female mating responses and, 47–55
 ovariectomized females and, 50–55
 repeated testing results and, 45–47
 response frequency and, 45–47
 Masculinization, 9, 792
 androgen insensitivity syndrome and, 147, 149–152
 aromatization hypothesis and, 107–109, 168, 653, 657
 behavioral chromosome effects and, 489–498
 estrogens and, 421–425, 767
 flutamide and, 265–271
 micropenis and, 669–678
 neonatal androgens and, 231–238
 Quigley scale for, 681
 rodent preoptic area and, 311
 sexual orientation and, 701
 spinal nucleus of bulbocavernosus (SNB) and, 265–271
 Mason, C., 681–687
 Massa intermedia, 623–629
 Masturbation, 691–693

- Maternal stress, 753–754
- Mazur, Tom, 661–662, 669–679
- Meany, Michael J., 5–6, 231–239
- Medial preoptic-anterior hypothalamus
- castration comparison and, 697
 - heterosexual copulatory behavior and, 692–693, 695–697
 - lesion studies of, 689–698
 - lever pressing tests and, 695
 - masturbation and, 691–693
 - seminal expulsion and, 691–693
 - social behavior and, 695, 697–698
- Medial preoptic area (MPOA), 359–361
- Medial preoptic nucleus (MPON)
- anteroventral periventricular, 367
 - cytoarchitecture of, 368–369
 - hormone environment and, 311–318
 - normal morphology of, 365–367
 - nuclear volume and, 316, 318
 - rodents and, 311–318
 - serotonin-immunoreactive fibers and, 363–375, 379–384
 - suprachiasmatic, 367
- Median eminence
- hypophysial portal vessels and, 93
 - intrapituitary infusion and, 93–100
 - LH contamination and, 99–100
- Merzenich, Michael M., 517–531
- Mesencephalic tyrosine hydroxylase immunoreactive neurons, 445–448
- Meyer, Adolph, 809
- Meyer-Bahlburg, Heino F. L., 701–711
- Mice. *See* Rodents
- Michael, R. P., 804–805, 814
- Micropenis, 669–678
- Migraines, 549–553
- Miles, W. R., 808
- Miranda, Rajesh C., 451–456
- MIS pathway activation, 129–133
- Mitochondrial RNA (mRNA), 5, 815
- ChAT, 452–454
 - nerve growth factor receptors and, 451–456
- Mitogen-activated protein kinase (MAPK), 427, 651
- Modern Era, 791–792, 794, 813–816
- Modney, Barbara K., 401–402, 507–516
- Money, John, 157
- Monkeys. *See* Primates, nonhuman
- Moore, Carl, 798–799, 808–809
- Morphology, 7–9
- magnocellular system and, 507–515
 - motherhood and, 507–515
 - ventromedial neurons and, 457–468
- Mozley, Lyn Harper, 559–560
- Mozley, P. David, 559–560
- Mullerian duct system, 3, 226
- HMG box and, 125–129
 - MIS pathway activation and, 129–133
- Myers, Hugh I., 799
- Myxedema, 795
- Naftolin, Frederick, 3
- mammalian estrogen formation and, 163–169
 - sexual differentiation of CNS and, 103–115
- Nalabandov, A. V., 802, 808
- Nass, Ruth, 605–607
- National Institutes of Health, 518
- National Research Council for Research in Problems of Sex, 793
- Nature/nurture relationship, 501–505
- Nerve growth factor receptors, 451–456
- Nest building, 26–27
- Nethrapalli, Imam S., 427–440
- “Neural Basis of Innate Behavior. I. Effects of Cortical Lesions upon the Maternal Behavior Pattern in the Rat” (Beach), 2
- Neural Control of the Pituitary Gland* (Harris), 59
- Neurophysiologists, 803–807
- Neurotransmitter systems, 245–246. *See also* Central nervous system (CNS)
- anatomical studies and, 386–387
 - BST and, 775–778, 781–789 (*see also* Bed nucleus of the stria terminalis (BST))
 - chemical assays of, 385–386
 - coupling and, 513–514
 - dihydrotestosterone and, 403–406
 - dihydroxytryptamine and, 471–474
 - estradiol mediation and, 477–483
 - hippocampus and, 477–483
 - INAH, 721–723
 - lactation and, 510–515
 - magnocellular system and, 507–515
 - nerve growth factor receptors and, 451–456
 - neurite growth and, 445–448
 - serotonin-immunoreactive fibers and, 363–375, 379–384
 - SOM neurons and, 783–788
 - steroids and, 445–448
 - suprachiasmatic nucleus and, 713–719
 - synapse density and, 477–483
 - vasopressin and, 385–393
 - ventromedial neurons and, 457–468
- Nissen, H. W., 811
- Noble, G. K., 802, 808, 812
- Noble, Ralph, 812
- Nottebohm, Fernando, 247–249, 251–255
- Nuclear transcription factors and, 184–185
- Nucleus basalis of Meynert, 451
- Nursing
- areolar skin and, 525–526
 - cortical alterations and, 517–529
 - rat ventrum and, 518, 520–524, 527–528
- “Observations and Experiments on Mating Behavior of Female Mammals” (Young), 794
- Oldfield Handedness Inventory, 549
- Olfactory preference tests, 422
- Oliveros-Rodríguez, Amalia, 155–156
- O’Malley, Bert W., 5
- estrogens and, 199–205
 - progesterone and, 191–197
 - steroid receptor superfamily and, 171–190
- “On the Physiological Properties of the Gonads as Controllers of Somatic and Psychic Characteristics” (Moore), 798
- Onuf’s nucleus, 275–276
- Oomura, Y., 359–361
- Open-field activity, 18, 20
- Oppenheim, Jeffrey S., 536, 605–607
- Orbison, W. D., 811
- Organizational and activational hypotheses
- behavior and, 3, 5–12
 - bisexuality and, 9
 - environmental determination and, 12
 - eye-opening period and, 8–9
 - hormone/behavior relationship and, 223–229
 - morphogenesis and, 7–9
 - neonatal androgens and, 231–238
 - prenatally administered testosterone and, 215–222
 - sex reversal and, 11
 - social play and, 231–238
- Orthograde degeneration, 279
- Osgood-Schlatter disease, 207
- “Ovarian Hormone, An: Preliminary Report of Its Localization, Extraction and Partial Purification, and Action in Text Animals” (Allen and Doisy), 797
- Ovulation
- electrical stimulation and, 78–89
 - ferrets and, 85–86
 - induction in rabbits and, 77–89
 - intrapituitary infusions and, 98–99
 - lesions and, 78
 - rabbits and, 98–99

- Ovulation (cont.)
 signal for, 70–72
 spontaneous, 98–99
 Oxytocin, 510
- Page, David C., 137–140
 Palmer, Mark S., 117–123
 Papanicolaou, G. N., 797, 808, 811
 Parkes, A. S., 794
 Partial androgen insensitivity syndrome (PAIS)
 gender dysphoria and, 669–678
 genotype/phenotype correlation and, 681–686
 mutational analysis and, 145–153
 Parturition, 510–515, 793
 Pavlov, I. P., 810
 Perachio, A. A., 347–357
 Perceptual organization (PO), 556
 Performance Scale IQ (PSIQ), 546
 Performance, 22–23
 Performance Intelligence Quotient (PIQ), 556
 Perinatal manipulation, 17–18
 Peterson, Ralph E., 141–144
 Pezard, A., 801
 Pfaff, Donald W., 457–469
 Pfeiffer, C. A., 68–70, 802, 805, 808
 Phenotypes, 3–4
 partial androgen insensitivity syndrome (PAIS) and, 681–686
 sexual differentiation and, 145–152
 Pheromones, 731–738
 Phoenix, Charles H., 5, 8, 798–799, 806
 hormone/behavior relationship and, 223–230
 organizational and activational hypothesis and, 215–222
 Phosphorylation, 182–183, 429
Physiology and Behavior journal, 814
Physiology of Reproduction, The (Marshall), 67–68
 Pichardo, Marino, 555–560
 Pilgrim, Christof, 485–488, 445–449
 Pituitary gland, 279
 adrenal cortex and, 63–64
 anterior lobe and, 77
 dihydrotestosterone and, 403–406
 electrical stimulation and, 59–60, 78–89
 endocrine control and, 65
 ferrets and, 65–66
 gonadotrophic secretion and, 93–100
 Harris and, 59–73
 hypothalamic-releasing factors and, 66–67
 hypothalamo-hypophyseal portal vessels and, 62–66
 intrapituitary infusion and, 93–100
 lactation and, 510–515
 lesions of, 78, 88–89
 LH response and, 67–71, 73
 luteinizing hormone-releasing factor and, 70
 magnocellular system and, 510–515
 median eminence and, 93–100
 neural control mechanisms and, 64–65
 neurovascular link and, 60–62
 ovulation induction and, 77–89
 ovulatory signal and, 70–72
 oxytocin and, 510
 parturition and, 510–515
 Pfeiffer and, 68
 portal blood and, 70
 posterior lobe and, 77
 preoptic area and, 69–70
 rabbits and, 93–100
 rats and, 69–70
 seasonal influences and, 59
 sexual differentiation of brain and, 67–70
 spatial learning and, 656
 stalk of, 78
 thyroid and, 64
 tuber cinereum and, 93–100
- Plasma membranes
 estrogens and, 434–439
 ischemic brain injury and, 427–438
 PNS isolation, 429–430
 Poisson distribution model, 262
 Pool, Chris W., 781–790
 Popa, Gregory T., 61, 78
 Portal vessels, 61, 70
 hypothalamo-hypophyseal, 62–63
 intrapituitary infusion and, 93–100
 pituitary gland and, 62–66
 proliferative capacity of, 91
 Positron emission tomography (PET) scans, 595
 Posterior temporal cortex
 cell packing density and, 586–587
 cortical depth and, 584–585
 cytoarchitectonic areas and, 578–579, 581, 584
 female neuron density and, 577–588
 granular/nongranular layers and, 585, 587
 histological sectioning of, 580–581
 neuronal counts and, 582
 planum temporale (PT) and, 578–579
 quantitative analysis of, 581–583
 sexual differentiation and, 587–588
 statistical procedures and, 583
 Prader classification, 145
 Prader-Willi syndrome, 718
 Praxic functions, 567–574
 Predisciplinary Era, 791, 793
 Preoptic area (POA), 69–70, 261, 623
 anatomical features of, 281–287
 autoradiographical studies and, 416–417
 cytoarchitecture of, 368–369
 electrical stimulation and, 347–356
 electron microscopy of, 284–287
 endocrine system and, 290–294
 lesions to, 689–698
 masculinization and, 311
 mating behavior and, 291
 morphological sexual dimorphisms and, 311–318
 neonatal androgen and, 279–294
 neuropil of, 287–290
 normal morphology of, 365–367
 reproductive function localization and, 292–293
 rhesus monkeys and, 359–361
 rodents and, 69–70, 279–294, 311–318, 363–375
 serotonin-immunoreactive fibers and, 363–375, 379–384
 sexually dimorphic nucleus and, 321–324, 327–336, 339–345
 steroids and, 441–444
 ultrastructural analysis of, 287–290
 ventromedial nucleus and, 287–290
 Primates, nonhuman, 805–806, 811
 aromatase activity and, 165–166
 cerebral cortical lesions and, 537–540
 dominance/submission and, 33
 electrical stimulation and, 347–356
 estrogen formation and, 165–166
 group behavior and, 29–31
 hemispheric specialization and, 542
 hermaphroditism and, 226–228
 hypothalamus and, 347–356, 359–361, 689–698
 intrapituitary infusions and, 95
 medial preoptic-anterior hypothalamus lesions and, 689–698
 median-eminence extract and, 97
 mounting behavior and, 32–33
 preoptic area and, 347–356, 359–361, 689–698
 Progesterone, 799, 810
 antisense oligonucleotides and, 191–196
 cytosol P receptor assays and, 192
 dose response and, 192, 193
 female rodents and, 51
 multiple novel induction and, 199–204
 primates and, 226–228

- receptor antagonists and, 192
- rodents and, 191–196
- RU 38486 and, 193
- third ventricle cannulation and, 191–192
- ventromedial neurons and, 457
- ZK 98299 and, 193
- Prolactin cells, 485–487
- Protection hypothesis, 109–110
- Proteins
 - alpha-fetoprotein, 109–110
 - binding, 434–436
 - DNA interactions and, 117–123, 173–175
 - estrogens and, 428–429 (*see also* Estrogens)
 - immunoprecipitation and, 428–429
 - ligands and, 175, 179–182
 - mitogen-activated protein kinase (MAPK) and, 427, 651
 - nuclear transcription factors and, 184–185
 - prolactin cells and, 485–487
- Pseudohermaphroditism. *See* Hermaphroditism
- Psychologists
 - continued research of, 811–813
 - pioneering contributors and, 807–811
 - technical developments and, 807
 - theoretical orientation and, 807
- Psychoneuroendocrinology* journal, 814
- Psychopathia Sexualis* (Krafft-Ebing), 797
- Psychosexuality
 - adolescents and, 746
 - assessment and, 746–747
 - associated psychopathology and, 747–750
 - behavior therapy and, 758–759
 - biological models and, 751–755
 - cognitive-developmental theory and, 740–741
 - congenital adrenal hyperplasia (CAH) and, 752–753
 - diagnosis and, 742–746
 - DSM criteria and, 739, 742–746
 - Gender Identity Disorder of Childhood and, 739, 742
 - genetics and, 751–752
 - long-term follow-up and, 750–751
 - maternal development and, 758
 - maternal stress and, 753–754
 - parental identifications and, 757–758
 - physical attractiveness and, 754–755
 - prenatal hormones and, 752–753
 - prevalence of, 741–742
 - psychosocial models and, 755–758
 - referral rates and, 742
 - social reinforcement and, 755–757
 - treatment of, 758–759
 - twins and, 751–752
- Psychotherapy, 759
- Pugh, Kenneth R., 591–594
- Quarterly Review of Biology*, 794
- Rabbits
 - aromatase activity and, 163
 - electrical stimulation of, 78–89
 - gonadotrophic secretion and, 93–100
 - hypothalamus and, 93–100
 - lesion studies and, 78, 88–89
 - median-eminence extract and, 97–98
 - ovulation and, 77–89, 98–99
 - pituitary gland and, 93–100
- Rabedeau, Ronald, 812
- Radioimmunoassays, 491
- Raisman, Geoffrey, 2, 59–76, 279–297
- Ranson, S. W., 803, 808
- Rao, B. R., 767–773
- Rasmussen, E. Wulff, 813
- Rats. *See* Rodents
- Raynaud, A., 805
- Reactivity to shock, 21
- Reed, May, 71
- Reimer, David, 662
- Reisert, Ingrid, 400, 445–449, 485–488
- Religion, 158–159
- Resnick, Susan M., 559–560
- Reyes-Martínez, María Eugenia, 155–156
- Ribonucleic acid (RNA), 5, 815
 - ChAT, 452–454
 - nerve growth factor receptors and, 451–456
- Richey, Mark F., 633–644
- Richter, Curt P., 794, 809
- Riddle, Oscar, 800, 802
- Right visual field advantage (RVFA), 595
- Rioch, D. McK., 803
- Riss, Walter, 225, 799
- Rissman, Emilie F., 536
 - behavioral chromosome effects and, 489–500
 - ERbeta receptors and, 421–426, 645–652
- Rodents, 244–245, 792, 795, 805
 - androgens and, 15–25, 231–238, 279–294, 653–658
 - antisense oligonucleotides and, 191–196
 - aromatase activity and, 166
 - autoradiographical studies of, 409–418
 - behavioral chromosome effects and, 489–498
 - behavior differences by gender and, 15–25
 - body weight regulation and, 21–22, 24–25
 - caveolar-like microdomains (CLMs) and, 427–438
 - cerebral cortex and, 409–418
 - defeminization studies and, 421–425
 - dihydrotestosterone and, 403–406
 - dihydroxytryptamine and, 471–474
 - ERbeta receptors and, 645–651
 - estradiol mediation and, 477–483
 - estrogens and, 421–425, 427–438, 645–651
 - female mating behavior and, 41–43, 47–55
 - flutamide and, 265–271
 - gestation periods and, 16
 - hormones and, 223–229
- Interstitial Nuclei of the Anterior Hypothalamus (INAH) and, 332, 334
- ischemic brain injury and, 427–438
- learning and, 22–23
- lesion responses and, 23–25
- magnocellular system and, 507–515
- masculine copulatory behavior and, 45–57
- morphologic sexual differentiation and, 111
- nerve growth factor receptors and, 451–456
- neurite growth and, 445–448
- nonreproductive behavior and, 18–25
- nuclear hypothalamic changes and, 457–468
- nursing and, 517–529
- open-field activity and, 18, 20
- perinatal manipulation and, 17–18
- pituitary gland and, 69–70
- prenatally administered testosterone and, 215–222
- preoptic area and, 69–70, 279–294, 311–318, 363–375
- progesterone and, 191–196
- reactivity to shock and, 21
- reproductive behavior and, 15–18
- running wheel activity and, 18
- serotonin-immunoreactive fibers and, 379–384
- sexually dimorphic nucleus and, 321–324, 339–345
- social play and, 231–238
- soma character and, 224–225
- spatial learning and, 653–658
- spinal hormone accumulation and, 261–263
- spinal nucleus of bulbocavernosus (SNB) and, 265–271
- steroids and, 441–444
- testosterone propionate (TP) and, 15–18, 23–24
- ventromedial neurons and, 457–468
- Rogers, Charles, 812
- Rolandic fissure, 567–568
- Root, W. S., 803

- Rosen, Laura R., 701–711
 Rosenblatt, Jay, 802, 812
 Russell, Susan L., 535, 595–600
 Rosvold, H. Enger, 537–540
 Rowan, William, 800–801, 815
 Rowland, J., 145–154
 Royal Society, 59, 66, 71
 RU 38486, 193
 Running wheel activity, 18
 Russell, W. M. S., 802
- Saavedra-Castillo, Eloisa, 3, 155–156
 Sachs, Benjamin, 812
 Samora, Patrick J., 199–205
 Sar, Madhabanada, 399–400, 403–407
 Savic, Ivanka, 662, 731–738
 Sawyer, Charles, 72, 804
 Scharrer, Berta, 804, 806
 Scharrer, Ernst, 804, 806
 Schneirla, T. C., 812–813
 Scholastic Aptitude Test, 559
 Schrader, M. E. B., 801
 Scordalakes, Elka M., 489–500
 Scott, P., 804–805
 Seasonal influences, 59
 Selye, Hans, 800
 Seminal expulsion, 691–693
 Serotonin-immunoreactive fibers
 androgens and, 379–384
 differentiation signal and, 374–375
 distribution of, 369
 gonadotrophin release and, 374
 neurotransmitter systems and, 363
 preoptic area and, 363–375
 rodents and, 363–375
 testosterone propionate (TP) and, 379–384
 17-ketoreductase, 4
 Seward, Georgene, 811
 Seward, John, 811
Sex and Internal Secretions (Allen), 793
 “Sex Drive” (Stone), 793
 Sex reversal, 11, 225–226
 Sexual differentiation
 alpha-fetoprotein and, 109–110
 androgens and, 1–2 (*see also* Androgens)
 aromatase activity and, 107–109, 167–168
 cerebral glucose metabolism and, 561–565
 CNS and, 103–113 (*see also* Central nervous system (CNS))
 corpus callosum and, 601–602, 605–607, 633–644
 environmental determinants and, 104
 estrogens and, 1–2, 421–425 (*see also* Estrogens)
 five sexes and, 157–161
 genetic factors and, 104
 gonadal hormone secretions and, 103–107
 homosexuality and, 713–738
 intersexual body classification and, 157–161
 language and, 591–594
 molecular basis of mammalian, 125–133
 morphologic, 111–112
 nature/nurture relationship and, 503
 phenotypic features and, 145–152
 posterior temporal cortex and, 587–588
 praxic functions and, 567–574
 protection hypothesis and, 109–110
 protein encoding and, 117–123
 pseudohermaphroditism and, 141–144
 psychosexuality and, 739–759
 speech organization and, 567–574
 steroid receptors and, 110
 terminal exchanges and, 137–140
 testicular feminization and, 155–156
 testis-determining factor (TDF) and, 117–119
 transsexuality and, 775–781 (*see also* Transsexuality)
 unilateral brain damage and, 545–546
 visual tasks and, 595–599
 Sexual dimorphisms, 399–402
 AIS and, 681–686 (*see also* androgen insensitivity syndrome (AIS))
 anterior commissure and, 623–629, 725–729
 behavioral chromosome effects and, 489–498
 birds and, 25–28
 canine spinal cord and, 273–276
 cognition and, 533–536 (*see also* Cognition)
 concept of, 1–2
 defined, 7
 differentiation signal and, 374–375
 environmental determination and, 12
 hemispheric specialization and, 535–536, 541–543
 hormones and, 103 (*see also* Hormones)
 human spinal cord and, 273–276
 human stria terminalis and, 299–307
 hypothalamic-pituitary axis and, 2
 identity issues and, 661–663
 Interstitial Nuclei of the Anterior Hypothalamus (INAH) and, 328, 331–336
 massa intermedia and, 623–629
 morphogenesis and, 7–9
 neurite growth and, 445–448
 organizational and activational hypothesis and, 3, 5–12, 215–238
 pituitary gland and, 59–73 (*see also* Pituitary gland)
 preoptic area and, 69–70, 363–375 (*see also* Preoptic area (POA))
 rodent cerebral cortex and, 409–418
 sex reversal and, 11, 225–226
 sexually dimorphic human brain nucleus and, 321–324
 spinal nucleus of bulbocavernosus (SNB) and, 261–263, 265–271
 steroids and, 4–5, 441–444 (*see also* Steroids)
 vasopressin and, 385–393, 387–393
 Sexual instinct, 795
 Sexually dimorphic nucleus (SDN)
 humans and, 321–324, 327–336
 rodents and, 321–324
 Sexual orientation
 anterior commissure and, 725–729
 bisexuality and, 725–726
 corpus callosum and, 725, 728–729
 defined, 739
 estrogens and, 701–709, 767–772
 hepatitis and, 728
 homosexuality and, 713–738
 Kinsey scale and, 704–705
 LH secretions and, 767–772
 PAP subjects and, 704–708
 pheromones and, 731–738
 prenatal hormones and, 701–709
 primates and, 701
 psychosexuality and, 739–759
 suprachiasmatic nucleus and, 713–719
 transsexuality and, 775–781 (*see also* Transsexuality)
 “*Sexual Season*” of *Mammals and the Relation of the “Pro-Oestrus” to Menstruation*, *The* (Heape), 800
 Shankweiler, Donald P., 591–594
 Shaywitz, Bennett A., 591–594
 Shaywitz, Sally E., 591–594
 Sheard, N. M., 801
 Shimura, N., 145–154
 Shoemaker, H. H., 801, 808
 Shryne, James E., 311–319, 327–337
 Shughrue, Paul J., 400, 409–419
 Shupnik, Margaret A., 645–652
 Simerly, R. B., 363–377, 379–384, 489–500
 Sinclair, Andrew H., 3, 117–123
 Singh, Meharvan, 427–440
 Skudlarski, Pawel, 591–594
 Slijper, Froukje M. E., 661, 665–668
 Slimp, Jefferson C., 662, 689–699

- Slonaker, J. R., 808, 810
- Smith, Eric P., 207–214
- Smith, Matthijs J., 117–123
- Smith, Philip E., 62, 797, 808
- Sohrabji, Farida, 451–456
- Sophia test, 666
- Southam, A. M., 311–319
- Spatial skills, 559–560
- androgens and, 653–658
 - aromatization hypothesis and, 653, 657
 - cerebral glucose metabolism and, 561–565
 - ERbeta receptors and, 645–651
 - escape behavior and, 647–649
 - hypothalamus and, 656
 - immunocytochemistry and, 646
 - mitogen-activated protein kinase (MAPK) and, 651
 - pituitary gland and, 656
 - reference memory and, 653–658
 - water mazes and, 646, 649, 654–656, 658
- Specker, Bonny, 207–214
- Spinal cord, 242–243
- canine, 273–276
 - human, 273–276
 - magnocellular system and, 508–509
 - physiological functions of, 509–510
 - rodent, 261–263
- Spinal nucleus of bulbocavernosus (SNB), 261–263
- anti-androgen flutamide and, 265–271
 - behavioral chromosome effects and, 491–492, 494–495
 - masculine copulatory behavior and, 269
 - soma cross-sectional area and, 267–268
- Spine density
- dihydroxytryptamine and, 471–474
 - synapse density and, 477–483
- SR Y, 3–4, 399, 401
- behavioral chromosome effects and, 489–498
 - HMG box and, 125–129
 - mammalian sexual differentiation and, 125–133
 - MIS pathway activation and, 129–133
 - testicular feminization and, 155–156
- Steel, E., 802
- Steinach, Eugen, 795–798, 803, 809
- Steinbusch, Harry, 364
- Stern, Judith M., 517–531, 802
- Steroids, 4–5, 8, 400–401
- antisense oligonucleotides and, 191–196
 - aromatase activity and, 163, 165–168
 - autoradiography and, 451–452
 - birds and, 251
 - chromatin structure and, 185–186
 - cis-acting elements and, 177–179
 - cloned genes and, 172–173
 - cognitive function and, 163–165
 - dihydroxytryptamine and, 471–474
 - early biochemical effects and, 110–111
 - estradiol and, 477–483
 - gene activation and, 175–177
 - hypothalamus and, 441–444
 - immunoreactive neurons and, 445–448
 - ischemic brain injury and, 432
 - ligands and, 175, 179–184
 - mammalian estrogen formation and, 163–169
 - multiple novel gene induction and, 199–204
 - nature/nurture relationship and, 501–505
 - nerve growth factor receptors and, 451–456
 - neurite growth and, 445–448
 - nuclear transcription factors and, 184–185
 - phosphorylation and, 182–183
 - preoptic area and, 441–444
 - prolactin cells and, 485–487
 - protein-DNA interactions and, 173–175
 - pseudohermaphroditism and, 141–144
 - receptor mutation and, 207–214
 - receptors in developing brain and, 110
 - receptor superfamily and, 171–173
 - sexual orientation and, 767–772
 - spatial learning and, 645–651
 - thyroid receptor mechanisms and, 171–186
 - vasopressin and, 387–388, 390–391
 - ventromedial neurons and, 471–474
- Stewart, Jane, 5–6, 231–239
- Stockard, C. R., 797, 802–803, 808
- Stokes, Linton P., 537–540
- Stone, Calvin P., 793, 798, 808–810
- Study of Instinct, The* (Tinbergen), 802
- Stumpf, Walter E., 399–400, 403–419
- Suprachiasmatic nucleus, 367, 713–719
- Supraoptic nuclei (SON), 387, 389, 507, 513–514
- Suydam, Levi, 157
- Swaab, Dick F., 662
- sexually dimorphic nucleus and, 321–325
 - suprachiasmatic nucleus and, 713–720
 - transsexualality and, 775–790
- Swain, Amanda, 489–500
- Swanson, L. W., 363–377, 379–384
- Symposium on Steroid Hormones* (Gordon), 794
- Tait, A. D., 145–154
- Takahashi, Hiroyuki, 207–214
- Talairach space, 597
- Talmud, 159
- Tarchanoff, J. R., 795
- Taste preferences, 21
- Tedford, Myron D., 225
- Terman, L. M., 808
- Territorial displays, 25–26
- Testis-determining factor (TDF), 117–119
- Testosterone, 4, 801–802
- aromatization hypothesis and, 107–109, 653
 - behavioral chromosome effects and, 491
 - DHT and, 231, 235, 237–238
 - prenatally administered, 215–222
 - radioimmunoassays and, 491
 - rodent spinal cords and, 261–263
 - serotonin-immunoreactive fibers and, 379–384
 - song birds and, 251–255
- Testosterone propionate (TP), 15–18, 23–24
- Thionin, 328–329
- Thorndike, Edward L., 807
- 3beta-DH, 4
- Thyroid, 5, 795, 810
- receptor mutation and, 207–214
 - steroid receptor mechanisms and, 171–186
- Thyrotrophic hormone (TSH), 60, 66, 71
- Tiefer, Leonore, 812
- Tinbergen, N., 802
- Tinklepaugh, O. L., 811
- Tinnikov, Alexander A., 427–440
- Tobach, E., 802
- Tomboys, 665–668
- Toran-Allerand, C. Dominique, 400
- ischemic brain injury and, 427–440
 - nerve growth factor receptors and, 451–456
 - steroids and, 441–449
- Transient cerebral ischemia model, 431
- Transsexualality, 663, 791. *See also* Hermaphroditism
- bed nucleus of the stria terminalis (BST) and, 775–778, 781–789
 - dysphoria and, 669–678
 - estrogen positive feedback and, 767–772
 - genital surgery and, 670
 - hypothalamus and, 775
 - LH secretions and, 767–772
 - psychosexuality and, 739–759
 - SOM neurons and, 783–788

- Tsal, Ming-Jer, 171–190
 TSH-releasing factor (TRF), 66, 71
 Tuber cinereum, 82–83
 intrapituitary infusion and, 93–100
 pituitary gland and, 93–100
 Turner, C. D., 793, 796–797, 799
 Turner's syndrome, 559
 Twins, 751–752
 Tyrosine hydroxylase (TH), 446–447, 491

 Ukiyama, Etsuji, 125–135
 Uterus, 436, 649

 Valenstein, E., 799
 Valle, J., 806
 van Kessel, H., 767–773
 van Leeuwen, F. W., 385–397
 van Wagenen, G., 805
 Vasopressin
 bed nucleus of the stria terminalis and, 389–391
 behavioral chromosome effects and, 491, 495–497
 brain innervation and, 387
 fiber density and, 390–391
 functions of, 391–393
 gonadal steroids and, 387–391
 immunocytochemistry and, 491
 lateral septum and, 388–390
 reproduction and, 392–393
 Ventromedial neurons
 dihydroxytryptamine and, 471–474
 distribution analysis and, 458–459, 464–465
 electron microscopy and, 458
 estrogens and, 457–468
 morphometric procedures and, 458, 462–463
 nuclear hypothalamic changes and, 457–468
 tissue preparation and, 458
 ultrastructural changes and, 459–462
 Ventromedial nucleus, 287–290
 Verbal comprehension (VC), 556
 Verbal Intelligence Quotient (VIQ), 556
 Verbal Scale IQ (VSIQ), 546
 Verbal skills, 556
 cerebral glucose metabolism and, 561–565
 hemispheric specialization and, 567–574
 praxic functions and, 567–574
 Veridiano, Norma P., 701–711
 Visual tasks, 595–599
 VMH lesions, 24–25
 Vogt, Marthe, 71
 von Frisch, Karl, 804
 Voyer, Daniel, 555–560

 Walenstein, Elliott S., 225
 Wang, G. H., 809
 Warden, Carl J., 809, 811
 Warner, L. H., 811
 Water mazes, 646, 649, 654–656, 658
 Watson, John B., 807
 Watson, Neil V., 653–659
 Wayne, M., 814
 Wechsler Intelligence Scale, 555–556, 559
 Weisner, B. P., 801
 Weiss, Michael S., 125–135
 Western blot analysis, 428–429, 485–486
 Whalen, Richard, 812, 814
 Whitehead, Alfred North, 794
 Williams, Steve C. R., 595–600
 Williams, Timothy C., 207–214
 Wilson, J. G., 805
 Wise, Dale, 812
 Witelson, Sandra F., 534, 541–544, 577–589
 Witschi, Emil, 802, 808
 Wolffian duct system, 226, 669

 Woolley, Catherine S., 401, 477–484
 Worthington, Curtis, 70

 Xerri, Christian, 402, 517–531

 Yang, Liang-Yo, 489–500
 Yerkes, Robert M., 799, 807–808, 811–812
 Yoshimatsu, H., 359–361
 Young, Hugh H., 159
 Young, William C., 5, 401
 endocrinology research and, 794, 798–799, 805–806, 808, 811
 hormone/behavior relationship and, 223–230
 organizational and activational hypothesis and, 215–222

 Zhou, Jiang-Ning, 663, 775–790
 Zielinski, Jan E., 409–419
 Zimmerman, I., 701–711
 Zitrin, Arthur, 802, 812
 ZK 98299, 193
 Zoologists, 801–802
 Zucker, Kenneth J., 663, 739–766
 Zuckerman, Solly, 66, 794