Computational Modeling Methods for Neuroscientists

edited by Erik De Schutter

The MIT Press Cambridge, Massachusetts London, England © 2010 Massachusetts Institute of Technology

All rights reserved. No part of this book may be reproduced in any form by any electronic or mechanical means (including photocopying, recording, or information storage and retrieval) without permission in writing from the publisher.

For information about special quantity discounts, please email special_sales@mitpress.mit.edu

This book was set in Times New Roman on 3B2 by Asco Typesetters, Hong Kong. Printed and bound in the United States of America.

Library of Congress Cataloging-in-Publication Data

Computational modeling methods for neuroscientists / edited by Erik De Schutter.

p. cm.—(Computational neuroscience series)
Includes bibliographical references and index.
ISBN 978-0-262-01327-7 (hardcover : alk. paper) 1. Computational neuroscience. 2. Neurobiology— Mathematical models. I. De Schutter, Erik. II. Series: Computational neuroscience.
[DNLM: 1. Models, Neurological. 2. Neurosciences—methods. WL 20 C738 2010]
QP357.5.C625 2010
612.8—dc22 2009006125

10 9 8 7 6 5 4 3 2 1

Index

Note: boldface page numbers indicate main or defining entry for a term.

3/2 rule. See Branch

Accuracy, 24-26, 77-79, 99, 263-264, 271 Action potential initiation, 274 model of, 12-23, 100, 108-111, 123-125, 127-128 phase-plane analysis, 12-17 role in transmitter release, 148, 153 Activated complex, 117-118 Activation. See Channel Active membrane model, 259-283, 286-289, 326-327 Activity ratio, 90 Adaptation, 182, 325-327, 353 Adaptive EIF. See Integrate-and-fire neuron model, adaptive exponential Adaptive step. See Time step, adaptive Affinity, 64 Alexa dye, 188, 191 ALIF. See Integrate-and-fire neuron model, adaptive Alignment, 203-204 Alpha function. See Synapse model Alternating direction implicit method, 99 Amira software, 203, 205, 206 AMPA receptor, 63-64, 140, 144, 146, 149 EPSC, 146 model, 150-151 regulation, 149 temperature sensitivity, 145 Amplification, 62, 350 Apical dendrite, 218-220 Apical tuft, 218-220, 231 Artifact, 194-195, 213, 340 edge, 339 Artificial conductance, 306, 309-310 Artificial synapse, 308, 311-312 Asymmetry, 231 Attenuation. See Voltage, attenuation

Attractor, 10 global, 14-15 Autocorrelation, 342 Automated parameter fitting. See Parameter fitting Autonomous. See Differential equation, autonomous Average. See Mean value Axial current, 100, 235-236, 261 Axon, 274-275, 327-328 delay, 148, 312, 321, 329-332, 347, 353 model, 18-20, 275, 327-328 hillock. 274 initial segment, 274, 276 morphology, 274-275, 328 myelinated, 274 repair of morhology, 227-230 Balanced network. See Inhibition, balanced BCM rule. See Bienenstock-Cooper-Munro rule Beads, 189 Bernouilli process, 87 Bienenstock-Cooper-Munro rule, 157 Bifurcation, 10-11, 15-17 branch (see Branch) diagram, 10-11 Hopf, 15-17, 169, 171 saddle node, 16-17, 169, 171 SNIC (see saddle node) Binding step, 64. See also Stoichiometry Binomial distribution, 155-156 Biocytin, 188-191 Biophysical mechanism, 271 Biophysical model, 65 Biotinylated dextran amine, 192 Bistability, 10-11, 17, 62 BK-type channel. See Potassium channel, BK-type Ca2+-activated Blebbing, 191, 194-195 Boltzmann equation. 31-32, 111, 128 Boltzmann-Gibbs distribution, 45

Borg-Graham equation, 120 Boundary, 86-88 Boundary condition, 18, 20, 29, 82-83, 237-239, 339 Neumann-type, 83 volumetric, 220-223, 231 Boundary-value problem, 21, 24, 26-27 Branch 3/2 rule, 239-340, 245 axial resistance, 263 bifurcation, 213, 215, 221-225 continuation, 215 cut, 195-196, 218-227, 231 definition, 214 impedance match, 245 order, 213, 215-216, 219, 221 order-based algorithm, 213 termination, 213, 215, 221-225 Briggs-Haldane equation, 67 Brownian motion, 27, 85-86 Buffer, 97-99, 102-104 capacity, 98, 103 concentration, 98 mobile, 98, 103-104 saturation, 103 Bursting, 180-184 Ca-ATPase pump, 95-96 Ca2+. See Calcium Cable equation, 28-29, 100, 236-237 equivalent, 250-251, 265 (see also Cylinder) model, 236-237, 259, 263 nonuniform parameters, 242, 248-250, 257 parameter, 239, 246-251, 255-257, 261 theory, 233-246 Calbindin, 98, 102 CalC software, 99, 355 Calcium -activated channel (see Potassium channel, Ca²⁺-activated) activation by, 260, 265 buffer (see Buffer) channel, 148, 154, 261 concentration, 69, 93-105, 148, 152, 154, 279 current, 93, 148, 293, 295 diffusion, 99, 103-104 dye, 102, 104 fractional current, 94, 145 influx, 63, 93-94, 100-103, 145, 148, 158 low-threshold current, 111-115, 127-136 oscillation, 96-97 pool, 101-102, 282 pump, 103 (see also Ca-ATPase pump) release, 96-97 removal. 95-96, 101 spark, 101 spike, 135-136

store, 96-98, 104 T-type current, 111-115, 127-136 wave, 96 Calibration, 204 Calmodulin, 63-64, 98 Calreticulin, 98 Calsequestrin, 98 CaMKII. 64, 158 Canonical model, 271, 289-291, 296-297 Capacitance, 1 load, 274 membrane, 234-235, 246, 250, 255-256, 260-261 Carnoy's fixative, 191 Catacomb software, 355 CCH. See Cross-correlation histogram Cell Centered Database, 209 Central pattern generator, 289-291, 310, 315-316. See also Leech, heartbeat timing network Central peak, 343 Cerebellar cortex model, 336 Channel 107–137. See also State; Thermodynamic model activation, 109-113, 115, 120, 125, 128-130, 133-134 activation gate, 110, 115, 123 calcium (see Calcium, channel) conductance, 109-110, 115, 263-264 conformational change, 108, 117-122, 132 data, 137, 274 deactivation, 112-113, 121 deinactivation, 112, 114 density, 131, 136, 263, 265, 276 gating, 109-112, 117-123, 149, 154, 260, 279 inactivation, 110-116, 123-127, 133-134 kinetic equation, 122-123 kinetic table, 264-265, 350 kinetics, 109-114, 117-121, 274-276 (see also Parameter fitting) leak (see Leak) permeability, 116, 145 potassium (see Potassium channel) rate constant, 22, 109-110, 117-119, 122, 127 single, 107-108, 121-124 sodium (see Sodium channel) stochastic model, 22-23, 27-28, 121-123, 275 time constant, 111, 113-115, 120-121, 128-130, 132 - 134ChannelDB database, 137 Characteristic polynomial, 6-7 Charge, 94, 109, 116 equalization, 247 Chemical master equation, 72-74 Chi-square test, 33, 59 CICR. See Calcium, release Closed-loop system, 313-316 Clustering, 333 cm; Cm. See Capacitance, membrane CME. See Chemical master equation

Index

Cobalt chloride, 188, 190-191 Coefficient of variation, 167–168, 342 Coevolution, 55 Collision, 69, 71, 85-86 Collocation, 26–27 Communication, 348 Compartment asymmetric, 261, 263 chemical, 66 isopotential, 24, 109, 240, 259-260, 263 size, 263-264 symmetric, 261, 263 Compartmental model, 18, 240, 247, 259-265, 266-267, 269-282 accuracy, 263-264 chemical, 66 parameter, 261-263 (see also Parameter fitting) solution method, 264-265 surface area, 202 Computation chemical, 61-63 function of, 318 Concentration, 66-68, 81-82, 116. See also Calcium Conductance. See also Channel; Synaptic conductance -based model, 161, 285-288, 295-297 coupling, 267 input (see Resistance, input) maximal, 110, 263, 288-290, 295-296, 299-300, 304 Conducting state, 153 Conduction delay. See Axon, delay Confocal image, 200-201 Conformational change. See Channel Conjugate gradient method, 39, 58, 255 Connection, 288, 324-325 delay (see Axon) density, 335 topology, 333–334 Constant field equation. See Goldman-Hodgkin-Katz equation Constraint, 56-57 Continuation, 215 Convolution, 322-323 Coordination, 294, 297-298, 314-315 intersegmental, 316 Core conductor, 233 Cost function. See Fitness function CPG. See Central pattern generator CPU, 347-350 Crank-Nicholson method, 99, 264, 340 Cricket interneuron, 190-191, 208 Cross-correlation histogram, 342-344 Current, 107-116 cancellation. 310 fitting, 123-136 gating current, 124

injection, 234, 238, 240-241, 252, 259-261, 286 (see also Input) leak (see Leak) membrane, 234-235, 260-261, 286-288 ohmic, 116, 144, 260-261 synapse model, 144 synaptic, 143-145 tail. 112-113. 115 threshold, 176 CV. See Coefficient of variation CVapp software, 206-207 CVODE software, 26 Cylinder, 261-263 equivalent, 239-240, 245-246, 257 infinite, 237–239 Database, 137, 208-210, 305 modeling approach, 300-305 DE. See Direct evolution Deactivation. See Channel Decay. See Synaptic conductance; Voltage Decorrelation, 153 Dehydration, 190-191, 195, 197 Deinactivation. See Channel Delay, 315. See also Axon Delay-differential equation, 4 Delayed rectifier. See Potassium channel Dendrite, 266. See also Branch; Dendritic spine; Spike filtering, 243 growth model, 213-214 repair of morphology, 214-227 topology, 261, 263 unraveling, 216-217, 230 Dendritic spine, 64, 69, 94, 187-189, 196-197, 202, 245 - 246compensation, 253-255, 280 density, 99-100, 253, 274, 280 model, 99-100, 102-104 Depression. See Synaptic depression Desensitization, 63. See also Synaptic conductance Deterministic solution method. See Diffusion: Reaction Deterministic search method, 42-44 Development, 145-146, 149 Dialysis, 248 Diameter, 195, 198-199, 201-203, 238-239, 243-245, 255-256 Diaminobenzidine, 190, 195 Differential equation, 1-30 autonomous, 4-7 homogeneous, 5 linear, 5-8 order, 3-4 ordinary, 1, 2-4, 21, 24-26, 29 partial, 20-21, 24, 28-29 stochastic, 27, 78-80 Differential evolution, 49-50, 58

Differentiation, 63 Diffusion, 80-83, 85-86, 99-100 1-D, 99, 103-104 3-D, 99-100, 104-105 anomalous diffusion. 99-100 apparent diffusion constant, 99, 103-104 approximation, 167 calcium (see Calcium) constant 81-82, 85-87, 98-99, 149 deterministic solution method, 83-85 electrodiffusion, 100 growth model, 214 in membrane, 154 lateral, 154 numerical integration, 83-85, 99-100 stochastic solution method, 85-88 transmitter, 145, 148-149, 155 DiI labeling, 192-193 Dimensional stacking, 302–304 Dimensionality, 99 DIRECT algorithm, 42–44, 58 Direction vector, 216 Discrete-event simulation, 147-148, 348 Discretization, 83, 87-88, 263-264 Disinhibition, 351 Dissociation constant. See Reaction Dominance, 53-54 Dose-response curve, 90 Downhill simplex method, 39-40 DReAMM software, 206, 358 Driving force, 115, 144, 148, 241, 244 Dye leakage, 213 Dynamic clamp, 278, 305-312 E-Cell software, 356 EA. See Evolutionary algorithm EEG, 341 EIF. See Integrate-and-fire neuron model, exponential Eigenfunction, 247 Eigenvalue, 6-7, 9, 15, 247 Eigenvector, 6 Electric field, 100, 117-120, 273, 338, 341 Electrical coupling. See Gap junction Electrodiffusion, 100 Electron microscopy, 196-199, 202-203 Electron tomography, 196, 205-206, 210 tracing, 206-207 Electrophysiological data, 33-34, 36, 251-253, 257-258, 271-273, 343-344. See also Patchclamp recording; Sharp electrode recording Electrotonic distance, 237 length, 237-239, 244-246, 250, 263-264 parameter (see Cable) Endoplasmic reticulum, 83, 85, 95-96, 104 Energy barrier, 117–120 Entrainment, 298, 315

Enzyme, 67, 89-90 purification series, 90 Ephaptic coupling, 236, 338 Equilibrium point. See fixed point Error function. See Fitness function Erythrocyte, 188 ES. See Evolutionary strategy Euler's method, 24-25, 27 backward, 25-26 Event-driven simulation. See Discrete-event simulation Evolutionary algorithm, 46-49 Evolutionary strategy, **47–49**, 54, 57–58 Excitability, 107, 145, 175-176, 267, 271, 273, 326-327 Excitation, 242–243 feedback, 325, 350-351 feedforward, 337 Excitatory postsynaptic current (EPSC), 141–142 Excitatory postsynaptic potential (EPSP), 141, 144, 243Existence, 2, 26 Experimental data. See Electrophysiological data Explicit method. See Integration method Exploration-exploitation balance, 40-42 Exponential function, 5, 101 Exponential peeling, 246-248 Extracellular space, 338. See also Resistance, extracellular Eyring theory, 117 Facilitation. See Synaptic facilitation Feature-based fitting. See Fitness measure Feedback, 320, 350-351, 353. See also Excitation; Inhibition connection, 339, 350 delayed, 353 effect of synaptic plasticity, 331 mechanical, 313-316 negative, 315 proprioceptive, 313, 315 sensory, 313-316 Fick's law, 81-82 Field potential, 334, 341 local, 326, 334, 342 Field representation continuous field model, 322 mean-field approximation, 323 Finite-difference method, 24-26, 83 Finite-element method, 84-85 Finite-volume method, 84-85, 99, 101 Firing mode repetitive, 15-17, 310 spontaneous, 279-280, 353 type I, 175-177 type II, 174-175, 327 Firing rate, 164–168, 174–179 adaptation, 179-180, 182-184, 325, 353

model, 322, 350-351 network, 321-323, 329-332, 343-344 Fitness function, **31–37**, 40, 45–46, 53–55, 57–58. See also Penalty function dvnamic, 55 feature-based, 35, 271, 273 multiobjective, 53-54 noisy, 54-55 FitzHugh-Nagumo model, 174-175 Fixation, 188-189, 191-193, 197-198 Fixed point, 6, 7-13, 15-17, 169-171 Flow field, 10-15 Fluorescent dye, 104, 188, 195, 199-200 Flux, 81–83 Frequency tuning, 331 Frequency-intensity curve (*f-I*), 167, 174, 176–179, 184-185, 326-327, 329 Fusion pore, 148-149, 154 G-protein model, 152 GA. See Genetic algorithm GABA_A receptor, 143–144, 146–147, 150–151. See also Inhibition GABA_B receptor, 152 Gain adaptation, 153, 179 Gain control, 152, 311, 329, 331, 337, 351 Gamma process, **163–164**, 337–338 Gap junction, 191, 244, 288, 292, 322, 327, 331-334, 340, 348 Gating. See Channel; Current Gaussian distribution, 85-87 Gear method, 26 Generalization, 271, 345 GIF. See Integrate-and-fire neuron model, generalized Generation, 46–49 GENESIS software, 24, 206, 240, 251, 260-265, 316, 335, 338-341, 348-350, 357, 362 Genetic algorithm, 47, 49, 55, 58 Geometric approach, 9-17 Geometry, 83-84, 87, 238-239 GFP. See Green fluorescent protein GHK equation. See Goldman-Hodgkin-Katz equation Gillespie algorithm, 28, 70, 73-80. See also Tauleaping method and diffusion, 87-88 direct method, 74-76 first reaction method, 75-76 next reaction method, 76 Glia, 190, 198 Global. See Minimum, Parameter fitting Glutamate, 140, 143-146, 150-152 Glycerol, 190, 192, 195 Goldman-Hodgkin-Katz equation, 93-94, 100, 116, 145, 261 Golgi cell model, 336, 344 Golgi method, 191–192

Graded transmission, 288, 295, 348 Gradient, 61, 80-88 Grand probability distribution, 69-73 Graph theory, 333 Green fluorescent protein, 193-194 Grid, 83-84, 86-87 H-current. See hyperpolarization-activated current Half-center oscillator, 287, 292-294, 296-298 Hardware, 147, 305, 347-350 Heart interneuron. See Leech Hebbian learning, 157 Hessian matrix, 39 Heterogeneity, 249, 256, 312, 325, 334-335, 339 Heun's method, 25 Hill-equation, 95 Hines method, 264 Hippocampus, 194, 312 Hodgkin-Huxley equation, 31-32, 108-111, 115, 161, 184, 260, 264, 274, 287, 295 Hodgkin-Huxley model, 108-111, 116, 121, 123, 125-128, 169-170 Homeostatis, 158, 277-278, 283, 325 Homogeneous. See Differential equation Horseradish peroxidase (HRP), 188, 190, 196 Hybrid network, 305, 308-311 Hyperpolarization-activated current, 170, 173, 249, 252, 272, 277–278, 293, 295, 297, 310, 353 IF. See Integrate-and-fire neuron model IFB. See Integrate-and-fire neuron model, or-burst I_h . See hyperpolarization-activated current Image stack, 193-194, 200-201, 203 ImageJ software, 201, 203 Immunocytochemistry, 276 Impedance, 168-169, 171, 173, 184 match, 245 Impulse response, 352 Inactivation. See Channel Inactive state, 153 Inferior olive model, 312 Influx. See Calcium Inhibition. See also GABAA receptor, GABAB receptor balanced, 281, 325, 337 divisive, 144, 243, 325, 329, 351-352 feedback, 325, 336, 350-351 feedforward, 325-326, 344, 350-351 lateral, 322, 324-325, 351 location, 242-243 shunting (see divisive) subtractive, 325, 329, 352 Initial condition, 2, 10, 14, 20, 90, 279-280 Initial-value problems, 24–26 Inositol triphosphate diffusion. 99, 103 metabolism, 97 receptor, 96-97

Lattice, 87

conductance, 278, 296

Leak

Input colored noise, 177-178 constant, 165-167, 174, 178-179, 241-242, 244, 343 oscillatory, 168 periodic, 174, 338, 352 relation to output, 318-319 stochastic, 167-168, 337 synaptic, 165, 167, 240-241, 280-282 synchronous, 282 transient, 241-242, 244 white noise, 166-167, 174, 177-178, 272-273, 319, 337–338 Integrate-and-fire neuron model, 161163, 165, 166-186 adaptive, 179-180, 184 adaptive exponential, 182-183 exponential, 176-179, 184 generalized, 168-174, 182, 184 leaky, 165-169, 184-185, 326 nonlinear, 175-179 or-burst, 180-181, 184 refractory period, 165, 167, 176 quadratic, 176-178, 182, 326 Integration method, 24-29. See also Diffusion; Reaction explicit, 24-26, 68, 77-78 implicit, 26, 68, 78, 264 order, 25 step size, 24-27, 29, 99, 263-264, 340-341, 353 voltage equation, 264-265 Interspike interval distribution, 163-164, 167-168, 342 Invertebrate neuron, 190-191, 274. See also Cricket; Leech Ion channel. See Channel Ionic current. See Current IP₃. See Inositol triphosphate ISI distribution. See Interspike interval distribution Isopotential cell, 237, 247. See also Compartment I_t . See hyperpolarization-activated current Izhikevich model, 182–183 K⁺ channel. See Potassium channel K_d . See Reaction, dissociation constant Kinetics. See also Channel conductance; Synaptic conductance mass-action, 66-69 Kinetikit software, 357 λ . See Electrotonic, length Lamprey swimming, 316 Langevin equation, 70-71, 78-79 Lapicque's model, 161–162

current, 109, 260 reversal potential, 278 Leaping method. See Tau-leaping method Learning rule, 156-159 divergence 157, 158 rate-based, 157-158 stability, 159, 331 Least-square error, 32-33 Leech heart interneuron (HN), 287, 292-299, 309-310 heart motor neuron, 292 heartbeat timing network, 292-299 swimming, 314–316 Levenberg-Marquardt method, 39 Light microscopy, 187-196 measurement error, 202-203 Limit cycle, 8-9, 15-17 Linear congruential generator, 60 Linear equation. See Differential equation Linearity, 5-7, 240-241, 244, 252-253, 338, 352 Linearization, 8-9, 12, 15, 169-170 Lipophilic dye, 192-193 L-Measure software, 206-207 L-Neuron software, 213 Load balance, 347-348 Long-term depression, 157-158, 268-270 Long-term potentiation, 157-159 LSODE software, 26, 68 LTD. See Long-term depression LTP. See Long-term potentiation Lucifer yellow, 188 Magnesium

block, 144-146, 150 concentration, 145 MAPK cascade, 62 Markov model, 28, 108, 121-123, 124, 126-128, 133, 136, 149-150, 156 Master equation, 72-74, 122 MCell software, 86, 104, 155, 205-206, 358 Mean value, 275, 289 Mechanical model, 313. See also Neuromechanical model Membrane. See also Capacitance; Current; Potential; Resistivity -bound molecule, 68 equation, 1, 109, 286-288, 321-322 lipid bilayer, 234-235 surface, 16, 202, 261, 263, 265, 280 time constant, 165-167, 237-239, 243, 246, 337, 350 Memory model, 152-153, 156-157 Mersenne twister method, 60 Mesh, 83-86 Mesocopic scale, 69-71 MesoRD software, 88, 358 Metabotropic receptor, 97, 140, 152

Michaelis-Menten equation, 67, 96 Microdomain, 100-101, 104 MIEN software, 207-28 Minimum global, 40, 55-57 local, 38, 40, 42, 45-46, 55-57, 254, 257 Mitochondrium, 95 ModelDB database, 137, 273 Modigliani software, 359 Monte Carlo method, 73 MOOSE software, 357, 359-360 Morphoelectrotonic transform, 242 Morphology, 187-210, 247-248, 250, 261, 263, 265, 274, 286–287, 327–328 artifact, 194-195, 213, 277 class, 211-212 correction factor, 202-203 diversity, 211-212 parameter, 255 reconstruction, 187-210, 212-213, 249, 255-258 symmetry, 214-215, 218, 221, 227, 230 tracing, 199, 201 Morris-Lecar model, 12-14, 22-23, 174-175 Motor pattern generation. See Central pattern generator Multiobjective method, 53-54, 57 Mutation, 46-49, 55 Na⁺ channel. See Sodium channel Na⁺-Ca²⁺ exchanger, 95–96 Nanodomain, 99-101, 104 Navigation modeling, 356 NCS software, 360 Nernst potential, 94, 100, 109, 116 Nernst-Planck equation, 100 NEST software, 339, 347, 360-362 Network dynamics, 142, 145, 152, 311, 320-321, 324-325, 329-333, 350-354 Network model, 285-354 architecture, 323, 354 design, 318, 323-338 dilution, 339 inhibitory, 296-298, 321, 329-332 large-scale, 317-345, 347-350 number of neurons, 321, 339 number of synapses, 320-321, 333, 335-336, 339, 348 parameter randomization, 324, 333-335 scale, 328, 339 semisynthetic, 312 size, 320, 336-337 small, 285-299 stability, 325, 327, 329, 351, 353 symmetry breaking, 335 Neuron_Morpho software, 201, 207 Neurobiotin, 189-191 neuroConstruct software, 346-347, 361

NeuroExplorer software, 206 NEUROFIT software, 137 Neurofitter software, 37, 58, 278, 362 Neurolucida software, 198-201, 206-207 Neuromechanical model, 312-316 closed-loop, 313-316 open-loop, 313 NeuroML language, 347 Neuromodulation, 271, 297, 313 NeuroMorpho.Org database, 209, 251, 273 Neuromuscular transform, 313 NEURON software, 24, 137, 206-207, 240, 249, 251, 254-255, 260-261, 264-265, 338, 347-348, 350, 362-363 Neuron class, 211-212, 324 NeuronDB database, 137 Neuroscience Information Framework (NIF), 208 Neurospaces software, 347 Neurotransmitter. See Transmitter Newton method, 38–39 NLIF. See Integrate-and-fire neuron model, nonlinear NMDA receptor, 140, 144-146, 149. See also Magnesium, block calcium influx, 94, 145 EPSC, 146 model, 150-151 temperature sensitivity, 145 No-free-lunch theorem, 57-58 Node of Ranvier, 100, 274 Noise, 22-23, 54-55, 69, 335-337. See also Input Nonlinearity, 7-17, 176, 323, 325-327, 329, 338, 352-353 Nonuniqueness, 257, 277-278, 299-305, 335 Normalization factor, 143 NSL software, 361 Nullcline, 12-17 Numerical methods, 24-29. See also Integration method ODE. See Differential equation, ordinary Ornstein-Uhlenbeck process, 337 Oscillation, 62, 179, 292-299, 311, 327, 329, 333-334, 336, 338, 342. See also Half-center oscillator axonal delay, 148, 329-332, 353 damped, 172, 174 frequency, 315-316, 321, 329-333, 353 of input, 168, 171, 178 period, 289-293, 297-299, 310, 316 phase, 290, 293-294, 297-299, 315-316, 322 Overshoot, 171-174 Parallel processing, 49, 347-349 Parameter fitting, 31-60, 256, 288-291, 345. See also Fitness function; Minimum; Nonuniqueness brute force search method, 42 channel kinetics, 111-115, 123-136

Parameter fitting (cont.) chemical model, 88-91 compartmental model, 256-257, 270-271, 274, 276-278, 280 global search method, 40-52 hybrid search method, 55-56, 302 local search method, 37-40 Markov model, 133-134 memorization strategy, 55 random search method, 44 stochastic search method, 44-52 synaptic channel, 159 Parameter space, 31, 40-42, 56; 289-291. See also Nonuniqueness Pareto front, 53-54 Particles swarm optimization, 49-52 Partitioning, 347–349 Parvalbumin, 98, 102 Passive membrane model, 233-258, 261-263, 277-278 Patch-clamp recording perforated, 248-249 whole-cell, 112, 189, 212, 248-249, 270, 276 Path length, 333 PDE. See Differential equation, partial Penalty function, 56 Periodic trajectory, 8-9, 14-15 Peristimulus histogram, 282 Permeability. See Channel PGENESIS software, 348-349, 357 Phase. See also Oscillation locking, 333, 344 plane, 11-17, 21, 23, 174-175 plane trajectory density method, 36-38 -response curve, 326-327 space, 8-11 shift, 178-179, 315 Phenomenological model, 153, 156, 159, 265-266 Photobleaching, 188 Pinsky and Rinzel model, 266-267 PMCA pump, 95–96 Point neuron model, 161-185, 265, 285, 326 Point process, 163–164 nonstationary, 164 Poisson process, 22, 28, 163-164, 166-168, 337, 341, 344 Poisson distribution, 77-78, 337 Population, 46–49, 54–55, 322, 342 Population vector, 69-72, 74-75 Postsynaptic potential, 141, 144, 243 Potassium channel BK-type Ca²⁺-activated, 101–102, 260 delayed rectifier, 108-111, 123-124 SK-type Ca²⁺-activated, 102 Potential. See also Field Potential; Postsynaptic potential; Voltage extracellular, 235, 273 half-activation, 33,120

membrane potential, 1, 109, 165-167, 234 reset, 165 resting, 144, 146, 165, 182, 234 reversal, 109, 116, 144, 146 threshold, 14, 17, 19, 165, 167, 176, 179, 182, 184 Prediction, 1-2, 125-127, 269-270, 291-292, 298-299, 310, 312 Presynaptic terminal, 104, 139-140, 148-149, 154 PRNG. See Random number generator Probability density, 215, 220-221, 230-231 Probability distribution, 69-74, 77, 85-86 Propagation, 18-19, 244 Propensity, 69-78 function, 69–72 zero, 72 Pseudorandom number generator. See Random number generator PSICS software, 275, 363 PSO. See Particle swarm optimization Pumps, 95-96, 102-103 electrogenic, 95-96 Purkinje cell, 98–99, 102, 250, 262, 280, 300 model, 263-264, 269-270, 279, 280-281, 305 Push-pull connectivity, 324-325, 352 Pyramidal cell, 146, 194, 212, 214, 217-230, 235, 250, 252, 311-312 model, 17, 184, 266-267, 269, 280, 310 Python language, 347, 356, 359, 363, 364 O10 factor, 130, 145 QIF. See Integrate-and-fire neuron model, quadratic Quantal size, 155 ra. See Resistance, axial R_a . See Resistivity, axial rand function, 60 Random number generator, 59-60, 341, 346 Random walk method, 86-87 RANDU function, 60 Raster plot, 341 Reaction, 61-80 continuous solution, 79 deterministic solution method, 66-68 -diffusion system (see Diffusion) dimerization, 71-72 discrete solution, 79 dissociation constant, 65, 90, 96, 98 joint probability density function, 73-75 kinetics. 66-80 membrane-limited, 68 mesoscopic rate constant, 69, 71-72 mixed method, 78-80 number of molecules, 68-72, 78-79 numerical integration, 68, 78-80 rate, 64, 67-68, 117 second-order, 71 stochastic, 68-73

stochastic solution method, 73-76, 79 unimolecular, 71 Readout neuron, 343 Rebound depolarization, 327 Receptor. See Synaptic receptor Reciprocity, 241 Recombination operation, 46-48 Reconstruct software, 203-204 Reconstruction. See Morphology Recovery. See Channel, inactivation Rectification. See Goldman-Hodgkin-Katz equation Reduced model, 265-266. See also Cylinder, equivalent Refractory period. See Integrate-and-fire neuron model; Poission process Relevance, 345 Renewal process. See Point process Repair. See Axon, Dendrite Repressilator circuit, 62 Residual, 32-33, 152 Resistance axial, 235-236, 246-250 cytoplasmic, 261-263 extracellular, 235-237 intracellular (see axial) input, 234, 236, 239-241, 244-245, 248, 250, 252-253 local input, 243 membrane, 234-235, 243, 260-261 Resistivity axial, 18, 236, 246, 255 membrane, 26-27, 234-235, 243, 246, 248-250, 255-256. 261 Resonance intrinsic, 326-327 network, 315, 329, 332, 353 stochastic, 337 subthreshold, 169, 172, 174, 182-184 Resonate-and-fire model, 174 Respiratory pattern generation, 316 Retina, 353 rm. See Resistance, membrane R_m . See Resistivity, membrane R_n . See Resistance, input Robustness, 278, 289-290, 305, 345 Routh-Hurwitz criterion, 7 Runge-Kutta method, 24–25, 68 Ryanodine receptor, 97 Sag, 172, 252

Sag, 172, 252 Sarcoplasmic reticulum, 96 Saturation, 281, 327 SBML. See Systems Biology Markup Language SDE. See Differential equation, stochastic Search method, 31–60. See also Parameter fitting Selection, 46–49 Sensitivity, 257, 290–291, 300 Sensorimotor model, 315 SERCA pump, 95–96 Serial section technique, 198 Shell, 215–216 Sharp electrode recording, 212, 248-249 Sholl, 215-217 Shooting, 21, 26-27 Shrinkage, 190-191, 195, 207, 213, 216-218, 255, 274 Shunt. See Soma Signaling model, 61-66, 88-91 Silent synapse, 146 Simplex algorithm, 39-41 Simulated annealing, 44-46, 58 Simulator independence, 347 SK-type channel. See Potassium channel, SK-type Ca2+-activated Slice preparation, 154, 188-189, 214, 218 Small-world topology, 333 Smoldyn software, 86 SNNAP software, 363 Sodium channel inactivating, 108-111, 123-127, 287 persistent, 172-173, 310 Solution space, 300-305. See also Parameter space connectedness, 304-305 Soma, 266-267, 269, 274 dissociated, 276 shunt, 248-250 Space clamp, 146, 242, 275-276 Space constant, 27, 237, 243-244 Sparse connectivity, 325, 333, 335, Spatial gradient, 66, 80-82 Spectrogram, 342, 344 SPICE software, 338 Spike. See also Firing mode; Firing frequency; Periodic trajectory conduction, 275, 328 dendritic, 265-266 initiation, 265, 274 response model, 162, 326 shape, 270, 296 train analysis, 342-343 -time histogram, 334-342 -timing-dependent plasticity (see Synaptic plasticity) Spine. See Dendritic spine Squid giant axon, 107-108, 234, 236, 274 srand function, 60 SSA. See Gillespie method Stability, 5-10, 12-13, 15, 17, 25-27. See also Network model; Synaptic plasticity asymptotic, 6-10 neutral, 6-7 Staining, 187-194, 213 State. See also Channel, gating closed, 27-28, 119, 123-124 open, 22, 27-28, 119-121, 123

State (cont.) resting, 9, 13-14, 16-17, 21, 153 space, 69, 72-73 (see also Phase, space) STDP. See Synaptic plasticity, spike-timingdependent Steady state. See Fixed point Steady-state assumption, 66, 264 Steepest-descent method, 39 STEPS software, 88, 104, 364 Stiff system, 25-26, 29, 68, 264 Stochastic simulation algorithm. See Gillespie method StochSim software, 364 Stoichiometry, 67 Stomatogastric ganglion, 288, 290, 299 Subthreshold dynamics, 14, 168–172. See also Resonance Superposition principle, 352 Surface-to-volume ratio, 94 Susceptibility, 167, 178 SWC format, 201, 206-207, 210 Swelling, 189, 191, 195 Synapse Model. See also Signaling model alpha function, 141-142 difference of two exponentials, 141, 143 dynamic, 152–154, 331 single-exponential decay, 142 stochastic, 154–156 Synapse Web, 210 Synaptic conductance, 139-159, 281. See also Postsynaptic potential; Synapse Model decay, 141-143, 153 decay time constant, 142-143, 145-147 desensitization, 152 kinetics, 140-143, 149-152 peak of, 141-143 rise time, 141-143, 146, 243 stochastic rate constant, 149-151 weight, 156-158, 328, 334-335, 339 Synaptic current 94, 143–144, 241, 261, 281–282. See also Excitatory postsynaptic current Synaptic depression, 152-154, 325, 331, 353 Synaptic facilitation, 152-153, 331, 353 Synaptic failure, 325, 327-328 Synaptic input, 243-244, 337 background, 281-282 (see also Inhibition, balanced) diffusion approximation, 167 Synaptic latency. See Axon, delay Synaptic noise, 156, 281 Synaptic plasticity, 96, 103, 145, 331. See also Synaptic depression; Synaptic facilitation long-term, 157-159 short-term, 152-154 spike-timing-dependent, 148, 157-158, 331 Synaptic receptor, 144-147, 149-152, 156 AMPA (see AMPA receptor) binding, 149-151

GABA (see GABA_A receptor, GABA_B receptor) metabotropic (see Metabotropic receptor) NMDA (see NMDA receptor) subunit, 149 Synaptic transmission. See Transmitter Synchronization, 311-312, 333, 335-336, 353. See also Oscillation, axonal delay artifactual. 340 measure of, 342-344 rate covariance, 343-344 Synfire chain model, 326, 350 SYNU software, 205-206 Systems biology, 90-91, 282 Systems Biology Markup Language, 356–358 τ -leaping method. See Tau-leaping method T-type current. See Calcium current Table, 264-265, 349 Tau-leaping method, 76-79 Temperature, 45-46, 111, 274-275 dependence, 130, 145, 159 Temporal filtering, 153 Thalamic relay neuron, 112-114, 127-136, 180-181 Thermodynamic model, 117-121, 130-133, 136 Theta neuron model, 176-177 Threshold, 54, 157, 352. See also Current; Potential Time constant, 153, 247, 350. See also Channel; Membrane; Synaptic conductance Time scale, 65, 75, 80, 276-277, 353 Time shift, 34-35, 37 Time step. See Integration method, step size Topology. See Connection; Dendrite Tortuosity, 216 Tracing. See Electron tomography; Morphology Trajectory. See Periodic trajectory Transfer function, 352 Transition probability, 122 Transmitter, 140, 148-152. See also Diffusion release site, 154-155 reuptake, 149 transporter, 149, 152, 155 unbinding, 142-143, 146 vesicle, 140, 148-149, 152, 154-155 vesicle depletion, 152-153 Trapezoidal rule, 25 Type I/II mode. See Firing mode Ultrastructural level. See Electron microscopy Uniqueness, 2, 5, 345. See also Nonuniqueness Unit, 236, 277 extensive, 68 intensive, 68

Valence. See Charge Validation, 227, 229, 271, 278–279, 340–342, 345, 349

Index

Variability, 289-290, 299. See also Nonuniqueness synaptic, 149, 154-156 Varicosity, 189, 194, 200, 202 VCELL software, 365 Vesicle. See Transmitter VIAS software, 201 VLSI, 147, 154 V_m . See Potential, membrane V_t . See Potential, threshold Voltage. See also Potential; Sag attenuation 241-245, 280 clamp, 108, 111-114, 125-127, 242, 275, 281 (see also Space clamp) decay, 237-239, 243, 247 dependence (see Channel, kinetics) Volume, 68-69, 71, 94, 101 Voxel, 83-84, 87-88

Wave propagation, 19–21, 315, 322, 333, 335 Well-mixed system, 66–68, 87 Wiener process, 27 Winner-takes-all model, 325, 351

XPPAUTO software, 12, 27, 316, 323, **365–366** Xvotrace software, 205