

The Configuration Space Method for Kinematic Design of Mechanisms

Elisha Sacks and Leo Joskowicz

The MIT Press
Cambridge, Massachusetts
London, England

© 2010 Massachusetts Institute of Technology

All rights reserved. No part of this book may be reproduced in any form by any electronic or mechanical means (including photocopying, recording, or information storage and retrieval) without permission in writing from the publisher.

For information about special quantity discounts, please email
special_sales@mitpress.mit.edu

This book was set in Stone Serif and Stone Sans on 3B2 by Asco Typesetters, Hong Kong. Printed and bound in the United States of America.

Library of Congress Cataloging-in-Publication Data

Sacks, Elisha, 1958–

The configuration space method for kinematic design of mechanisms / Elisha Sacks and Leo Joskowicz.

p. cm.

Includes bibliographical references and index.

ISBN 978-0-262-01389-5 (hardcover : alk. paper) 1. Machinery, Kinematics of.

2. Computer-aided design. 3. Configuration space. 4. Machine design.

I. Joskowicz, Leo, 1961– II. Title.

TJ175.S23 2010

621.8'11—dc22

2009030466

10 9 8 7 6 5 4 3 2 1

Index

- analysis, 1–10, 82
- axis, 17

- boundary representation, 11, 178

- CAD, 1, 10, 98, 134
- cam, 2, 29, 55, 75
 - centered three-arc, 140
 - intermittent, 146
 - offset three-arc, 139
 - six-arc, 141
 - three-finger bidirectional, 143
 - three-finger unidirectional, 142
- camera shutter, 169
- conceptual design, 5, 109
- configuration
 - mechanism, 25
 - pair, 21
 - part, 16
 - variables, 17, 20
- configuration space, 17, 20, 55, 121
 - blocked, 57
 - cell, 69
 - contact, 57
 - cross-section, 67
 - curve, 58
 - edge, 64
 - face, 65
 - fixed-axis pair, 60, 179
 - free, 57
 - general pair, 69
 - mechanism, 72
 - partition, 57–60, 67–69, 72, 75
 - region, 57, 72
 - surface, 67
 - topology, 62, 102, 113
 - vertex, 64
- contact, 1–10, 21, 23, 27, 33
 - boundary equations, 35, 44
 - change, 2, 8, 60
 - configuration, 32
 - curve, 37
 - edge-edge, 54
 - equations, 2, 33
 - face-edge, 53
 - face-face, 52
 - fixed-axis, 37
 - general boundary segments, 50
 - general planar, 45
 - line segment-line segment, 36
 - moving circle segment-fixed circle segment, 48
 - moving circle segment-fixed line segment, 46
 - moving line segment-fixed circle segment, 47
 - multiple, 2, 58
 - part, 2, 57
 - rotating circle-rotating circle, 42
 - rotating circle-rotating line, 41
 - rotating circle-translating circle, 40

- contact (cont.)
 - rotating circle-translating line, 38, 41
 - segment-vertex, 36
 - space, 57
 - spatial, 52
 - subsumed, 36
 - tangency curve, 37–43
 - tangency equations, 37
 - translating line-translating line, 38
 - translating circle-rotating line, 38
 - type, 33, 52
 - vertex-vertex, 36
 - zone, 101, 134
 - zone computation, 103, 106
- conventions, 4, 137
- coordinate system, 13, 16, 18, 22
- counter mechanism, 163
- cross-section, 11

- degrees of freedom, 20
- Dennis clutch, 27, 29, 115
- dragger, 112
- dynamical simulation, 95

- escapement, 96, 153

- fastener, 67
- feature, 9
 - contact, 33
 - planar, 12
 - simple, 33
 - spatial, 14

- gear, 2, 29, 75
 - asynchronous, 128
 - double rack, 154
 - dwel, 156
 - intermittent, 26, 102, 166
 - sector, 26, 76, 155
 - sector double, 157
 - spatial bevel, 162
 - spatial orthogonal, 161
 - worm, 26

- Geneva
 - planar, 122, 144, 181
 - planar inverse, 145
 - spatial, 15, 61, 160

- HIPAIR, 10, 55, 79, 98, 108, 175

- indexer, 3, 72
 - disk, 82, 103, 149
 - lever, 83, 150, 167
 - pawl, 73, 86, 164
 - reciprocating, 158
 - spatial, 159
 - star, 148
- interlock pair, 147, 151

- kinematics
 - analysis, 81
 - design, 1–3, 5, 109
 - fixed-axis pairs, 22, 25
 - function, 1–10, 14, 74–75, 81
 - higher pairs, 2, 24
 - lower pairs, 2, 24
 - pairs, 2, 21
 - simulation, 81, 87–98, 178
 - synthesis, 109
 - tolerancing, 100
 - variation, 99, 121

- lever mechanism, 100, 107
- linkage, 2, 27, 29, 75

- manipulation, 135, 175
- manual transmission gearshift, 123
- material conditions, 103
- mechanism, 1, 11, 25, 179
 - classification, 29
 - configuration, 25
 - design, 1, 5, 8
 - fixed-axis, 27
 - kinematics, 1
 - planar, 25

- spatial, 26
- theory, 75
- topology, 27, 90
- motion
 - constraints, 1
 - fixed-axis, 18
 - rotation, 18
 - translation, 18
- movie film advance, 168

- optical filter, 110, 121

- parametric
 - design, 5
 - model, 5, 99
 - optimization, 117
 - representation, 13
 - synthesis, 109
 - tolerancing, 99
- part
 - acceleration, 95
 - configuration, 16
 - force, 94
 - orientation, 16
 - planar, 12, 177
 - position, 16
 - spatial, 14
 - torque, 94
 - velocity, 88, 90, 93

- ratchet, 61, 125, 152
- Reuleaux, 2, 32, 79

- simulation, 8, 81, 87
- solid modeling, 11
- state, 88
- sweep-line algorithm, 64
- synthesis, 1, 110, 134
 - design change, 111
 - draggers, 115
 - maximal instances, 118
 - parametric, 114
 - structure change, 113

- tolerance
 - analysis, 100–103
 - model, 99
 - nominal, 99
 - parametric, 99
 - revision, 119
 - space, 100
 - specifications, 99
 - worst-case, 99
- tolerancing, 1, 8, 99–108, 134
- topology graph, 27
- torsional ratcheting actuator, 125

- visualization, 135, 175
- volume representation, 11