

The Art of Agent-Oriented Modeling

Leon Sterling and Kuldar Taveter

**The MIT Press
Cambridge, Massachusetts
London, England**

© 2009 Massachusetts Institute of Technology

All rights reserved. No part of this book may be reproduced in any form by any electronic or mechanical means (including photocopying, recording, or information storage and retrieval) without permission in writing from the publisher.

For information about special quantity discounts, please email special_sales@mitpress.mit.edu.

This book was set in Times New Roman on 3B2 by Asco Typesetters, Hong Kong.
Printed and bound in the United States of America.

Library of Congress Cataloging-in-Publication Data

Sterling, Leon.

The art of agent-oriented modeling / Leon S. Sterling and Kuldar Taveter.

p. cm. — (Intelligent robotics and autonomous agents series)

Includes bibliographical references and index.

ISBN 978-0-262-01311-6 (hardcover : alk. paper) 1. Intelligent agents (Computer software) 2. Computer software—Development. I. Taveter, Kuldar. II. Title.

QA76.76.I58S757 2009

006.3—dc22

2008044231

10 9 8 7 6 5 4 3 2 1

Index

- 3APL, 144, 152–160, 161, 174, 175, 297
- AAIL, 235
- AAMAS, 191
- Abstract agent architecture, 36, 37, 40, 56, 101, 131, 146
- Abstract entities, 58
- Accident, 125, 126
- Achievement goal, 31, 56
- ACL. *See* Agent Communication Language
- Acquaintance model. *See* Model, acquaintance model
- Action, 6, 10, 42, 49, 56, 82, 83, 87, 89, 95, 101, 102, 104, 105, 129, 144, 149, 151, 153, 216, 219, 228, 255, 274, 301, 303, 311, 317, 325, 333
- Action event, 49, 50, 59, 83, 89, 224, 228, 229, 268, 270, 271, 296
- Activity context, 40, 339
- Activity diagram (UML activity diagram), 101, 116, 117
- Activity or Activity occurrence, 7, 12, 14, 24, 28, 32, 39, 40, 50, 51, 57, 58, 61, 94, 95, 96, 97, 98, 99, 100, 102, 104, 105, 112, 130, 131, 180, 196, 232, 234, 239, 251, 252, 255, 257, 276, 287, 293, 296, 299, 325, 326, 334
- Activity type, 28, 40, 46, 50, 57, 104, 129, 130, 131, 276, 296, 325
- Actor, 187, 191, 202, 204, 206, 207, 208, 211, 212, 235. *See also* Agent
- Actor diagram (Tropos), 207, 208, 209, 210, 263, 264, 268, 270
- Actuator, 36, 37, 107
- Adaptivity, 6
- ADELFE, 114, 115, 116
- Agency, 38, 71, 74, 75, 107
- Agent, 7–13, 19–21, 23–24, 28, 30–42, 44, 46–51, 53–58, 68–69, 73, 78, 80–83, 87, 89–91, 94–95, 101–102, 105, 107–108, 111–113, 115–117, 119, 124, 127, 129–132, 134–136, 141, 143–148, 152–153, 155, 159–161, 163, 165–170, 174–175, 185, 187–189, 191, 194, 196–197, 199, 204, 206–207, 211, 214–215, 218–219, 221, 228–230, 232, 235, 240, 244, 245, 248, 250, 255, 257, 260, 262, 272, 275, 278, 279, 280, 281, 282, 283, 284, 285, 287, 290, 293, 296, 297, 299, 300, 301, 305, 308, 310, 313, 314, 315, 316, 317, 318, 319, 320, 322, 323, 324, 325, 327, 329, 332, 333, 334, 336, 337
- human agent, 240, 246, 252, 255, 257, 284, 293
- institutional agent, 246, 248, 250, 251, 263, 265, 267, 268, 270, 274
- internal agent, 248, 252
- manmade agent, 240, 284, 293, 299
- software agent, 12, 43, 48–51, 240, 244, 246, 254, 259, 280, 297, 326, 329, 334, 336, 337
- Agent acquaintance diagram, 214, 315, 317
- Agent acquaintance model. *See* Model, acquaintance model
- Agent architecture, 36, 37, 56, 91, 101, 117, 131, 144, 145, 146, 151, 168, 173, 186, 199, 207, 210, 324
- Agent architecture diagram, 201
- Agent-based simulation, 280
- Agent-based system. *See* Multiagent system
- Agent behavior model. *See* Model, behavior model
- Agent class diagram (MaSE), 115, 201, 204
- Agent Communication Language, 50, 57, 259
- Agent coupling, 300
- Agent descriptor (Prometheus), 214, 315, 316, 317, 320
- Agent diagram, 221, 224, 246, 248, 249, 272
- Agent framework. *See* Agent platform
- Agent interaction diagram (Tropos), 207, 211
- Agent model. *See* Model, agent model
- Agent-oriented system. *See* Multiagent system
- Agent overview diagram (Prometheus), 219, 301, 303, 304, 320, 322, 323, 324, 325
- Agent/role model. *See* Model, agent/role model
- Agent platform, 43, 107, 109, 112, 143–175, 211, 234, 237, 240, 259, 262, 276, 297
- Agent type, 28, 35, 37, 40–41, 53, 79–81, 84, 94, 96–101, 115–116, 127, 129, 162–163, 186, 188, 196–197, 221–222, 228, 230, 232, 246, 248, 250, 252–254, 267, 275, 284, 287, 293, 314, 315, 317, 325

- Agent UML. *See* AUML
- AGENT-0, 174
- Agent-oriented computing, 20
- Agent-oriented methodology. *See* Agent-oriented software engineering methodology
- Agent-oriented programming, 160
- Agent-oriented software engineering, 113, 141, 189, 235, 237
- Agent-oriented software engineering methodology, 56, 61, 66, 68, 80–81, 89, 94, 100–101, 113, 115–116, 174, 187, 191–237, 282, 324, 325
- Agent programming language, 21–22, 61, 91, 143–175
- Agent-role coupling diagram, 315
- AgentSpeak, 148
- agentTool, 200, 235
- Aggregation, 46, 48, 76, 339
- AHAZOP, 141
- AIA, 329–336
- AIBO, 8, 9, 19
- Analysis overview diagram (Prometheus), 214–215
- Antirigid type, 51, 53, 58, 339, 343
- Antoniou, Giannakis, 141
- AOR, 114–116, 220–224, 228, 232, 234, 236, 239, 246, 250, 254–255, 258, 262, 275–256, 280, 287, 297, 325
- AORML, 221, 236
- AOSE, 235, 237
- Architecture-dependent model, 144, 339
- Architecture-independent model, 144, 339
- Arian, Arash, 141
- Artifact, 43, 132, 187, 214–215, 218–219, 297
- Artificial agent, 56
- Asimov, Isaac, 75, 114
- Aspect, 11, 17, 67, 69, 84, 177–178, 181–186, 194, 236, 262, 346
- Asynchronous communication, 50, 57, 108, 340
- ATAL, 15
- Atomic event, 49, 340
- Attitude, 175
- AUML, 94, 115–116, 218, 235
- Authorization relationship, 34, 340
- Autonomous agent, 28, 38, 57, 340
- Autonomy, 10, 38, 46, 75
- Avoidance goal, 31, 56, 340
- B2B e-commerce, 38, 76, 239–241, 245–248, 278–280
- BDI (Belief-Desire-Intention), 37, 91, 116, 144–148, 163, 168, 173, 175, 186, 210–211, 219, 324
- Behavior, 4, 6, 8, 19, 21, 31, 36, 38–40, 42, 44, 46, 56, 126, 139, 182, 199, 344
- Behavioral construct, 340
- Behavioral interface model. *See* Model, behavioral interface model
- Behavioral unit, 340
- Behavior diagram, 234, 251, 254, 275–276
- Behavior model. *See* Model, behavior model
- Belief, 36–37, 48, 55, 91, 145–149, 153, 155, 163–164, 174, 188, 221, 340
- Beliefset, 161
- Benevolence relationship, 33, 56, 75, 114, 244, 340
- BlackBerry, 10, 38, 293
- Boettcher, Anne, 326
- Bottom-up approach, 4, 19
- BPMN, 101, 117, 240, 279
- Brooks, Rodney, 24
- Business process automation, 188, 240, 260
- Business-to-business e-commerce. *See* B2B e-commerce
- Business-to-business electronic commerce. *See* B2B e-commerce
- C++, 20, 148
- Capability, 51, 144, 155, 160, 163, 214, 219, 301, 321, 323
- Capability diagram, 207, 210, 321, 323–324
- Capability model. *See* Model, capability model
- Capability overview diagram (Prometheus), 186, 214, 219
- Carnap, Rudolf, 178
- CASE, 237
- Causality, 46
- Cease goal, 31, 340
- CIM. *See* Computation Independent Model
- Claim, 34, 36, 38, 56, 222, 228–229, 270–271, 340
- Clancey, William, 24, 57
- Class diagram, 115–116, 201, 204, 207, 211, 224
- COBOL, 20
- Cohesion, 44, 115, 218
- Collective activity, 39, 50, 94, 340
- Commitment, 34, 36, 38, 49, 54, 56–57, 174, 221–222, 228–229, 270–271, 340
- Communicative action, 40, 57, 101, 129, 155, 222, 268, 340
- Communicative action event, 83, 268, 270–271, 340
- Complexity, 3, 4, 6, 31, 314
- Computational behavior design viewpoint, 251, 255, 275, 287, 293, 296, 320
- Computational environment, 107–108, 110–112, 117, 340, 345
- Computational information design viewpoint, 185–186, 246, 255, 272, 285, 293, 319
- Computational interaction design viewpoint, 186, 246, 250, 255, 284, 293, 314–315, 319
- Computation Independent Model (CIM), 183–185, 188
- Conceptual behavior modeling viewpoint, 186, 240, 265, 282, 289, 306, 311, 325
- Conceptual information modeling viewpoint, 186, 245, 267, 282, 285, 287, 290, 311
- Conceptual interaction modeling viewpoint, 185–186, 244, 263, 268, 282, 308, 325
- Conceptual object, 41, 55, 57, 90–92, 94, 178, 181, 248, 340

- Conceptual space, 27–30, 43–44, 144–145, 148–149, 154, 168, 332, 340
- Concrete action, 42, 44, 144–145, 148–149, 154, 168, 332, 340
- Concurrent task (MaSE), 116, 168, 199, 201
- Condition-action rule, 41, 57
- CONE, 236, 257, 280
- Conference management system, 191–195, 199–204, 207–210, 214–219, 222, 228–232, 234–236
- Constraint, 24, 32, 34, 44, 73–75, 92, 116, 119, 121, 124, 129–131, 140, 262, 340
- Context, 40, 54, 57, 138, 149, 152, 163, 219, 283, 287, 296–297, 323, 339–340
- Contract Net, 167, 242–243, 257
- Controlled autonomy, 10, 38, 341
- Controller, 36–37, 40, 101, 146–147, 341
- Control relationship, 33, 56, 75, 80, 114, 340
- Conversation diagram (MaSE), 199, 201
- Coordination artifact, 43
- CORBA, 183
- Coupling, 44, 81, 115, 197, 218
- Critical region, 87, 104
- Data coupling diagram (Prometheus), 214, 218
- Data descriptor (Prometheus), 214
- Declarative, 21, 22, 69
- Dependency, 70, 201, 206–208, 235, 263, 265, 268, 269, 270, 280
- Deployment diagram (MaSE), 199, 201
- Deployment layer, 27–28, 35, 41–42, 44, 143–144, 186, 332, 341
- Deployment model. *See* Model, deployment model
- Derivation, 92, 116, 155, 341
- Design process, 43
- Desire, 36, 37, 48, 57, 145–146, 342
- Digital agent. *See* Software agent
- Digital pet, 9, 23, 36, 61–64, 67, 69, 70, 77, 78, 91, 171
- dMARS, 12, 148, 173
- Domain, 12, 30, 82, 89, 107, 122, 127, 134, 178, 181, 183, 186, 199, 220–221, 236, 272, 281, 325
- Domain entity, 30, 44, 53, 55, 76–78, 134, 185, 245, 283, 285, 290, 292, 325, 341
- Domain knowledge, 30, 116, 282
- Domain model. *See* Model, domain model
- Domain requirements description diagram, 116
- DSTO, 12
- EasyChair, 192–193, 234
- ebXML, 240, 279
- E-commerce, 12–14, 80, 133, 136, 138, 239–241, 278–280
- Email client, 9–10, 136
- Emergent behavior, 18–19
- Endurant, 46–48, 58, 341
- Enterprise Model, 177–178, 180–182, 187
- Entity, 7, 10, 41, 46, 48, 50, 53, 55, 76, 283, 339–343, 345
- Entity-Relationship, 55, 181
- Environment, 3–8, 10, 18, 28, 30, 36, 38, 41–43, 49, 58, 67, 71, 76–78, 89–92, 105, 107–109, 111–116, 127, 129, 132, 143–144, 146, 148, 153, 155, 161, 171, 174, 183, 186, 305, 319, 325, 341, 343, 344, 346
- Environment model (Gaia). *See* Model, environment model (Gaia)
- Environment model (ROADMAP). *See* Model, environment model (ROADMAP)
- Environment object, 14, 76–77, 92, 102, 105, 107–109, 111, 114–115, 143, 160, 166
- Environment variable, 115, 117
- Epistemic action, 40, 57, 101, 104, 106, 154–155, 234, 339, 341
- ER. *See* Entity-Relationship
- Event, 35, 40–42, 44, 48–51, 56, 59, 83–84, 89, 101, 126, 129, 143, 147–149, 161–169, 214, 219, 255, 268–271, 296, 332, 339–345
- Event-condition-action rule, 57
- External action, 149, 151, 154–155, 341
- External event, 168, 320
- Feature, 192, 237, 324
- FIPA, 57, 166–167, 259
- Formal relation, 53–54, 339, 341
- Fortran, 20
- Functional requirements, 17, 66, 119, 121, 132, 138, 178, 180, 222
- Functionality, 22, 28, 54, 119, 196, 197, 213–214, 224, 228, 305, 314–315, 323
- Gaia, 56, 113–117, 194–199, 235–236
- Gates, Bill, 282, 325
- Generalization, 46, 48, 92
- Goal, 6, 19, 28–35, 43, 51–56, 58, 94–100, 119–122, 144–149, 152–155, 159, 178, 193, 222–224, 240–243, 289, 339–345
- Goal case, 113
- Goal decomposition, 53, 341
- Goal dependency, 56, 114, 206, 235, 268, 280
- Goal diagram (Tropos), 208–211, 265, 276
- Goal formal relation, 53, 341
- Goal hierarchy (MaSE), 199–202
- Goal model. *See* Model, goal model
- Goal Model for Dynamic Systems (GMoDS), 201–202
- Goal overview diagram (Prometheus), 216–218
- Goal-based use case, 236
- Hazard, 126–127, 129–132, 341
- Hazard analysis, 126, 129, 141, 341
- HAZOP, 126–127, 129–130, 141
- Hierarchy, 14, 33, 56, 341
- Human agent. *See* Agent, human agent
- Human role, 54, 68, 73, 75, 89, 124, 228, 246, 293, 341

- i^* , 235
- IDE, 152
- Implementation process, 44, 79, 143
- Individual activity, 39, 341
- Inference knowledge, 116
- Information Systems Architecture framework, 177–178, 181–183, 187
- INGENIAS, 113–116
- Intelligent Agent Laboratory, 56, 113
- Intention, 36, 37, 48, 55, 145, 147, 207
- Interaction diagram, 82, 89, 134–135, 342
- Interaction diagram (Prometheus), 214, 315, 317–320
- Interaction model. *See* Model, interaction model
- Interaction model (Gaia). *See* Model, interaction model (Gaia)
- Interactional view, 56, 187
- Interaction-frame diagram, 82, 84, 89, 101, 129, 222, 224, 250, 271, 342
- Interaction-sequence diagram. 82–83, 89, 101, 135, 222, 224, 230, 250–251, 284, 342
- Interactive learning, 336
- Intrinsic moment, 48, 55, 342
- ISA framework. *See* Information Systems Architecture framework
- JACK, 107, 144, 160–168, 174, 183, 219
- Jackson, Peter, 23
- JADE, 107, 112, 144, 166–174, 183, 259, 260, 262, 276, 297
- JADEX, 174, 211
- Jason, 144, 148–152, 155, 176
- Java, 21, 144, 149, 155, 160, 163–169, 174, 183, 200, 334
- Juan, Thomas, 57, 59, 113, 141, 236
- Kazmierczak, Ed, 141
- Knowledge, 13, 16, 30, 36–44, 51–55, 127, 134, 167, 169, 272, 285–287, 340–343
 - private knowledge, 285, 293
 - shared knowledge, 285, 293
- Knowledge attribute, 342
- Knowledge item, 39, 41, 53, 55, 325, 342
- Knowledge model. *See* Model, knowledge model
- Knowledge model (ROADMAP). *See* Model, knowledge model (ROADMAP)
- KQML, 57
- Liu, Louis, 141
- Liveness, 116, 196
- Logic goal, 95
- Luo, Yuxiu (Andrea), 141, 326
- Maintaining goal, 31, 56, 342
- Manmade agent, 27, 31, 37–39, 49, 54, 57, 61, 66, 68, 73, 75, 80, 126, 144, 178, 221, 228, 230, 240, 284, 293, 339, 343
- Market, 14, 33–34, 56, 80, 244, 342
- Mars Exploration Rover, 37, 39, 50, 51, 57
- MAS-Common KADS, 113–116
- MaSE, 113, 115, 116, 199–206, 235
- Material relation, 53, 55, 343
- MDA, 177, 183–185
- Mental action. *See* Epistemic action
- Mental attitude, 116
- Mental moment, 53, 55, 56, 340, 342, 344
- Mental state, 36, 39, 40, 55, 101–102, 104, 152, 221, 342
- Mental state condition, 40
- Message, 20, 35–36, 38, 40, 42, 46, 49, 50, 56, 81–84, 87, 101, 104, 107–108, 144, 148, 152, 155, 161, 165, 168–169, 173, 197, 214, 219, 251, 259–260, 301, 318–320, 322–323
- MESSAGE, 113–115, 237
- Message type, 81, 102, 197, 224, 268, 271
- Middleware, 109
- Mikli, Toomas, 178
- Model
 - acquaintance model, 78–82, 117, 118, 127, 128, 185, 186, 195–197, 246, 248
 - agent model, 65, 78–82, 100–104, 106, 112, 115–116, 118, 127–128, 132, 141, 166, 185–187, 192, 194–197, 221, 239, 246, 248, 327
 - agent/role model, 115
 - behavior model, 77, 87, 94, 98–105, 112, 116, 118, 182, 251, 255
 - behavioral interface model, 340
 - capability model, 144
 - deployment model, 28, 44, 186
 - domain model, 73, 76–78, 89, 239, 114–116, 127, 134, 181, 185–186, 206–207, 222, 228, 230, 236, 239, 245, 267, 272, 274, 282, 292, 325, 341
 - environment model (Gaia), 197
 - environment model (ROADMAP), 58, 113–114, 220–222, 236
 - goal model, 65–71, 113, 122, 186, 236, 280, 289, 327–329
 - interaction model, 43, 77, 82–89, 94, 101, 115, 117, 129, 143, 183–186, 199, 221, 244, 268, 342
 - interaction model (Gaia), 194–196
 - knowledge model, 89–94, 134, 143, 272, 342
 - knowledge model (ROADMAP), 220–221, 222, 228
 - organization model, 68, 75–76, 78, 80, 114, 202, 244, 343
 - role model, 54, 73–75, 81, 89–90, 113–115, 119, 121–124, 129, 137, 140, 185–186, 245, 283, 289–291, 302, 308–310, 344
 - role model (Gaia), 194–197
 - role model (MaSE), 199–204
 - role model (ROADMAP), 220–222, 224, 226, 236, 280, 314, 325
 - service model, 69, 105–112, 117–118, 134, 149, 185, 187, 197, 345
 - service model (ROADMAP), 220–221

- services model (Gaia), 194–197
- social model, 221
- task model, 116
- use case model, 116
- Modeling abstraction, 15, 38, 46, 49, 51, 53–55
- Model transformation, 43–44
- Moment, 47, 48, 55, 59, 342, 344
- Motivational scenario, 68–69, 97, 186, 244, 299, 303, 342
- Motivational view, 187
- Motivation layer, 27–30, 35, 43, 55, 113, 121, 133–134, 138, 143, 145, 177, 183, 185–186, 213, 298, 332, 342
- Motive, 30, 31, 56
- Multiagent system, 20, 113, 132, 244, 246, 282, 296, 304, 324, 330

- NASA, 148
- Network, 3, 7, 10, 12, 21, 33, 40, 56, 125, 178, 182, 343
- Nonaction event, 49, 59, 83, 89, 143, 255, 343
- Nonaction event type, 143
- Noncommunicative action event type, 222
- Nonfunctional requirements, 17, 31, 66, 119, 120, 178, 180, 207, 222, 344
- Nonnumeric attribute, 42, 55, 343
- Numeric attribute, 42, 55, 343

- OAA, 297
- OASIS, 279
- Object-oriented design, 21, 109, 235, 324
- Object-oriented modeling, 15, 20, 66, 109, 113, 117, 191
- Obligation. *See* Commitment
- Observer, 82
- OCL, 234, 274, 275
- O-MaSE, 199–204, 235
- OMG, 23, 183, 187
- Ontology (shared knowledge), 89, 116–117, 170, 267, 280, 343
- Ontology (study of existence), 27, 42, 44–56, 58–59, 236, 343
- OPEN, 237
- OpenConf, 234
- OpeRA, 114
- Operation, 109, 111, 112, 160, 164, 165, 169, 170, 171, 173, 262, 263, 265, 267, 271, 272, 274, 276, 287, 296, 311, 332, 343
- OPIS, 267
- Optimization goal, 31, 56, 343
- Organization, 14, 30, 33, 38, 43, 56, 75, 178, 194, 197, 202, 341–343
- Organizational role, 343
- Organization diagram, 115
- Organization model. *See* Model, organization model
- Outgoing message, 219, 322
- OZONE, 267, 280

- Palletizer, 122–131, 141
- PapiNet, 240, 279
- Pareto efficiency, 54
- Particular, 44, 46, 58, 341, 343, 346
- PASSI, 113, 115, 116
- PDT, 215, 218, 219, 236, 306, 319, 325
- PEDANT, 336
- Peer relationship, 33, 56, 75–76, 80, 114, 343
- Percept (Tropos, Prometheus), 115, 213, 215–216, 218–219, 301, 311, 317, 319, 322–325
- Perceptions, 37–38, 40, 44, 46, 59, 83, 101, 143, 148, 221, 343
- Perdurant, 46, 48–49, 58, 341, 343, 345
- Permissions (Gaia), 195–196
- Perugini, Don, 175
- Phases, 51, 53, 58, 343
- Physical action, 40, 57, 81, 101, 129, 224, 268, 340, 342, 343
- Physical agent, 46–49, 55–56, 58, 340, 345
- Physical entity, 44, 46, 76, 343
- Physical environment, 21, 41–42, 76, 107, 143, 343
- Physical object, 9, 46–48, 58, 340, 342–345
- PIM. *See* Platform Independent Model
- Plan, 18, 21–22, 41, 50–51, 95, 117, 144–155, 159–166, 186, 188, 204, 207, 214, 219, 301, 323, 343
- Plan descriptor (Prometheus), 214, 219
- Plan diagram (Prometheus) 210
- Platform, 29, 35, 42, 107–109, 143–174, 183, 185–187, 207, 210, 234, 240, 262, 343
- Platform Independent Model, 101, 183, 185–186, 194, 199, 207, 214, 222, 246, 267, 284, 323–325, 343
- Platform Specific Model, 183, 185–187, 207, 234, 296, 343
- Plug-and-Trade B2B, 240, 279
- Plug-and-Trade Business-to-Business e-Commerce. *See* Plug-and-Trade B2B
- Predicate, 148–149, 154, 170, 248, 296
- Predicate logic, 21
- Private activity, 39, 50
- Proactive, 38, 61, 73, 95, 102, 342
- Proactive agent, 38, 57, 344
- Procedural, 15, 20
- Procedural Reasoning System (PRS), 145, 147, 173
- Process, 14, 17–18, 28, 32, 41, 46, 49–50, 58, 120–121, 161, 180, 187, 191, 206, 211, 222, 240, 154, 257, 259–262, 280, 344–345
- Process Modeling Framework, 177, 180–183, 187
- Process specification (Prometheus), 213–214
- Prolog, 22, 57, 92, 153, 155, 174, 286
- Prometheus, 81, 113–117, 174, 192, 211–215, 235, 300, 305–306, 311, 314–315, 319, 335
- Protocol, 10, 14, 58, 82, 84, 87, 97, 104, 134–135, 138, 167, 171, 195–197, 204, 211, 214, 218, 319, 325, 344
- PRS. *See* Procedural Reasoning System
- PSM. *See* Platform Specific Model
- Purposeful, 6, 10, 28, 32

- Quality, 16, 31, 40, 48, 58, 67, 69, 91, 113, 119–141, 344
- Quality attribute, 34, 40, 91, 119–122, 125–126, 132, 144, 237, 298, 344
- Quality dimension, 48, 55, 58, 90, 340, 343–344
- Quality goal, 31–34, 56, 65–68, 70–71, 77, 98, 113, 119, 121, 122, 131–133, 136–141, 193, 208, 222, 224, 234, 240, 242–243, 257, 260, 281, 289, 293, 298–300, 304, 306, 308, 329, 344
- Quality requirement, 31, 66, 119–122, 125, 138, 141, 344
- RAP/AOR, 114–116, 192, 220–224, 228, 230, 232, 236, 239, 262, 267, 280
- Reactive, 22, 24, 38, 77, 95, 102, 107, 146, 262, 342
- Reactive agent, 38, 344
- REBEL, 113, 236, 299, 300, 306, 328, 330
- Relation, 44, 53–55, 164, 340–344
- Relator type, 53, 344
- Relator or Relational moment, 48, 55, 344
- Requirements, 6, 11, 16–18, 28, 31, 66, 68, 113, 116, 119–126, 132, 135, 138, 141, 178, 180, 183, 194, 200–201, 206–208, 222, 235, 282, 298, 304, 306, 309, 314, 344
- Resource, 5, 42–43, 47, 58, 77–78, 91, 109, 111, 127, 196, 207, 210, 251, 262–263, 267–268, 270–271, 274–275, 341, 344
- Resource dependency, 56, 114, 208, 210, 263, 265, 267–268, 270–271, 280
- Responsibility, 73
- Rigid type, 51, 53, 344
- RM-ODP, 178, 181–182, 185, 187
- ROADMAP, 56, 58, 113–114, 192, 220–224, 228, 236, 239, 240, 280, 282, 305–306, 314, 325, 330
- Robocup, 8, 25
- Role, 7, 8, 11, 24, 28, 30–35, 39, 44, 46, 51, 53–54, 56, 58, 65–82, 89–90, 94–97, 113–116, 119, 121–124, 126–129, 131–134, 185–187, 240–254, 282–285, 289–293, 306–311, 339–345
- Role descriptor (Prometheus), 213
- Role hierarchy, 68
- Role model. *See* Model, role model
- Role model (Gaia). *See* Model, role model (Gaia)
- Role model (MaSE). *See* Model, role model (MaSE)
- Role model (ROADMAP). *See* Model, role model (ROADMAP)
- Role schema. *See* Model, role model
- Roomba, 8, 19
- RosettaNet, 240, 248, 279
- Routine activity, 95
- Rule, 35, 40–44, 53, 56–59, 101–102, 104–105, 117, 143–145, 152–153, 155, 159–160, 174–175, 179, 185, 232, 234, 255, 257, 260, 276, 296, 344
- Safety, 31, 35, 119, 121, 125–127, 131–132, 141–142, 276, 344
- Safety property, 116, 196
- Safety-critical role, 126, 344
- Safety-critical system, 125, 344
- Scenario, 13, 18, 32–35, 41, 68–69, 87, 94–98, 121, 186, 232, 236, 244, 251, 254, 281–285, 287–290, 294, 299, 325, 342, 344
- Scenario (Prometheus), 116, 213–216, 311–314, 323, 325
- Scheduling, 145, 169, 262, 267, 271, 274–276, 280
- Secret Touch, 40, 215, 297–304, 326
- Security, 6, 13, 28, 34, 92, 119, 132–135, 141, 287, 293, 325
- Sensor, 36–37, 39, 41, 107, 131, 146–147, 341, 343
- Sequence diagram, 87, 112, 285
- Sequence diagram (MaSE), 199, 201
- Service, 7, 13, 33, 42–43, 51, 58, 69, 77, 100, 105–112, 116–118, 134, 137–138, 144, 149, 155, 160, 166, 168–170, 232, 239–240, 245, 259, 261, 267, 287, 296, 297, 345
- directory service, 242, 244
- service in Gaia, 196, 197
- Web service, 14, 41, 57, 107, 117, 279, 280
- Service model. *See* Model, service model
- Service model (ROADMAP). *See* Model, service model (ROADMAP)
- Services model (Gaia). *See* Model, services model (Gaia)
- Shakey, 21, 22
- Shared object, 91, 170, 248, 272, 293
- Signature, 109, 111
- Sims, 11, 37
- Situatedness, 38
- Situation-action rule, 40
- Skills and aptitudes, 100, 116
- Smalltalk, 20
- Smart home, 11, 13, 14, 281, 325
- Smart Music Player (SMP), 215, 299, 304–305, 326
- Social, 11–12, 38, 57, 61, 62, 194, 236, 342
- Social agent, 38, 345
- Socially oriented quality goals, 136–138, 281
- Social model. *See* Model, social model
- Social policy, 30, 34–35, 40, 44, 53, 54, 56, 59, 65, 67, 70, 113, 185, 345
- Social relator, 34, 36, 48, 53, 56, 340, 342, 345
- Social relator type, 53, 345
- Social role, 54, 58, 345
- Sociotechnical system, 11, 17, 24, 27, 39, 50, 56–59, 73, 76, 119, 183, 193, 230, 282, 330, 332, 339–345
- Soft goal, 113–114, 121, 207–208, 263, 265
- Software agent, 12, 35, 37–43, 46, 49–51, 221, 234, 236, 240, 244, 246, 254, 260, 280, 326, 329, 334, 336, 337, 345
- Software architecture, 108, 125, 187
- Software engineering methodology, 56, 126, 191, 197, 234, 237, 298, 304, 339, 345
- Software engineering process, 15–17, 125, 180
- Software life cycle, 15, 16, 137, 177, 192, 194, 197, 199, 206, 213

- Start event, 101, 102, 105
- State, 10, 22, 30–31, 46, 48–50, 53, 59, 92, 104, 108, 144, 148, 275, 309, 340–342, 345
- State chart, 104, 106, 116, 204
- Stateless service, 108, 117, 345
- STOW, 12, 23
- STRIPS, 21, 22
- Subactivity, 104, 234, 255, 257, 276
- Subgoal, 31, 53, 66–67, 69–71, 95
- Subkind, 51, 53, 58, 345
- Subscenario, 95, 97, 311, 313
- Subtype, 53, 77, 230, 263, 275
- SWARMM, 12, 20, 23, 148
- System design layer, 27–28, 35, 41–44, 133, 143–145, 183–186, 345
- System overview diagram (Prometheus), 218–219
- System roles diagram (Prometheus), 216–218
- Systems engineering, 17, 22, 28

- Tabular use case, 69
- Tallinn Ceramics Factory, 261, 276, 280
- Tamagotchi, 8, 9, 31, 36–37, 39–40, 61–112, 117, 120, 122, 136–137, 140, 144, 149–156, 159–166, 168, 169–174, 204
- TAO, 237
- TAOM4E, 207, 235
- Task, 3, 7, 8, 12, 16, 41, 50–51, 56, 95, 168, 195, 199, 207, 210, 263, 265, 270–271, 276, 293, 345
- Task dependency, 56, 114, 210, 263, 265, 268, 270–271, 280
- Task knowledge, 116
- Task model. *See* Model, task model
- Technical Research Centre of Finland (VTT), 240, 280
- Top-down approach, 4, 18, 19, 22, 314
- Trigger, 95, 97, 100, 104, 163, 188, 219, 255
- Triggering event, 148–149, 163, 230
- Tropos, 56, 113–116, 192, 206–211, 235, 239, 261–263, 265, 267, 276
- Trust, 243, 260, 280

- UDDI, 242, 279
- UML, 15, 18, 23, 46, 48, 82, 92, 94, 101, 104, 109, 115–117, 191, 207, 224, 285
- Universal, 44, 46, 51, 58, 346
- Urban Intelligence, 325
- Use case, 18, 66, 69, 113, 199, 201, 232, 236, 346
- Use case diagram, 114, 116
- Use case model. *See* Model, use case model

- Viewpoint framework, 177–188, 191–192, 194–195, 197, 199, 201, 207, 214, 224, 240, 262, 267, 327, 346
 - behavior viewpoint, 194, 199, 207
 - information viewpoint, 197, 199, 207
 - interaction viewpoint, 194–195, 199, 207
- Virtual entity, 44, 346
- Virtual environment, 41–43, 71, 76, 91, 107, 109, 114, 143, 346
- Virus, 5, 6, 9, 199

- Web crawler, 10
- Web service, 14, 41, 57, 107, 117, 279, 280
- Web Services Description Language (WSDL), 117
- Winograd, Terry, 24
- Work Product, 237
- Work Unit, 237

- XML, 240, 254, 257, 280, 334
- XPDL, 240, 279

- Zachman framework. *See* Information Systems Architecture framework