
Transportation in a Climate-Constrained World

Andreas Schäfer, John B. Heywood, Henry D. Jacoby, and
Ian A. Waitz

The MIT Press
Cambridge, Massachusetts
London, England

© 2009 Massachusetts Institute of Technology

All rights reserved. No part of this book may be reproduced in any form by any electronic or mechanical means (including photocopying, recording, or information storage and retrieval) without permission in writing from the publisher.

MIT Press books may be purchased at special quantity discounts for business or sales promotional use. For information, please email special_sales@mitpress.mit.edu or write to Special Sales Department, The MIT Press, 55 Hayward Street, Cambridge, MA 02142.

This book was set in Sabon on 3B2 by Asco Typesetters, Hong Kong and was printed and bound in the United States of America.

Library of Congress Cataloging-in-Publication Data

Transportation in a climate-constrained world / Andreas Schäfer ... [et al].
p. cm.

Includes bibliographical references and index.

ISBN 978-0-262-01267-6 (hardcover : alk. paper)—ISBN 978-0-262-51234-3 (pbk. : alk. paper) 1. Transportation—Environmental aspects. 2. Combustion gases—Environmental aspects. 3. Greenhouse gas mitigation. 4. Air quality management. 5. Transportation and state. I. Schäfer, Andreas.

TD195.T7T746 2009

363.73'1—dc22

2008039613

10 9 8 7 6 5 4 3 2 1

Index

- Airbus A380, 144, 147, 153–154, 158, 251
- Aircraft
- aerodynamic drag, 151–153
 - attributes, trade-off among, 88, 143–146, 222
 - blended wing body, 144, 147, 152–153
 - development risks, 144
 - direct operating costs of, 87–90, 146
 - early retirement of, 240–242
 - emissions, 8, 11–12, 141
 - energy intensity (*see* Energy intensity)
 - energy use (*see* Energy use)
 - engine, power-to-weight ratio, 148
 - mode share of, in intercity traffic, 6
 - noise, 9
 - passenger load factors, 94–95, 157–158
 - price of, 158–159
 - separation requirements, 54–55, 155
 - size, 90–93, 99
 - speed, 43, 56–57, 91, 94
 - stage length, 93–94
 - technology development time of, 144–145
- Airport
- capacity, 8, 54–55
 - secondary, 8, 54, 57, 66
- Air traffic
- congestion, 8
 - deregulation of, 28, 95
 - networks, 55, 88, 90, 95, 156
 - safety, 9
 - system capacity, 54–56, 95–96
- Air travel. *See also* High-speed transport
- affordability of, 25–29
 - costs of, 25–29
 - historical demand growth of, 6, 7
- Aluminum, 107–108, 126, 135, 154
- Amortization period of fuel saving technology, 136, 210, 222. *See also* Consumer discount rate
- Automobile. *See* Vehicle
- B-2 aircraft, 144, 152
- Battery
- costs, 119–120
 - electric vehicles (*see* Electric vehicle)
 - energy density, 119, 121, 162–163
 - for hybrid-electric vehicles, 122–123
- Biodiesel, 168, 184, 186–187
- Biofuels
- first generation, 183–187, 209, 211, 216–218, 220, 259
 - land-use implications of (*see* Land-use)
 - production processes, 183–189
 - second generation, 185–189, 209, 211, 216–218, 220, 259–266, 268
 - societal impacts of, 168, 184
 - subsidies for, 242–243
 - supply characteristics, 186–187

- Biomass
 - biodiesel from, 184, 186–187
 - cellulosic, 186–189
 - corn feedstocks, 183–187
 - ethanol from, 183–189
 - hydrogen from, 199–201
 - to-liquids, 186–189, 192–193, 216–218
 - microalgae, 189
 - organic waste, 180–181
 - potential, 181, 189–193
 - synthetic oil products from (*see* Biomass-to-liquids)
- Bitumen, 63, 170–174, 216–218, 253
- Boeing
 - R&D expenditures, 249
 - 747 aircraft, 144, 154
 - 777 aircraft, 157
 - 787 aircraft, 147, 154, 158, 251
- Brazil, 166–167, 171, 183, 185–187, 194, 242, 248–249
- Breguet range equation, 143
- BTL. *See* Biomass-to-liquids
- Budget airlines, 8
- Büchi, Alfred, 107
- Business travel. *See* Trip purpose
- Buses. *See also* Low-speed public transport
 - energy use characteristics of, 70–71
 - opportunities for reducing energy use of, 137
- Canada, 96, 240, 242, 245–246
- Cap-and-trade. *See* Emissions trading
- Carbon
 - fiber composites, 127, 154
 - to-hydrogen ratio, 161–163, 171, 258
 - tax, 228–239, 255, 259, 262–265, 267
- Carbon dioxide (CO₂), atmospheric
 - concentration of
 - growth in, 11
 - stabilization of, 12, 262
- Carbon dioxide (CO₂) emissions
 - capture and storage of, 173, 176–179, 197, 199–201, 205, 209–210, 214–218, 258
 - historical growth of, 11, 100, 98–100, 259–261
 - in constant technology scenario, 99–101, 258–261
 - in maximum technology scenario, 260–262
 - under market-based policy measures, 262–266
- Chrysler, 249
- Climate change. *See* Greenhouse effect
- Climate change policies, 18, 221–255
- Coal
 - to-liquids, 165, 174–180
 - mining, impacts from, 176
 - power plants, emissions from, 157, 189
 - synthetic oil products from (*see* Coal-to-liquids)
 - reserves, 174–175
- Compressed natural gas
 - composition of, 194–195
 - performance relative to petroleum-derived gasoline, 216–218
 - vehicle and subsidies, 165–166, 196, 206–207, 209–211, 242–243
- Compression ignition engine. *See* Diesel engine
- Congressional Budget Office (CBO), 246–247, 254
- Consumer
 - behavior and travel budgets, 25–35, 267
 - choice among vehicle attributes, 72–82, 222, 268, 272
 - discount rate, 210, 222, 234, 236, 238–239, 252
 - impact of climate policies, 266–268
 - preferences for high frequency air travel, 90–93
 - response to price changes (*see* Price elasticity)
 - surplus, loss in, 246, 267

- Continuous descent approach, 156
- Contrails, 11–12, 141
- Corporate Average Fuel Economy (CAFE) Standard. *See* Fuel economy regulations
- Costs
 - external, 28, 225–227
 - of travel, 25–28, 38–41, 267
 - of reducing vehicle energy use, 131–137
- Criteria pollutants, 5, 118, 175, 182, 194, 226–227
- Cryogenic fuels, 162–165
- CTL. *See* Coal-to-liquids

- Daimler, Gottlieb, 107
- De Havilland Comet, 145, 148
- Developing world
 - carbon dioxide emissions in, 98–100, 266
 - and coal-to-liquids, 177
 - GDP growth in, 44–45
 - import of used vehicles into, 139
 - infrastructure constraints in, 108, 138
 - mode shares in, 6, 21, 40, 48, 66, 257
 - technology opportunities in, 138–139
 - traffic congestion in, 52–53
 - travel demand growth in, 36–38, 65, 193
 - vehicle energy intensity in, 85, 98
 - vehicle growth market in, 3, 138
 - vehicle occupancy rates in, 83–84
- Diesel, Rudolf, 115
- Diesel engines
 - brake efficiency of, 115
 - emissions control of, 117
 - and hybrid-electric vehicles, 123
 - market share of, 117
 - thermodynamic cycle of, 115
- Diesel fuel
 - from coal and natural gas, 174–180
 - from petroleum, 169–170
 - physical and chemical characteristics of, 162–163
 - price (*see* Fuel price)
 - from unconventional oil, 170–174
- Driving cycle, 19, 73, 78, 84, 121, 131–133, 137, 208, 244

- Economic growth
 - future projection of, 44–45, 267
 - historical, 24
 - and sector change in carbon dioxide emissions, 13
 - and travel demand, 35–38
- Efficiency
 - of aircraft engines, 148–151
 - brake, 104, 112–113, 115, 118
 - economic, of climate policy measures, 221, 226–227, 229–230, 236, 252–253, 255, 269
 - indicated, 112
 - mechanical, 112–116
- Electricity
 - and hydrogen, 197–206
 - performance relative to petroleum-derived gasoline, 216–218
 - prices and battery charging, 120–121
 - regenerative braking, 122, 124, 137
 - requirements for hydrogen fuel supply, 204–205
- Electric vehicle
 - batteries (*see* Battery)
 - environmental aspects of, 120–121
 - history of, 118–119
 - range, 120–121
- Emission standards, 5, 8, 175, 226–227
- Emissions trading, 231–232, 259, 262, 267
- European scheme, 18, 225, 237, 252, 270

- Energy
 - content (*see* Heating value)
 - flow in automobiles, 110
 - security, 9–10, 62–64, 173, 225, 253

- Energy intensity
 of aircraft, 97–98, 142–143, 146–147, 157–158, 212–213, 261
 of automobiles, 82–87, 98, 206–209, 261
 of passenger travel, 67–72, 98–99, 257–258
 in urban driving, 84–85
- Energy use
 by aircraft, 90–94, 141–160
 and aircraft size, 90–93
 and aircraft stage length, 93–94
 by automobiles, 72–82, 103–140, 130–137, 142
 and passenger comfort, 18, 28, 77–78, 106, 145–146, 154, 258
 sector shifts in, 13
 and vehicle performance trade-off, 115
 and vehicle speed, 68, 70–71
 of world passenger travel in constant technology scenario, 98–99
- Engine
 alternative, 118
 bypass ratio, 143, 149
 compression ratio, 112–113, 135
 displacement, 74, 76, 80–81
 downsizing, 114, 122
 size (*see* Engine displacement)
 specific fuel consumption, 142–143, 149–151
 and vehicle characteristics, 113
- Engine power
 and energy use, 72–82, 99–100, 107, 115–116, 258, 265
 trends in Europe, 74–76, 80–81
 trends in the U.S., 72–82
 -to-vehicle weight ratio, 73, 75–76, 80–81, 131, 208
 -to-volume ratio, 112, 113
 -to-weight ratio, 113, 148
- England. *See* United Kingdom
- EPPA model, 44–45, 264
- Ethanol
 in Brazil, 166–167
 from cellulosic biomass, 185–188, 209, 211, 216–218, 220
 from corn, 183–192, 209, 211, 216–218, 220
 physical and chemical characteristics of, 162–163
 production process of, 183–184
 subsidies for, 242
 from sugarcane, 166–167, 183, 186–187
 supply characteristics of, 186–187
 in the U.S., 167–168
 as a vehicle fuel, 182–183
- European
 Automobile Manufacturer's Association (ACEA), 244, 246
 Union, 18, 155, 168, 225, 237, 250, 252
- Feebate, 238–240. *See also* Policy measures
- Fischer–Tropsch synthesis, 165, 175
- Ford Motor Company
 Focus, 238–239
 Model T, 27–28, 72, 74–76, 112–113, 166
 R&D expenditures of, 249
- Fossil fuels
 climate policies to reduce the use of, 221–255
 combustion products of, 11, 13
 feedstocks from, for transportation fuels, 168–180, 197–199, 210, 214–218, 219
 inputs into biofuel production, 183–185, 188, 209
 land-use implications of (*see* Land-use implications of fossil energy use)
 opportunities for leapfrogging the use of, 139
 reserves and resources of, 59–64 (*see also* Coal reserves)
- Freedom Cooperative Automotive Research (FreedomCar), 250
- Freight transport, 16, 87

- Fuel
 - cells, 124–125, 131–133, 206–207, 210–211
 - characteristics, 161–165
 - consumption of Model T, 28
 - consumption of new vehicle fleet, 72–76 (*see also* Energy use)
 - costs (*see* Fuel price)
 - cycle emissions, 168–214
 - economy (*see* Energy use)
 - efficiency (*see* Energy use)
- Fuel Economy Regulations
 - in countries other than the U.S., 244–246, 269
 - in the U.S., 9, 64, 68, 73, 75–76, 115, 223–224, 227–229, 237, 243–248, 253–255, 269
- Fuel price
 - and cost-effectiveness of fuel-saving technology, 109, 136, 211, 260, 263–264
 - impact on consumer choice, 73–76, 79–80, 229, 232, 234–237, 247
 - impact on consumer response (*see* Price elasticity)
 - impact on direct operation costs (*see* Aircraft direct operating costs)
 - impact on greenhouse gas emissions, 259, 260, 263–264
 - impact on industry behavior, 89, 232
 - impact on travel demand, 45, 85, 97, 266–267 (*see also* Price elasticity)
 - impact on travel money budget, 35
 - and market share of Diesel-fueled vehicles, 115, 117, 123
 - as a result of a carbon tax (*see* Carbon tax)
 - volatility during oil crises, 35
- Fuel tax
 - and aviation, 225, 237
 - and consumer preferences, 108, 115, 267–268
 - coordination with other measures, 237, 255
 - coverage of government expenditures, 28
 - history, composition, and use of, 224–225
 - as policy measure, 227–230
 - public resistance to, 237
 - vs. regulation, 246–247
- Gasoline
 - direct injection engine, 114, 135
 - from petroleum, 169–170
 - physical and chemical characteristics of, 162–163
 - price (*see* Fuel price)
 - from unconventional oil, 170–174
- Gas-to-Liquids, 174–180
- General Motors
 - EV1, 120–121
 - R&D expenditures of, 249
 - vehicle financing by, 78
- Germany, 13–14, 68–69, 80, 87, 144–145, 165, 174, 224
- Great Britain. *See* United Kingdom
- Greenhouse effect, 11–12
- Greenhouse gas (GHG) emissions. *See also* Carbon dioxide emissions
 - by source in 2005, 13–15
 - control measures of, 227–255
 - from aircraft, 11–12, 141–142
 - from passenger travel, 13–15, 19–20, 98–100
 - external costs of, 225
- GTL. *See* Gas-to-Liquids
- Heating value, 142, 161–164
- High-speed rail
 - environmental aspects of, 157
 - history of, in the U.S., 5–6
 - relative importance of, 6
 - as a substitute for air travel, 55–56, 156–157, 223
- High-speed transport, 39–40, 43, 46–51, 53, 65–66, 222
- Honda NSX, 108
- Horton brothers, 144

- Household
 - electric vehicles as second vehicles of, 120
 - and family care, time dedicated to, 30–31, 33
 - income and vehicle preferences, 108
 - income and vehicle price (*see* Vehicle affordability)
 - size and occupancy rate, 82–83
 - vehicles per, and money budget, 33–34
- Hubbert, M. King, 59–61
- Hybrid-electric vehicles
 - costs of, 123, 132–135
 - designs of, 121–122
 - energy-efficiency advantage of, 122
 - future market share of, 233–237, 268
 - and impact on oil imports, 123
 - plug-in, 122–123
 - by Porsche, 107
 - projected characteristics of future, 131–135
- Hydrogen
 - from biomass, 189, 199–202
 - as a component in synthesis gas (*see* Synthesis gas)
 - convenience of use, 165
 - economy, 197, 250
 - from fossil fuels, 197–202, 205
 - and fuel cells, 124
 - infrastructure challenges of, 124, 204–205, 259
 - life-cycle characteristics, 200–201
 - from nuclear energy, 199–202, 204–205
 - performance relative to petroleum-derived gasoline, 216–218
 - perspectives of, 205–206, 220, 259
 - physical and chemical characteristics of, 162–163
 - role of, in FreedomCAR program, 250
 - storage, 164–165, 203–204
 - use in oil refining, 169, 172
 - from water electrolysis, 198–204, 216–218, 220
- Industrialized world
 - air transport system characteristics in, 54–55
 - air travel growth in, 6–7
 - carbon dioxide emissions in, 98–100, 265–266
 - GDP growth in, 44–45
 - mode shares in, 6, 21, 47–51, 65–66, 257
 - telecommuting and change in lifestyles in, 51, 57
 - travel demand growth in, 36–38, 65–66
 - travel patterns in, 42, 84
 - vehicle occupancy rates in, 83–84
 - vehicle replacement market of, 3, 78, 138, 197
- Intergovernmental Panel on Climate Change (IPCC)
 - climate impact predictions by, 12
 - SRES-b1 scenario of, 44–45
- Internal combustion engine
 - efficiency, 104, 112–116, 118
 - energy losses, 110
 - fundamentals, 104
 - future importance of, 267
- International Civil Aviation Organization (ICAO), 225
- Japan, 6, 14, 29, 41, 46, 68–69, 108, 117, 123, 224–226, 244, 246, 250, 269
- Jet engine
 - and aircraft performance, 90
 - efficiency of, 148–151
 - history of, 144–145
- Jet fuel, physical and chemical
 - characteristics of, 162–163
- Junkers, Hugo, 144
- Kerogen. *See* Shale oil
- Kyoto protocol, 18
- Land-use
 - changes and travel time budget, 31

- implications of biomass plantations, 189–193, 259, 265
- implications of fossil energy use, 177–180
- planning, 21, 223
- Leisure travel. *See* Trip purpose
- Life-cycle emissions, 206–219, 259–266
- Lifetime
 - of aircraft, 145
 - of automobiles, 108
 - of carbon dioxide in the atmosphere, 12
 - carbon dioxide burden (LCB), 238
- Lift-to-drag ratio, 142–143, 151–153
- Light-duty vehicle. *See* Vehicle
- Light trucks
 - costs for reducing fuel consumption of, 136
 - market share of, 74–76, 79–81, 86–87, 244–245
 - technology characteristics, 74–77, 80–81
- Lightweight materials, 126–127
- Lockheed 1049G Super Constellation, 148
- Low-speed public transport, 25, 39–41, 46–49, 51–52, 66, 68–72, 223
- Market-based measures. *See* Policy measures
- Material
 - corrosion from biofuels, 182
 - requirements of products from unconventional oil, 171–172
 - use in aircraft, 154
 - use in automobiles, 126–127
- Methane
 - climate impact relative to carbon dioxide, 11
 - fuel-cycle emissions, 170, 172, 176, 195, 212, 261–262
 - leaks in natural gas supply system, 195
 - physical and chemical characteristics of, 162–163
 - as a vehicle fuel, 194–197
- Microalgae. *See* Biomass
- Mobility. *See* Travel
- Mode shares
 - future, 43–51
 - historical, 38–43
 - impact on energy intensity resulting from changes in, 68, 84–85, 101
 - projected, sensitivity with regard to assumptions, 49, 65
 - stage of evolution of, 39–40
- Motorization
 - and average travel costs, 26–27
 - mass, 2, 26, 34
 - and occupancy rates, 82–83
 - and travel money budget, 34–35
 - in Western Europe, 2–3
- Next Generation Air Transportation System Initiative, 56, 155
- Northrop, Jack, 144
- NSU 8/24, 107
- Nuclear energy, 171, 197, 199–202, 204, 205, 216–218
- Occupancy rate. *See* Vehicle occupancy rate
- Ohain, Hans von, 145
- Oil
 - consumption, 10
 - import dependence, 9–10, 62–64, 66, 123, 173, 225, 253
 - infrastructure, 166
 - heavy, 63, 170–174
 - refining, 169–170
 - reserves and resources, 59–64
 - sands (*see* Bitumen)
 - shale, 63, 170–174, 177–180, 189, 216–219, 253, 255, 258
 - supply disruptions, 9–10 (*see also* Oil price volatility)
 - unconventional, 62–63, 170–174, 177–180, 253
 - weapon, 62–63
- Oil crisis. *See* Oil price volatility

- Oil price, 25, 59, 61–62, 173, 177, 219
 alternative fuel subsidies in response to rise in, 165–167, 194, 196, 219
 consumer behavior in response to changes in, 68, 73, 165–166, 194, 237
 and cost-effectiveness of alternative fuels, 170, 173, 176, 185–187, 200–203, 207, 210, 243
 and industry behavior, 145, 167
 long term trend in, 108, 165, 234, 263–264
 volatility, 10, 45, 64, 109, 167, 176, 196, 222, 225, 243
 Oil shocks. *See* Oil price volatility
 Otto, Nikolaus, 111
 Ozone, 12
- Partnership for a New Generation of Vehicles (PNGV), 249–251
 Passenger
 comfort, increase in, 18, 25, 27–28, 72, 77–78, 82, 99, 106, 108, 119, 128, 137, 145–146, 154, 222, 249, 258
 kilometers travelled (*see* Travel)
 Peak oil. *See* Hubbert, M. King
 Persepolis, 31
 Petroleum. *See* Oil
 Photochemical smog, 5
 Policy measures
 coordination of, 221, 237, 251–254, 268–269
 market-based, 230–243, 269–270
 overview of, 227–230
 public acceptance of, 237
 regulatory, 243–249, 261, 269–270
 research and development
 investments as, 249–251, 270–271
 Population, 24, 36–38, 44
 Porsche, Ferdinand, 107
 Price-based measures. *See* Policy measures
 Price elasticity
 of air travel, 96–97, 99, 264–265
 of automobile driving, 85, 99, 264–265
 of fuel, 85, 96–97, 222–223, 232, 252, 265
 ProAlcool program, 166–167
 Product cycle, impact of policy measures on, 227–230
- Railways. *See also* Low-speed public transport
 energy use characteristics of, 70–71
 high-speed (*see* High-speed rail)
 opportunities for reducing energy use of, 137
 Rebound effect, 227, 239, 243, 246–247
 Regulatory measures. *See* Policy measures
 Renault, Louis, 107
 Renewable Fuel Standard, 167
 Research and development
 budget of NASA, 250
 investments of air and road vehicle industry, 248
 strategies, 249–251
 and trade disputes, 251
 Resistance
 acceleration, 105, 125
 aerodynamic, 105, 111, 129–130
 climbing, 105
 driving, 105, 125
 public, to policy measures, 229, 237, 269
 rolling, 105, 111, 125, 128–129
 Road pricing, 226, 259
 Rome, 31–32, 52
- Single European Sky Air Traffic Management Research (SESAR), 56, 155
 South Africa, 165, 174, 177
 Spark-ignition engines
 efficiency of, 112–116
 emissions control, 113
 historical progress in, 111–113
 pumping losses, 112–114

- Steel
 - as a vehicle material, 126
 - high-strength, 126, 135
- Subsidies, 28, 165–167, 242–243
- Synthetic fuels
 - from biomass, 180–193
 - from coal and natural gas, 174–180, 258
- Synthesis gas, 165, 175, 198
- Tar sands. *See* Bitumen
- Technology
 - dynamics, following a carbon tax, 233–237
 - mandates, 247–249
- Telecommunication. *See* Travel
- Thermodynamics, first law of, 104, 142
- Time
 - allocation to major activities, 29–31
 - budgets (*see* Travel time budget)
 - constants in fuel infrastructure turnover, 166
 - to impact by policy measures, 229, 247
 - to impact through fleet turnover, 108, 145
- Tires, 128–129
- Toyota
 - Camry, 77–78, 238–239
 - Prius, 107, 123
- Traffic congestion
 - airspace, 8, 53
 - external costs of, 226
 - history of, 52
 - road, 4–5, 52–53
 - and travel behavior, 53
- Transport. *See* Travel
- Travel
 - affordability of, 25–29, 65, 267
 - constraints, 51–66
 - demand, 19, 24, 35–38, 45–51, 65, 257, 266
 - distance, 31, 32, 42, 47, 53, 56–58
 - money budget, 33–35, 38–39
 - and telecommunication, 51, 57–59
 - time budget, 29–33, 38–43, 47, 49–50, 98
 - to work, 42, 51, 53, 57–59
- Trip purpose
 - in air travel, 97
 - change in, with income, 42–43
 - and vehicle occupancy, 83
- Trip rate, as function of income, 42
- Turbocharging
 - and Diesel engine, 115
 - and engine downsizing, 114
 - history of, 107
- United Kingdom, 13, 14, 68–69, 145, 165, 174, 237
- U.S. Climate Change Science Program (CCSP) study, 262–264
- Urban air pollution, 4, 8, 12, 182, 221–223, 226, 240, 247, 255
- Variable valve lift and timing, 114, 135
- Vehicle
 - aerodynamic drag, 105, 111, 129–130, 132
 - affordability of, 25–29, 77–82
 - attributes of, trade-off among, 77, 106, 222
 - development risks of, 106
 - downsizing, 127–128, 136–137
 - drivetrain, 105, 110–125, 130–131
 - early retirement of, 240–242
 - energy intensity (*see* Energy intensity)
 - energy use (*see* Energy use)
 - financing, 2, 78
 - fleet growth, 2–4
 - flexible fuel, 182, 254
 - fuel consumption (*see* Energy use)
 - industry, economic importance of, 4
 - leasing, 79
 - occupancy rate, 25, 82–84, 86–87
 - safety, 5, 77
 - size, 72–82
 - as status symbol, 77
 - tailpipe emissions, 5, 106, 113, 117, 226, 253

Vehicle (cont.)

technology characteristics, 72–82,

103–140, 206–212

technology development time of,

106–108

transmissions, 118, 122

Venezuela, 171

Vienna, 31

Very light jets, 8, 54, 92

Weight

aircraft, 142–143, 153–154

automobile, 72–78, 80–81, 125–128

increase of passengers, 146

savings, secondary, 126

Whittle, Frank Sir, 144–145

Zahavi, Yacov, 29, 33–34

Zero-Emission Vehicle mandate, 248