

Index

- Abduction, 314
- ACE, 45–48, 54
- Action affordances, 315, 317, 318, 320
- Action-perception loop, 4, 295
- Adaptation, 102, 113, 114, 116, 151, 161, 168, 169, 171–174, 201, 236, 242
- Aerial image, 103, 116
- Affordances, 314, 315, 316
- Alarms, 310
- Alarm subsystem, 312
- Altricial, 314
- Anomaly, 144, 186, 187, 190, 191, 193, 197, 236, 239
- Anthropomorphic self-models, 12, 296, 300–303
- Anthropomorphism, 297–299
- Anytime algorithm, 5, 34, 35, 37, 107, 121, 124, 131
- Appearance-based method, 288
- AQUA, 301
- Architecture, 9, 11, 31, 32, 34, 37, 38, 43, 80, 101, 103–105, 137, 153, 157, 161, 162, 184, 193, 194, 197, 201, 205, 206, 218, 219, 231, 233, 237, 238, 241–243, 246, 251, 253, 279, 289, 290, 292, 296, 301–303, 308, 310–313, 315, 317, 329, 331, 333
- Ariadne, 45, 50
- Assessment phase of MCL, 184, 186, 188, 190
- ATT-META, 313, 313n
- Autocognitive reasoning, 280
- Autonomic computing, 13, 234, 235, 246, 327
- Bayesian, 187, 190, 197, 286, 316
- Biology, 307
- Blackboard, 78, 80, 81, 86, 88, 94, 219, 222, 227, 329, 331
- Blame assignment, 152, 174
- Bounded optimality, 29, 31, 32, 37, 38, 327
- Bounded rationality, 10, 28–33, 37, 38, 43, 48, 77, 96, 131, 201, 217, 250, 311, 326, 331
- Brittleness, 11
- Case-based reasoning, 136, 167–172, 179, 180, 300, 301, 324, 328, 329, 331
- Causal chain, 289
- Causal learning, 288, 289, 291
- Causally indexical, 315
- Causation, 316, 333
- Changing viewpoint, 319
- Children, 313, 314, 316, 317, 326
- CogAff schema, 310, 319
- Commonsense memory, 300
- Commonsense psychology, 298, 299, 301–303
- Commonsense reasoning, 15, 17, 22–24, 267, 296, 298, 327, 330, 333
- Competences, 311–315, 319, 320
- Computational complexity, 11, 31, 32, 120, 123, 125, 126, 206, 209, 286

- Computer vision, 101, 331
- Consciousness, 16, 17, 21, 23, 145, 313–315
- Constraint graph, 45, 47
- Contingency plan, 119, 121
- Control-regimes, 312
- Coordinators, 218, 219, 226
- Counting, 316
- c-taems, 219, 225

- Decision process component, 205–208, 213
- Decision theory, 27, 28, 333
- Dedicated hardware, 308
- Deep Space One, 288, 289
- Deliberation, 5, 7, 8, 30–32, 34, 37, 38, 59, 60, 64–67, 69, 71, 73, 74, 95, 119–126, 131, 202, 206, 207, 312
- Deliberative control, 65, 75, 202
- Design space, 307
- Diagnosis, 5, 112, 113, 139, 155, 159, 161, 184, 236, 288, 289, 301
- Diagonal Lemma, 18, 19
- DIAL, 139n5, 169
- Digression-based weight learning, 52
- Discoveries, 315–317
- DISTILL, 80, 83, 84, 88, 89
- Distributed metamangement, 204, 217, 233, 239–244
- Distributed metareasoning, 5, 7, 8, 10, 11, 238, 297
- Domain general, 11, 184–187, 196

- Enabler, 222, 226, 228
- Enables constraint, 226
- Encapsulation, 313
- EPILOG, 267, 267n, 268–271, 274–278, 281, 329, 332
- Episodic logic, 244, 267n, 268
- Epistemic affordances, 314, 317–320
- Evolution, 240, 307, 308, 311, 319, 323
- Existential problem, 145
- Expectation, 24, 77, 137, 139, 142, 161, 168, 169, 171, 179, 184–190, 193, 195–197, 222, 237, 296, 297, 301, 327

- Explainable policy, 142
- Explanation, 5, 7, 78, 80, 104, 132, 132n2, 137, 139, 142–145, 169, 179, 195, 244–246, 267, 298, 300–302, 325, 328

- Face recognition, 109, 110, 110n
- Factory automation, 283, 284
- Failure, 5, 7, 11, 18, 24, 30, 53, 77, 88, 101, 102, 112, 113, 119, 132, 137, 139, 142–144, 152–155, 159, 161, 168–174, 176, 178, 180, 181, 183, 184, 186–188, 190–193, 195, 196, 235–239, 241, 244, 245, 279, 301–303
- Fault detection and recovery, 186, 288, 289, 291
- Flexible times, 218, 222
- Forgetting, 143, 144, 299, 302, 303
- FORR, 43, 44, 46–48, 51–55, 231
- Forward algorithm, 289
- Free will, 145, 315
- Freeze period, 204, 220, 223–230

- GeMEC, 205, 206, 208, 217, 243, 244
- Geometry, 316
- GRAVA, 11, 101–107, 110, 110n, 112–116, 161
- Ground level, 4–7, 7n, 13, 32, 44, 47, 114, 131, 132, 136, 137, 141, 162, 179, 180, 184, 185, 194, 195, 205, 234, 236, 237, 277, 279, 295, 308
- Guide phase of MCL, 188, 191, 193

- HACKER, 311
- Hard constraints, 61
- H-CogAff, 233, 310
- Hearsay II, 101, 329
- Heartbeat, 205, 207, 208, 210–213
- Hierarchical control, 311
- Homunculus problem, 145
- Hoyle, 44–46, 50, 51, 53, 55
- Human-like robots, 308

- Image interpretation, 101–105, 107, 109, 110n, 112–116, 331

- Image interpretation architecture, 11, 101
 IMXP, 7, 132, 143
 Incompleteness Theorem, 18
 Indication, 188–190, 193
 Informed unrolling, 63
 Initial introspective cognitive agent. *See*
 INTRO
 Innate information, 308
 Intelligent robots, 283–291, 308
 Intentions, 18, 21, 22, 81, 103, 112, 201, 327
 Internal, 6, 34, 81, 131, 141, 143, 152, 161,
 167, 168, 172, 185, 186, 189, 192, 202,
 205, 208, 217, 234, 235, 237, 239, 243,
 249, 267, 269, 280, 286, 290, 308, 313, 315
 INTRO, 137, 139
 Introspection, 3, 7, 77, 79, 96, 132, 169,
 177–180, 281, 297, 313, 324
 Introspective explanation, 132, 142
 Introspective learning, 168, 169
 Introspective meta-explanation pattern
 (IMXP), 132
 Introspective monitoring, 4–7, 10, 11, 101,
 103, 131, 137, 154, 251
 Introspective reasoning, 43, 78, 167–169, 172,
 176–178, 328, 329
 IU-agent, 59, 60, 63–65, 67, 69–71, 73, 74

 Kinematics, 284
 Kinesthetic-visual matching, 286, 288, 289

 Latency, 227
 Learning, 7, 10, 13, 13n, 24n, 43, 44, 47–55,
 77–83, 85, 87–97, 107, 115, 116, 122n,
 132–134, 137, 139, 141, 142, 145, 151, 152,
 160–162, 167–174, 176–178, 180, 181, 183,
 188, 188n, 190–193, 195, 201, 203, 217,
 231, 235, 236, 241, 254, 258–263, 268n,
 275, 278, 279, 288, 289, 291, 301, 302,
 308, 311, 312, 314, 316, 319, 320, 323–325,
 327, 328, 330–334
 Learning goal, 7, 10, 78–89, 91, 94–97, 132,
 137, 168, 170–172, 174, 178, 180, 181, 301,
 302

 Livingstone, 288
 Logical discoveries, 316
 Loopy, 16, 19, 20–23, 125, 240

 Markov assumption, 141
 Markov decision process, 10, 43, 59, 60, 93,
 202, 207, 209, 213
 Mars rover, 194
 Maven, 78, 80–89, 94
 MCC, 204–206, 208, 210, 211
 MCL, 11, 25, 161, 184, 185, 197
 MDL, 103, 104, 197, 111
 MDP, 10, 11, 59–61, 63–65, 67, 67n, 68, 69,
 71, 73, 74, 93, 202, 206–211, 213
 MDP-based scheduling agent, 74
 Meta-AQUA, 6, 7, 7n, 80, 95, 131, 136, 137,
 139, 144, 300–302
 Metacognition, 3, 12, 184, 201, 227–229, 240,
 245, 246, 307, 311, 315, 319, 325, 327,
 330, 331, 333
 Metacognitive loop, 11, 25, 161, 184, 185,
 197
 Metaknowledge, 3, 4, 11, 111, 114, 116, 134,
 136, 136n3, 152, 156–158, 161, 162, 235,
 268, 274, 275–279, 319
 Metalevel control, 4, 5, 6, 8, 10, 11, 33, 34,
 59, 60, 63–65, 70, 71, 73, 74, 94, 96, 103,
 179, 185, 202–206, 209, 210, 212, 213, 225,
 228, 238, 239, 242, 279, 311, 331
 Metalevel networks, 240
 Metalevel rationality, 31
 Meta-management, 310–315, 319
 Metamemory, 3
 Meta-metaknowledge, 136n3
 Meta-metalevel control, 203
 Metareasoner, 6, 155, 162, 184, 186, 193,
 249–252, 262, 263
 Metareasoning, 3–13, 15, 23, 24, 24n, 26–38,
 43, 44, 47, 48, 50–55, 77–79, 95, 96,
 101–105, 109, 111, 113–116, 119–121,
 121n, 122–126, 131–134, 136, 137, 139,
 141, 142, 145, 151–157, 160–163, 167, 168,
 178, 179, 181, 183–185, 201, 204, 206, 217,

- Metareasoning (cont.)
 218, 225, 230, 231, 236–238, 242, 249–251,
 251n, 252, 253, 255, 258, 260, 262, 268,
 271, 274, 275, 277, 279, 280, 290, 295–303,
 308, 311, 319, 326, 327, 331, 333
- Metareasoning problem, 11, 32, 37, 38,
 119–126
- Meta-semantic ontology extension, 315
- Minimal description length, 107
- Mirror rouge test, 285
- Model-based diagnosis, 112, 113, 288
- Model of intelligence, 8
- Model(s) of self, 5, 8–10, 12, 288, 290, 291,
 295, 298. *See also* Self-model
- Monitoring, 4–11, 21, 22, 25, 30, 33–36, 60,
 70, 79, 101, 103, 131, 132, 137, 139, 154,
 159, 167, 170–174, 179, 184–187, 238–240,
 242, 251, 252, 267, 277–280, 295, 297–300,
 302, 307, 308, 311, 312, 315, 323
- Monte Carlo, 106, 107, 253
- Monte-Carlo sampling, 107
- Multiagent metalevel control, 203, 204,
 209
- Multiagent policy, 8, 203, 297
- Multiagent systems, 5, 11, 13, 74, 240, 242,
 249, 297, 324, 325, 329, 331, 333
- Mutual meta-management, 311
- NASA, 288
- Netrads, 202, 204–211, 213
- Neuroscience, 246, 317
- Niche space, 307
- Nico, 286, 287
- Nogood, 221, 222, 225
- Non-local coordination, 225, 227, 228
- Note (monitoring) phase of MCL, 24, 188,
 190, 191, 196
- NP-hard, 45, 123
- N-pops-and-growth, 68, 70
- Object level, 4–7, 9, 11–13, 13n, 21, 29–38,
 43, 44, 46, 47, 54, 114, 115, 131, 132, 136,
 137, 139, 155, 158–160, 162, 179, 180, 184,
 185, 193–195, 197, 202, 204, 205, 217,
 233–244, 251, 267, 269, 277–279, 295, 296,
 301–303
- Online monitoring, 101
- Ontology, 188–193, 235, 313–315
- Open list, 63–65, 67–69, 71
- Optimal metareasoning, 10, 29–33, 36–38,
 43, 120, 125, 126, 201
- Organizational closure, 240
- Performance profile, 33–36, 38, 60, 65, 74,
 121, 205, 206, 208, 252, 253
- Personae, 310, 312
- Phase boundary, 319
- Phenomenal consciousness, 314
- Philosophical confusions in robots, 315
- Philosophy, 21, 27, 307, 308, 311, 323, 332,
 333
- Phylogeny vs. ontogeny, 311
- Physical environment, 112, 308
- Picture grammar, 104, 107
- Planning, 5, 6, 9, 13, 27, 28, 30, 33, 59, 79,
 80, 89, 131, 134, 136, 137, 139, 143, 151,
 183, 194, 195, 201, 203, 223, 236, 237,
 267, 278, 279, 299, 300, 308, 310, 311,
 318, 324–326, 329–334
- POIROT, 77, 79, 80, 88, 90, 94
- Precocial, 314
- Prediction divergence, 12, 218, 249, 255, 257,
 262
- Probabilities, 109, 190, 191, 193, 195, 218,
 255, 268, 317–319
- Problem abstraction component, 205, 206
- Problem of appropriateness, 145
- Problem of identity, 145
- Process-openlist-n-percent, 68
- PRODIGY, 137, 139
- Prodigy/Analogy, 139
- Propagator, 219, 221
- Proto affordances, 315, 316
- Pruning, 29, 64

- PSPACE-hard, 122, 123
- Psychology, 12, 13, 201, 240, 296, 298, 299, 301–303, 317, 323
- Q-learning, 141, 188n, 191, 192
- QUAIL, 78, 79, 94
- Qualia, 314
- Quality accumulation function (QAF), 61, 62, 225
- Quasi-quotation, 268, 269, 280
- Question answering, 270, 274, 278, 280
- Rational metareasoning, 31
- Referentially, 313
- Reinforcement-learning, 141
- Relative support weight learning, 52
- Remote agent, 220, 222, 228, 288
- Repair, 24, 101, 139, 152, 155, 157, 159–161, 169, 170, 185, 187, 190, 193, 195, 196, 233, 241, 284, 301, 327
- Representation(s), 7, 9, 12, 21, 30, 34, 47, 54, 60, 80, 107, 111, 114, 116, 132, 134, 136, 137, 152–154, 157, 158, 160, 161, 219, 222, 225, 249, 254, 267, 268, 279, 280, 285, 295–299, 301, 302, 303, 308, 313, 316, 320
- Requirements, 9, 12, 78, 169, 233, 246, 267–269, 284, 307, 308, 313, 316, 319, 320
- Research questions, 5, 196, 313
- Response, 24, 102, 112, 134, 137, 169, 178, 186, 188, 191–193, 195, 196, 202, 210, 217, 218, 220, 223, 225, 227, 228, 230, 239, 290
- Robotic, 246, 283, 284, 286, 288–291, 320
- Robots, 12, 101, 194, 283, 288, 290, 307, 314–317, 319
- ROC—region of certainty, 319
- ROU—region of uncertainty, 319
- Rule-based diagnosis, 288
- Satellite images, 102
- Science, 139, 195, 313, 314
- Second-order epistemic information, 318, 319
- Seeming, 19
- Segmentation algorithm, 103, 107
- Self-adaptation, 3, 102, 103, 105, 109, 111, 116, 151–153, 156, 160–162, 169, 323
- Self-adaptive software, 102, 103, 112, 113
- Self-assessment, 95
- Self-aware, 3, 12, 43, 53, 55, 113, 186, 267–269, 280, 285, 313, 329, 332
- Self-concept, 285
- Self-debugging, 311
- Self-description, 25, 133, 307
- Self-diagnosis, 11, 152, 155, 157–161
- Self-directed behavior, 285, 311
- Self-explanation, 132, 139, 140, 142, 143, 145, 151, 217, 233, 244–246
- Self-knowledge, 11, 25, 116, 132, 134, 136, 139, 158, 168, 234–236, 238, 313
- Self-model, 12, 152, 167–169, 183, 185–187, 235, 238, 240, 241, 277, 280, 284, 286, 288–291, 295–298, 300–303, 330
- Self-modifying code, 11, 132, 133
- Self-projection, 139n6
- Self-protection, 217, 233, 237–239, 244
- Self-reference, 10, 15, 17–22, 25
- Self-understanding, 11, 132, 136, 137, 145
- Simple temporal network (STN), 219, 220
- Slot, 221
- SMILE, 187, 187n
- SOAR, 311
- Soft constraints, 61, 221
- Sort-budget, 68, 69
- Statistically parsed, 104
- Story understanding, 7, 131, 132, 137, 139, 300, 301
- Structured CSP, 45
- Substitutional quantification, 268, 271, 280
- TAEMS task structure, 59, 61–63, 70
- Tarski hierarchy, 19
- Teleological reasoning, 163
- Telepathy, 311
- Theory of mind, 296–298
- Thread, 219, 220

- Time-to-sort heuristics, 67
- TMXP (trace meta-explanation pattern), 7, 131–132
- Trade-offs, 32, 204, 307, 308, 313, 320
- Treasure, 237, 238
- Type II rationality, 28

- Uncertainty, 5, 28, 30, 34, 63, 131, 141, 210, 222, 317–319

- Workflow, 79–82, 85–89, 94–96, 132
- Workflow model, 82, 86–89, 94, 96

- XPLAIN, 80, 84, 88, 89