

Seeing

The Computational Approach to Biological Vision

Second Edition

John P. Frisby and James V. Stone

The MIT Press
Cambridge, Massachusetts
London, England

© 2010 Massachusetts Institute of Technology

All rights reserved. No part of this book may be reproduced in any form by any electronic or mechanical means (including photocopying, recording, or information storage and retrieval) without permission in writing from the publisher.

MIT Press books may be purchased at special quantity discounts for business or sales promotional use. For information, please email special_sales@mitpress.mit.edu or write to Special Sales Department, The MIT Press, 55 Hayward Street, Cambridge, MA 02142.

This book was set in Adobe InDesign CS3 by John P. Frisby. Printed and bound in the United States of America.

Library of Congress Cataloging-in-Publication Data

Seeing: the computational approach to biological vision / John P. Frisby and James V. Stone—2nd ed.

p. cm.

Includes bibliographical references and index.

ISBN 978-0-262-51427-9 (pbk.: alk. paper)

1. Visual perception. 2. Optical illusions. 3. Psychophysiology. I. Stone, James V. II. Title.

BF241.F74 2010

152.14—dc22

2009031989

Index

- Absolute threshold, 283
- Accessibility criterion, 188
- Accommodation, 424
- Accumulator table, 197–198, 476
- Achromatic, 375
- Action potential 3, 57–59, 134, 139–140, 331, 333
- Active vision, 545
- Activity code, 3, 7
- Adaptation, 76–96, 102–108, 409, 418
 motion, 335–338
- Adjunct relations, 186
- Aerial perspective, 375, 401
- Affine, 470
- Aftereffect, 73, 531
 color, 397, 408
 contingent, 102, 254
 contrast, 81
 motion, 334–338
 orientation-specific, 79
 size, 95
 tilt, 92
- After-image, 76
- Agnosia, 263
- Algorithm, 11, 27, 38–40, 541
- Algorithmic level, 38–39, 51, 252, 352
- Allocentric, 459
- All-or-none law, 3
- Amacrine cell, 134, 141, 331
- Ames, 23–24
- Amplitude, 101
- Anaglyph, 421–430, 444, 447, 450, 461–463
- Anchor, 414
- Anchoring rule, 382
- Anisotropy, 50
- Antagonistic center/surround receptive fields, 140
- Aperture problem, 340–344
- Appearance variability, 176
- Artificial intelligence, 10, 512
- Assertion, 69, 163
- A-table. *See* Accumulator table
- Attention, 533
- Attenuate, 99
- Autostereogram, 427
- Axon, 2–3, 57, 215
- Back projection fibers, 163
- Back-projection, 41–51
- Bandpass filter, 76, 90, 98–101
- Bayes, Reverend Thomas, 321
- Bayes' rule proof, 323
- Bayesian framework, 308–322, 362, 369–372, 392–395, 485, 502, 545–546
- Binding problem, 72, 266–267, 271
- Binocular disparity, 423–424, 454–462
 definition, 423, 454–457
 horizontal, 459–462, 468–472
 origins, 457
 vector, 466
 vertical, 456–457, 472–473, 475–485
- Binocular
 fusion, 421
 matching, 424, 454
 raw primal sketch, 443, 454
 rivalry, 212, 451, 532
- Biologically plausible, 117
- Biplexiform retinal ganglion cells, 212
- Bipolar cell, 116, 138, 330
- Bistratified ganglion cell, 212, 411
- Blindsight, 532
- Blocks world, 511–526
- Bottom-up, 22, 162, 171, 201
- Brain, 205–215
 anatomy, 4–5
- Brain map, 229–254
- Brain imaging, 543
- Brightness, 375, 402

Index

- Camouflage, 21, 160, 168, 406, 428, 463
- Candelas per square meter, 399
- Canonical representation, 188
- Cardinal cell. *See* Grandmother cell
- Catch trial, 287
- Category decision, 18
- Cell body, 208
- Cerebral cortex, 207
- Cerebral hemisphere, 6, 206
- Channel, 56, 66–73, 76, 86, 542
 - spatial frequency, 89–99, 131, 149
- Characteristic view, 191
- Chevreul illusion, 393
- Chick, response to falcon/goose, 182
- Circularly symmetric receptive field, 101
- Classical psychophysics, 283
- Classification and identification, 189
- Closure, figural grouping, 158
- Coarse coding, 70, 263, 270, 405
- Colinearity, 32
- Color, 136, 244, 158, 397–418
 - aftereffect, 397, 408
 - blobs, 258, 412
 - constancy, 402
 - map, 247–249
- Combinatorial explosion, 72
- Compatibility constraint, 433–434
- Complex cell, 60, 216–218
- Complexity theory, 256, 263–264
- Compression gradient, 37
- Computational framework, 37, 47, 54, 352, 542, 548
- Computational level, 37–39, 352, 394, 417, 490, 541
- Computational theory, 11, 27
- Computer vision, 7, 542
- Conceptually driven processing, 170
- Conditional probability, 288, 291, 298, 312, 313, 364, 392
 - definition, 312–313
- Cone photoreceptor, 135–138, 398–418
- Cone coordinates, 415
- Consciousness, 528–536
- Consistency filtering, 519
- Constraint, 20, 37, 52, 87, 98, 156, 308
 - blocks world, 516
 - definition, 20
 - satisfaction, 276
 - stereo correspondence, 438, 478, 490
 - summary of, 540
- Contingent aftereffect, 102
- Continuity, 157
- Continuous mapping, 231
- Continuous probability density function, 318
- Contrast, 64, 77, 385–395
 - definition, 78
 - illusion. *See* Lightness illusion
 - and motion, 370
 - sensitivity function, 88
 - and stereopsis, 449
 - temporal, 339
 - threshold, 78–100, 340
- Convergent disparity, 457
- Convolution, 66, 116, 142
- Cooperativity, 441
- Coordinate frame, 459
- Corpus callosum, 206
- Correlation model, 338
- Corresponding points, 424, 454
- Cortex, 4–7, 206–210
- Crab carapace, 229
- Craik-Cornsweet-O'Brien illusion, 376–383
- Criterion, 286
- Critical period, 87
- Cross-channel combination, 128–131
- Crossed disparity, 457
- Cue conflict, 431, 505
- Cue integration, 497–509
- Cumulative density function (cdf), 289

- Cycles per degree, 81
- Cyclopean eye, 186, 457, 466
- Cyclorotation, eye movement, 467
- Cytochrome oxidase blob, 412

- Data driven, 22, 162, 256
- Deconvolution, 104, 380, 393
- Decussation, 4, 208
- Degrees of freedom, 34
- Depth, 22
 - cue, 421
 - interval, 460
- Dichromat, 405
- Difference of gaussians, 141
- Difference threshold, 283, 500
- Diplopia, 445
- Direct perception, 53
- Directed view-sequence, 183
- Direction map, 246
- Directional derivative, 125
- Discounting the illuminant, 401
- Disparity
 - convergent/crossed, 457
 - divergent/uncrossed, 457
 - gradient, 486–489
 - horizontal, 459–462, 468–472
 - vector, 453
 - vertical, 456–457, 472–473, 475–485
- Distance, 466
- Distance paradox, tilt aftereffect, 94
- Distributed representation, 70, 263
- Divergent disparity, 430, 457
- Downward flowing information, 170
- d*-prime, 293
- Dualism, 529
- Dual process theory, 407, 411
- Duck/rabbit illusion, 20

- Eccentricity, retinal, 454
- Ecological optics, 14, 53

- Edge, 112
 - detector, 62
 - feature, 156
 - Marr-Hildreth detector, 118, 129, 147
 - point, 147
 - representation, 161
- Electromagnetic spectrum, 398
- Elevation angle, 466
- Emmetropic, 89
- Empirical theory of vision, 390, 544
- Epipolar constraint, 435–438, 478, 486, 488–490
- Esophoria, 427
- Essentialism, 531
- Exemplars, 180
- Exophoria, 427
- Explicit scene representation, 26, 147, 257
- Exponential, 72, 256–274
 - definition, 264
- Eye, 134–137
 - pinhole camera model, 31
 - position, 460

- Face
 - convexity constraint, 308, 314
 - face/vase illusion, 20
 - face view cells, 250
 - structure, 184
 - Thompson's inverted face illusion, 19
- False-alarm, 291
- Feature, 11, 20, 56, 156, 179, 184, 192, 197
- Feature detector, 66
- Feature dimension, 197
- Fechner's law, 303–305
- Feedback, 212
- Feedforward, 212
- Feedforward connections, 369
- Figural continuity, constraint for stereo matching, 489
- Figural grouping, 126
- Figure/ground problem, 20, 155–172

Index

- Filter, 120
- Filtering, 99
- Fine coding, 269
- Fingerprint theorem, 241
- First derivative, 121
- First order, 168
- Fixation point, 423, 453, 466
- Flicker, 339–340
- Functional magnetic resonance imaging (fMRI), 527
- Focus length, 32
- Fourier component, 100–101
- Fovea, 2, 7, 57, 69, 133–138, 234, 267, 405, 424
- Foveation, 266
- Fraser's spiral, 13
- Fronto-parallel plane, 454, 470
- f-table, Hough transform, 197
- Full primal sketch. *See* Primal sketch

- Gait, 101
- Ganglion cell, 140
- Gaussian, 118–120, 127–132, 141, 285–299, 361–67, 392–395, 504, 546
- Gaze angle, 466
- General viewpoint assumption, 24, 267, 516
- Geocentric, 459
- Geometric effect, 478
- Geon, 186–187
- Gestalt, 156–158
- Ghost in the machine, 530
- Gibson, 13, 53
- Global motion, 342–348, 356–371
- Global stereopsis, 428, 433
- Gnostic unit. *See* Grandmother cell
- Gradient, 121
- Grandmother cell, 250, 256, 262–263, 278, 524
- Grating, 77–100
- Gray level, 7–12, 57, 113, 138, 145, 148, 225–226, 375, 378, 384, 544
- Gray level description, 7
- Gregory, Richard, 11, 23
 - concave face illusion, 308
 - consciousness, 533
 - and Helmholtz, 322
 - illusions as clues, 13, 542
 - perception as hypothesis, 322
- Ground, 7
- Grouping principle, 157
- Gun turret model of eye positions, 468

- Haptic/visual cue combination, 505
- Hardware level, 11, 38–39, 252, 339, 525, 541
- Headcentric, 459, 466
- Head-movement parallax, 421
- Helmholtz, Hermann, 321–322
- Hermann grid, 151–154
- Hertz, 81
- Heuristic, 272, 308, 514
- Homogeneity constraint, 34
- Homogeneous texture, 33
- Horizontal cell, retina, 134, 331
- Horizontal disparity, 456
- Horizontal layer, retina, 214
- Horizontal plane, 459
- Hough transform
 - binocular eye positions, 475–476
 - object recognition, 197–201
- Hubel, David, 59–62, 76, 98, 125, 214, 217–225, 235, 243–244, 278, 532
- Hue, 402
- Hypercolumn, 6, 222
- Hypercomplex cell, 217
- Hypercube, 269
- Hyperfield, 6, 222

- Ice cube model, 222, 244
- Ideal observer, 291, 308, 321, 356, 370, 498
- Identity theory, 530
- Ill-posed problem, 311

- Illuminance, 375, 384, 398–412
 Illusion, 13–25, 542–546
 Image
 compression, 137
 intensity gradient, 121
 inversion, 12, 521
 statistics approach, 399, 544
 Induced effect, 478–479
 Inference, 27, 309–322, 392–394, 514–515, 546–547
 Inferotemporal lobe, 179, 192, 209, 248–251
 Infinite regress, 12
 Inhibitory veto, 330
 Inhomogeneous texture, 33
 Inner product, 416
 Inner screen theory, 1–3
 Interpupillary distance, 466
 Intersection of constraints (IOC), 343
 Interstripe, 248
 Invariant, 262
 Inverse filter, 393
 Inverse mapping, 233
 Isoluminant, 389
 Isotropic, 45–54, 125–126
 Isotropy. *See* Isotropic
 Iteration, 441, 535

 Jizz, 181
 Johansson movie, 181–183
 Junction dictionary, 516
 Just noticeable difference (JND), 283, 500

 Kanizsa's triangle, 171, 389, 418
 Konio ganglion cell, 411

 Laplacian, 125
 Lateral connections, 369
 Lateral facilitation, 380
 Lateral geniculate nuclei (LGN), 4, 208, 210
 Lateral inhibition, 391

 Learning
 perceptual, 10, 545
 to see random-dot stereograms, 445–446
 Least-squares estimate, 36
 Lenticular stereograms, 427
 Levels of analysis, 26, 37, 252, 476, 512, 525
 Light from above assumption, 19, 307–308
 Lightness, 374–376
 constancy, 376
 Lightness illusion, 14–15, 373, 382, 387–388, 391–394, 403
 Likelihood, 311–323, 362–372, 392
 Linear combination, 106
 Line detector, 59
 Line labeling, 515–519
 Line of sight, 437
 Local code, 70
 Log likelihood function, 367
 Logarithm, 88, 304–305, 340–341, 367, 411
 Look-up table, 36
 Low-level, 162
 Luminance, 77–82, 145–153, 282, 401
 and color, 398–417
 and lightness, 374–396
 and psychophysics, 282–304

 Mach bands, 391, 394
 Mach's depth change illusion, 25
 Macula, 134–136
 Magnocellular layers, 212
 Maintained rate, discharge, 59, 330
 MAP estimate. *See* Maximum a posteriori
 Mapping function, 234
 Maps, 229–254
 Marr, David, 11, 37–54, 161–172, 252–253, 338–339, 521–526, 540–548
 Marr-Hildreth edge detector, 118, 129, 147
 Marr-Nishihara, object recognition theory, 185, 195
 Marr-Poggio stereo algorithm, 435, 464, 486

- Marr-Ullman motion detector, 334
- Matching problem
 - motion, 334
 - object recognition, 179
 - points for stereo matching, 442
 - stereo correspondence, 433–442, 486–492
 - stereo at different scales, 492
- Maximum a posteriori (MAP), 315, 317, 393
- Maximum channel output rule, 414
- Maximum likelihood estimate (MLE), 317, 368–369
- Matrix, 416
- McCollough effect, 102, 418
- Mental rotation, 192
- Meridional size lens, 478
- Metamer, 398, 406–408, 415
- Method of
 - adjustment, 78, 301–302
 - constant stimuli, 79, 301
 - limits, 301–302
- Mexican hat receptive field, 126, 134, 141–142
- Microelectrode, 59
- Micron, 137
- Microstimulation, 351
- Mid-brain, 212
- Midget retinal ganglion cell, 211, 411
- Mondrian, 131, 402–408, 412, 416–417
- Modularity, 38–39
- Modulation transfer function, 98–102
- Module, 49
- Monocular, 244
- Monocular depth cues, 420
- Monotonic, 107, 301
- Mono vision, 452
- Motion, 12, 325–372
 - area, 249
 - recognition from, 181–184
- Motion aftereffect, 96, 334
- Motion vector, 342
- MT. *See* V5
- Multivariate, 259
- Necker cube, 26
- Negative after-image, 76
- Nerve fibres, 208
- Neurometric function, 350
- Neuron, 2, 206, 208
- Noise, 360
 - distribution, 285
- Non-accidental properties, 191
- Non-linear, 18
- Normal distribution, 364
- Null direction, 329, 332
- Object classification, 180
- Objectivism, 546
- Object recognition, 173–204
- Oblique effect, 83
- Ocularity stripes, 233, 243–244
- Oculocentric frontal plane, 471
- Ordering constraint, stereo matching, 490
- Off-center/on-surround receptive field, 139
- Ogive, 78, 349
- Ogle's induced effect, 478–479
- Operational definition, 18
- Opponent pair, 329
- Opponent process theory, 407
- Optic
 - array, 53
 - axis, 32
 - chiasm, 4, 208, 233
 - nerve, 4, 134, 208, 210
 - radiation, 5
- Optical imaging, 222, 235, 242
- Orientation
 - channel, 69
 - columns, 62
 - map, 236
 - specific adaptation, 84
 - tuning, 62, 80

- Origin, coordinate framework, 459
- Packing problem, 230–252
- Panum's
 - fusional area, 443, 486
 - limiting case, 436
- Parameter
 - estimation, 362
 - field, 269
 - space, 238, 259
- Parasol ganglion cell, 212, 411
- Parvocellular layers, 211, 411
- Perception as hypothesis, 322
- Perceptual
 - constancy, 41
 - grouping, 157
 - inference, 309
 - learning, 10, 545
- Period, frequency, 339
- Periphery effect, 141
- Perspective
 - gradient, 37
 - projection, 31
- Phase, 101
- Photopic vision, 136
- Photosensitive pigment, 136
- Pictorial depth cue, 421
- Pineal gland, 529
- Pinwheel, 236, 242, 245
- Pixel, 9
- Place code, coding, 18, 95
- Plaid pattern, 347
- Plasticity, 10
- PMF stereo algorithm, 486
- Pointillist representation, 459
- Polar coordinates, 343, 358
- Polymap, 245
- Pontifical cell. *See* Grandmother cell
- Ponzo illusion, 40–41
- Population
 - code, 68–70
 - vector, 361
- Posterior probability, 313–320, 362, 370, 393
- Power law, Stevens, 305
- Precision, 502
- Preferred
 - direction, motion detection, 328–333, 338, 347, 349–351, 359–371
 - orientation, 63–71, 86, 90, 92, 96, 97, 103, 107, 109, 216, 218, 220, 223, 235–237, 243–253, 269–274
 - stimulus, 61, 62, 66, 83, 442
- Pre-striate cortex, 7
- Primal sketch, 161
 - binocular raw, 443, 454, 492
 - full, 162–163, 170, 227, 381
 - raw, 161–162, 227
- Primary index, 239
- Primary visual cortex. *See* Striate cortex
- Primitives, 178
- Principle of
 - additivity, 469, 472
 - explicit naming, 163
 - Gestalt grouping, 156–159
 - least commitment, 162
 - separability, 466
 - sign, 243
 - univariance, 408
- Prior probability, 313–320, 362–370
- Priors, 308
- Probability, 282–299,
 - conditional, 288, 291, 298, 312, 313, 364, 392
 - density, 286–290, 298, 317, 364
 - likelihood, 311–323, 362–372, 392
 - maximum a posteriori (MAP), 315, 317, 393
 - maximum likelihood estimate (MLE), 317, 368–369
 - prior, 308, 313–320, 362–370
 - posterior, 313–320, 362, 370, 393

Index

- Proximity, figural grouping, 157
Psychometric function, 78, 282, 283, 349
Psychophysical methods, 27, 78, 300–306
Psychophysics, 45, 77–78, 281–306
Pupil, eye, 32
Purkinje shift, 404–406
Pyramidal cell, 2, 214
- Qualia, 530
Qualitative stereopsis, 445
Quantization, 460
- Radian, 460
Radical empiricist strategy, 86
Random-dot stereograms, 420, 427–464, 491–493, 503
 and camouflage, 463
Random variable, 285, 364
Raw primal sketch. *See* Primal sketch
Realism, 546
Recalibration, 82,
 tilt aftereffect, 103–109
Receiver operating characteristic (ROC), 296
Receptive field, 56–67, 90, 99, 102, 111–129,
 139–142, 151–154, 163, 214–217, 225, 256, 272
 color, 412
 complex cell, 217
 convolution, 116
 definition, 58
 ganglion cell, 140
 hypercolumn, 225
 motion, 330–333, 340–346, 349–351,
 391–392, 411
 simple cell, 216, 218
 spatiotemporal, 345
 weighting, 117
Receptor mosaic, 12, 116
Red banana objection, 268
Redundant, 103
- Reflectance, 374–415
 function, 399–415
Reichardt motion detector, 328
Relaxation algorithm, 516–518
Representation, 3
Response profile vector, 360, 362
Resting discharge rate, 60
Resultant vector, 359
Retinal coordinates, 455
 eccentricity, 453–455
Retinal ganglion cell, 331
Retinex, 383, 398, 403, 412
Retinotopic coordinate system, 184
Retinotopic map, 7, 184–5, 208–15, 223, 230–249
Retinotopy, 214, 235, 249–252
 losing, 249
Rhodospin, 136
Rod photoreceptor, 136, 405
- Saturation, 402
Scaling problem, 382
Scope and uniqueness constraints, 188
Scotopic vision, 136
Secondary index, 239
Secondary visual cortex, 248
Second derivative, 123
Second order, 168
Segmentation problem, 162
 via object recognition, 170
Sensitivity, 339
Shape from texture, 30, 320, 498
Signal detection theory (SDT), 79, 284–285
Sign
 principle, 243
 theorem, 242
Similar size, figural grouping, 157
Simple cell, 56–73, 90–98, 125–126
Simultaneous contrast, 96–97
Sine wave, sinusoid, 81

- Single cell recording, 59, 215
- Singularity, 221, 230, 236, 239–246, 252
- Sinusoidal luminance grating, 340
- Size constancy, 41
- Sketch, 2.5D, 525
- Slant, 30
 - and cue combination, 497
 - definition, 30, 34
 - gradient space, 520
 - relation to p, q , 52
- Slit detectors, 62
- Space-time diagrams, 345
- Sparse coding, 278
- Spatial distortion, 17
- Spatial frequency, 81–110, 130, 168, 244–246, 340
 - contrast sensitivity function, 88
 - map, 244
- Spatial opponency, 411
- Spatial scale, 119, 139
- Spatiotemporal receptive field, 345
 - signature, 183
- Spectral opponency, 411
- Spectral reflectance function, 399
- Spectrum, 100, 398–416
- Spike, 59
- Stability and sensitivity constraints, 189
- Staircase method, 301
- Standard deviation, 120, 289, 363, 500
- Stereo correspondence problem, 427–434
 - geometry, 423, 466–468
- Stereogram, 421, 427
- Stereo half, pair, 421–422
- Stereoscope, 424
- Stereotest, Frisby, 433
- Stevens's law, 305
- Striate cortex, 4–7, 59–60, 76, 206–227
 - maps, 230–254
 - motion, 346–350
- Stripe of Gennari, 215
- Structural description, 176
- Sub-threshold, 141
- Successive illusion, 96
- Superior colliculus, 5, 212–213
- Surface interpolation, 447
- Surface smoothness constraint, 436
- Symbolic computation, 10
- Symmetric fixation, 467
- Symmetry, in figure/ground, 158–161
- Synapse, 139
- Synkinesis, accommodation/vergence, 427
- Tangent distribution, 47–49
- Task analysis, 114
- Template matching, 57, 59, 257, 261–262, 319
- Template-neuron, 258–270
- Temporal band-pass filter, 339
 - cortex, 277, 527
 - frequency, 339
- Test-adaptation-test cycle, 77
- Tetrachromats, 406
- Texel, 30–31
- Texture density, 30–31
- Texture density gradient, 32
- Theory driven, 256
- Threshold, 3, 18, 58,
 - contrast, 78–80, 84–88, 91–92, 100, 148
 - psychophysics, 282–284, 287, 296, 297, 300–304
 - temporal, 339–341
- Tilt, 34
 - aftereffect, 92–95, 107–109
 - definition, 30, 34
 - gradient space, 520
 - relation to p, q , 52
- Top down processing, 22, 162, 171, 201
- Topological index, 242
- Transmittance, 375
- Trial, psychophysics, 79
- Trichromacy theory, 407

Index

- Trichromat, 405
- Tristimulus coordinates, 416
- Tuning curve, 62–70, 92–97, 258, 263, 269, 272, 361–372, 408
 - function, 362
 - surface, 273
- Two-alternative forced choice (2AFC), 79, 284, 296–303, 349–506
- Type 1 and 2 problems, 523

- Uncomputable number, 257
- Unconscious inference, 197, 321, 514, 545
- Uncrossed disparities, 457
- Uniform joint distribution, 104
- Uniform prior probability distribution, 262
- Uniqueness constraint, stereopsis, 436
- Univariate, 258

- V1. *See* Striate cortex
- V2, 236, 246, 344, 347
- V3, 247, 249, 347, 412
- V4, 247–249, 347, 412
- V5, 247–250, 326, 344, 347, 359
- V8, 412
- Value coding, 18, 95, 107
 - unit, 258
- Variable coding, 107
 - unit, 258
- Variance, 44, 296–299, 361–367, 499–502
 - definition, 499
- Vase/face illusion, 20
- Vector, 232, 237, 416,
 - average, 359
 - disparity, 453–469
 - motion, 342–371
 - sum, 348, 359
- Velocity, 342
- Vergence angle, 424, 466–467
- Vertical columns, 214
 - disparity, 435, 456
- Vieth-Müller circle, 458
- View-based recognition, 188, 191–194
- Viewer-centered representation, 186
- Viewing geometry, 435, 466
- View potential, 191
- Viewsphere, 193
- Visual
 - acuity, 89
 - angle, 81
 - attention, 213
 - direction, 458
- Volumetric primitive, 185

- Wallpaper illusion, 427
- Waveform, 101
- Weber fraction, 303
- Weber's law, 302–303
- Weighted average, 56, 69, 106, 369, 499
- Wertheimer-Benary illusion, 386
- White's illusion, 386
- White matter, 207
- Whorfian hypothesis, 327
- Wiesel, Torsten. *See* Hubel

- Zero crossing, 123, 124, 129, 132, 147–151
- Zollner illusion, 96