

Index

- Action-readiness. *See* Emotion, and action-readiness
- ADM. *See* Antidepressant medication
- Affect
- biased, 60, 61
 - and decision-making, 4–5, 49–54, 63
 - and evaluative conditioning, 53
 - evaluative utility of, 39, 58–59
 - as evidence for the existence of triggering events, 4, 40, 41–44, 54
 - as evidence for the value of triggering events, 4, 40, 44–46, 54
 - evidential value of, 5, 39, 54–64
 - evidential value in depression, 5, 54, 94
 - heuristic, 53, 54
 - and the materiality of triggering events, 4, 39–46, 62–64 (*see also* Material facts)
 - and motivation, 46–49, 54, 63
- Agency, 10, 12–13
- authorization condition for, 18
- Allen, Nicholas, 105
- Amygdala, 44, 52, 116, 117, 128, 131
- Andersen, Susan, 67
- Angermeyer, Matthias, 84
- Antidepressant medication (ADM)
- and autonomy promotion in depression. *See* Autonomy, promotion with antidepressant medication (ADM)
 - and beliefs about depression causation, 89–90
 - cognitive neuropsychological model of action, 111, 116
 - direct to consumer advertising (DTCA) of, 7, 88, 165–166
 - efficacy in depression, 3, 153
 - mode of action in depression, addressing information processing biases, 109–111
 - mode of action in depression, addressing stressors, 127–130
 - and restricted affective range in depression, 6, 113–117
 - and treatment statistics in depression, 1–2, 87
- Antonuccio, David, 161
- Australian Pharmaceutical Benefits Scheme, 87
- Autonomy
- and the best interests of patients, 22, 31, 32
 - and chronic disease self-management. *See* Chronic disease self-management
 - dispositional, 12
 - and the evidential value of affect, 54–64
 - and grounds for belief, 16
 - impairment in depression, the role of information processing biases, 74–77
 - and justified beliefs, 15–23

- Autonomy (cont.)
 and justified beliefs about
 depressogenic stressors, 3, 82–95
 and justified beliefs about the
 evidential value of affect, 54–64,
 75–77
 and material facts, 4, 20–21
 and the materiality of depressogenic
 stressors, 82–85
 normative force of, 4, 35–37, 146
 occurrent, 11–12
 and a particular patient standard of
 understanding, 20
 and personhood, 37
 and the physician's duty of
 beneficence, 146, 147, 157
 physician's duty to promote in
 depression, 143–155
 and the problem of authority, 11
 professional, 7, 158–160
 promotion through cognitive
 behavioral therapy (CBT), 3,
 107–109, 111–118, 124–127,
 130–141
 promotion with antidepressant
 medication (ADM), 111–118,
 130–141
 as a proper goal of medicine. *See*
 Proper goals of medicine
 and rational assessment of beliefs, 14
 respect for, versus promotion of,
 157–158
 summary statements of, 3–4, 13, 23,
 131
 and testimony, 17
 theories of, epistemic, 4, 15–18
 theories of, hierarchical, 3, 10–11, 13,
 19
 theories of, historical, 3, 11, 12, 19
 theories of, life-plan, 3, 11–12, 13, 19
 theories of, reasons-responsive, 3, 12,
 13, 19
 and true beliefs, 15–16
 value of, instrumental, 4, 30–32,
 146
 value of, intrinsic, 4, 33–35, 146
- Baird, Grayson, 86
 Ball, Harriet, 92
 Bayles, Michael, 158, 159
 BDNF. *See* Brain derived neurotrophic
 factor
 Beauchamp, Tom, 17, 20, 21, 62, 133,
 134
 Beck, Aaron, 67, 109
 Beecher, Henry, 31, 32
 Beliefs. *See* Autonomy
 Beneficence, 7, 143, 159, 160, 162–164
 duty of, 146, 147, 151
 Beneficent authoritarianism, 24
 Benson, John, 17, 57
 Bentz, Bret, 102
 Berlin, Isaiah, 10
 Berofsky, Bernard, 13–14
 Best interests. *See also* Prudential value
 and autonomy, 22, 31–32
 and duty of care, 147, 162, 163
 and informed consent, 31
 and medical paternalism, 24
 and refusal of medical treatment, 34
 Beyondblue guidelines for treatment of
 depression in primary care, 3, 165.
See also Depression, guidelines for
 treatment of
 Blumner, Kate, 85
 Brain derived neurotrophic factor
 (BDNF), 80, 109
 Brandt, Richard, 33
 Brock, Dan, 26, 27, 28
 Brown, Charlotte, 85
 Brown, George, 79
 Buchanan, Allen, 25, 26, 27, 28
 Buss, Sarah, 18
- Callahan, Daniel, 155
 Campbell, Lynlee, 70

- Care, duty of, 147, 148, 150, 162, 163
- Carson, Richard, 73
- Caspi, Avshalom, 81
- CBSM. *See* Cognitive behavioral stress management
- CBT. *See* Cognitive behavioral therapy
- Christman, John, 11, 12, 19
- Chronic disease self-management, 7, 143, 149
- Clore, Gerald, 54–55, 57
- Cognitive behavioral stress management (CBSM), 120, 140
- Cognitive behavioral therapy (CBT) and autonomy promotion in depression. *See* Autonomy, promotion through cognitive behavioral therapy (CBT)
- behavioral component of, 68, 106–107
- collaborative empiricism in, 100, 112, 127
- cost of, 160–161
- debiasing in, 6, 99–105, duration of treatment, 90
- efficacy in depression, 2, 67, 153 and metacognitive awareness, 77, 105–107
- mindfulness approach in, 77, 105–107, 126
- mode of action in depression, addressing information processing biases, 98–107
- mode of action in depression, addressing stressors, 119–124
- moral obligation for physicians to provide, 6, 143–167
- and reattribution, 100, 104
- sudden gains in, 103
- treatment statistics in depression, 87–88
- Competence, 179n46
- Consent, informed and counselling, 144–148 and material information, 20–21 (*See also* Material facts) as a model for epistemic autonomy, 18–23 and operative outcomes, 30–32 and patients' best interests, 31, 32
- Coping theory, 120–124
- Core relational themes, 45
- Cost-benefit utility of depression treatments, 7, 160–162, 166
- Counselling antenatal, 143–145 and gender reassignment surgery, 145 genetic, 145, 147
- DALY. *See* Disability adjusted life year
- Damasio, Antonio, 48, 49, 50, 51, 52
- Deacon, Brett, 86
- Debiasing. *See* Cognitive behavioral therapy, debiasing in
- Depression attentional biases in, 68, 71 autonomy impairment in (*see* Autonomy, impairment in depression, the role of information processing biases) availability biases in, 68–71 beliefs about causation, 84–87 biased information processing in, 68–71, 99, 110 biased retrievability of instances in, 69 biological models of causation, 87–90 burden of disease in, 1 and cognitive distortions, 67, 99, 100 cognitive theory of, 65–68 contingency judgment task and, 72 cortisol, causal role in, 80, 81, 120, 128, 129, 140 and Cushing's syndrome, 129 definition of, 66 dependent events in, 72

- Depression (cont.)
 and depressive predictive certainty, 67, 73, 75
 and depressive realism, 72–73
 diathesis-stress causation model of, 77, 81, 91
 dot probe task and, 68
 dysfunctional attitudes in, 99, 100
 guidelines for treatment of, 2, 3, 159, 162, 165
 helplessness in, 67
 hopelessness in, 67
 independent events in, 72
 and interferon treatment, 129
 kindling model of, 78–79
 major, 66
 melancholic, 79, 86
 mood state hypothesis and, 92, 99
 negative attributional style in, 81, 91–94, 104, 126, 127, 130, 131
 negative automatic thoughts in, 99
 neurobiology of, 128–130
 permissive theory of, 129–130
 prevalence of, 1, 79–80
 recurrence risk in, 153
 and rumination, 126–127, 128, 130, 131
 and schema, 99
 severity specifiers in, 66
 stressors, causal role in, 5, 77–82, 84–95, 128
 stuck switch model of, 129
 vascular, 129
- Depressive realism. *See* Depression, and depressive realism
- DeRubeis, Robert, 107, 117
- Desires
 non-instrumental, 33
 properties of, consistent with autonomy, 4, 9–15
 rational assessment of, 13–14
- De Sousa, Ronald, 42, 45
- Diabetes, 149
- Diabetes self-management education (DSME), 149, 150
- Diagnostic and Statistical Manual of Mental Disorders* (DSM), 66, 100
- Disability adjusted life year (DALY), 161
- Down syndrome, 145, 146, 147
- DSM. *See* *Diagnostic and Statistical Manual of Mental Disorders*
- DSME. *See* Diabetes self-management education
- DTCA. *See* Antidepressant medication, direct to consumer advertising of
- Dunn, Barnaby, 52
- Dunning, David, 73
- Dworkin, Gerald, 10
- Ekman, Paul, 43
- Elliot, the case of, 49–50
- Emotion. *See also* Affect
 and action-readiness, 46
 and certainty of related appraisals, 56, 61
 and decision-making (*see* Affect, and decision-making)
 elicitors of, 43
 as evidence (*see* Affect)
 as indicators of salience, 42
 and intelligence, 55, 167
 and motivation, 4, 46–49, 54
 and physiological change, 47–48
 theories of, appraisal, 4, 44, 121
 theories of, evaluative, 4, 40, 164
 theories of, cognitivist, 41
 theories of, judgmentalist, 41
- Emotional blunting, 114. *See also* Antidepressant medication (ADM), and restricted affective range in depression
- Emotional intelligence. *See* Emotion, and intelligence
- Epistemic luck, 15, 16
- Ethical theories, 35–37

- Evaluative conditioning, 53, 58
Evidence, 40, 41
Explanation bias, 102
- Faden, Ruth, 17, 20, 21, 62, 133, 134
Feeling. *See* Affect
Feinberg, Joel, 28, 29
Fischer, John, 12
Five-hydroxytryptamine (5-HT). *See* Serotonin
Five-hydroxytryptamine transporter (5-HTT) gene, 81, 82, 129, 136
Folkman, Susan, 121
France, Christopher, 88
Frankfurt, Harry, 10
Frijda, Nico, 46, 47, 49, 56, 62
Fu, Tiffany, 73
- Glover, Jonathan, 33
- Hamilton Rating Scale for Depression, 2, 169
Hammen, Constance, 78
Harkness, Kate, 79, 86
Harmer, Catherine, 109, 110, 111, 113, 116, 117
Hartrick, Gwen, 89
Hayes, Brett, 101
Health, definitions of, 155–156
Hesketh, Beryl, 101
Heuristic
 affect (*see* Affect, heuristic)
 availability, 68–71, 102, 104
 better safe than sorry, 59
 and dual process theories, 61
 expert authorship, 61
 how do I feel about it?, 54–55
 simulation, 71, 102
 visual clarity and distance, 60
Hippocampus, 80, 81, 116, 128, 129, 131, 136, 140
Hirt, Edward, 101, 102
Hollon, Steven, 107
Horwitz, Allan, 66
Hsee, Christopher, 45
- IGT. *See* Iowa gambling task
Informed consent. *See* Consent, informed
Insula, 48, 51
Interpersonal therapy (IPT), 3, 79, 87, 98, 120
Iowa gambling task (IGT), 50, 51, 52, 108
IPT. *See* Interpersonal therapy
- James, William, 43, 47, 48, 49
- Kahneman, Daniel, 68, 69, 70, 71
Kant, Immanuel, 37
Kendler, Kenneth, 77, 78, 81, 82, 129, 136
Kessler, Ronald, 78
Knutson, Brian, 113
Kramer, Peter, 128, 129, 135, 136, 137, 138
Kunreuther, Howard, 45
- Lauber, Christoph, 84
Layard, Richard, 162
Lazarus, Richard, 44, 45, 54, 62, 121, 122, 124
Leykin, Yan, 89
Liberty, 12
 negative and positive, 10, 13
Luty, Suzanne, 79
- MacLeod, Andrew, 70, 71, 102
MacLeod, Colin, 70
Maia, Tiago, 51
Marcus, Steven, 85
Markman, Keith, 101, 102
McClelland, James, 51
McEwen, Bruce, 120
Material facts, 3, 20, 125, 133, 145
Matsching, Herbert, 84

- Mayer, John, 55
- MBCT. *See* Mindfulness-based cognitive therapy
- Meichenbaum, Donald, 123
- Mele, Alfred, 11
- Mental Health America, 86
- Mesquita, Batja, 56
- Mill, John Stuart, 30
- Mindfulness-based cognitive therapy (MBCT), 98
- Mitchell, Philip, 79
- Monroe, Scott, 79, 86
- Moral theories. *See* Ethical theories
- Neuroresilience, 129, 136
- Nolen-Hoeksema, Susan, 126
- Ohman, Arne, 44
- Olfson, Mark, 87
- Opbroek, Adam, 114
- Paradigm scenarios, 42, 45
- Parity of reasoning, and the moral obligation to provide cognitive behavioral therapy in depression, 6–7, 143, 144–151
- Paternalism, 4, 24–30
- Pellegrino, Edmund, 24
- Personal autonomy. *See* Autonomy
- Personhood, 37, 146, 147
- Pessimism, unrealistic, in depression, 6, 65, 68, 70, 71, 72, 77, 107, 108, 112
- Pham, Michel, 55
- Pirraglia, Paul, 161
- Prevention of harm argument, 26
- Price, Jonathan, 114
- Problem-solving, 6, 123, 130, 131
- Problem-solving therapy, 87, 90, 98, 120, 124
- Professional autonomy. *See* Autonomy, professional
- Proper goals of medicine, 7, 155–158
- Proportionality, principle of, 143, 151–155, 163
- Prudential value, theories of, 27–28
- Psychosocial stressors. *See* Stressors
- Psychotherapy, 2, 98, 164–167. *See also* Cognitive behavioral stress management (CBSM); Cognitive behavioral therapy (CBT); Interpersonal therapy (IPT); Mindfulness-based cognitive therapy (MBCT); Problem-solving therapy
- Quality adjusted life year (QALY), 161
- Ravizza, Mark, 12
- Relevant facts, 20–22
- Robinson, Jenefer, 41
- Rogers v Whitaker, 20
- Rushton, John, 135
- Salience. *See* Emotions, as indicators of salience
- Sapolsky, Robert, 80
- Schema, 69, 70. *See also* Depression, and schema
- Schreiber, Rita, 89
- Schwarz, Norbert, 54–55, 57
- Serotonin, 80, 82, 109, 190n80
- Serotonin transporter gene. *See* Five-hydroxytryptamine transporter (5-HTT) gene
- Shared and nonshared environment, 135–136
- Simmons, Julian, 114
- Skin conductance, 50–52
- Slovic, Paul, 53, 59
- SMH. *See* Somatic marker hypothesis
- Soares, Joaquim, 44
- Social phobia, 137–139
- Somatic marker hypothesis (SMH), 48, 52
- Srinivasan, Janaki, 85
- Story, Amber, 73

- Stressors. *See* Antidepressant medication (ADM); Autonomy; Depression; Cognitive behavioral therapy
- Strupp, Hans, 98
- Substituted judgment, 28–29
- Taijin kyofusho, 43
- Teasdale, John, 77, 104, 105
- Thomasma, David, 24
- Trier social stress test, 120
- Tversky, Amos, 68, 69, 70, 71
- Ultimatum game, 52
- Utilitarianism. *See* Ethical theories
- Utility, 30, 36
- van't Wout, Mascha, 52
- Vaughn, Leigh Ann, 71
- Ventromedial prefrontal cortex (VMPFC), 50, 51
- Wakefield, Jerome, 66
- Watson, Gary, 11
- Weary, Gifford, 71
- Young, Robert, 10, 11, 18, 33, 34, 35