

Index

- Abstain, 21, 24, 38, 93, 102, 105, 107, 186, 216, 225, 237–238, 280, 290
and binge cycle, 103
- Abstention, 216, 225, 253, 290
- Abstinence, 13–14, 24, 26, 28, 38, 79, 93, 102–104, 151–152, 227–236, 285
- Accountability, 120, 140, 151–153, 215
- Action, 8–10, 14–15, 30–31, 37, 55, 60, 62, 72, 76–77, 89, 91–96, 100–101, 105–106, 114–115, 128–130, 132–134, 161–162, 165–166, 168–169, 171–175, 179–181, 183–184, 216, 219, 257–258, 261, 265, 270, 291
- Addict, 1–3, 5, 11, 13–16, 18, 22–32, 34, 38–39, 41, 43–46, 78–80, 89–91, 93–95, 102–108, 113–118, 121, 134–136, 141, 143–145, 147, 152, 159, 161–167, 170–184, 186, 188–195, 206, 209, 216–217, 220, 247, 251, 253–254, 257–259, 269–274, 276–277, 279–280, 282, 284, 286, 289–292
- Addiction
addiction-1, 282, 291
addiction-2, 282
as “the Beast,” 207
biological theory, 162–168, 174, 179
bladder analogy, 180–181
consequences, 10–11, 21, 38, 62, 94, 104, 119, 142–143, 148–150, 162–163, 167, 170, 173, 192–193, 207, 215, 225, 247, 253, 280
cycle, 143, 151–153, 278
definition, 2, 144–146, 161–162
disease model of, 4–6, 16, 78–80, 113, 159–167, 173–174, 182–183, 188, 202, 206–209, 211–215, 218, 220–221, 225, 291
as “the Enemy,” 207
-fingerprints, 247
genetic aspects, 3, 15, 23, 78, 162–163, 165, 167, 171–174, 177, 179, 247–248
learning disorder, 29
learning theories, 3, 8
lifestyle, 175, 192–193, 282
model, 209, 214, 218
paradoxical character of, 247, 252
pathology, 139, 164, 208, 211, 220
as stress management, 25, 107, 201, 212, 220, 257
symptoms, 21–22, 162–164, 173–174, 202, 211–212, 214, 218
- Addictive behavior, 3, 14–16, 30, 89–93, 95, 102–104, 144–146, 152, 201, 207, 210, 215–216, 252–254, 257
- Advice giving, 217
- Affective intuition, 77

- Affectivity, 144–146, 151
- Agency, 147, 163, 166, 177, 183–184, 216, 270, 288–292
and free will, 4
and responsibility, 3–4, 18, 166, 289
- Akrasia*, 63, 67, 97
- Alcohol, 21, 23, 93, 104, 160–161, 175, 188, 211–212, 225, 230–231, 249, 271–272, 275, 279–280, 282, 285, 287, 289–290
addiction (*see* Alcoholism)
“allergy,” 225
closet drinking, 218
ethanol, 160, 179, 191, 270, 285
public drunkenness, 159, 166
withdrawal, 187, 282
- Alcoholics Anonymous (AA), 202–203, 206–208, 212, 216, 225. *See also* Twelve-step programs
- Alcoholism, 1, 78, 148, 159–161, 188, 201, 206, 221, 225, 230, 284, 286–287
- Allostasis, 25
- Ambivalence, 104, 151–152, 174, 190–191
- American Journal of Psychiatry*, 164
- Amphetamine, 23–24, 39–40
- Amygdala, 285
- Animals, 28, 32, 36, 64, 128, 283
research, 25–26, 31, 34, 37–41, 66, 100, 225
- Anorexia, 145
- Anticipatory autonomic system, 94
- Anxiety, 141, 146, 189, 201, 212, 226, 275, 279, 283, 285
- Aristotle, 38, 65, 219, 254–255, 258–259, 261, 273, 288
- Autism, 202, 236
- Automaticity, 30–31, 161–162, 171–172, 190
- Autonomy, 15, 114, 122–132, 135–136, 215–217
- Behavior
addictive (*see* Addictive behavior)
chosen, 73, 210
compulsive, 14, 21, 24, 29–30, 41, 46, 89–95, 162, 164–166, 172, 215
consequence sensitive, 253, 255
distal, 14, 90, 93–94, 103–104
drug-taking, 21, 25, 90
“mad or bad,” 203, 208, 221
normal, 14, 89, 95
operant, 225, 253
proximate, 79, 90, 92
respondent, 253
voluntary, 1, 8, 92, 160, 182, 252–253, 255
- Behavioral learning theories, 3
- Behavioral therapy, 226–227
- Benzodiazepines, 271–272, 274–275, 280, 282, 285, 290. *See also* Clonazepam; Lorazepam; Valium; Xanax
- Bipolar disorder, 283, 287
- Blame, 6, 14, 16–17, 55–56, 61, 73–74, 77–78, 80–81, 106, 108, 126–127, 131, 166, 173, 181, 185, 190, 193, 207–208, 215, 220
self, 14, 73–76, 81
social, 14, 73–74, 76–77, 81
- Borderline personality disorder, 201, 208
- Breath test, 229, 230, 233
- Buddha, 17, 251, 254–256, 258–261, 266
- Burdens of compensation, 14, 118–121, 131–132, 135
- Buying
addiction, 79, 201, 214
drugs, 94, 175, 179, 191, 194, 195
- Cancer, 289
- Causal theory of excuse, 172
- Causal variables, 15, 193, 194

- Causality, 55–57, 61, 71, 73, 76, 81
- Causation, 35, 161, 171–172, 279
biological, 166, 171–172
- Choice, 12–14, 34, 36, 38, 55,
57–62, 64–76, 79–81, 89, 94,
99–100, 128, 134, 139, 147–149,
169, 184, 186–188, 194, 208,
215–216, 218
future, 62, 70, 72, 99, 216
present, 68, 70–71, 216
- Clinical
experience, 153
intervention, 7, 11, 16, 226, 228
(*see also* Contingency management
(CM))
problem, 159
studies, 26, 34, 98, 100–101, 141, 175,
211, 226, 228–230, 233, 235
- Clinical Trials Network (CTN),
232–233
- Clonazepam, 271–272, 274. *See also*
Benzodiazepines
- Cocaine, 23, 25–26, 41, 43, 194
abstinence, 226–233
addiction, 41, 105, 116
use, 134, 237
withdrawal, 93, 116
- Cognitive
choice, 34
desire, 34–44, 46
dysfunction, 22, 33–34
impairment, 12, 15, 34, 130, 144, 153,
211, 214
- Commitment, 13, 17, 39, 65, 68, 98,
100, 148, 151–152, 212
- Community Reinforcement Approach
(CRA), 227–228
CM+CRA, 227–228
- Compatibilism, 61
- Compliance, 114–116, 118–123,
125–127, 129, 131–132, 135
noncompliance, 119–120, 123, 125,
127, 130
- Compulsion, 8, 16, 29–30, 38, 39,
89–90, 159–161, 165–166,
168–169, 171–172, 178–179, 181,
189, 210–211, 215, 225, 280, 282,
291
- Compulsive, 14, 21–22, 24, 29–30,
34–35, 38–39, 41, 46, 89, 91, 94,
161–162, 179–180, 186–187, 193
desire, 12, 37, 186, 189
drug use, 24, 30, 32, 46, 92, 162,
164–165, 172, 215
- Conditioned
reinforcers, 37
stimulus, 40–41, 43–44
withdrawal, 26–27
- Conscious, 34–37, 39, 42–44, 59, 70,
92, 164, 168, 170–171, 177–178,
181–183, 190–191, 209, 213, 219,
258, 277, 281, 284, 289
awareness, 34, 43–44, 190, 284
- Contingency management (CM),
226–238. *See also* Community
Reinforcement Approach (CRA),
CM+CRA
- Contingency management
interventions
efficacy, 226–228, 230–233
prize based, 230–234
resistance to using, 233–236, 238
vs. standard care, 230–231
voucher-based, 227, 229, 231–232
- Control, 5–6, 8–9, 14, 17–18, 27, 32,
39–40, 70, 74, 76, 89–91, 95–97,
105–107, 143, 152, 159–162, 164,
173–174, 184, 188, 194, 202,
211–212, 215, 225, 238, 253–254,
260, 277, 288–289, 291
executive, 12, 22, 34, 167
impulse, 70, 74, 78, 185
loss of, 14, 95–97, 126, 142–144,
211
voluntary, 6, 211, 215
zone of, 289–291

- Craving, 14, 26–27, 32, 72, 78, 91, 93, 102–104, 107, 116, 151, 161–162, 174, 179–180, 185–188, 191, 193, 212, 277, 289
- Criminal conduct, 11, 162, 175, 181, 190, 192–193
- Cultural codes, 203
- Dasein*, 269, 286
- Death, 96, 176, 180, 184–188, 191, 225, 276–277, 282, 289
- Decision, 8, 12–13, 15, 34–36, 44–45, 61, 71–72, 79–80, 91, 106, 114, 122–124, 129, 131, 134–135, 139–145, 147–153, 216
specific, 140, 150
theory, 144–145
- Decision-making capacity, 8, 15, 114, 129, 135, 140–143, 147, 150–153
- Defense mechanism, 177
- Deliberative reasoning, 77
- Depression, 141, 146, 189, 283, 285, 287
- Deprivation, 177, 193
- Desire, 12, 18, 21, 34–38, 40–44, 46, 91–94, 97, 99–101, 103, 105–107, 123, 127, 174–175, 179–181, 183–184, 186–187, 189, 209, 211, 216, 218, 225–226, 235, 254, 257–260, 262–263, 265, 270, 273, 277, 280, 288, 291
cognitive, 12, 34–40, 42, 46
disorders of, 12, 32, 184
irrational, 12
- Determinism, 15, 56–58, 61–62, 73, 75, 77, 79, 81, 171–172, 288
- Detoxification, 26, 152
- Devaluation, 62–64, 91
- Diabetes, 215, 236, 250–251, 289, 291
- Diagnostic and Statistical Manual of Mental Disorders (DSM)*, 5, 212
- Diagnostic classification, 208
- Discounting, 64–65
exponential, 63–66
hyperbolic, 3, 13, 62, 64–65, 70, 74, 100, 104, 284–285 (*see also* Intertemporal bargaining)
- Disease. *See* Addiction, disease
model of
aging as, 214
- Dominant culture, 203, 205
- Dopamine, 39–40, 285
circuitry, 23, 28, 33
dopamine dysregulation syndrome (DDS), 32
midbrain, 133 (*see also* Mesolimbic systems)
signal, 23, 33, 39, 133–134
- Drug
abuse, 21, 29, 91, 133–134, 139, 164, 206, 208, 212, 225–226, 231–233, 237–238, 271, 285
of choice, 15, 141–142, 152, 275, 279, 282, 291
consumption, 15, 24, 31, 90–92, 94–95, 103–105, 107, 160, 194
cues, 22–29, 36–39, 41, 45–46, 94, 103–104, 107, 211, 282
decriminalization, 194–195
“eating,” 41, 272
illegal, 191, 237
lawful availability, 12, 179, 191, 193
seeking, 2, 10, 14–15, 21, 23, 25, 26, 35, 151, 162, 164–165, 167, 172, 174, 180–181, 192–194, 217
sensitization, 3, 12, 21–24, 27–28, 31–34, 42, 46
taking, 21, 24–26, 28, 30, 46, 90, 93, 104, 106–107
treatment, 10, 15–16, 31–32, 139, 141, 143, 148, 150–153, 160–161, 192, 195, 226–237
trigger, 22–23, 29, 31, 34–37, 39–40, 43, 45–46, 94, 103–104, 107, 214, 225

- use, 21, 23–24, 26–27, 30, 32, 107, 116–117, 151, 153, 166, 176, 215, 226, 230–231, 234–235, 237
- Dualism, 62, 80
Cartesian, 60
- Dual-process learning-theory, 12
- Dukkha*, 256
- Duress, 8–9, 114–119, 121, 125, 127–128, 168–169, 184–186, 188
- Dynamic inconsistency, 63
- Dysfunction, 34, 211, 255–256, 266
prefrontal cortex, 22
- Dysphoria, 27, 186–189, 285
- Ego depletion, 3, 14, 98–99, 102, 106
addiction, 14, 102–104
responsibility, 14, 98–99, 101, 104–106
- Eightfold Path, 17, 251–252, 254–256, 266
Concentration Group, 255, 257
Moral Group, 255–256
Wisdom Group, 255–256
- Empathic extension hypothesis, 76–77, 81
- Empathy, 76, 176, 208, 220
- Environment, 17, 31, 33, 42, 166–167, 174, 179, 219, 226, 238
- Eudaimonia*, 273
- Euphoria, 27, 212
- Excuse, 9, 13–15, 61, 71, 75, 78, 90–92, 95–96, 105, 107–108, 113, 115–121, 162, 167, 169, 171–173, 178–179, 181, 183–184, 187–194, 215
- Expectation, 34–35, 39–40, 44, 62, 65, 67, 71–72, 74–75, 81, 91, 134, 235
future, 204
- First-person, 4, 6–7, 17, 281, 283–284, 286
- Folk psychology, 61, 161, 170
- Food
addiction, 17, 32–33, 41, 247–253, 257
bingeing, 32
dieting, 71, 97
- Food Addicts in Recovery Anonymous, 251, 259
- Food and Drug Administration (FDA), 194
- Four Noble Truths, 255–256
- Functional magnetic resonance imaging (fMRI), 79
- “Fundamental psycholegal error,” 15, 172, 174
- GABA, 285
- Gambling
addiction, 2, 32, 79, 94, 201, 214, 285
pathological, 32–33, 284
- Genetic, 3, 23, 163–164, 171, 173, 247
predisposition, 15, 162, 165, 167, 170–172, 174, 177, 179, 248
- Glutamate, 285
- Goals, 7, 34–36, 40, 64–65, 69, 256
long-term, 65, 69, 217
- Golden Mean, 254, 258–259, 261
- Golden Rule or Principle, 17, 256, 263–265
- Guidance control, 8–9, 90
- Habit, 6, 29–31, 46, 58, 92–94, 107, 117, 152, 165, 175, 219–220, 254
vs. addiction, 16, 208, 211, 218–221
vs. disease (*see* Habit, vs. addiction)
recycling, 219
study, 212, 219
- Health care, 4–5, 8, 10–12, 148–149, 176, 237
- Hedonic cost, 76, 102

- Hedonic dysregulation. *See* Hedonic hypothesis
- Hedonic homeostasis. *See* Hedonic hypothesis
- Hedonic hypothesis, 25
- Hedonic impact, 27, 35–36
- Hegemonic cultures, 203
- Heroin, 21, 23, 26, 103, 105, 141–143, 151, 272
- addiction, 26–27, 105, 117, 141, 272, 276
- dependence, 15, 25, 142
- treatment, 15, 141–143, 151
- treatment-refractory dependence, 140–141, 146
- withdrawal, 27, 187, 282
- Incentive salience, 21–25, 27, 30–32, 34–40, 42, 44–46, 102
- pathological, 31
- Incentive sensitization theory/hypothesis, 3, 12, 21–24, 27–29, 31–34, 38–46
- Informed consent, 8, 11, 15, 141–142, 147, 150
- Inhibition, 92, 164
- Initiative, 13, 58–62, 65, 71–73, 81, 146
- Intention, 29, 39, 68, 174, 180, 183, 186, 190
- Intentional action, 174
- Intentionality, 40–42, 44
- Internal coercion–lack of control theory, 183–184, 188, 192–193
- Internalization, 74–76, 205
- Internet, 208, 217
- addiction, 2, 201, 211–212
- pathology, 211–212
- Intertemporal bargaining, 69–82, 284
- Intervention, 7, 11, 16, 139, 167, 209, 226, 228–238
- Introspection, 55–56, 61–62, 80, 97–98, 289
- Introspective opacity, 59–60
- Irrational, 15, 176–177, 185, 191, 195, 259, 291
- decision, 45
- desire, 12
- “miswanting,” 44–45
- “wants,” 34–36, 40, 44, 46
- Irrationality, 9, 45, 144, 166, 178, 185, 188, 191–194
- Irrationality theory, 188–189
- Judgment shift, 14, 39, 97, 99, 101, 103–106
- Kahneman, Daniel, 35, 44–45
- Kavka’s problem, 67
- Kinds
- interactive, 202, 218, 220
- natural, 202, 220
- practical, 202–203, 220–221
- socially constructed, 202
- Larger, later (LL)/smaller, sooner (SS), 63–66, 74, 100
- Law, 11, 16, 115, 147, 150, 161, 163, 166–167, 170–171, 175, 177, 179, 181, 183–184, 186, 188, 192–193, 288
- criminal, 166, 171–172, 174, 179, 182, 184, 187–188
- “Law of addictive gravity,” 284–285
- Learning, 28–29, 31–32, 35, 71, 74, 129, 133–135
- associative, 31–32, 35, 46
- aberrant, 28–29, 31, 46
- algorithms, 128, 133
- deficit, 14, 91, 130, 132, 134–136
- disorder, 29
- impairment, 3, 14, 129, 132
- Pavlovian, 22, 37, 74
- theory, 3, 8
- Liking. *See also* Wanting
- conscious pleasure (liking), 12, 35–36, 45, 102

- core hedonic impact (“liking”), 22, 27–28, 34–36, 43, 46, 102
- Limbic drive system, 164
- Lorazepam, 271–272. *See also* Benzodiazepines
- Love, 17, 206–207, 214, 249, 261, 263–267, 273, 277–279
- caring, 261–262
- self- (*see* Self-love)
- unconditional, 273
- MacArthur Competence Assessment Tool-Treatment (MacCAT-T), 147–148
- Magnitude effect, 65
- Maintenance dosing, 69, 103, 231–232, 277, 282
- Marijuana, 233, 275, 282
- dependence, 201
- Matching law, 285
- Medical model, 14, 16, 89–90, 103, 161–163, 165–166, 208, 211, 215, 220
- Medicalization, 6, 160–161
- Mens rea*, 179, 183, 190
- Mental disability, 123
- Mental disorder, 5, 140, 142, 145–146, 169, 192, 202–203, 283, 287
- Mental states, 97, 162, 168, 170, 173–174, 179, 181–183, 188, 191–192, 258, 280–281, 284
- Mesolimbic, 42, 44
- sensitization, 22, 33, 40
- systems, 22–25, 28, 40, 42–43, 46
- Methadone, 228–229, 231–232, 235
- clinics, 233
- Methamphetamine, 116, 233
- Midbrain mutiny, 285
- Middle Way, 254, 258–259
- Mind-body problem, 4, 283
- Mitigation, 16, 75, 107, 121, 162, 169, 178, 191–193, 195, 215
- Moral failure, 4, 165, 188
- Moral weakness, 161, 163, 254
- Motivation, 12, 22–23, 27, 30, 32–33, 35, 37, 40, 42–44, 46, 59, 69, 71, 73–75, 79–81, 91, 102, 145–146, 190, 211–212, 221, 235–236, 291. *See also* Reward
- pathological, 22–23, 30–34, 146
- Motivational bankruptcy, 13
- Motivational magnet, 34–35, 37, 40–41
- Nagel, Thomas, 273–274, 281, 283
- Naltrexone, 25–26
- Narrative, 5–7, 16–18, 202–203, 205–208, 210, 216, 221
- counterstories, 205–206
- cultural, 16, 220
- domain-specific, 212, 218, 221
- master or grand, 202–206, 210, 212–213, 218, 221
- Narrative examples
- anti-Muslim rhetoric, 204
- hitting bottom, 206
- love story, 206–207
- mastery story, 207
- personal growth story, 206
- “women’s rights,” 204
- National Institute on Drug Abuse, 232
- “Natural method,” 284, 286
- expanded, 4, 18, 286–287
- Negotiation, 30, 62, 65, 69, 81, 290
- Neural circuits, 164
- Neural sensitization, 24, 32, 42
- Neuroadaptation, 29, 31, 91, 94–95, 104
- Neurobiology, 22–23, 45, 151, 283, 286
- Neuroeconomics, 132
- Neurological abnormality, 162
- Neuroscience, 12, 27, 38–39, 61, 114, 132, 134–135, 144–145, 164, 171, 284–286
- Neurotransmitter, 23, 56, 78, 170, 172, 285
- Nicotine, 23, 175, 194, 233. *See also* Smoking

- Nonaddicts, 91, 113, 115–116, 121, 134–135, 183
- Normative pressure, 125–127, 129
- Nosology, 212, 214, 220
- Nucleus accumbens (NAcc), 23, 28, 40, 42, 285
- Obligation, 11–12, 124–126
- Obsession, 30, 41, 95, 211, 249, 280, 282, 289, 291
- Obsessive-compulsive disorder (OCD), 30
- Opioid peptides, 285
- Opioids, 233, 272
- Opponent processes. *See* Hedonic hypothesis
- Pathological mechanism, 163, 165–166
- Peer pressure, 178, 258
- Performative inconsistency, 270, 291–292
- Phenomenology, 4, 18, 102, 186, 269, 271–273, 278–279, 282–289
 individual, 288
 social, 288
- Philosophy of mind, 67, 284, 286
- Pleasure-pain. *See* Hedonic hypothesis
- Policy, 143, 161, 168, 188
 legal, 11, 16, 162, 168, 190, 194
 social, 11, 162–163, 190, 194
- Positive-negative reinforcement. *See* Hedonic hypothesis
- Prediction, 26–27, 35, 45, 71–72, 76–77, 211
 recursive self-prediction, 3, 13, 68, 71, 73
 unpredictability, 13, 58–62, 71–73
- Preexisting, 58, 71, 73, 91, 98–99
 factors, 55, 73
- Preference reversals, 13, 63–64. *See also* Judgment shift
- Prepotent response, 91–92, 104
- Priming
 drink, 93
 injection, 25–26
- Prisoner's dilemma, 67, 69, 77
- Process addictions, 2, 10, 285
- Psychiatric disorders, 162, 220, 237
- Psychological, 13, 22–23, 30–31, 34–35, 37, 41, 43–45, 61, 80, 134, 145, 161, 167, 170, 173–174, 186, 188, 193, 204, 251, 283–286, 291
 association, 41
 dependence, 145
- Psychosocial clinics, 232–233
- Punding, 32
- Punishment, 11, 77, 126, 131, 159, 166, 169–170, 173, 181, 184–185, 285, 288
- Quit attempt, 209
- Rabbi Hillel, 261, 264
- Rational Recovery, 207–208
- Reasons reactivity, 9. *See also* Guidance control
- Reasons responsiveness, 9, 14, 90, 96, 105, 108. *See also* Guidance control
- Recovery, 2, 18, 139, 141, 143, 148, 151–153, 164, 202, 206–208, 217, 251, 289, 291
- Regret, 18–19, 74, 212, 225
- Rehabilitation, 7, 10–11, 270, 290
- Reinforcement, 35, 146, 210–211, 227–228, 285
 escalation, 229
 learned, 211–212
 negative, 25, 226, 285
 positive, 25, 211, 228–232, 235, 285
- Relapse, 21, 25–28, 30, 35, 38–39, 117, 139, 144, 151–153, 167, 209, 225, 231
 chronic, 151–152
- Responsibility
 criminal, 15, 159, 161–163, 166, 168–171, 173

- diachronic, 183, 191
 free will, 4, 13, 55–61, 71–73, 80–81, 139, 161, 171, 288–290
 legal, 4, 7–8, 10–11, 15, 161–162, 166, 173
 moral, 8–10, 14, 55, 57–58, 61, 80–81, 90, 96, 105, 108, 205, 214–215, 217, 221
 personal, 58, 62, 76, 113
 Responsiveness, 39, 90–91, 95–97, 108, 170
 Reward, 22–24, 28–29, 34–37, 39–41, 44–45, 62–66, 69–72, 74, 76, 91, 94, 100, 104, 133, 145, 164–167, 181, 211–212, 216–217, 230, 253, 284–285, 288. *See also* Motivation delayed, 62–63, 91, 229
 Reward allostasis. *See* Hedonic hypothesis
 Rhetorical scripts, 203
 Right Concentration, 255, 260
 Right Mindfulness, 255, 259–260
 Right Understanding, 255–257
 Risk, 16, 68, 74, 123, 149, 163, 175–179, 182, 184, 190–193, 195, 210, 217, 234, 252

 Safety, feelings of, 275–276, 279–280
 Schizophrenia, 42, 166, 283, 286–287
 Seeking. *See* Drug, seeking
 Self control, 6, 13–14, 57, 60, 64, 68, 75, 78, 96–99, 102–108, 122–124, 135, 139, 151, 159, 165–166, 168–170, 172–173, 182–183, 185, 195, 207, 211, 215–216, 237, 247, 251, 253–255, 259, 270, 277, 291
 diachronic, 191
 Self-disclosure, 270
 Self-enforcing contracts, 69, 75
 Self-forming actions, 72
 Self-injurious behavior (SIB), 16, 201–203, 206, 208, 210–215, 217–221
 “sibbers,” 208–209, 211–212, 217, 220–221
 Self-injury, 2, 16, 201, 208–209, 212, 217–221
 as addiction, 202, 208–212, 214–218, 221
 burning, 217
 cutting, 201–202, 209, 212, 217
 as habit, 218–221
 superficial or delicate, 201, 218
 Self-love, 261–263
 Self-management technique, 180, 189
 Sensitization
 drug (*see* Drug, sensitization)
 incentive (*see* Incentive sensitization theory/hypothesis)
 mesolimbic (*see* Mesolimbic sensitization)
 neural (*see* Neural sensitization)
 Serotonin, 285
 Settled insanity, 192
 Sex, 41–43, 70, 76, 163, 182, 189
 addiction, 2, 32–33, 201, 252, 285
 hypersexuality, 32
 Shame, 152, 202, 212, 217–218, 269, 276–278
 Skinner, B.F., 225, 252–253
 Smoking, 96. *See also* Nicotine addiction, 72, 214, 229, 235, 254
 Social incentives, 234
 Social interaction, 217
 Social support, 7–8, 18
 Somatic marker systems, 94
 Stimulant, 232–233
 Stimulus, 22, 24, 31, 34, 36–37, 40–44, 46, 58, 146, 187, 213, 253
 incentive, 37
 Stimulus-response (S-R), 29–31, 35, 94
 Subliminal messaging, 43
 Substance abuse, 91, 139, 208, 226, 230, 233–234, 236–238
 Supreme Court, 159, 166, 181

- Tanha*, 256
- Temptation, 6, 13, 70–71, 79, 101–105, 107–108, 185, 258
- Therapy, 11, 15, 17, 218, 226–227, 234, 236, 266. *See also* Twelve-step programs
 behavior (*see* Behavioral therapy)
 pharmacology-based, 7, 236
- Third-person, 2, 4, 6–7, 281, 283
- Tolerance, 22, 26–27, 93, 209, 216
- Tourette's syndrome, 180–181
- Treatment, 10, 15–16, 31–32, 139, 141, 143, 148, 150–153, 160–161, 165, 167, 192, 195, 218, 221, 225–238
- Twelve-step programs, 7, 202, 206, 217–218, 225, 227, 251, 253, 259, 266. *See also* Alcoholics Anonymous; Food Addicts in Recovery Anonymous
 Higher Power, 206–207, 216
 “hitting bottom,” 206
 humility, 206
 “powerlessness” over addiction, 207, 209
- Unconscious, 12, 32, 35, 39, 42–44, 92, 190, 209
- Unitary governor, 13, 62
- Unpredictability, 13, 58–62, 72–73
- Urine test, 226–230, 233
- Use/abuse problem, 208
- Utility
 conventional theory, 68–69
 decision, 35–36, 44–45
 experienced, 35–36, 44–45
 predicted, 35–36, 44–45
 remembered, 35–36, 44
- Valium, 271–272, 282. *See also* Benzodiazepines
- Values, 8, 14, 71, 91, 106, 127, 129, 133–134, 143–146, 148–149, 151–153, 203–204, 209
 pathological, 144–146, 148, 151–153
- Vices, 220
- Volition, 67, 144, 159, 183–184, 288
- Voluntary, 1, 6, 8, 92, 160, 182, 211, 215, 252–253, 255, 270, 288
- Wanting. *See also* Liking
 cognitive incentives (wanting), 12, 34–36, 38–40, 44, 102, 189
 incentive salience (wanting), 12, 22–24, 27–28, 32–40, 42–46
- Weak-zealous, 130–132, 135
- Weber-Fechner law, 63
- Willpower, 67, 70, 102, 107, 160, 185, 225, 237
- Withdrawal, 14, 21–22, 24–28, 46, 91, 93, 102–103, 116–118, 143, 151, 153, 179–180, 186–187, 212, 216, 226, 282, 285, 290
 -based explanation of addiction, 24
 conditioned, 26–27
 precipitated, 25
 symptoms, 21, 24–27, 46, 93, 116, 179, 186–187, 226, 236
 unconditioned, 27
- Xanax, 271–272. *See also* Benzodiazepines