

Subject Index

- Accessibility
arguments for, 15–18
high-level cognitive skills and, 269, 276
inaccessibility and, 9, 13–19, 141, 185, 267, 269–270, 274, 283, 323, 349
sensation and, 79–82
- Acoustic nerve, 53, 64–65, 84–85, 209, 320
- Action understanding, 130–136, 391n20
- Adenosine monophosphate (AMP), xv
- Adrenocorticotrophic hormone (ACTH), xv
- Affect
defining, 141–142
emotion and, 141–142, 160, 167, 169, 174
qualia and, 142
- Aggression
emotion studies and, 151–152, 155–156, 158–159, 171–173, 175, 393n22
learning and, 203
regions involved in, 172–173
- Agitation, 141, 391n1
- Agnosias, 121–122, 390n16, 395n14
- Alerting, 231, 256–257
- Alertness, 251, 322–328, 361, 399n19, 403n6
- Alpha rhythm, 403n6
high-level cognitive skills and, 290–292, 305
skill proficiency and, 331–332
sleep and, 325–328
- Amygdala
applications and, 342, 345
centromedial group and, 164
emotion and, 152–155, 158–167, 170, 172, 392n14
laterobasal group and, 164
learning and, 199–201, 204–205, 209, 213, 215, 220, 224, 227, 397n26
perception and, 117
superficial group and, 164
- Anesthesia
applications and, 316–323
biomarkers for, 316–317, 320–321
cocaine and, 316
consciousness and, 1, 277, 280, 285, 316–323, 361, 395n13, 400n4
electroencephalographs (EEGs) and, 317–320, 361
functional magnetic resonance imaging (fMRI) and, 321–322
improved surgical techniques and, 317
nitrous oxide and, 316
opium and, 316
physiological measurements and, 317
- Anger, 143, 165, 171, 392n13
- Animal Intelligence: An Experimental Study of the Associative Process in Animals* (Thorndike), 185
- Anterior cingulate gyrus, 256
- Anterior inferotemporal cortex (AIT), 121–122
- Anterior superior insula, 166
- Anterior thalamus, 156
- Antipsychotic drugs, xiv
- Apes, 280
- Aplysia californica*, 178, 198

Applications

- alertness and, 322–328
 - anesthesia and, 316–323
 - attention deficit hyperactivity disorder (ADHD) and, 339, 341–346, 349–350, 360, 403n12
 - audition and, 320, 352
 - autism and, 343–350
 - basal ganglia and, 334
 - behavior and, 314–318, 322–336, 339–361, 403n6
 - brain death and, 350–353
 - cerebellum and, 330, 334–335, 343–347
 - coding and, 328, 335
 - coma and, 350–353
 - consciousness and, 316–328, 333, 350–353, 361
 - electroencephalographs (EEGs) and, 317–336, 341, 352–353, 361, 402nn2,3, 403nn5,6
 - event-related potentials (ERPs) and, 319–322, 326–327, 332–333, 361, 402n3, 403n8
 - fatigue and, 322–328
 - frequency analysis and, 317–318, 323
 - frontal lobe and, 327–328, 343–346
 - functional magnetic resonance imaging (fMRI) and, 313, 316, 320–322, 327–328, 334–345, 350–353, 356–357
 - funding and, 314
 - gender and, 344
 - group averages and, 314
 - hippocampus and, 334, 343
 - hopes vs. facts and, 314–315
 - injuries and, 350, 366, 372, 376–377
 - judgment and, 339, 341, 345, 353
 - lesions and, 350, 366–368
 - localization and, 330, 356–357, 403n13
 - lying and, 336–338
 - mental illness and, 339–350, 360
 - mind reading and, 359
 - native ability and, 328–335
 - neuro neologisms and, 353–359, 361
 - neurons and, 314, 341
 - parietal lobe and, 334
 - personnel selection and, 335–336
 - positron emission tomography (PET) and, 337, 342, 352, 356
 - posttraumatic stress disorder (PTSD) and, 341–342, 360
 - psychology and, 314, 329, 337, 349
 - reaction time and, 329, 332
 - schizophrenia and, 339–341
 - skill level and, 328–335
 - somatosensation and, 319–320, 326, 334
 - stimulus and, 315–322, 326–329, 332–333, 342, 351–352, 402n3, 403nn4,6
 - tasks and, 316–317, 324–335, 340, 344–346, 349–351, 359–361, 404n14
 - temporal gyrus and, 345
 - thalamus and, 327, 334, 342, 349, 357
 - training and, 328–335
 - ultimate goal of neuroscience and, 313–314
 - vigilance and, 322–328
 - vision and, 333
 - wakefulness and, 322–328
- Associationism, 184, 186
- Attention
- alertness and, 322–328
 - anterior intraparietal cortex (AIPS) and, 258
 - Aristotle and, 236–237
 - audition and, 231, 239, 259
 - awareness and, 231–232, 241–242, 264
 - basal ganglia and, 254–257, 261
 - behavior and, 229–236, 242–255, 258, 264, 398nn7,12, 399n17, 403n6, 404nn14,15
 - black box constraints and, 245–248
 - bottom-up structure and, 231, 258
 - capacity of, 231–235, 239, 246–247
 - cerebellum and, 261
 - classic research stage of, 236–239, 249–255
 - coding and, 232, 244, 253, 261, 399n16
 - coma and, 350–353
 - concentration and, 233–234, 237, 249
 - consciousness and, 231–234, 237–238, 264
 - controlling, 229, 232–234, 247, 249–255, 259–265

- decision making and, 231
- deficits and, 252–253
- defining, 232–235, 264
- diffusion tensor imaging (DTA) and, 261
- distraction and, 233, 238
- electroencephalographs (EEGs) and, 251, 322–328
- empiricism and, 234, 236
- executive, 234, 252, 256–257
- experience and, 229, 233–234, 237, 239, 244
- feature integration theory of, 244–245
- focalization and, 233
- frontal lobe and, 249–253, 256, 261
- functional magnetic resonance imaging (fMRI) and, 246–261
- Gage and, 252
- gender and, 241
- great conflation and, 249–251
- hippocampus and, 259
- illusions and, 122–129
- imaging systems and, 255–261
- injuries and, 252
- intraparietal and transverse occipital cortex (IPTO) and, 258
- judgment and, 255–256, 267
- learning and, 192–196, 204–208, 215–216, 219, 224, 226–227
- lesions and, 250–252, 399n13
- localization and, 235, 245, 251–256, 263–264, 399n16
- locus of, 235, 245
- medial temporal lobe (MTL) and, 253–254, 257–260, 397n26
- memory and, 231–232, 235, 237, 240–244, 247–250, 255, 259, 261, 264
- meta-studies and, 329, 342, 346–349, 352, 360
- microelectrodes and, 196–197
- mind-brain system and, 240, 263
- modern research stage of, 239–247
- motor area and, 238, 247–250, 253–256, 399nn13,19
- neurons and, 252–253
- orientation of, 230–231, 234–235, 244, 256
- parietal lobe and, 252–253, 257–260, 263, 399n19
- pattern recognition and, 247
- positron emission tomography (PET) and, 249, 255–256, 261, 399nn14
- posterior parietal cortex and, 253–254
- priming and, 247
- psychology and, 233–247, 397n2, 398n8
- psychophysics and, 231, 247, 256, 260, 398n9
- reaction time and, 229, 231, 238–239, 242, 258, 397n1
- recollection and, 232, 237
- reticular activation system (RAS) and, 251
- search for neuroanatomical correlates of, 248–265
- self-awareness and, 231–241
- shifts of, 231, 234, 237, 246–247, 250–252, 258–259
- single-cell response and, 251–253
- Stroop test and, 242
- tasks and, 231, 244–247, 250–265, 397n1, 399n15
- thalamus and, 254, 256, 260, 399n13
- top-down structures and, 254, 258
- types of, 230–232
- vision and, 231, 237, 244–254, 258–260, 399n19
- wanderings and, 229–230, 244
- Attentional blindness, 128, 231
- Attention deficit hyperactivity disorder (ADHD), 399n18
- applications and, 339, 341–346, 349–350, 360, 403n12
- Benzedrine and, 342
- functional magnetic resonance imaging (fMRI) and, 342–343
- increase of, 341
- Audition
 - acoustic nerve and, 53, 64–65, 84–85, 209, 320
 - agnosias and, 121–122, 390n16, 395n14
 - applications and, 320, 352
 - attention and, 231, 239, 259
 - clicks and, 65, 67, 320

- Audition (cont.)
 echo-planar imaging (EPI) and, 36, 115
 emotion and, 392n13
 fMRI studies and, 115–116
 illusions and, 122
 learning and, 215
 music and, 68, 122, 142, 157–158, 164–166, 289–291
 perception and, 110, 115–116, 121–122
 planum temporale and, 115
 sensation and, 60, 63, 65, 72, 79, 84–86, 89, 387n5
 skull and, 84, 86
 standing-wave model and, 84
 wave component V and, 85
- Auditory brain response (ABR), 85–86, 320, 388n20
- Auditory evoked potential (AEP), 320, 361
- Auditory neurons, 72, 387n5
- Autism, 339, 341, 360, 403n12
 biomarker for, 344–345
 brain size and, 347–349
 Brodmann area for, 346
 degree of, 344
 epidemic of, 343–344
 functional magnetic resonance imaging (fMRI) and, 345–346, 350
 perception and, 131, 134
 social intelligence and, 345
 symptoms of, 343–344
 underconnectivity and, 347
- Awareness, 3, 13–14, 404n15
 applications and, 318–319, 351
 attention and, 231–232, 241–242, 264
 high-level cognitive processes and, 267–284, 288, 302, 310
 learning and, 195, 206, 214
 perception and, 99, 131, 138
 sensation and, 53, 67, 73
- Axons, 6, 12, 81–82, 159
- Basal ganglia
 applications and, 334
- attention and, 254–257, 261
 consciousness and, 295
 emotion and, 169, 172
 learning and, 224
- Bayesian frameworks, 114, 404n20
- Behavior, xxi
 aggressive, 151–152, 155–156, 158–159, 171–173, 175, 203, 393n22
 anthropomorphization and, 269
 applications and, 314–318, 322–336, 339–361, 403n6
 attempts at understanding, 2–9, 14–18, 22–29, 37, 41, 45–47, 383nn1,3, 384n4, 386n26
 attention and, 229–236, 242–255, 258, 264, 398nn7,12, 399n17, 403n6, 404nn14,15
 black box principle and, 14–15
 computer programs and, 273
 conditioned reflexes and, 186, 207
 consciousness and, 267–304, 308–311, 401n7, 402n18
 controlling, 141, 146–153, 157–161, 167–174
 desire and, 143, 150
 emotion and, 146–162, 168–175, 391n1, 393nn19,22
 empirical observations and, 365–369
 learning and, 175–179, 182–188, 192–195, 198–206, 210, 213–216, 220, 226–227, 394n1, 395nn8,9,10,13, 396n18
 love and, 145–146, 162–163, 392n2
 lying and, 336–338
 materialism and, 364
 mentalism and, 16–17, 269
 mirror neurons and, 122–129
 native ability and, 328–335
 new brain metaphor and, 363–364, 369–373, 377, 404nn14,15
 pain and, 81–82, 143, 146, 152, 201, 215, 257, 280, 316–318, 399n19
 Pavlov studies and, 186, 194
 perception and, 92–94, 120, 128–136, 391nn20,24

- personality and, 25, 30, 36–37, 148, 150, 156,
 159–160, 169, 186, 302, 314, 341, 396nn19,21,
 404n15
 pleasure and, 143, 146, 162, 167, 355,
 392n11
 qualia and, 50–51, 142, 272
 quantification issues and, 27–30
 rewards and, 146, 170, 191, 194, 206, 211,
 215–217, 354
 Sams on, 381–382
 self-awareness and, 131, 206, 231–232, 268,
 272–276, 310
 sensation and, 66, 70–74, 83, 386n26
 thinking and, 287–302
 Benzadrine, 342
 Biomarkers
 anesthesia and, 316–317, 320–321
 emotion and, 171
 high-level cognitive processes and, 275,
 285–286, 304–312, 400n3
 lying and, 337
 mental illness and, 339–350, 403n12, 405n3
 new brain metaphor and, 368
 perception and, 111
 search for, 313, 316–317, 320–321, 333,
 335–337, 339, 360
 signs and, 24, 46
 Bipolar disorder, 341, 368
 Black box principle, 14–15, 23, 245–248, 403n9
 Blindsight, 281–282
 Blinking, 128, 209
 Blood oxygen level dependent (BOLD) signal, 27,
 31–35, 367
 applications and, 328, 334
 high-level cognitive skills and, 294, 309
 learning and, 210, 224
 perception and, 95–96
 skill proficiency and, 334
 sleep and, 328
 Brain
 alpha rhythm and, 290–292, 305, 325–328,
 331–332, 403n6
 anatomy schemas for, 42–43
 Brodmann areas of, 43, 161, 166, 252, 287, 346,
 366
 consciousness and, 273 (*see also*
 Consciousness)
 dorsal region and, 57, 97, 115, 120, 148, 155,
 216–217, 259, 309, 343, 389n4
 early regional specialization theories and,
 60–63
 emotion and, 145, 147, 149–175
 empirical-deterministic research era and,
 63–66
 as enchanted loom, xi, 6
 as four-dimensional network, 45
 head and, xi
 historical views on, xii-xiv
 holism and, xxii, 18, 59, 144, 185, 371–372,
 383n2, 385n15, 399n16
 lobotomies and, xiv, 160, 300, 395n15
 location of, xi-xii
 mental illness and, 339–350, 403n12, 405n3
 mind and, xi-xii (*see also* Mind)
 modern probabilistic research era and, 66–73
 neurons and, 384n7 (*see also* Neurons)
 shape of, xi-xii
 split, xiv
 Talairach-Tournoux system and, 43
 ventral region and, 57, 97, 102–103, 120, 130,
 148, 155, 166, 170, 197, 201, 203, 216–217,
 256, 259, 334, 343, 389n4
 Brain death, 350–353, 400n5
 Broca's area, xiii
 Brodmann areas, 43, 161, 166, 252, 287, 346,
 366
 Cathode ray oscilloscope, 64
 Cats, 152, 155–157, 159, 194, 202
 Cerebellum, 384n7
 applications and, 330, 334–335, 343–347
 attention and, 261
 consciousness and, 294–297, 309
 emotion and, 167–169
 learning and, 204, 207–209, 217, 219, 396n21
 perception and, 102, 129

- Cerebri Anatomie* (Willis), xiii
- Cerebrum, 353, 372
- emotion and, 149–153, 159
 - high-level cognitive-skills and, 295
 - learning and, 196, 198, 204, 217–221, 224
 - Papez circuit and, 159
 - perception and, 100, 104, 139
 - sensation and, 63, 85, 88
- Change blindness, 52, 92, 123, 128–129, 139
- Cingulate cortex
- ADHD and, 342–343
 - attention and, 254
 - autism and, 346
 - emotion and, 154, 156–157, 167
 - high-level cognitive-skills and, 300
 - PTSD and, 342
- Cingulate gyrus, 117, 392n8
- Class A responses, 91, 388n12
- Clicks, 65, 67, 320
- Cocaine, 162, 316
- Coding, 10
- applications and, 328, 335
 - ascending pathway and, 50, 54–55
 - attention and, 232, 244, 253, 261, 399n16
 - Cariani model and, 55
 - consciousness and, 291, 297, 310
 - decoding and, 39, 89, 110
 - deep vs. shallow, 221
 - DNA, 364
 - emotion and, 147, 156, 159
 - empirical-deterministic era and, 63–66
 - illusions and, 122–129
 - information theory and, 387n10
 - as language, 49–50
 - memory and, 190–192
 - microelectrodes and, 196–197
 - modern probabilistic era and, 66–73
 - neurophysiology of, 53–56
 - new brain metaphor and, 364, 373
 - nonlinear relations and, 50
 - perception and, 93–97, 106, 110, 115–121, 129, 134, 137–138, 390n14
 - psychological response and, 49–50
 - qualia and, 50–51, 142, 272
 - research history on, 57–73
 - scientific success of, 53
 - sensory, 49–84, 88–90, 92, 94, 117, 137, 386n1, 387nn10,11, 388nn15,18,19
 - sign-code distinction and, 24–25, 27, 33, 68, 89, 106, 111–112, 117, 124, 312, 350
 - somatosensation and, 79–82
 - staging differences and, 50
 - study context for, 49–50
 - taste and, 55, 79, 82–84, 117, 388nn18,19
 - traditional period of neuroscience and, 78–88
 - transduction and, 54, 75, 80
 - transmission properties and, 50–53, 65, 70, 73, 75, 85, 88
- Comas, 350–353, 400n5, 402n18
- Complexity theory, 20
- Cones, 86
- Consciousness, xvii, 384n6
- absence of direct accessibility and, 269–270
 - alertness and, 251, 322–328, 361, 399n19, 403n6
 - alpha rhythm and, 290–292, 305, 325–328, 331–332, 403n6
 - anesthesia and, 1, 277, 280, 285, 316–323, 361, 395n13, 400n4
 - animal, 268–272, 276–284
 - anthropomorphization and, 269
 - applications and, 316–328, 333, 350–353, 361
 - attention and, 231–234, 237–238, 264
 - automatons and, 384n8
 - awareness and, 3, 13 (*see also* Awareness)
 - basal ganglia and, 295
 - behavior and, 267–304, 308–311, 401n7, 402n18
 - blindsight and, 281–282
 - brain death and, 350–353
 - capacity and, 273
 - cerebellum and, 294–297, 309
 - coding and, 291, 297, 310
 - cognitive-neural correlations and, 286
 - coherence and, 272

- comas and, 350–353, 400n5, 402n18
curare derivatives and, 276
decision making and, 267, 273–274, 278, 284, 288–294, 298–301, 311
defining, 268–275
distribution and, 272
dynamic and, 273
electroencephalographs (EEGs) and, 277, 285, 290–294, 304–308, 312, 401n12, 402nn19,20,21
emotion and, 151
as epiphenomenon, 268
event-related potentials (ERPs) and, 285, 304–308, 312
frontal lobe and, 287, 291, 293–295, 299–302, 311
functional magnetic resonance imaging (fMRI) and, 286–287, 291–297, 300–301, 309, 400n5
Gage and, 300
gender and, 308
Heisenberg principle for, 284
higher-order thought (HOT) theories and, 283
hippocampus and, 294
imaging systems and, 285–287, 311–312
injuries and, 276
intelligence and, 270, 287–289, 292–293, 302–312
judgment and, 278, 295, 302
learning and, 195, 207, 214
lesions and, 300
Lloyd Morgan's canon and, 269
localization and, 291, 298–299, 309, 311
locked in, 276, 400n5
measurement of, 275
meta-cognition and, 280, 401n7
mind-brain system and, 273, 279, 302–304, 310, 314
motor area and, 268, 273, 276, 282, 289, 295, 300
multiplicity and, 272
neural correlates of (NCC), 7–8
ontological postulate and, 4–9, 12, 15
parietal lobe and, 291, 296–300
perception and, 110, 129
positron emission tomography (PET) and, 308–309, 401n15
privacy and, 272
problem solving and, 74, 100, 191, 194, 267, 281, 288–301, 311
psychology and, 267–271, 274–277, 283–284, 299, 302–303, 310, 400n3
psychophysics and, 307
reaction time and, 307–308
reasoning and, 267, 273, 285, 288–303, 311, 358
responsiveness and, 276–277
seat of, 151
self-knowledge and, 268, 272–276
sensation and, 389n7
seriality and, 273
signal detection theory (SDT) and, 283
single neurophysiological indicator for, 311
sleep and, 167, 251, 273, 281, 288, 319, 322–328, 351, 361, 403n5
stimulus and, 274–278, 282–287, 290, 299, 302–303, 307
tasks and, 274, 281, 288–310, 402n16
thalamus and, 294
thinking and, 267–268, 271, 279, 283–302, 307, 311
understanding and, 267–268, 273, 285, 300
unity and, 272
as vague concept, 22
wakefulness and, 322–328
worldly discrimination theory (WDT) and, 282
Zombies and, 279–281, 389n7
Control condition, 26, 124, 226, 287, 295, 301, 395n13
Corpus callosum, xiv, 43, 347
Cortex
 cerebral, 153, 196–197, 219–224, 384n7
 cingulate, 154, 156–157, 167, 254, 300, 342–343, 346
 convoluted shape of, xi
 flat area of, xi

- Cortex (cont.)
 frontal, xiv, 60, 110, 117, 127–128, 154, 159–163, 167–169, 220–222, 254, 291, 295–300, 309, 335, 339–345, 349, 366
 lobotomies and, xiv, 160, 300, 395n15
 motor areas and, 24 (*see also* Motor areas)
 parieto-insular-vestibular (PIVC), 119
 prefrontal cortex and, 100, 110 (*see also* Prefrontal cortex)
 primary sensory areas and, xiii
 transmission time and, xi
 Curare, 276
- Deception detection, 30, 336–338
- Decision making, 25
 applications and, 340, 343, 354–356
 attention and, 231
 consciousness and, 267, 273–274, 278, 284, 288–294, 298–301, 311
 emotion and, 160
 executive function and, 298–299
 gain-loss gambling decisions and, 109
 learning and, 206, 217, 396n21
 living/nonliving decision and, 109
 perception and, 109
 prioritizing and, 299
- Decoding, 39, 89, 110
- Dendate gyrus, 200, 214
- Design for a Brain* (Ashby), xvii
- Desire, 143, 150
- Diffusion tensor imaging (DTI), 261
- Disgust, 143, 164, 392n13
- Distributed Neural Systems: Beyond the New Phrenology* (Uttal), 381
- Dogs, 65, 151–152, 186, 194–195, 383n1
- Dolphins, 280
- Dorsal region, 343
 attention and, 259
 emotion and, 148, 155
 high-level cognitive skills and, 309
 learning and, 216–217
 perception and, 97, 115, 120, 389n4
 sensation and, 57
- Double dipping, 38–39, 366
- Dualism, 5, 11–12, 268, 383n1, 384n11, 385n12, 400n2
- Echo-planar imaging (EPI), 115
- Eidola, 180, 394n2
- Electric amplifiers, 63
- Electroencephalographs (EEGs), xxi, 1, 8, 12, 24, 46, 383n2
 anesthesia and, 317–320, 361
 applications and, 317–336, 341, 352–353, 361, 402nn2,3, 403nn5,6
 attention and, 251
 comas and, 352–353
 consciousness and, 277, 285, 290–294, 304–308, 312, 401n12, 402nn10,19,21
 holographic metaphor and, 373–374
 indirectness of measurement and, 30
 learning and, 198
 limitations of, 10, 20
 mental illness and, 341
 new brain metaphor and, 368, 373
 normality and, 28
 perception and, 106, 124, 132
 sensation and, 60, 75
 skill proficiency and, 330–333
 sleep and, 322–328
- Electroretinograms (ERGs), 75–76, 79, 86–88
- Emotion, 367
 affect and, 141–142, 160, 167, 169, 174
 aggression, 151–152, 155–156, 158–159, 171–173, 175, 203, 393n22
 agitation, 141, 391n1
 amygdala and, 152–155, 158–167, 170, 172, 392n14
 analytic approach to, 143–145
 anger, 143, 165, 171, 392n13
 anterior thalamus and, 156
 audition and, 392n13
 basal ganglia and, 169, 172
 behavior and, 146–162, 168–175, 391n1, 393nn19,22
 Bell on, 148

- brain regions and, 145, 147, 149–175
centromedial group and, 164
cerebellum and, 167–169
cingulate cortex and, 156–157
coding and, 147, 156, 159
cognitive penetration and, 147–148
consciousness and, 151
contemporary studies of, 163–167
controlling, 141, 146–153, 157–161, 167–174
Darwin and, 142–143, 148, 157
decision making and, 160
defining, 141–145
desire, 143, 150
dimensionality of, 167–168
disgust, 143, 164, 392n13
early research stage on, 149–154
entorhinal cortex and, 158
fear, 143–149, 155–156, 163–164, 171, 191, 201, 204, 212–213, 215, 227, 337, 390n11, 392nn2,13
feelings and, 6, 141–142, 145, 148–149, 155, 160, 391n1
frontal lobe and, 149–150, 153, 156, 159–161, 169, 172, 175
functional recovery and, 147
functional magnetic resonance imaging (fMRI) and, 162–171, 393n15
Gage and, 149–151, 159
gender and, 145, 168–171, 175
gender differences and, 168–171
God and, 357
The Handbook of Emotions and, 144–145
happiness, 164–166, 392n13
hippocampus and, 151–160, 166–167, 172, 392n8
historical research on, 145–146, 149–154
holism and, 144
hypothalamus and, 144, 152–155, 158–160, 167, 392n8
imaging systems and, 161–173, 175
injuries and, 146–150, 171
intermediate research state on, 154
James-Lange theory and, 142, 150, 153, 161, 392n6
laterobasal group and, 164
learning and, 141, 149, 153–155, 158, 160, 164–165, 191, 203–206, 213, 215, 221, 224
lesions and, 147, 154–161, 171, 174
literature on, 148–149
localization and, 151
love, 145–146, 162–163, 392n2
mammillary bodies and, 155–156
medial temporal lobe (MTL) and, 172
memory and, 204–205
neural search for, 149–173
neurons and, 159
Papez and, 144, 149, 151–162, 167–168, 174, 392nn5,7,8
parahippocampal gyrus and, 154, 157–158, 166
Pavlov studies and, 186, 194
personality and, 25, 30, 36–37, 148, 150, 156, 159–160, 169, 186, 302, 314, 341, 396nn19,21, 404n15
phobias and, 147, 216, 342
pleasure and, 143, 146, 162, 167, 355, 392n11
Plutchik's eight basic, 143–144
positron emission tomography (PET) and, 163–164
psychology and, 141–149, 154, 169–170, 392n4, 393n17
sadness, 143, 163
selective brain portion removal and, 151–153
septal nuclei and, 159
skin and, 149
social impact of, 148
somatosensation and, 141
stimulus and, 141–147, 150, 153–175, 392nn12–15
superficial group and, 164
synapses and, 154
tasks and, 161–165, 168–170, 174
temporal gyrus and, 165
thalamus and, 153–156, 167, 173, 392n8

- Emotion Home Page, The, 146
- Empiricism, 181–183, 234, 236, 394n4
- Engram
 localization and, 177–178
 memory and, 29, 177–178, 197, 207, 211, 220, 224, 335, 394n1
 nature of, 177–178
 unsuccessful search for, 177–178
- Entorhinal cortex, 158
- Epilepsy, xiii, 200, 391n22, 396n16, 402n2
- Epistemology, 25
 black box principle and, 14–15
 imaging systems and, 21
 implications for neuroscience and, 18–20
 learning and, 179–183, 394n6
 ontological postulate and, 13–20
 psychology and, 13–18
 Zeitgeist and, 19, 46, 197, 363, 367, 370, 377
- Equipotentiality, 178, 197
- Essay Concerning Human Understanding*, *An* (Locke), 183
- Event-related potentials (ERPs), 1, 12
 applications and, 319–322, 326–327, 332–333, 361, 402n3, 403n8
 consciousness and, 285, 304–308, 312
 learning and, 198
 sensation and, 60, 75, 82, 85
 skill proficiency and, 332–333
 sleep and, 326–327
- Evoked brain potential (EVBP), 319–320
- Experimental condition, 26–27, 35, 39, 96, 107, 290–291, 324, 357, 393n15
- Expression* (Bell), 148
- Face recognition, 92, 103, 120–122
- False positives, 34–35, 368
- Fatigue, 322–328
- Fear
 conditioning and, 149, 191, 201, 212, 213, 227
 differential, 337
 emotion and, 143–149, 155–156, 163–164, 171, 191, 201, 204, 212–213, 215, 227, 337, 390n11, 392nn2,13
 learning and, 191, 201, 204, 212–213, 215, 227
 phobias and, 147, 216, 342
- Feature integration theory of attention (FITA), 244–245
- Fingers, 33, 80, 116, 329, 333–335, 345, 390n15, 400n5
- Flash stimuli, 64–65, 67, 307, 320
- Focalization, 233
- Fourier analysis, 66, 69, 112–113, 317, 374, 390n14
- Frequency analysis, 317–318, 323
- Frogs, 65
- Frontal cortex, xiv, 366. *See also* Prefrontal cortex
 applications and, 335, 339–345, 349
 attention and, 254
 emotion and, 154, 159–163, 167–169
 high-level cognitive-skills and, 291, 295–300, 309
 learning and, 220–222
 lobotomies and, xiv, 160, 300, 395n15
 perception and, 110, 117, 127–128
 sensation and, 60
- Frontal eye field (FEF), 100, 253, 260, 389n5
- Frontal lobes
 applications and, 327–328, 343–346
 attention and, 249–253, 256, 261
 consciousness and, 287, 291, 293–295, 299–302, 311
 emotion and, 149–150, 153, 156, 159–160, 169, 172, 175
 Gage and, xiii, 149–151, 159, 206–207, 252, 300, 396n19
 learning and, 195, 200, 204, 206–207, 221, 396nn19,20
 perception and, 102, 128
 sensation and, 60, 85
- Functionalism, 184–185
- Functional recovery, 376–378

- Functional magnetic resonance imaging (fMRI),
 xxiv, 1, 46
 ADHD and, 342–343
 anesthesia and, 321–322
 applications and, 313, 316, 320–322, 327–328,
 334–345, 350–353, 356–357, 368, 383n2,
 384nn7,9, 385nn17,18, 386n2
 attention and, 246–261, 249, 254
 audition and, 115–116
 autism and, 345–346, 350
 comas and, 352–353
 conceptual issues and, 24–25
 consciousness and, 286–287, 291–297, 300–301,
 309, 400n5
 dimension and, 393n15
 emotion and, 162–171, 393n15
 holy grail of, 100
 learning and, 200, 206, 210–226, 397n25
 lying and, 337
 mental illness and, 340–341
 meta-studies and, 36–37
 new brain metaphor and, 363, 368–369, 375,
 379
 ontological postulate and, 8–12, 20
 perception and, 94–139, 389n3,
 390nn9,10,13
 perceptual contents and, 100–114
 personnel selection and, 336
 schizophrenia and, 340
 skill proficiency and, 334–335
 sleep and, 237–238
 somatosensation and, 116
 technical issues and, 25–38, 42
 vision and, 95–114
 Fusiform face area (FFA), 96–97, 103,
 120–122
 Fusiform gyrus, 258, 291–292
- Gain-loss gambling decisions, 109
 Galvanic skin reflex (GSR), 336
 Galvanometer, 63
 Gedanken experiments, 29
 GE Medical Systems, 321
- Gender, 35
 applications and, 344
 attention and, 241
 consciousness and, 308
 emotion and, 145, 168–171, 175, 393n18
 new brain metaphor and, 367
 perception and, 122, 131
 Gestalt psychology, 78, 185
 Gnostic neurons, 66, 387n6
God and Golem, Inc. (Wiener), xvii
 Gorillas, 280–281
 Grasping, 121, 129–130, 282
 Gustation, 117–119, 320
- Handbook of Emotions, The*, 144–145
 Happiness, 164–166, 392n13
 Heisenberg principle, 284
 Hermann grid illusion, 77
 Higher-order thought (HOT) theories, 283
 High-level cognitive processes
 attention and, 267 (*see also* Attention)
 awareness and, 267–284, 288, 302, 310
 biomarker for, 275, 285–286, 304–312, 400n3
 concept of, 267
 consciousness and, 267–287, 291, 302–303,
 310–311
 decision making and, 267 (*see also* Decision
 making)
 intelligence and, 270, 287–289, 292–293,
 302–312
 judgment and, 267, 278, 295, 302
 perception and, 267 (*see also* Perception)
 problem solving and, 74, 100, 191, 194, 267,
 281, 288–302, 311
 reasoning and, 267, 273, 285, 288–291,
 294–298, 301, 303, 311
 thinking and, 267–268, 271, 279, 283–302, 307,
 311
 understanding and, 267–268, 273, 285, 300
 Hippocampal gyrus, 200
 Hippocampus
 applications and, 334, 343
 attention and, 259

- Hippocampus (cont.)
 consciousness and, 294
 emotion and, 151–160, 166–167, 172, 392n8
 learning and, 197, 200–204, 207, 209–215, 220, 224, 227, 396nn16,18
 new brain metaphor and, 375
 perception and, 108
- Holism, xxii, 18, 59, 144, 185, 371–372, 383n2, 385n15, 399n16
- Holographic metaphor, 373–374
- Horseshoe crab, 64, 66, 71
- Human skull, 59, 84, 86, 317, 322, 332, 372
- Huntington disease, 215
- Hypothalamus, 144, 152–155, 158–160, 167, 392n8
- Ice-pick lobotomies, xiv
- Iconic clinical studies, 363, 366
 attention and, 238, 252
 emotion and, 149, 159
 high-level cognitive-skills and, 300
 learning and, 189, 200, 206–207, 226, 396n16
 perception and, 94, 132
 sensation and, 65
- Illusions, 21, 350, 404n1
 apparent-size, 126
 attention and, 122–129
 auditory, 122
 background noise and, 123–124
 contour processing and, 122–126
 high-level cognitive-skills and, 273, 281, 302
 localization and, 123
 McCullough contingent aftereffect, 126–127
 of measurement, 28, 31
 meta-contrast and, 78, 388n14
 Müller-Lyer, 126–127
 perception and, 51–53, 68, 76–77, 91–92, 122–129, 136, 139, 388n14, 391n17
 remote presence and, 123
 sensation and, 77
 somatosensory, 123
 variety of, 122
- Imaging systems, 368. *See also specific technique*
 alertness and, 322–328
 alleviation of suffering and, 1
 anesthesia and, 316–323, 361
 applications and, 314–315 (*see also Applications*)
 attention and, 255–261
 averaging technique and, 320
 BOLD signals and, 27, 31–35, 95–96, 210, 224, 294, 309, 328, 334, 367
 consciousness and, 285–287, 311–312
 cumbersome procedures and, 25–26
 emotion and, 161–173, 175
 epistemology and, 21
 fatigue and, 322–328
 frequency analysis and, 317–318, 323
 gender and, 367
 hopes vs. facts and, 314–315
 indirectness of measurement and, 30–33
 intelligence and, 304–310
 learning and, 210–226
 limitations of, 1–2, 46
 lying and, 336–338
 major barrier to, 314
 memory and, 210–226
 meta-review and, 36, 39, 41, 130, 136, 163–164, 172, 222, 261, 294, 299–300, 309, 329, 346–349, 352, 360, 375, 386n22
 neural foundations and, 1
 new brain metaphor and, 375, 379
 perception and, 92–120, 138 (*see also Perception*)
 personnel selection and, 335–336
 publication bias and, 34–35
 quantification issues and, 27–30
 revolutionizing of cognitive science by, 2
 seductive attractiveness of, 20–21
 sign-code distinction and, 24–25
 skill proficiency and, 330–335
 sleep and, 322–328
 statistical errors and, 34–42
 subtraction issue and, 26–27
 timescale difference and, 33

- ultimate goal of neuroscience and, 313–314
- variability and, 33–34
- vigilance and, 322–328
- wakefulness and, 322–328
- Inaccessibility
 - applications and, 323, 349
 - emotion and, 141
 - high-level cognitive-skills and, 267–274, 283
 - learning and, 185
 - ontological postulate and, 9, 13–19
- Inferior colliculus, 85
- Inferior frontal gyrus, 135, 165–166, 296–297
- Inferior occipital gyrus, 121–122
- Inferior parietal sulcus, 298
- Information capacity, 70
- Information theory, 70, 387n10
- Injuries, xxi. *See also* Lesions
 - applications and, 350, 366, 372, 376–377
 - attention and, 252
 - consciousness and, 276
 - emotion and, 146–150, 171
 - Gage case study and, xiii
 - learning and, 198–205, 210
 - perception and, 93
 - sensation and, 59, 79
- Intelligence
 - autism and, 345
 - crystallized, 304
 - different species and, 303
 - Einstein and, 304
 - fluid, 303–304
 - high-level cognitive-skills and, 270, 287–289, 292–293, 302–312
 - imaging systems and, 304–310
 - mathematical, 303
 - memory and, 303 (*see also* Memory)
 - mind-brain problem and, 304
 - perception and, 303 (*see also* Perception)
 - problem solving and, 302 (*see also* Problem solving)
 - Raven Progressive Matrices and, 309
 - reasoning and, 303
 - scalability of, 302–303
 - scalp-recorded signals and, 307–308
 - spatial visualization and, 303
 - traditional neuroscience research on, 304–308
 - verbal, 303
- Intraparietal sulcus, 100
- Ischemic stroke, 23
- Itching, 31
- Journal of Consciousness Studies*, 271
- Judgment
 - applications and, 339, 341, 345, 353
 - attention and, 255–256, 267
 - consciousness and, 278, 295, 302
 - gain-loss gambling decisions and, 109
 - high-level cognitive processes and, 267, 278, 295, 302
 - illusions and, 77, 122–129
 - perception and, 92, 109–110, 126, 138
 - problem solving and, 74, 100, 191, 194, 267, 281, 288–301, 311
 - research and, 17, 21, 46, 73
 - rhyme, 109–110
 - sensation and, 51, 82–84, 88, 90, 388n12
 - understanding and, 267–268, 273, 285, 300
- Lateral fusiform gyrus, 102
- Lateral occipital complex (LOC), 120–121, 125, 127
- Lateral sulcus, 117
- Law of Effect, 6, 185
- Law of Practice, 185
- Law of Recency, 185
- Learning, 114, 367
 - acoustic tone and, 209
 - aggression and, 203
 - amygdala and, 199–201, 204–205, 209, 213, 215, 220, 224, 227, 397n26
 - Aristotle and, 180–183
 - associationism and, 184, 186
 - attention and, 192–196, 204–208, 215–216, 219, 224, 226–227

- Learning (cont.)
- audition and, 215
 - Bacon and, 181–182
 - basal ganglia and, 224
 - behavior and, 175–179, 182–188, 192–195, 198–206, 210, 213–216, 220, 226–227, 394n1, 395nn8,9,10,13, 396n18
 - cerebellum and, 204, 207–209, 217, 219, 396n21
 - cerebral cortex and, 196–197, 219–224
 - as change of state of a system, 177
 - classical conditioning and, 209
 - complexity of, 178
 - concept, 216–217
 - conditioned, 186, 201, 209, 215
 - conditioned reflexes and, 186, 207
 - consciousness and, 195, 207, 214
 - current research state of, 210–227
 - decision making and, 206, 217, 396n21
 - defining, 177
 - Descartes and, 181
 - early research stage on, 193–196
 - Ebbinghaus and, 186
 - as eidola, 180, 394n2
 - electroencephalographs (EEGs) and, 198
 - emotion and, 141, 149, 153–155, 158, 160, 164–165, 191, 203–206, 213, 215, 221, 224
 - empiricism and, 181–183, 394n4
 - epistemology and, 179–183, 394n6
 - equipotentiality and, 178, 197
 - event-related potentials (ERPs) and, 198
 - experience and, 177–184, 187, 189, 194, 204–205, 210–211, 214–215, 219–220, 225–226
 - explicit, 191, 215, 217, 219
 - fear and, 191, 201, 204, 212–213, 215, 227
 - frontal lobes and, 195, 200, 204, 206–207, 221, 396nn19,20
 - functionalism and, 184–185
 - functional magnetic resonance imaging (fMRI) and, 200, 206, 210–226, 397n25
 - Gage and, 206–207, 396n19
 - hippocampus and, 197, 200–204, 207, 209–215, 220, 224, 227, 396nn16,18
 - historical research on, 179–186
 - HM and, 200–203, 396n17
 - Hobbes and, 181–182
 - human affairs and, 178–179
 - Hume and, 183
 - imaging systems and, 210–226
 - implicit, 191, 214–218
 - injuries and, 198–205, 210
 - intermediate research stage on, 196–209
 - Law of Effect and, 185
 - Law of Practice and, 185
 - Law of Recency and, 185
 - lesions and, 193–196, 200–207, 210, 213, 395n13
 - localization and, 177–178, 190, 198–199, 220, 222
 - Locke and, 183
 - long-term, 187–189, 198–207, 212–215, 220
 - medial temporal lobe (MTL) and, 396n16
 - medium-term, 187–188
 - memory and, 177 (*see also* Memory)
 - microelectrode studies and, 196–198
 - Mill and, 183
 - mind-brain system and, 178, 203, 214, 226
 - motor area and, 177, 189–190, 194, 196, 204–208, 211–212, 215–219, 222
 - naturalism and, 179–180
 - neurons and, 196–198, 203, 227, 396n22
 - neurophysiology and, 204
 - Papez circuit and, 174
 - Pavlov and, 186
 - Plato and, 180
 - Platonic model of, 180, 394n2
 - pontine reticular formation and, 197
 - positron emission tomography (PET) and, 222, 397n25
 - priming and, 189, 213, 247
 - procedural, 188–190, 201, 206, 211, 214–219
 - psychology and, 114, 178–187, 190, 197–199, 204, 209–210, 394nn5,7, 395nn8,11,14, 396n20

- psychophysics and, 183–184, 214
- qualia and, 50–51, 142, 272
- rationalism and, 180–182, 394nn4,6
- reaction time and, 214–216
- recall and, 180, 187, 189, 200, 203, 207, 214, 221
- recognition and, 187, 191
- reconstruction and, 185, 187
- reductionist theory and, 192–193, 198–199
- reward, 191, 194, 206, 211, 215–217
- search for neuroanatomical correlates for, 193–224
- sensory, 180–191, 194–196, 204–205, 208, 218, 222
- short-term, 187–189, 200–206, 212–213
- single cells and, 196–198
- Socrates and, 180
- stimulus and, 180–186, 189, 192–196, 200–201, 204–207, 213–218, 221–222, 225–226
- striatum and, 206
- structuralism and, 184
- subtraction issues and, 26–27
- synapses and, 177, 197–198, 225
- tasks for, 194, 203–226
- thalamus and, 197, 201, 205–206
- Thales of Miletus and, 179–180
- training and, 328–335
- types of, 178–179, 186–193, 198–199, 209, 212, 216
- unconditioned, 186, 207–209
- ventral tegmentum and, 197
- vision and, 222
- William of Ockham and, 181–182
- Zeitgeist and, 19, 46, 197, 363, 367, 370, 377
- Left angular gyrus, 298
- Lesions, xxi
 - applications and, 350, 366–368
 - attention and, 250–252, 399n13
 - consciousness and, 300
 - emotion and, 147, 154–161, 171, 174
 - HM and, 200–203, 396n17
 - learning and, 193–196, 200–207, 210, 213, 395n13
 - perception and, 93–94, 134
 - sensation and, 59
- Levels of processing (LOP) approach, 395n9
- Linear discriminant analysis (LDA), 103, 390n8
- Lloyd Morgan's canon, 269
- Lobotomies, xiv, 160, 300, 395n15
- Localization, xxiii, 17–19, 35, 385n15
 - applications and, 330, 356–357, 403nn13
 - attention and, 235, 245, 251–256, 263–264, 399n16
 - consciousness and, 291, 298–299, 309, 311
 - emotion and, 151
 - equipotentiality and, 178
 - function-specific nodes and, 373
 - illusions and, 123
 - learning and, 177–178, 190, 198–199, 220, 222
 - new brain metaphor and, 367, 370–377
 - perception and, 93, 101, 103, 115, 120, 123
 - sensation and, 53, 59, 62–63, 81
- Long-term memory, 6–7
 - attention and, 244
 - emotion and, 155
 - learning and, 188–190, 200–206, 212, 215, 220, 395n9
- Long-term potentiation (LTP), 394n1
- Love, 145–146, 162–163, 392n2
- Lying, 30, 336–338
- Mach band edge effects, 76–77
- Magnetoencephalography, 1, 115, 117
- Mammillary bodies, 155–156
- Many-to-one issue, 23–24
- Materialism, 180, 364, 400n2
- Medial fusiform gyrus, 102
- Medial temporal lobe (MTL), 27
 - attention and, 253–254, 257–260, 397n26
 - emotion and, 172
 - learning and, 199–201, 204–207, 220–221, 227, 396n16
 - vision and, 95, 97

- Melanocyte-stimulating hormone (MSH), xv
- Memory
 access of, 179, 187
 Aristotle and, 180–183
 associationism and, 184, 186
 attention and, 192–196, 204–208, 215–216, 219, 224, 226–227, 231–232, 235, 237, 240–244, 247–250, 255, 259, 261, 264
 Bacon and, 181–182
 coding and, 190–192, 214, 221–222, 226–227
 current research state of, 210–227
 declarative, 188–189, 199–202, 213–214
 defining, 177
 Descartes and, 181
 early research stage on, 193–196
 Ebbinghaus and, 186
 as eidola, 180, 394n2
 emotional, 204–205
 empiricism and, 181–183, 394n4
 as engram, 29, 177–178, 197, 207, 211, 220, 224, 335, 394n1
 episodic, 188–189, 206, 212, 219–222, 227, 259
 equipotentiality and, 178
 experience and, 177–184, 187, 189, 194, 204–205, 210–211, 214–215, 219–220, 225–226
 face recognition and, 92, 103, 120–122
 functionalism and, 184–185
 HM and, 200
 Hobbes and, 181–182
 Hume and, 183
 iconic storage and, 189
 imaging systems and, 210–226
 as information storage, 177
 intermediate research stage on, 196–209
 Lashley and, 177–178
 localization and, 177–178, 190
 Locke and, 183
 long-term, 6–7, 155, 188–190, 200–206, 212, 215, 220, 244, 395n9
 medium-term, 187–188
 Mill and, 183
 momentous events and, 215
 motor area and, 177, 189–190, 194, 196, 204–208, 211–212, 215–219, 222
 nondeclarative, 189
 object recognition, 92, 97, 120–121, 136
 Pavlov and, 186
 Platonic model of, 180, 394n2
 priming and, 189, 213, 247
 procedural, 188–190, 201, 206, 211, 214–219
 qualia and, 50–51, 142, 272
 rationalism and, 180–182, 394nn4,6
 recall and, 180, 187, 189, 200, 203, 207, 214, 221
 recognition and, 120–122, 187, 191
 recollection and, 180, 189, 221, 232, 237
 reconstruction and, 185, 187
 response strength and, 225
 search for neuroanatomical correlates for, 193–224
 semantic, 189, 212, 222
 sensory, 180–191, 194–196, 204–205, 208, 218, 222
 short-term, 6, 128, 188–189, 200, 212–213, 235, 240, 395n9
 strength of, 220
 tasks for, 194, 203–226
 tone counting and, 109
 working, 109, 115, 189–190, 206–207, 211, 219–223, 231–232, 240, 247, 264, 289, 299, 309, 340, 346, 399
- Memory: A Contribution to Experimental Psychology* (Ebbinghaus), 186
- Mental chronometry, 238, 397n1
- Mental illness
 attention deficit hyperactivity disorder (ADHD) and, 339, 341–346, 349–350, 360, 399n18, 403n12
 autism and, 131, 134, 339, 341, 343–350, 360, 403n12
 bipolar disorder and, 341, 368
 posttraumatic stress disorder (PTSD) and, 339, 341–342, 344, 346, 350, 360, 403n12
 schizophrenia and, 216, 339–341, 360, 368

- Mentalism, 16–17, 269
- Meta-cognition, 280, 401n7
- Meta-studies, 39, 41, 365–366
- applications and, 329, 342, 346–349, 352, 360
- attention and, 261–265
- emotion and, 163–165, 172, 175, 392n12
- functional magnetic resonance imaging (fMRI) and, 36–37
- high-level cognitive processes and, 280, 289, 294, 299–300, 309–311, 401n7
- learning and, 190, 214, 222, 226, 397n27
- new brain metaphor and, 373–377, 382, 405n2
- perception and, 130, 136
- sensation and, 78, 386n22, 388n14
- Middle Ages, xiii, 181
- Middle frontal gyrus, 334
- Mind, xi–xii
- defining processes of, 21–22
- as enchanted loom and, 6
- impossibility of defining, 3
- intelligence and, 270, 287–289, 292–293, 302–312
- mental illness and, 339–350, 403n12, 405n3
- modules of, xxii
- motor area and, 156, 158, 162, 166, 174
- neuronal basis of, 20 (*see also* Neurons)
- problem solving and, 74, 100, 191, 194, 267, 281, 288–301, 311
- psychology and, 4 (*see also* Psychology)
- qualia and, 50–51, 142, 272
- reality of, 3
- reasoning and, 267, 273, 285, 288–303, 311, 358
- understanding and, 267–268, 273, 285, 300
- Mind-brain system, xxii, 2, 21, 39, 45, 47, 384nn4,10
- applications and, 333, 350, 358–360
- attention and, 240, 263
- black box principle and, 14–15, 23, 245–248, 403n9
- consciousness and, 273, 279, 302–304, 310, 314
- defining mental processes and, 21–22
- emotion and, 163
- learning and, 178, 203, 214, 226
- many-to-one issue and, 23–24
- monism and, 5, 11, 383n1, 384n11
- new brain metaphor and, 363–364, 368, 370–371, 374
- one-to-many issue and, 22–23
- ontological postulate and, 4–20, 24, 31, 248, 316, 358, 405n4
- perception and, 93–95, 112
- reverse inference and, 22, 356
- Sams on, 381–382
- sign-code distinction and, 24–25
- as “world knot”, 3–11
- Mind reading, 111, 131, 133, 356, 359, 384n10
- Mirror neurons, 401n8
- action understanding and, 130
- autism and, 131, 134
- effector processes and, 130
- empirical foundations for, 130
- evidence for, 130–137
- grasping and, 129–130
- human activities using, 131–132
- mouth and, 129
- perception and, 92, 129–137, 391nn20–24
- single cells and, 131–137
- social interactions and, 134
- Modern probabilistic era, 66–73
- Mollusks, 178, 281
- Monism, 5, 11, 383n1, 384n11
- Monkeys, 31
- attention and, 250
- emotion and, 156–157
- high-level cognitive-skills and, 280, 401n8
- learning and, 194, 201–202, 397n26
- perception and, 97, 119, 129–135, 391n20
- sensation and, 60, 83
- Motor areas, xiii, 24, 361
- attention and, 238, 247–250, 253–256, 399nn13,19
- consciousness and, 268, 273, 276, 282, 289, 295, 300

- Motor areas (cont.)
 cortico-cerebellar systems and, 334
 cortico-striatal systems and, 334
 electroencephalographs (EEGs) and, 330–333
 emotion and, 156, 158, 162, 166, 174
 grasping and, 121, 129–130, 282
 learning and, 177, 189–190, 194, 196, 204–208, 211–212, 215–219, 222, 328–335
 mirror neurons and, 129–137
 native ability and, 328–335
 new brain metaphor and, 372
 perception and, 100, 110, 115, 119–120, 129–135
 sensation and, 57–60, 63
- Motor neurons, xiii
- Multi-voxel pattern analysis (MVPA), 111–112
- Music
 emotion and, 142, 157–158, 164–166
 high-level cognitive-skills and, 289–291
 perception and, 122
 sensation and, 68
- Narcotics, 162, 316
- Native ability, 328–335
- Naturalism, 179–180
- Nature* journal, 43
- Nature Neuroscience* journal, 353–354
- Neural correlates of consciousness (NCC), 7–8
- Neuroeconomics, 42, 353–356, 381
- Neuroergonomics, 353
- Neuroethics, 353, 356–357
- NeuroImage* journal, 38
- Neuromarketing, 353–356
- Neurons, 38
 applications and, 314, 341
 attention and, 252–253
 auditory, 72, 387n5
 axons and, 6, 12, 81–82, 159
 cathode ray oscilloscope and, 64
 coding and, 93–97, 106, 110, 115–121, 129, 134, 137–138 (*see also* Coding)
 consciousness and, 401n8
 electric amplifiers and, 63
 emotion and, 159
 galvanometer and, 63
 gnostic, 66, 387n6
 Hebb on, 6–8, 368, 371, 374
 learning and, 196–198, 203, 227, 396n22
 microscopic activity of, 8, 46, 177, 226, 368–369, 374, 393n17, 405n6
 mirror, 92, 129–137, 391nn20–24, 401n8
 network model of, 5–8, 20, 26, 31, 46, 54, 95, 121, 124, 136, 139, 177, 246, 286, 308, 346, 350, 359, 368–371, 374, 378
 new brain metaphor and, 364, 368, 371, 405n4
 number of in human brain, 384n7
 ontological postulate and, 4–20, 24, 31
 perception and, 389n1, 390n9, 391nn20,22
 phase sequence and, 7, 371
 polysensory, 63, 119, 131, 204
 responses of individual, 10, 12, 33, 53, 64–69, 72, 76, 79–81, 88–90, 94–96, 105, 131, 196–198, 371, 383n2, 390n9
 sensation and, 53–56, 63–73, 76, 79–90, 387nn5,6,11, 388n17
 sensory coding and, 49–57, 63–82, 88–90, 92
 spiking and, 32, 55, 96
 synapses and, 6 (*see also* Synapses)
 timescale difference and, 33
- Neurophysiology, 1, 6, 32, 43, 46–47
 early research on, 57–63
 empirical-deterministic research era and, 63–66
 golden age of, 64
 learning and, 204
 modern probabilistic research era and, 66–73
 new brain metaphor and, 363
 observable behavior and, 339, 355
 perception and, 136, 391n21
 psychology informing, 384n5
 sensation and, 51–56, 64–66, 74–75, 84, 90, 387n10
- Neurotheology, 353, 357–358

- New brain metaphor, 369
 cerebrum and, 372
 distribution and, 373, 375
 functional recovery and, 376–378
 functional specialization and, 372–373
 hippocampus and, 375
 holism and, 371–372
 holographic metaphor and, 373–384
 imaging systems and, 375, 379
 implications of, 378–379
 interconnectedness and, 375
 localization and, 373
 meta-studies and, 373–377, 382
 methodological sensitivity and, 376
 novel part of, 374
 parietal lobe and, 375
 polyfunctionality and, 375–376
 primitive specialization and, 372
 variable data and, 376
 weakly bounded nodes and, 376
 Zeitgeist and, 370
New Phrenology, The (Uttal), xvi, 381, 385n14
 Nitrous oxide, 316
 Nonrapid eye movement sleep (NREM), 322–324
 NP-hard solutions, 71–72
- Object recognition, 92, 97, 120–121, 136
 Occasionalism, 11
 Occipital gyrus, 121
 Octopus, 281
 Olfaction, 116–117, 153, 320
 One-to-many issue, 22–23
 Ontological postulate
 accessibility and, 15–18
 epistemology and, 13–20
 inaccessibility and, 14–15
 mind-brain system and, 4–20, 24, 31, 248, 316, 358, 405n4
 monism and, 5, 11, 383n1, 384n11
 neurons and, 4–20, 24, 31
 neuroscience implications and, 18–20
 philosophical implications and, 4, 11–13
 psychology and, 13–18
- Operculum, 117, 119, 166
 Opium, 316
Opportunities for Neuroscience for Future Army Applications (NRC), 315–316
 Optic nerve, 53, 64, 86
- Pain
 anesthesia and, 316–323
 attention and, 399n19
 consciousness and, 280
 emotion and, 143, 146, 152
 learning and, 201, 215, 257
 somatosensation and, 81–82
- Papez circuit
 emotion and, 149, 151–162, 167–168, 392n7
 learning and, 174
- Parahippocampal gyrus, 154, 157–158, 166
 Parallelism, 11
 Parietal lobe
 applications and, 334
 attention and, 252–253, 257–260, 263, 399n19
 consciousness and, 291, 296–300
 new brain metaphor and, 375
 perception and, 128
 sensation and, 60
- Parietal operculum, 119
 Parieto-insular-vestibular cortex (PIVC), 119
 Parkinson disease, 215
 Pattern recognition, 18
 attention and, 247
 multi-voxel pattern analysis (MVPA) and, 111–112
 new brain metaphor and, 367
 perception and, 103–111, 390n8
- Perception, 367
 action understanding and, 130–136, 391n20
 audition and, 110, 115–116, 121–122
 behavior and, 92–94, 120, 128–136, 391nn20,24
 cerebellum and, 102, 129
 change blindness and, 52, 92, 123, 128–129, 139

Perception (cont.)

- Class A responses and, 91
 - class of experiments for, 91–92
 - coding and, 93–97, 106, 110, 115–121, 129, 134, 137–138, 390n14
 - consciousness and, 110, 129
 - decision making and, 109
 - as different from sensation, 91
 - distinguishable activations and, 97
 - electroencephalographs (EEGs) and, 106, 124, 132
 - face recognition and, 92, 103, 120–122
 - frontal eye field (FEF) and, 100, 253, 260, 389n5
 - frontal lobe and, 102, 128
 - functional agreement and, 91
 - functional magnetic resonance imaging (fMRI) and, 94–139, 389n3, 390nn9,10,13
 - fusiform face area (FFA) and, 96–97, 103, 120–122
 - gender and, 131
 - Gestalt laws of, 78
 - gustation and, 117–119, 320
 - illusions and, 51–53, 68, 76–77, 91–92, 122–129, 136, 139, 388n14, 391n17
 - imaging epoch and, 92–120
 - injuries and, 93
 - judgment and, 92, 109–110, 126, 138
 - lesions and, 93–94, 134
 - linear discriminant analysis (LDA) and, 103, 390n8
 - localization and, 93, 101, 103, 115, 120, 123
 - mind-brain system and, 93–95, 112
 - motor area and, 100, 110, 115, 119–120, 129–135
 - multi-voxel pattern analysis (MVPA) and, 111–112
 - neurons and, 92–98, 102–105, 123–125, 129–137, 389n1, 390n9, 391nn20,22
 - neurophysiology and, 136, 391n21
 - object recognition, 92, 97, 120–121, 136
 - olfaction and, 116–117, 153, 320
 - parietal lobe and, 128
 - pattern recognition and, 103–111, 390n8
 - perceived experience and, 100–106, 116
 - positron emission tomography (PET) and, 94, 120, 126, 130
 - primary sensory areas and, 99, 116
 - psychology and, 94, 114, 122, 135–138
 - psychophysics and, 92–94, 389n1, 390n15
 - recognition and, 120–122
 - regional sensitivity and, 96–98
 - response inhibition and, 109
 - sensory processing and, 51–52
 - simultaneous neural/psychophysical studies and, 93
 - single cells and, 95, 124, 131–139
 - somatosensation and, 116, 119–123, 390n15
 - space/motion, 92, 136
 - tasks and, 93, 101, 103, 108–114, 120, 128, 138, 389n2
 - taste and, 117–119, 320
 - temporal gyrus and, 95–98, 102, 115
 - vestibular, 118–120
 - vision and, 92, 95–117, 138
- Personality, 25, 30, 36–37, 404n15
- applications and, 314, 341
 - emotion and, 148, 150, 156, 159–160, 169
 - high-level cognitive-skills and, 302
 - learning and, 186, 396nn19,21
- Perspectives on Psychological Science* journal, 37
- Phantom limbs, 123
- Phase sequence, 7, 371
- Philosophy, xxi, 2–3, 8–10, 25, 386n2
- applications and, 313, 356, 358
 - associationism and, 184, 186
 - attention and, 236–237, 247, 251
 - Chalmers and, 11, 268, 279
 - consciousness and, 268–269, 274–275, 283, 285, 287, 400n2
 - Descartes and, 11, 17, 148, 181, 183, 193, 269, 394n4
 - dualism and, 5, 11–12, 268, 383n1, 384n11, 385n12, 400n2
 - emotion and, 142–146, 149, 392n3

- empiricism and, 181–183, 234, 236, 394n4
- functionalism and, 184–185
- learning and, 179–186, 394nn4,6
- measurement and, 29
- new brain metaphor and, 370, 372
- occasionalism and, 11
- ontological postulate and, 4, 11–13
- parallelism and, 11
- perception and, 132–133
- qualia and, 50–51, 142, 272
- rationalism and, 180–182, 394nn4,6
- sensation and, 51, 70
- structuralism and, 184
- supervenience and, 11, 272, 384n11, 400n2
- tripartite reality and, 11
- Phobias, 147, 216, 342
- Planum temporale, 115
- Pleasure, 143, 146, 162, 167, 355, 392n11
- Polygraphs, 30, 336–337
- Polysensory neurons, 63, 119, 131, 204
- Pontine reticular formation, 197
- Positron emission tomography (PET), xxiv, 1, 12, 25
 - applications and, 337, 342, 352, 356
 - attention and, 249, 255–256, 261, 399nn14
 - consciousness and, 308–309, 401n15
 - emotion and, 163–164
 - learning and, 222, 397n25
 - new brain metaphor and, 375
 - perception and, 94, 120, 126, 130
- Posttraumatic stress disorder (PTSD)
 - applications and, 339, 341–342, 344, 346, 360, 360, 403n12
 - cingulate cortex and, 342
 - risk factors for, 315
- Potentiation, 6, 197, 394n1
- Prefrontal cortex
 - applications and, 334, 339, 342–346
 - attention and, 256–259
 - emotion and, 159–163, 167–169, 172–173, 392n12
 - high-level cognitive-skills and, 287, 291, 295–300
 - learning and, 207, 220–221
 - perception and, 100, 110, 127–129
 - Stroop effect and, 398n4
- Primary sensory areas, xiii, 359
 - perception and, 99, 116
 - sensation and, 59, 63, 89 (*see also* Sensation)
- Priming, 189, 213, 247
- Principal component analysis, 69
- Principles of Neural Science* (Kandel, Schwartz, and Jessell), 75
- Problem solving
 - gyrus and, 296–297
 - high-level cognitive-skills and, 74, 100, 191, 194, 267, 281, 288–302, 311
 - learning and, 191, 194
 - parietal cortex and, 297
 - perception and, 100
 - prefrontal cortex and, 297
 - sensation and, 74
- Tower of Hanoi and, 296
- Tower of London and, 296–297
- Prosopagnosia, 121–122
- Pseudowords, 109
- Psychology, xxi, xxiv, 2–3, 12, 22, 44–47, 381
 - accessibility and, 15–18
 - applications and, 314, 329, 337, 349
 - Aristotle and, 180–181
 - associationism and, 184, 186
 - attention and, 233–247, 397n2, 398n8
 - behavior and, 4 (*see also* Behavior)
 - black box principle and, 14–15, 23, 245–248, 403n9
 - cognitive, 4, 11, 17, 19, 43, 149, 179, 187, 233–236, 246, 269–271, 274, 277, 314, 397n25, 400n3
 - consciousness and, 267–271, 274–277, 283–284, 299, 302–303, 310, 400n3
 - developmental, 185
 - emotion and, 141–149, 154, 169–170, 392n4, 393n17
 - epistemology and, 13–18
 - exodus from traditional programs of, 383n1
 - fractioning of, 4

- Psychology (cont.)
 functionalism and, 184–185
 Gestalt, 78, 185
 Heisenberg principle for, 284
 illusions and add, 122–129
 inaccessibility and, 14–15
 informing neurophysiology and, 384n4
 Law of Effect and, 185
 Law of Practice and, 185
 Law of Recency and, 185
 learning and, 114, 178–187, 190, 197–199, 204, 209–210, 394nn5,7, 395nn8,11,14, 396n20
 new brain metaphor and, 374, 378
 ontological postulate and, 13–18
 Pavlov studies and, 186, 194
 perception and, 94, 114, 122, 135–138
 phobias and, 147, 216, 342
 principal component analysis and, 69
 qualia and, 50–51, 142, 272
 structuralism and, 184
 technical issues and, 26, 29, 34
 thinking and, 287–302
 traditional, 383n1
- Psychophysics
 attention and, 231, 247, 256, 260, 398n9
 consciousness and, 307
 judgment and, 51 (*see also* Judgment)
 learning and, 183–184, 214
 new brain metaphor and, 366
 perception and, 92–94, 389n1, 390n15
 qualia and, 50–51, 142, 272
 sensation and, 49–52, 70, 73–90, 386n2, 387n7, 388n12,17
 traditional period of neuroscience and, 78–88
- Publication bias, 34–35
- Pure insertion, xxiv, 271, 397n1
- Qualia, 50–51, 142, 272
- Quantification issues, 27–30
- RADAR, 319
- Rapid eye movement sleep (REM), 322–324
- Rationalism, 180–182, 394n4,6
- Rats, 156, 162, 177, 202, 373
- Raven Progressive Matrices, 309
- Reaction time, 22
 applications and, 329, 332
 attention and, 397n1
 learning and, 214–216
- Real-world stimulus, 66–73, 101
- Reasoning, 358
 high-level cognitive skills and, 267, 273, 285, 288–303, 311
 problem solving and, 74, 100, 191, 194, 267, 281, 288–302, 311
 understanding and, 267–268, 273, 285, 300
- Recall, 180, 187, 189, 200, 203, 207, 214, 221
- Recognition
 facial, 92, 103, 120–122
 form classification and, 120
 learning and, 187, 191
 memory and, 187, 191
 object, 92, 97, 120–121, 136
 pattern, 18, 103–111, 247, 367, 390n8
- Recollection, 180, 189, 221, 232, 237
- Reconstruction, 185, 187
- Region of interest (ROI), 38
- Religion, xxi, 16, 181–182, 275, 283, 352, 357–358
- Renaissance, 237, 372
- Republic, The* (Plato), xii
- Reticular activation system (RAS), 251
- Retina, 33, 55, 61, 86–88, 92, 104, 260, 390n13
- Retinotopy, 89, 104, 113–114, 126, 384n9
- Reverse inference, 22, 356
- Rhesus monkeys, 60, 97
- Rods, 86–87
- Sadness, 143, 163
- Schizophrenia, 216, 339–341, 360, 368
- Science* journal, 43
- Scientific American* magazine, xvii, 43
- Sea hare, 198

- Self-awareness
attention and, 231–241
consciousness and, 268, 272–276, 310
learning and, 206
perception and, 131
- Semi-consciousness, 402n18
- Sensation, xii-xiv
agnosias and, 121–122, 390n16, 395n14
ascending pathway and, 50, 54–55
audition and, 60, 63, 65, 72, 79, 84–86, 89, 387n5
behavior and, 66, 70–74, 83, 386n26
Class A responses and, 388n12
coding and, 88–90
cognitive neuroscience of, 74–88
consciousness and, 389n7
early neuroscientific research on, 57–63
electroencephalographs (EEGs) and, 60, 75
empirical-deterministic era and, 63–66
event-related potentials (ERPs) and, 60, 75, 82, 85
frontal lobe and, 60, 85
Hermann grid illusion and, 77
information capacity and, 70
injuries and, 59, 79
judgment and, 82–84, 88, 90, 388n12
lesions and, 59
localization and, 53, 59, 62–63, 81
Mach band edge effects and, 76–77
modern probabilistic era and, 66–73
motor area and, 57–60, 63
neural/experimental comparisons and, 52–53
neurons and, 53–56, 63–73, 76, 79–90, 119, 131, 204, 387nn5,6,11, 388n17
neurophysiology and, 51–56, 64–66, 74–75, 84, 90, 387n10
pain and, 81–82, 143, 146, 152, 201, 215, 257, 280, 316–318, 399n19
parietal lobe and, 60
perception and, 51–52, 92–98, 102–105, 123–125, 129–137
pleasure and, 143, 146, 162, 167, 355, 392n11
psychophysics and, 49–52, 70, 73–90, 386n2, 387n7, 388nn12,17
self-modification and, 90
sensory coding and, 49–82, 88–90, 92, 94, 137, 386n1, 387nn10,11, 388n15
simultaneous contrast and, 76–77, 388n13
simultaneous neural/psychophysical studies and, 67, 73–79, 82–85, 89
single cells and, 70, 78–79, 386n24, 387n9, 389n21
single-fiber studies and, 81–84
somatosensation and, 55, 59–60 (*see also* Somatosensation)
synapses and, 54
tasks and, 51–55, 63, 68–75
taste and, 55, 79, 82–84, 117, 388nn18,19
temporal gyrus and, 60
touch and, 67, 80, 82, 116, 280
traditional period of neuroscience and, 78–88
transduction and, 54, 75, 80
transmission properties and, 50–53, 65, 70, 73, 75, 85, 88
vestibular, 118–120
vision and, 54, 55, 59–60, 69, 86–88, 386n1
- Septal area, xiv, 154, 159
- Sham operation, 194, 395n13
- Short-term memory, 6, 128, 188–189, 200, 212–213, 235, 240, 395n9
- Signal detection theory (SDT), 283
- Sign-code distinction, 24–25, 27, 33, 350
high-level cognitive-skills and, 312
perception and, 106, 111–112, 117, 124
sensation and, 68, 89
- Simultaneous contrast, 76–77, 388n13
- Single-cell response, 9, 38
attention and, 251–253
learning and, 196–198
mirror neurons and, 131–137
new brain metaphor and, 373
perception and, 95, 124, 131–139
sensation and, 70, 78–79, 386n24, 387n9, 389n21

- Single fiber studies, 81–84
- Skill level, 328–335
- Skin, 31
- clammy, 149
 - conductance of, 390n11
 - emotion and, 149
 - galvanic reflex and, 336
 - itching and, 82
 - somatosensation and, 80–82, 388n15
- Sleep
- alpha rhythm and, 325–328
 - applications and, 319, 351, 361, 403n5
 - attention and, 251
 - coordinated brain activity and, 328
 - electroencephalographs (EEGs) and, 322–328
 - emotion and, 167
 - event-related potentials (ERPs) and, 326–327
 - fatigue and, 322–328
 - functional magnetic resonance imaging (fMRI) and, 237–238
 - high-level cognitive-skills and, 273, 281, 288
 - neural correlates for, 328
 - nonrapid eye movement (NREM), 322–323
 - wakefulness and, 322–328
- Somatosensation, 63, 89, 388n19
- agnosias and, 121–122, 390n16, 395n14
 - applications and, 319–320, 326, 334
 - axons and, 81–82
 - coding and, 55
 - emotion and, 141
 - finger and, 80
 - fMRI studies and, 116
 - illusions and, 123
 - metal electrodes and, 80–81
 - pain and, 81–82
 - perception and, 116, 119–123, 390n15
 - postcentral parietal region and, 60
 - skin and, 80–82, 388n15
 - tapping/flutter sensation and, 81
 - temporal lobe and, 59
 - traditional period of neuroscience and, 79–82
- Space/motion perception, 92, 136
- Spiking, 32, 55, 96
- Spirituality, xxi, 283
- Split brain, xiv
- Standing-wave model, 84
- Stanford Encyclopedia of Philosophy*, 269
- Statistical errors, 385n21
- data set reliability and, 36–37
 - double dipping and, 38–39
 - false positives and, 34–35, 368
 - imaging systems and, 34–42
 - meta-review and, 36, 39, 41, 130, 136, 163–164, 172, 222, 261, 294, 299–300, 309, 329, 346–349, 352, 360, 375, 386n22
 - modern probabilistic era and, 66–73
 - principal component analysis and, 69
 - publication bias and, 34–35
 - thresholded information and, 38
 - voodoo correlations and, 37
- Stimuli, xxi, 22–24, 100, 253, 260, 384n9, 385n19, 389n5. *See also* Tasks
- applications and, 315–322, 326–329, 332–333, 342, 351–352, 402n3, 403nn4,6
 - ascending pathway and, 50, 54–55
 - attention and, 229–265 (*see also* Attention)
 - audition and, 60 (*see also* Audition)
 - Class A responses and, 91, 388n12
 - classical conditioning and, 209
 - clicks and, 65, 67, 320
 - coding and, 49–50 (*see also* Coding)
 - conditioned, 186, 201, 207, 209, 215
 - consciousness and, 274–278, 282–287, 290, 299, 302–303, 307
 - controlling, 141, 146–153, 157–161, 167–174
 - cues and, 70, 111, 124, 126, 155, 187, 194, 201, 207, 212, 221, 225, 242, 250
 - emotion and, 141–147, 150, 153–175, 392nn12,13,14, 393n15
 - empirical observations and, 365–369
 - flashes and, 64–65, 67, 307, 320
 - gustation and, 117–119, 320
 - Hermann grid illusion and, 77
 - illusions and, 77, 122–129 (*see also* Illusions)
 - information capacity and, 70

- interactions with other brain areas and, 98–100
- learning and, 180–186, 189, 192–196, 200–201, 204–207, 213–218, 221–222, 225–226
- Mach band edge effects and, 76–77
- mirror neurons and, 129–137
- music and, 68, 122, 142, 157–158, 164–166, 289–291
- new brain metaphor and, 365–368, 374–377, 404n1
- olfaction and, 116–117, 153, 320
- pain and, 81–82, 143, 146, 152, 201, 215, 257, 280, 316–318, 399n19
- Pavlov studies and, 186, 194
- perception and, 91–139 (*see also* Perception)
- pleasure and, 143, 146, 162, 167, 355, 392n11
- priming and, 189, 213, 247
- qualia and, 50–51, 142, 272
- quality of, 88
- real-world, 66–73, 101
- sensation and, 49–90 (*see also* Sensation)
- simultaneous contrast and, 76–77, 388n13
- single-cell response and, 70, 78–79 (*see also* Single-cell response)
- single-fiber studies and, 81–84
- skin and, 31, 80–82, 149, 336, 388n15, 390n11
- taste and, 117–119, 320
- technical issues and, 25–27, 30–34, 39, 41
- touch and, 67, 80, 82, 116, 280
- traditional period of neuroscience and, 78–88
- transduction and, 54, 75, 80
- unconditioned, 186, 207–209
- vision and, 54 (*see also* Vision)
- Striatum, 206
- Stroop test, 242
- Structuralism, 184
- Subtraction issue, 26–27
- Superior colliculus, 63, 250, 256, 389n4
- Superior parietal cortex (SPC), 127
- Superior parietal gyrus, 97
- Superior temporal gyrus, 98, 115, 345
- Supervenience, 11, 272, 384n11, 400n2
- Swedish Council on Technology Assessment in Health Care*, 318
- Sylvan sulcus, 119
- Synapses, 12, 29–31
- emotion and, 154
- Hebbian growth processes and, 6–7
- learning and, 177, 197–198, 225
- long-term potentiation (LTP) and, 394n1
- new brain metaphor and, 371, 374, 405n4
- potentiation and, 6, 197, 394n1
- reverse inference and, 22, 356
- sensation and, 54
- sensory coding and, 49–57, 63–82, 88–90, 92
- sign-code distinction and, 24–25
- synapses and, 177, 197–198, 225
- Tasks, xxi, 3, 23–26, 29, 35, 46
- applications and, 316–317, 324–335, 340, 344–346, 349–351, 359–361, 404n14
- attention and, 231, 244–247, 250–265, 397n1, 399n15
- blinking and, 128, 209
- consciousness and, 274, 281, 288–310, 402n16
- emotion and, 161–165, 168–170, 174
- empirical observations and, 365–369
- finger-tapping, 329, 334–335, 345
- grasping, 121, 129–130, 282
- learning and, 194, 203–226
- native ability and, 328–335
- new brain metaphor and, 365, 375–378
- object characteristic, 293
- perception and, 93, 101, 103, 108–114, 120, 128, 138, 389n2
- problem-solving and, 74, 100, 191, 194, 267, 281, 288–301, 311
- reasoning and, 267, 273, 285, 288–303, 311, 358
- rhyme judgment, 109–110
- sensation and, 51–55, 63, 68–75
- tone counting, 109
- Tower of Hanoi, 296, 401n14
- Tower of London, 296–297

- Tasks (cont.)
 training and, 328–335
 working memory and, 109, 115, 189–190, 194, 203–226, 231–232, 240, 247, 264, 289, 299, 309, 340, 346, 399
- Taste
 gustation and, 117–119, 320
 perception and, 117–119
 sensation and, 55, 79, 82–84, 388nn18,19
- Temporal gyrus
 applications and, 345
 emotion and, 165
 perception and, 95–98, 102, 115
 sensation and, 60
 ventral stream and, 97
 vision and, 95–98
- Thalamus
 applications and, 327, 334, 342, 349, 357
 attention and, 254, 256, 260, 399n13
 consciousness and, 294
 emotion and, 153–156, 167, 173, 392n8
 learning and, 197, 201, 205–206
- Thinking, 25, 355–359
 active, 288
 alpha rhythm and, 290–292, 305, 325–328, 331–332, 403n6
 attention and, 232
 behavior and, 15, 287–302
 decision making and, 291–292 (*see also* Decision making)
 defining, 288–290
 dualism and, 5
 emotion and, 142, 149, 392n3
 executive function and, 298–299
 fMRI studies of, 293–294
 functional boundaries and, 300–301
 high-level cognitive processes and, 267–268, 271, 279, 283–302, 307, 311, 333, 401nn7,13, 402n22
 intelligence and, 270, 287–289, 292–293, 302–312
 learning and, 178–185, 188, 196, 206–207, 210, 220, 224, 394n6
 meta-cognition, 280, 401n7
 new brain metaphor and, 370–371, 374, 382
 perception and, 100, 105–106, 111–112, 130
 problem solving and, 74, 100, 191, 194, 267, 281, 288–301, 311
 psychology and, 17 (*see also* Psychology)
 reasoning and, 267, 273, 285, 288–303, 311, 358
 sensation and, 51, 63, 66–68, 74, 76
 subtraction issue and, 26
 traditional neuroscience investigations of, 290–293
- Timescale difference, 33
- Tone counting, 109
- Tonotopy, 89, 359, 387n5
- Touch, 67, 80, 82, 116, 280
- Tower of Hanoi game, 296, 401n14
- Tower of London game, 296–297
- Traditional period
 audition and, 84–86
 coding and, 78–88
 somatosensation and, 79–82
 taste and, 82–84
 vision and, 86–88
- Training, 328–335
- Transduction, 54, 75, 80
- Trends in Cognitive Science* journal, 43
- Tripartite reality, 11
- Understanding, 267–268, 273, 285, 300
- University of Parma, 129
- Vegetative state (VS), 350–353, 400n5
- Ventral region
 applications and, 334, 343
 attention and, 256, 259
 emotion and, 148, 155, 166, 170
 learning and, 197, 201, 203, 216–217
 perception and, 97, 102, 120, 130, 389n4
 sensation and, 57
- Vestibular sensation, 118–120
- Vigilance, 322–328

Vision

- agnosias and, 121–122, 390n16, 395n14
- amacrine cells and, 87
- applications and, 333
- attention and, 231, 237, 244–254, 258–260, 399n19
- blindsight and, 281–282
- blinking and, 128, 209
- change blindness and, 52, 92, 123, 128–129, 139
- cones and, 86
- distinguishable activations and, 97
- early theories of, 60
- electroretinograms (ERGs) and, 75–76, 79, 86–88
- flashes and, 64–65, 67, 307, 320
- flickering checkerboards and, 97
- fMRI and, 95–114
- frontal eye field (FEF) and, 100, 253, 260, 389n5
- fusiform face area (FFA) and, 96–97, 103, 120–122
- Hermann grid illusion and, 77
- horizontal cells and, 87
- horseshoe crab and, 64, 66, 71
- illusions and, 77, 122–129 (*see also* Illusions)
- interactions with other brain areas and, 98–100
- learning and, 222
- Mach band edge effects and, 76–77
- medial temporal lobe (MTL) and, 95, 97
- meta-contrast and, 78, 388n14
- multi-voxel pattern analysis (MVPA) and, 111–112
- optic nerve and, 53, 64, 86
- perception and, 92, 95–117, 138
- perceptual contents and, 100–114
- recognition and, 120–122
- regional sensitivity and, 96–98
- retina and, 33, 55, 61, 86–88, 92, 104, 260, 390n13
- retinotopy and, 89, 104, 113–114, 126, 384n9
- rods and, 86–87
- sensation and, 54–55, 59–60, 69, 86–88, 386n1
- simultaneous contrast and, 76–77, 388n13
- stereo, 399n19
- suppressed, 32
- temporal gyrus and, 95–98
- trichromatic theories and, 386n1
- V1 area and, 97, 99–100, 104–105, 112, 114, 116, 124–127, 136, 286
- V2 area and, 100, 104, 112, 114, 124–125
- V3 area and, 100, 112, 114
- V4 area and, 97, 100, 114, 127, 251
- V5 area and, 95–96

Wakefulness, 322–328

Working memory, 340, 346, 399

- attention and, 231–232, 240, 247, 264
- high-level cognitive-skills and, 289, 299, 309
- learning and, 189–190, 206–207, 211, 219–223
- perception and, 109, 115

Worldly discrimination theory (WDT), 282

Zeitgeist, 19, 46, 197, 363, 367, 370, 377

Zerstreuung, 233

Zombies, 279–281, 389n7